MEDICAL LIBRARY
(MINISTRY OF HEALTH.)

MEDICAL LIBRARY

...n: Report
...rths, Deaths &
...f 1879).

Lent Reminder Ret^d

22500766917

No.....

MINISTRY OF HEALTH.

MEDICAL LIBRARY.

This book may be retained for 14 days. It should be returned to the Medical Library (Room 30/IV) on or before the latest date given below.

The volume may be re-borrowed for a further period upon written request provided it is not required by another officer.

22318 21995/490 5m(2) 3/27 J.P.D207 Gp.132
MED. LIBRARY I.

Digitized by the Internet Archive
in 2021 with funding from
Wellcome Library

https://archive.org/details/s4677id1397446

TWENTY-FIFTH DETAILED ANNUAL REPORT

OF THE

REGISTRAR-GENERAL

OF

BIRTHS, DEATHS, AND MARRIAGES IN SCOTLAND.

[ABSTRACTS OF 1879.]

Presented to both Houses of Parliament by Command of Her Majesty.



EDINBURGH:
PRINTED BY NEILL AND COMPANY,
FOR HER MAJESTY'S STATIONERY OFFICE.
1883.

[C.—3557.] *Price 2s. 1d.*

MEDICAL LIBRARY
MINISTRY OF HEALTH

WELLCOME INSTITUTE
LIBRARY
Coll. welMOmec
Call No. Sw
WA

TWENTY-FIFTH

DETAILED ANNUAL REPORT

OF THE

REGISTRAR-GENERAL

OF

BIRTHS, DEATHS, AND MARRIAGES

IN SCOTLAND.

[ABSTRACTS OF 1879.]

Presented to both Houses of Parliament by Command of Her Majesty.

EDINBURGH:
PRINTED BY NEILL AND COMPANY,
FOR HER MAJESTY'S STATIONERY OFFICE.
1883.

[C.—3557.] *Price 2s. 1d.*

REPORT.

TO THE RIGHT HON.

SIR WILLIAM VERNON HARCOURT, Q.C., M.P.,

Her Majesty's Principal Secretary of State for the Home Department.

GENERAL REGISTRY OFFICE OF BIRTHS, ETC.,
EDINBURGH, 30*th March* 1883.

SIR,

On the 18th March 1880, the Registrar-General for Scotland had the honour, in conformity with the requirements of the seventh section of the Scottish Registration Act, 17 & 18 Vict. cap. 60, to transmit to the Secretary of State for the Home Department General Abstracts of the Births, Deaths, and Marriages registered in Scotland during the year 1879, along with the usual explanation and commentary.

On the same date, his Fifteenth Annual Report on Vaccination was transmitted, in accordance with the nineteenth section of the Scottish Vaccination Act, 26 & 27 Vict. cap. 108.

I have now the honour to transmit the Detailed Annual Report, together with the relative Tables, regarding the Births,

Deaths, and Marriages registered in Scotland during the same year (1879).

I have the honour to be,

SIR,

Your most obedient Servant,

STAIR AGNEW,

Registrar-General.

CONTENTS.

	Page
Report of Registrar-General to the Secretary of State,	iii
Report by Dr Cunynghame to the Registrar-General,	ix
Table of Estimated Population, with the Number of Births, Deaths, and Marriages registered in Scotland during each of the years 1855–1879 inclusive, and their Proportions to the Population; showing also the excess of Births over Deaths,	ix
Population,	ix
Tables showing the Number and Proportion of Births, Deaths, and Marriages in the Principal Town, Large Town, Small Town, Mainland-Rural, and Insular-Rural Districts, during each of the years 1855–1879,	x & xi
Table showing the Number and Proportion of Births, Deaths, and Marriages in each of the Eight Principal Towns of Scotland during 1879,	xii
Occasional Table, showing the State of Illegitimacy in all Scotland, in the Five Groups of Districts, Principal Towns, and Two Counties in 1879,	xii
Table showing the Number and Proportion of the Births, Deaths, and Marriages registered in the Divisions and Counties of Scotland during the year 1879,	xiii

BIRTHS.

Births in 1879, and their Proportion to the Population, with relative Tables,	x
Tables showing particulars relative to the Births during each of the years 1855 to 1879 inclusive,	xiv
Number and Proportion of Twins and Triplets,	xiv

MARRIAGES.

Proportion of Legitimate Children to the Marriages in Scotland and England,	
Influence of Density of Population on the Marriages,	
Number of Marriages in 1879, and their Proportion to the Population,	
Number and Proportion of Marriages contracted according to the Rites of the several Religious Denominations in 1879, and 1855–1879, with relative Tables,	xvi
Number and Proportion of Persons marrying at different Ages, with relative Tables,	xviii
Number and Proportion of Marriages between Persons in different Conjugal Conditions, with relative Tables,	xix
Number and Proportion of Men and Women in Scotland, its Divisions and Counties, also in Edinburgh and Glasgow, who signed the Marriage Schedules by Mark,	xix & xxi

Page

DEATHS.

Number of Deaths in Scotland in 1879, and their Proportion to the Population, . . xx

Death-rates in Scotland, and in its Principal Town, Large Town, Small Town, Mainland-Rural, and Insular-Rural Districts, during each of the years 1855–1879, with relative Tables, ... xxii

Death-rates in each of the Eight Principal Towns of Scotland during each of the years 1869–1879, ... xxiii

Series of Tables of the Deaths at different Ages in Scotland, and its Five Great Groups of Districts, during the year 1879, ... xxiv

Mortality of Female lower than that of the Male, ... xxv

High Mortality in Towns at every period of life, as compared with mortality of Rural Districts, xxv

Causes of Death in 1879, with relative Tables, ... xxvii

Proportion of Deaths from the Zymotic Diseases at different Ages, with relative Tables, . xxxiv

Small-pox Deaths in Scotland for twenty-four years, ... xxxv

Vaccinations in Scotland, 1869–1879, ... xxxvi & xxxvii

Different forms of Fever prevalent in Scotland, and Monthly Fever Deaths, . . xxxiii & xxxviii

The Twenty most fatal Diseases in England and Scotland in 1879, ... xxxix

INFLUENCE OF EXTERNAL AGENCIES ON THE MORTALITY IN 1879.

Weather, Weekly and Monthly, and its Influence on the Mortality, ... xl

Table showing the Meteorology of Scotland during each month of the year 1879, together with the Monthly and Daily Number of Births, Deaths, and Marriages, . . xli

Table showing the connection between certain Atmospheric Phenomena, especially Mean Temperature, and the Deaths from certain Diseases and classes of Disease, in the Eight Principal Towns of Scotland during each Month of the year 1879, . . xlii

Deaths, Temperatures, and Fall of Rain in the Eight Principal Towns of Scotland, during each week of the year 1879, ... xliii

Influence of Season, etc., on the Mortality at different Ages, ... xliii

---

APPENDIX.

Vaccinations in the several Counties of Scotland during the year 1879, . . . xlvi

---

ABSTRACTS.

Summary Table of the Births, Deaths, and Marriages in the Groups of Districts, Divisions, and Counties of Scotland in 1879, distinguishing the Sexes, the Number of Illegitimate Births, the Population in 1871 and 1881, the Excess of Births over Deaths, and the Area in Square Miles of each County, ... 1

Tables of the Population in 1871 and 1881, and of the Births, Deaths, and Marriages during the year 1879, also of the Illegitimate Births in every Registration District, . . 2–23

MARRIAGES.

Table of the Marriages in Scotland and its Counties in 1879; distinguishing the Number o Marriages solemnized according to the Rites of the several Religious Denominations, the Number of Irregular Marriages, and the Number of the respective Sexes who signed the Register by Marks, ... 24

PAGE

Table of the Civil Condition of the parties who married in 1879; distinguishing the Marriages of Bachelors with Spinsters; Bachelors with Widows; Widowers with Spinsters; and Widowers with Widows; giving the particulars as to the Age of each Sex 25

Table of the Ages of all Males who married in Scotland and its Counties in 1879, . . . 26

Table of the Ages of all Females who married in Scotland and its Counties in 1879, 28

DEATHS.

Table of the Ages of all persons of both Sexes who died in each of the Groups of Districts, Counties, and Principal Towns of Scotland in 1879, together with the Populations in 1871 and 1881, ... 30

Table of the Ages of all Males who died in each of the Groups of Districts, Counties, and Principal Towns of Scotland in 1879, together with the Male Populations in 1871 and 1881, ... 32

Table of the Ages of all Females who died in each of the Groups of Districts, Counties, and Principal Towns of Scotland in 1879, together with the Female Populations in 1871 and 1881, ... 34

Deaths at different Ages in both Sexes in each of the Large Towns, and in the Small Town Districts of the Counties of Scotland in 1879, ... 36
Do. Males, ... 38
Do. Females, ... 40

Deaths at different Ages in both Sexes in the Mainland-Rural and in the Insular-Rural Districts of Scotland in 1879, ... 42
Do. Males, ... 44
Do. Females, ... 46

Summary Table of the Causes of Death in each of the Counties of Scotland in 1879—
Males, ... 48
Females, ... 49

Summary Table of the Causes of Death in each of the Principal Towns of Scotland in 1879—
Males, ... 64
Females, ... 65

Summary Table of the Causes of Death in each of the Large Towns of Scotland in 1879—
Males, ... 72
Females, ... 73

Summary Table of the Causes of Death in each of the Small Town Districts of the Counties of Scotland in 1879—
Males, ... 80
Females, ... 81

Summary Table of the Causes of Death in the Mainland-Rural Districts of Scotland in 1879—
Males, ... 96
Females, ... 97

Summary Table of the Causes of Death in the Insular-Rural Districts of Scotland in 1879—
Males and Females, ... 112

Table of the Causes of Death in all Scotland at different Periods of Life—
Males, ... 116
Females, ... 117

Table of the Causes of Death in the Principal Town Districts of Scotland at different Periods of Life—
Males, ... 132
Females, ... 133

Page

Table of the Causes of Death in the Large Town Districts of Scotland at different Periods of Life—
Males, ... 148
Females, ... 149

Table of the Causes of Death in the Small Town Districts of Scotland at different Periods of Life—
Males, ... 164
Females, ... 165

Table of the Causes of Death in the Mainland-Rural Districts of Scotland at different Periods of Life—
Males, ... 180
Females, ... 181

Table of the Causes of Death in the Insular-Rural Districts of Scotland at different Periods of Life—
Males, ... 196
Females, ... 197

Table of the Causes of Death in Glasgow at different Periods of Life—
Males, ... 212
Females, ... 213

Table of the Causes of Death in Edinburgh at different Periods of Life—
Males, ... 228
Females, ... 229

Table of the Causes of Death in Dundee at different Periods of Life—
Males, ... 244
Females, ... 245

Table of the Causes of Death in Aberdeen at different Periods of Life—
Males, ... 260
Females 261

Table of the Causes of Death in Greenock at different Periods of Life—
Males, ... 276
Females, ... 277

Table of the Causes of Death in Paisley at different Periods of Life—
Males, ... 292
Females, ... 293

Table of the Causes of Death in Leith at different Periods of Life—
Males, ... 308
Females, ... 309

Table of the Causes of Death in Perth at different Periods of Life—
Males, ... 324
Females, ... 325

Table showing the Influence of Season on the Mortality, or the Number of Deaths during the several Months of the Year 1879, in each of the Groups of Districts, Divisions, and Counties of Scotland, ... 340

Constitution of the Compound Districts, ... 341

List of Registration Districts which include Burghs or Towns of 2000 Inhabitants and upwards, or parts thereof, bearing a different name from the Districts in which they are situated, ... 342

Index to Districts, ... 343

REPORT TO THE REGISTRAR-GENERAL,

BY R. J. BLAIR CUNYNGHAME, M.D., F.R.S.E.

SIR,

The year 1879 was a calamitous one for Scotland. The City of Glasgow Bank collapsed during the autumn of 1878, spreading dire destruction over the country at large. Trade was bad, at least during the early part of the year, and the harvest one of the worst on record, while the seasons themselves were marked for their continued low mean temperature and inclemency of weather. As a result of these circumstances, the marriage-rate was much affected, and considerably below the average, as also that of the births; while, on the other hand, the death-rate was remarkably low—in fact, the mortality during the year is the lowest for many.

POPULATION.

In the present Detailed Annual Report for 1879, the estimates of population are obtained from the Census enumerations of 1881, and in Table I.

TABLE I.—Population estimated to the middle of each year; with the Number of Births, Deaths, and Marriages registered in Scotland during each of the Years 1855 to 1879, and their Proportion to the Population; also the Excess of Births over Deaths, the Illegitimate Births, and their Proportion to the Total Births.

Years	Estimated Population.	Births.		Deaths.	Marriages.	Excess of Births over Deaths.	Percentage to Population.			Percent. of Illegit. to Total Births.
		Total.	Illegit.				Births.	Deaths.	Marriages.	
1855	2,978,065	93,349	7,357	62,004	19,680	31,345	3·1491	2·0820	0·6608	7·8
1856	2,995,771	101,821	8,695	58,529	20,740	43,292	3·3988	1·9537	0·6923	8·5
1857	3,012,310	103,415	8,869	61,906	21,369	41,509	3·4331	2·0551	0·7094	8·5
1858	3,027,665	104,018	9,354	63,539	19,655	40,479	3·4356	2·0986	0·6492	8·9
1859	3,041,812	106,543	9,715	61,714	21,201	44,829	3·5026	2·0288	0·6969	9·1
1860	3,054,738	105,629	9,736	68,170	21,225	37,359	3·5578	2·2316	0·6948	9·2
1861	3,069,404	107,009	9,929	62,341	20,896	44,668	3·4863	2·0310	0·6808	9·2
1862	3,097,009	107,069	10,376	67,195	20,597	39,874	3·4572	2·1697	0·6651	9·7
1863	3,126,879	109,341	10,948	71,481	22,234	37,860	3·4968	2·2860	0·7160	10·0
1864	3,156,021	112,333	11,197	74,416	22,725	37,917	3·5594	2·3579	0·7200	9·9
1865	3,185,437	113,070	11,262	70,891	23,611	42,179	3·5496	2·2255	0·7412	9·9
1866	3,215,129	113,667	11,673	71,348	23,688	42,319	3·5354	2·2191	0·7367	10·2
1867	3,245,098	114,044	11,148	69,067	22,618	44,976	3·5063	2·1284	0·6970	9·7
1868	3,275,350	115,514	11,354	69,416	21,855	46,098	3·5267	2·1193	0·6673	9·8
1869	3,305,885	113,354	11,066	75,875	22,144	37,479	3·4288	2·2951	0·6698	9·7
1870	3,336,707	115,390	11,108	74,165	23,854	41,225	3·4582	2·2227	0·7149	9·6
1871	3,368,921	116,128	11,077	74,712	24,019	41,416	3·4470	2·2177	0·7130	9·5
1872	3,404,798	118,765	10,927	75,794	25,641	42,971	3·4882	2·2261	0·7531	9·2
1873	3,441,056	119,700	10,925	76,946	26,748	42,754	3·4786	2·2361	0·7773	9·1
1874	3,477,704	123,711	10,991	80,720	26,390	42,991	3·5573	2·3211	0·7588	8·9
1875	3,514,744	123,578	10,786	81,767	25,974	41,811	3·5160	2·3264	0·7390	8·73
1876	3,552,183	126,534	11,029	74,129	26,579	52,405	3·5621	2·0869	0·7482	8·72
1877	3,590,022	126,822	10,568	73,937	25,817	52,885	3·5326	2·0595	0·7191	8·33
1878	3,628,268	126,773	10,641	76,793	24,358	49,980	3·4940	2·1165	0·6713	8·39
1879	3,665,443	125,730	10,727	73,347	23,519	52,383	3·4301	2·0010	0·6416	8·53

the estimated population, and numbers dependant thereon, have been revised and corrected back to the year 1871 inclusive.

BIRTHS.

The number of births registered in the whole of Scotland during 1879 was 125730; being at the rate of 343, births for every ten thousand of

---

TABLE II.—Population of Scotland, in its Five Groups of Districts, by the Censuses of 1871 and 1881, and estimated to the middle of 1879.

Five Groups of Districts.	Census 1871.			Census 1881.			Estimated to 30th June 1879.		
	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.
Principal Towns	507,761	570,848	1,078,609	569,008	634,131	1,203,139	557,890	622,651	1,180,541
Large Towns	156,031	171,088	327,119	217,792	231,590	449,382	205,545	219,718	425,263
Small Towns	368,041	401,981	770,022	420,742	452,345	873,087	411,086	443,152	854,238
Mainland-Rural	510,269	541,995	1,052,264	530,754	548,823	1,079,577	527,111	547,622	1,074,733
Insular-Rural	61,041	70,963	132,004	61,179	69,209	130,388	61,155	69,513	130,668
SCOTLAND	1,603,143	1,756,875	3,360,018	1,799,475	1,936,098	3,735,573	1,762,787	1,902,656	3,665,443

TABLE III.—Births, Deaths, and Marriages in the Five Groups of Districts in Scotland, 1855–1879.

Years.	Principal Towns.			Large Towns.			Small Towns.			Mainland-Rural.			Insular-Rural.		
	Births.	Deaths	Mar-riages.	Births.	Deaths	Mar-riages.	Births	Deaths	Mar-riages.	Births	Deaths	Mar-riages.	Births	Deaths	Mar-riages.
1855	28113	22706	6937	8374	8954	1980	16042	10015	3371	37994	21656	6829	2826	1673	563
1856	31719	22254	7507	9221	5374	1975	17289	19542	3428	39649	19462	7106	3943	1897	724
1857	32674	23363	7476	9387	5860	2113	17848	10009	3442	39466	20706	7483	4040	1968	855
1858	32563	23445	6865	9282	6163	1824	17678	10076	3133	40307	21789	7044	4188	2066	789
1859	33027	22352	7554	9545	5775	1918	18533	10045	3643	41210	21090	7222	4228	2452	864
1860	32958	26066	7688	9223	6042	1983	18239	11070	3443	41043	22593	7408	4166	2399	703
1861	34351	23149	7753	9695	5831	1940	18453	10366	3365	40432	20820	7032	4078	2175	806
1862	34436	24960	7724	9618	6566	1837	18376	10933	3289	40621	22108	6998	4018	2628	749
1863	35888	27045	8544	9895	6780	2086	18707	11542	3521	40975	23509	7416	3876	2605	667
1864	37058	28845	8897	10263	7132	2234	19389	12294	3750	41704	23805	7178	3919	2341	666
1865	38109	28515	9347	10594	6896	2304	19283	11256	3775	40449	22080	7512	4635	2144	669
1866	38541	27466	9458	10453	6906	2279	19326	11809	3839	41485	22905	7430	3862	2262	682
1867	39012	26519	8870	10651	6776	2156	19178	11557	3607	41339	21986	7271	3864	2230	714
1868	39492	28037	8589	10733	6684	2101	19563	11392	3469	41840	21164	7090	3886	2139	606
1869	39517	31467	9156	10618	7486	2201	18895	11901	3398	40640	22616	6806	3684	2405	583
1870	40452	28508	9733	10999	7712	2369	18958	12097	3762	41378	23654	7383	3603	2194	607
1871	40442	31426	9819	12599	8071	2656	26507	16200	5081	32825	17180	5863	3755	1835	600
1872	41673	30199	10427	13318	8940	2967	28059	16478	5545	32157	18093	6063	3558	2084	639
1873	41500	30008	10594	14033	9306	3140	28841	17357	6130	31963	18098	6291	3363	2177	593
1874	42631	32124	10574	15189	10026	3051	29557	17560	5695	32877	18816	6443	3457	2194	627
1875	43621	30983	10670	14638	9802	2995	28926	18285	5594	33104	20303	6160	3289	2394	555
1876	44265	27977	10722	15439	9024	3116	29601	16826	5773	33802	18192	6351	3427	2110	617
1877	44575	28227	10706	15863	9057	2938	29510	16060	5434	33596	18475	6207	3278	2118	532
1878	44329	29425	9727	16228	10188	2942	29499	17005	5150	33422	18212	5938	3295	1963	601
1879	43613	27144	9490	15896	9433	2781	30048	16562	5096	32886	18039	5569	3287	2169	583

Principal Towns above 25000 inhabitants. Large Towns above 10000 and under 25000 inhabitants. The Small Towns from 3000 to 10000 inhabitants from 1855 to 1871—but from 1871 and upwards the Small Towns have from 2000 to 10000 of population.

estimated population, or 3·4301 per cent., which is under the average rate of the last ten years commencing with 1869.

In the Large Towns there were registered 15896 births, constituting a birth-rate in this group of districts of 3·738 per cent. In the Eight Principal Towns, 43613 recorded births showed an annual rate of 3·694 per cent. In the Small Towns there were 30048 births, being at the annual rate of 3·517 per cent. In the Mainland-Rural districts, the births were 32886, being at the rate of 3·060 per cent. In the districts of the Insular-Rural group, there were 2387 births, showing a birth-rate of 2·516 per cent. In all Scotland there were registered 10727 illegitimate births, which constituted 8·53 per cent. of all recorded births during 1879, a slight increase upon those in 1877 and 1878. In Tables V*a.* and V*b.* will be found the usual information as to the amount of illegitimacy in each of the Eight Principal Towns of Scotland, and in each of its five registration groups, as well as in the two counties of Banff and Wigtown. In the occasional Table V*b.* we find the proportion of illegitimate births to the estimated numbers of unmarried and widowed females, living in each locality at ages between 15 and 45.

125730 live births were registered in Scotland during 1879, of which 64346 were males and 61384 females. There were accordingly, for every hundred female live births, 104·8 male births. The proportion among the legitimate births alone was 104·0 males to every hundred females; while among the illegitimate alone, the proportion was 107·2 male to every hundred female children born.

In England, during the same year, there were registered for every

---

TABLE IV.—Percentage of Births, Deaths, and Marriages in the Five Groups of Districts of Scotland, to the Population during each of the Years 1855–1879.

Years.	Principal Towns.			Large Towns.			Small Towns.			Mainland-Rural.			Insular-Rural.		
	Births.	Deaths	Mar-riages.	Births.	Deaths	Mar-riages.	Births.	Deaths	Mar-riages.	Births.	Deaths	Mar-riages.	Births.	Deaths	Mar-riages.
1855	3·397	2·747	0·838	3·525	2·506	0·833	3·324	2·075	0·698	2·955	1·684	0·531	2·192	1·298	0·437
1856	3·787	2·657	0·896	3·835	2·235	0·821	3·554	1·962	0·705	3·080	1·512	0·552	3·078	1·481	0·565
1857	3·855	2·757	0·882	3·858	2·409	0·868	3·641	2·042	0·702	3·062	1·606	0·580	3·173	1·546	0·672
1858	3·797	2·734	0·801	3·771	2·504	0·741	3·579	2·040	0·634	3·052	1·689	0·546	3·310	1·633	0·623
1859	3·807	2·577	0·871	3·833	2·319	0·770	3·724	2·018	0·732	3·190	1·632	0·559	3·362	1·950	0·688
1860	3·756	2·971	0·876	3·662	2·398	0·787	3·637	2·207	0·686	3·173	1·747	0·573	3·334	1·920	0·563
1861	3·863	2·603	0·872	3·797	2·284	0·760	3·663	2·058	0·668	3·121	1·607	0·543	3·282	2·115	0·603
1862	3·809	2·761	0·854	3·701	2·521	0·705	3·621	2·155	0·648	3·122	1·703	0·539	3·177	2·126	0·606
1863	3·887	2·929	0·925	3·724	2·552	0·767	3·631	2·240	0·683	3·150	1·807	0·569	3·153	2·119	0·543
1864	3·939	3·073	0·946	3·699	2·631	0·824	3·751	2·378	0·725	3·199	1·826	0·550	3·205	1·914	0·545
1865	3·975	2·906	0·975	3·831	2·493	0·833	3·718	2·170	0·728	3·096	1·690	0·562	3·810	1·762	0·550
1866	3·945	2·811	0·968	3·705	2·448	0·808	3·699	2·260	0·735	3·169	1·750	0·567	3·191	1·869	0·563
1867	3·958	2·691	0·900	3·701	2·354	0·749	3·645	2·196	0·685	3·151	1·675	0·554	3·210	1·852	0·593
1868	3·893	2·763	0·866	3·656	2·276	0·716	3·690	2·149	0·654	3·182	1·610	0·539	3·245	1·786	0·487
1869	3·822	3·044	0·886	3·545	2·499	0·735	3·539	2·229	0·636	3·085	1·717	0·517	3·092	2·019	0·478
1870	3·836	2·703	0·923	3·559	2·524	0·775	3·525	2·249	0·699	3·134	1·791	0·559	3·040	1·851	0·512
1871	3·739	2·906	0·907	3·821	2·448	0·806	3·432	2·097	0·658	3·117	1·632	0·557	2·846	1·391	0·455
1872	3·811	2·762	0·954	3·913	2·627	0·872	3·587	2·107	0·709	3·046	1·714	0·574	2·700	1·581	0·485
1873	3·754	2·715	0·958	3·994	2·649	0·894	3·641	2·191	0·774	3·020	1·710	0·594	2·555	1·654	0·450
1874	3·815	2·874	0·946	4·188	2·764	0·841	3·685	2·189	0·710	3·099	1·773	0·607	2·629	1·669	0·477
1875	3·861	2·742	0·944	3·910	2·618	0·800	3·561	2·251	0·689	3·112	1·909	0·579	2·505	1·823	0·423
1876	3·875	2·449	0·939	3·995	2·335	0·806	3·599	2·046	0·702	3·169	1·706	0·596	2·613	1·609	0·470
1877	3·860	2·444	0·927	3·976	2·270	0·736	3·543	1·928	0·652	3·142	1·728	0·581	2·503	1·617	0·406
1878	3·797	2·520	0·833	3·941	2·474	0·714	3·497	2·016	0·611	3·118	1·699	0·554	2·519	1·480	0·459
1879	3·694	2·299	0·804	3·738	2·218	0·654	3·517	1·939	0·596	3·060	1·678	0·518	2·516	1·660	0·446

hundred female live births, 103·6 males; among the legitimate alone, the males were 104·1 to every hundred females, and the illegitimate 102·3 to 100.

In all Scotland there were registered during 1879, the births of 125730 live children; of these, 1452 were twin births, and 20 triplet births. Hence the number of mothers who, during the year, bore live children was 125730 − 1452 − 40 = 124238. Of these mothers one in every 85·5 bore twins, and one in every 6211·9 bore triplets.

Regarding still births in Scotland, no returns are made to the Registrar-General, and consequently no information as to them can be given in this Report.

TABLE V*a*.—Number of Births, Deaths, and Marriages in each of the Eight Principal Towns of Scotland during 1879, and their Proportion to the Estimated Population; also the Illegitimate Births, and their Proportion to the Total Births.

Towns.	Estimated Population, 1879.	Births.		Illegitimate Births.		Deaths.		Marriages.	
		Births.	Per cent. to Pop.	Illegit. Births.	Per cent. to Total Births.	Deaths.	Per cent. to Pop.	Marriages.	Per cent. to Pop.
Glasgow .	508,160	19,751	3·887	1636	8·3	12,498	2·459	4174	0·821
Edinburgh .	222,660	7,415	3·330	611	8·2	4,432	1·990	1984	0·891
Dundee . .	138,463	5,102	3·685	579	11·3	3,178	2·295	983	0·710
Aberdeen .	101,955	3,569	3·501	391	11·0	2,127	2·086	788	0·773
Greenock .	67,523	2,568	3·803	123	4·8	1,597	2·365	495	0·733
Paisley . .	54,305	2,009	3·699	155	7·7	1,497	2·757	375	0·691
Leith . .	58,341	2,350	4·028	152	6·5	1,158	1·985	475	0·814
Perth . .	29,134	849	2·914	64	7·5	657	2·255	216	0·741

OCCASIONAL TABLE V*b*.—Showing the state of Illegitimacy in all Scotland, in the Five Groups of Registration Districts, in each of the Principal Towns, and in two Counties, during 1879.

Localities.	Estimated Number of Unmarried Women and of Widows living between the ages of 15 and 45 at middle of 1879.	Number of Illegitimate Children born during 1879.	Percentage of Illegitimate Children to the Unmarried and Widowed Women aged 15–45.	Percentage of Illegitimates in Total Births.
All Scotland . . .	487,915	10,727	2·19	8·53
Principal Towns . . .	170,329	3,711	2·18	8·5
Large Towns . . .	55,088	1,075	1·95	6·8
Small Towns . . .	106,883	2,405	2·25	8·0
Mainland-Rural . . .	136,476	3,336	2·44	10·1
Insular-Rural . . .	19,175	200	1·04	6·1
Glasgow . . .	68,248	1,636	2·39	8·3
Edinburgh . . .	37,604	611	1·62	8·2
Dundee . . .	23,989	579	2·41	11·3
Aberdeen . . .	14,825	391	2·63	11·0
Greenock . . .	7,134	123	1·73	4·8
Paisley	8,020	155	1·93	7·7
Leith	6,377	152	2·38	6·5
Perth	4,135	64	1·55	7·5
County Banff . . .	7,745	338	4·36	17·6
County Wigtown . . .	5,589	185	3·31	14·9

MARRIAGES.

23519 marriages were registered in Scotland during the year 1879, *i.e.* 839 fewer than in the previous year; showing a marriage-rate of only 0·6416 per hundred of population. The average rate of the ten

TABLE VI.—Number of Births, Deaths, and Marriages in 1879, and their Proportion to the Population, estimated to the middle of the year, in Scotland, its Groups of Districts, its Divisions and Counties; also the Number of Illegitimate Births, and their Proportion to the Total Births.

Divisions and Counties.		Population Estimated to middle of year 1879.	Total Births.		Illegit. Births.		Deaths.		Marriages.	
			No.	Per cent to Pop.	No.	Per cent to Births	No.	Per cent to Pop.	No.	Per cent to Pop.
SCOTLAND		3,665,443	125730	3·4301	10727	8·53	73347	2·001	23519	0·6416
1.	Principal Town Dists.	1,180,541	43613	3·694	3711	8·5	27144	2·299	9490	0·803
2.	Large Town Districts	425,263	15896	3·738	1075	6·8	9433	2·218	2781	0·654
3.	Small Town Districts	854,238	30048	3·517	2405	8·0	16562	1·939	5096	0·596
4.	Mainland-Rural Dists.	1,074,733	32886	3·059	3336	10·1	18039	1·678	5569	0·518
5.	Insular-Rural Dists.	130,668	3287	2·515	200	6·1	2169	1·659	583	0·446
	Divisions.									
I.	Northern	124,525	3101	2·490	214	6·9	2052	1·647	583	0·468
II.	North-Western.	165,922	4288	2·584	278	6·5	2828	1·704	789	0·475
III.	North-Eastern	413,709	13658	3·301	1935	14·2	7045	1·703	2569	0·621
IV.	East-Midland	594,630	19032	3·202	1697	8·9	11552	1·936	3550	0·597
V.	West-Midland	277,338	9076	3·272	590	6·5	5437	1·960	1456	0·525
VI.	South-Western	1,347,581	51995	3·858	3710	7·1	30317	2·249	9545	0·708
VII.	South-Eastern	533,278	18160	3·405	1447	7·9	10222	1·917	3853	0·722
VIII.	Southern	208,460	6420	3·079	856	13·3	3894	1·868	1174	0·563
	Counties.									
1	Shetland	30,028	634	2·111	25	3·9	452	1·505	116	0·386
2	Orkney	31,906	838	2·626	45	5·4	569	1·783	192	0·602
3	Caithness	40,057	1083	2·704	110	10·1	642	1·603	179	0·446
4	Sutherland	22,534	546	2·423	34	6·2	389	1·726	96	0·426
5	Ross and Cromarty	79,919	2010	2·515	96	4·8	1315	1·645	336	0·567
6	Inverness	86,003	2278	2·649	182	7·9	1513	1·759	453	0·526
7	Nairn	8,760	219	2·500	14	6·3	130	1·484	41	0·468
8	Elgin	45,008	1357	3·014	177	13·0	726	1·613	267	0·593
9	Banff	59,623	1913	3·208	338	17·6	1051	1·762	342	0·573
10	Aberdeen	264,919	8987	3·392	1236	13·7	4569	1·725	1663	0·627
11	Kincardine	35,399	1182	3·339	170	14·3	569	1·607	256	0·723
12	Forfar	263,411	8991	3·413	928	10·3	5509	2·091	1670	0·634
13	Perth	129,977	3544	2·726	325	9·2	2422	1·863	708	0·544
14	Fife	170,113	5468	3·214	363	6·6	2987	1·755	1015	0·597
15	Kinross	7,429	157	2·113	13	8·2	139	1·871	34	0·458
16	Clackmannan	23,700	872	3·679	68	7·8	495	2·089	123	0·519
17	Stirling	104,377	4010	3·842	245	6·1	2178	2·087	666	0·638
18	Dumbarton	74,883	2494	3·243	139	7·6	1352	1·805	371	0·495
19	Argyll	80,565	2112	2·621	177	8·4	1521	1·887	328	0·407
20	Bute	17,513	460	2·627	29	6·3	386	2·204	91	0·519
21	Renfrew	219,986	7937	3·607	488	6·1	5035	2·289	1515	0·689
22	Ayr	214,606	7816	3·642	616	7·9	4235	1·973	1212	0·565
23	Lanark	912,989	36242	3·969	2606	7·2	21047	2·305	6818	0·747
24	Linlithgow	43,530	1632	3·749	141	8·6	790	1·815	243	0·558
25	Edinburgh	377,455	13041	3·455	1005	7·7	7593	2·012	3018	0·799
26	Haddington	38,374	1158	3·018	97	8·4	593	1·545	202	0·526
27	Berwick	35,464	1047	2·952	97	9·2	580	1·635	166	0·468
28	Peebles	13,418	407	3·033	33	8·1	220	1·639	68	0·507
29	Selkirk	25,037	875	3·495	74	8·4	446	1·781	156	0·623
30	Roxburgh	51,802	1604	3·096	185	11·5	926	1·787	251	0·484
31	Dumfries	75,931	2328	3·065	313	13·4	1490	1·962	455	0·599
32	Kirkcudbright	42,253	1254	2·968	173	13·8	745	1·763	248	0·587
33	Wigtown	38,474	1234	3·207	185	14·9	733	1·905	220	0·572

years immediately preceding was 0·7265 per cent. The diminution in the number of marriages is found to occur in each of the five divisions into which Scotland is divided, and all points to that continued state of depression in agriculture and trade which our country is at present (1879) struggling against. The number of irregular marriages which took place during 1879 was 326, or 62 fewer than during 1878, being at the rate of 1·38 per cent. of the total number of marriages; and it is not at all probable that these numbers are in error, at least to any appreciable extent, owing to the non-registration of any such.

From the Forty-second Annual Report of the Registrar-General for England, it is found that the marriage-rate had been falling in the sister kingdom year by year since 1873. In that year it amounted to ·88 per cent. of the population, but in 1879 it was only ·723 per cent.; lower than in any previously recorded year.

TABLE VII.—Births in Scotland, 1855–1879; with the Proportion of Males to Females in the Legitimate, Illegitimate, and Total Births; also the Number of Twin and Triplet Births during each year; and the Proportion of Mothers who had Multiple Births.

Years.	Total Births.		Legitimate Births.		Illegit. Births.		Twin Births.	Triplet Births.	Proportion of Males to every 100 Females in the			Proportion of Mothers who had Multiple Births. One in every
	Males.	Fem.	Males.	Fem.	Males.	Fem.			Total Births.	Legit. Births.	Illeg. Births.	
1855	47804	45545	44044	41948	3760	3597	...	...	104·9	104·9	104·5	...
1856	52239	49582	47761	45365	4478	4217	1267	12	105·3	105·2	106·1	77
1857	53158	50257	48632	45924	4526	4333	1300	16	105·7	105·8	104·4	76
1858	53694	50324	48743	45921	4951	4403	1262	17	106·6	106·1	110·2	79
1859	54628	51915	49539	47289	5089	4626	1335	11	105·2	104·7	110·0	77
1860	54409	51220	49370	46523	5039	4697	1247	23	106·2	106·1	107·3	80
1861	54606	52403	49438	47642	5168	4761	1249	18	104·2	103·7	108·5	82
1862	55257	51812	49886	46807	5371	5005	1279	18	106·6	106·5	107·3	80
1863	56226	53115	50559	47834	5667	5281	1267	6	105·8	105·7	107·3	84
1864	57374	54959	51644	49492	5730	5467	1332	12	104·4	104·3	104·8	82
1865	58220	54850	52441	49367	5779	5483	1364	9	106·1	106·2	105·4	81
1866	58360	55307	52386	49608	5974	5699	1366	12	105·5	105·6	104·8	81
1867	58517	55527	52751	50145	5766	5382	1365	13	105·4	105·1	107·1	82
1868	59222	56292	53375	50785	5847	5507	1443	15	105·2	105·1	106·1	78
1869	58321	55033	52711	49577	5610	5456	1407	15	105·9	106·3	102·8	78
1870	58959	56431	53254	51028	5705	5403	1384	9	104·4	104·3	105·6	81
1871	60029	56099	54220	50831	5809	5268	1299	17	107·0	106·7	110·3	87
1872	61293	57472	55641	52197	5652	5275	1383	11	106·6	106·6	107·1	85
1873	61467	58233	55925	52850	5542	5383	1410	15	105·5	105·6	103·0	84
1874	63602	60109	57960	54760	5642	5349	1512	13	105·8	105·8	105·5	81
1875	63432	60146	57886	54906	5546	5240	1477	9	105·5	105·4	105·8	83
1876	64819	61715	59113	56392	5706	5323	1463	20	105·0	104·8	107·2	85
1877	65089	61733	59657	56597	5432	5136	1429	12	105·4	105·4	105·8	77
1878	65200	61573	59716	56416	5484	5157	1367	12	105·9	105·8	106·3	91
1879	64346	61384	58796	56207	5550	5177	1452	20	104·8	104·6	107·2	84

TABLE VIII.—Births, 1879. Number of Legitimate, Illegitimate, and Total Births in Scotland and its Five Groups of Districts, distinguishing the Sexes. Also the number of Twin and Triplet Births.

Five Groups of Districts.	Total Births.			Legitimate Births.			Illegitimate Births.			Twin Births.	Triplet Births.
	Males.	Fem.	Both Sexes.	Males.	Fem.	Both Sexes.	Males.	Fem.	Both Sexes.		
Principal Towns	22153	21460	43613	20259	19643	39902	1894	1817	3711	489	12
Large Towns	8239	7657	15896	7681	7140	14821	558	517	1075	186	5
Small Towns	15317	14731	30048	14046	13597	27643	1271	1134	2405	336	2
Mainland-Rural	16942	15944	32886	15206	14344	29550	1736	1600	3336	401	1
Insular-Rural	1695	1592	3287	1604	1483	3087	91	109	200	40	...
Scotland . .	64346	61384	125730	58796	56207	115003	5550	5177	10727	1452	20

Giving, as in the last Detailed Report, Dr. Farr's method of estimatiug the fertility of marriages, we find that in Scotland during 1879, the registered legitimate births amounted to 115003, that in 1873 there were 26748 marriages, and that the average fertility of marriages has accordingly been $\frac{115003}{26748}=4{\cdot}29$.

In England the registered legitimate births in 1879 were 838200: the registered marriages were 205615 in 1873; consequently the average fertility of marriages was $\frac{838200}{205615}=4{\cdot}07$, being as usual somewhat below the number representing the similar condition in Scotland.

While the marriage-rate in all Scotland is 0·6416 per hundred of the population, we find on comparing the rate in the five groups into which Scotland is divided, that the highest marriage-rate (0·804 per cent.) was recorded in the Eight Principal Towns; in the Large Towns, it was 0·654; in the Small Towns, 0·596; in the Mainland-Rural, 0·518; and in the Insular-Rural 0·446.

In each of these groups the marriage-rate of 1879 was lower than that of 1878, and with the exception of the Insular-Rural district, less than for a long series of years.

In Tables X., XI., and XII. are presented all the usual details regarding the marriages that took place in Scotland, and in each of its registration groups of districts during the year now under review. The last column of Table V*a*. shows that the highest marriage-rate prevailed in Edinburgh (0·891 per cent.), and next in Glasgow (0·821 per cent.); whilst it was lowest in Paisley, only reaching there 0·691 per cent.

From Table XII. it is gathered that 1·38 per cent. of the marriages registered in Scotland during 1879 were irregular, *i.e.* without previous proclamation or ministerial assistance. In England during the same year, 11·9 per cent. of all registered marriages took place in the Superintendent-Registrars' Offices, and without record of any religious ceremony.

Of the total marriages in Scotland, 98·62 per cent. were regular. Ministers of the Established Church performed 45·68 per cent. of the whole; 22·59 were performed by clergymen of the Free Church; 12·24 per cent. by those of the United Presbyterian Church; 9·23 per cent. by priests of the Romish Church; 2·78 per cent. by clergymen of the Episcopal Church; 6·02 per cent. according to the rites of various denominations unnecessary to enumerate; and 0·08 per cent. according to the customs of denominations not specified to the registrars.

TABLE IX.—Proportion of Births in 1879. Percentage of Births to Population, and of Illegitimate to the Total Births; also the Proportion of Males to Females in the Legitimate, Illegitimate, and Total Births; with the Proportion of Mothers who bare Twins and Triplets in Scotland, and its Five Groups of Districts in 1879.

FIVE GROUPS OF DISTRICTS.	Percentage of Births to Population.	Percentage of Illegit. to Total Births.	Proportion of Males to every 100 Females in the			Proportion of MOTHERS who bare TWINS. — One in every	Proportion of MOTHERS who bare TRIPLETS. — One in every
			Total Births.	Legitimate Births.	Illegit. Births.		
Principal Towns	3·694	8·5	103·2	103·1	104·2	88·1	3592
Large Towns	3·738	6·8	107·6	107·6	107·9	84·4	3140
Small Towns	3·517	8·0	103·9	103·3	103·3	88·4	14854
Mainland-Rural	3·059	10·1	106·2	106·0	108·5	81·0	32484
Insular-Rural	2·515	6·1	106·4	108·1	83·5	81·2	.....
SCOTLAND . . .	3·4301	8·53	104·8	104·6	107·2	85·5	6212

By adding up the second column of Table XII. and dividing by 25, it is ascertained that of every hundred marriages celebrated in Scotland during the period from 1855 to 1879, 45·24 on an average were performed by the clergy of the Established Church of Scotland, and that during this series of years the deviations from this annual proportion have been quite trifling.

From Table XIII. it appears that of 23519 men, whose marriages were registered in Scotland during 1879, 1797, or 7·6 per cent., were under 21

TABLE X.—Marriages, 1879. Number of Marriages contracted in Scotland and its Five Groups of Districts according to the Rites of the several Religious Denominations, and their Proportion to the Total Marriages in each Group.

Religious Denominations.	Number of Marriages.						Proportion in every 100 Marriages.					
	Scotland.	Principal Towns.	Large Towns.	Small Towns.	Mainland-Rural.	Insular-Rural.	Scotland.	Principal Towns.	Large Towns.	Small Towns.	Mainland-Rural.	Insular-Rural.
Regular Marriages.												
Established Church .	10744	3554	1194	2438	3305	253	45·68	37·45	42·94	47·84	59·35	43·40
Free Church . .	5314	1998	596	1036	1458	226	22·59	21·05	21·43	20·33	26·18	38·77
United Presb. Church	2878	1166	383	780	494	55	12·24	12·29	13·77	15·31	8·87	9·43
Roman Catholic Ch. .	2171	1190	328	469	152	32	9·23	12·54	11·80	9·20	2·73	5·49
Episcopal Church .	653	413	83	102	54	1	2·78	4·35	2·98	2·00	0·97	0·17
Other Denominations	1415	852	185	260	102	16	6·02	8·98	6·65	5·10	1·83	2·74
Denomin. not stated	18	15	–	1	2	–	0·08	0·16	0·00	0·02	0·04	0·00
Irregular Marriages .	326	302	12	10	2	–	1·38	3·18	0·43	0·20	0·03	0·00
Total Marriages .	23519	9490	2781	5096	5569	583	100·00	100·00	100·00	100·00	100·00	100·00

TABLE XI.—Marriages, 1855–1879. Number of Marriages in Scotland according to the Rites of the several Religious Denominations during each of the Years 1855–1879.

Years.	Total Marriages.		Regular Marriages according to Rites of the							Irregular Marriages.
	Number.	Percentage to Population.	Established Church.	Free Church.	United Presbyterian Church.	Romish Church.	Episcopal Church.	Other Denominations.	Denomination not stated.	
1855	19680	0·660	8879	4665	2952	1826	350	923	76	9
1856	20740	0·692	9863	4645	2875	1953	360	984	24	36
1857	21369	0·709	10194	4789	2926	1919	416	1017	101	7
1858	19655	0·649	9104	4650	2707	1697	379	1034	57	27
1859	21201	0·697	9769	4861	2936	1822	378	1175	243	17
1860	21225	0·695	9705	4870	2837	1857	414	1217	309	16
1861	20896	0·681	9332	4969	2925	1806	386	1290	163	25
1862	20597	0·666	9307	4930	2846	1778	371	990	348	27
1863	22234	0·711	9929	5242	3249	2119	487	1113	76	19
1864	22725	0·720	9907	5507	3198	2276	469	1231	115	22
1865	23611	0·743	10177	5636	3345	2399	476	1516	30	32
1866	23688	0·737	10392	5570	3385	2259	516	1483	41	42
1867	22618	0·697	10066	5347	3247	2039	488	1323	65	43
1868	22855	0·667	9736	5015	3244	1872	467	1403	58	60
1869	22144	0·669	9761	5095	3277	2043	450	1393	56	69
1870	23854	0·7149	10678	5465	3422	2121	538	1496	60	74
1871	24019	0·7102	10985	5404	3325	2087	551	1498	64	105
1872	25641	0·7543	11794	5661	3312	2461	579	1681	5	148
1873	26748	0·7796	12187	5806	3596	2451	648	1853	10	197
1874	26390	0·7621	11820	5922	3586	2267	643	1923	13	216
1875	25974	0·7431	11587	5889	3443	2254	658	1899	9	235
1876	26579	0·7534	11996	5944	3603	2279	719	1703	37	298
1877	25817	0·7251	11773	5833	3313	2368	651	1477	47	355
1878	24358	0·6778	11330	5431	3013	2181	653	1350	12	388
1879	23519	0·6416	10744	5314	2878	2171	653	1415	18	326

years of age. The ages of nine men were unrecorded. Of the females married during the year, the ages of eight were unknown to the registrars; 5188, or fully 22·0 per cent., were under 21 years of age on entering the married state, while 27 were aged 60 years or more. In the Small Towns, one girl was under 15 years at time of marriage.

Marriages to the number of 19915, or 84·67 per cent. of all those recorded, took place between bachelors and spinsters; in 2083 instances, or in 8·85 per cent. of all marriages, widowers married spinsters; in 782 cases, or in 3·32 per cent. of all matrimonial alliances, bachelors espoused widows; and in 725 instances, or 3·08 per cent. of the total marriages, widowers were united to widows.

On examining Table XVIII. we find that of those who entered into the holy bonds of matrimony during the year 1879, a greater percentage of both men and women from the whole of Scotland signed the register by "mark" than in the previous year, although in some districts, as the Insular-Rural, there was an improvement, among the men at least. The counties of Ross and Cromarty and Inverness again head the list as regards the numbers using the mark instead of signature on such occasions, but in a smaller proportion than formerly, proving that the Education Act is gradually telling upon the inhabitants of those somewhat out-of-the-way districts. Of the men who married in Dumbarton and Renfrewshires, 12 per cent. or more signed in a similar manner, while in fifteen counties a like proportion of brides resorted to the same expedient.

TABLE XII.—Proportion of Marriages, 1855–1879. Percentage of Marriages contracted in Scotland according to the Rites of the several Religious Denominations during each of the Years 1855–1879.

Years.	Percentage of Regular Marriages according to the Rites of the							Irregular Marriages.
	Established Church.	Free Church.	United Presbyterian Church.	Romish Church.	Episcopal Church.	Other Denominations.	Denomination not stated.	
1855	45·12	23·70	15·00	9·28	1·78	4·70	0·38	0·07
1856	47·55	22·40	13·87	9·42	1·73	4·74	0·12	0·14
1857	47·71	22·41	13·69	8·98	1·95	4·76	0·47	0·03
1858	46·32	23·66	13·77	8·63	1·93	5·26	0·30	0·13
1859	46·08	22·93	13·85	8·59	1·78	5·54	1·15	0·08
1860	45·73	22·95	13·36	8·75	1·95	5·73	1·45	0·08
1861	44·66	23·78	14·00	8·65	1·85	6·18	0·76	0·12
1862	45·19	23·94	13·81	8·64	1·80	4·80	1·69	0·13
1863	44·66	23·58	14·61	9·53	2·19	5·01	0·34	0·08
1864	43·60	24·24	14·06	10·02	2·07	5·41	0·51	0·09
1865	43·10	23·87	14·17	10·16	2·02	6·42	0·13	0·13
1866	43·87	23·52	14·29	9·54	2·18	6·26	0·17	0·17
1867	44·51	23·65	14·36	9·02	2·15	5·84	0·28	0·19
1868	44·55	22·95	14·85	8·57	2·13	6·42	0·26	0·27
1869	44·08	23·01	14·80	9·23	2·03	6·29	0·25	0·31
1870	44·76	22·91	14·35	8·89	2·26	6·26	0·26	0·31
1871	45·73	22·50	13·85	8·69	2·29	6·24	0·26	0·44
1872	46·00	22·08	12·92	9·60	2·26	6·55	0·02	0·57
1873	45·56	21·71	13·44	9·16	2·42	6·93	0·04	0·74
1874	44·79	22·44	13·59	8·59	2·44	7·29	0·05	0·81
1875	44·61	22·67	13·26	8·68	2·53	7·31	0·03	0·91
1876	45·13	22·36	13·56	8·57	2·71	6·41	0·14	1·12
1877	45·60	22·59	12·83	9·17	2·53	5·72	0·18	1·33
1878	46·51	22·30	12·37	8·96	2·68	5·54	0·05	1·59
1879	45·68	22·59	12·24	9·23	2·78	6·02	0·08	1·38

4 b

In all Scotland, of the men who were married during the year 1879, only 7·63 per cent. signed the register by the use of "mark," while of the women who were married, 15·31 per cent. acted in a similar manner. In 1867, the proportion of bridegrooms that used the "mark" was 10·59 per cent.; the proportion of brides 20·73 per cent. These figures illustrate the development of elementary education in Scotland during the twelve years terminating with 1879, although, for some reason, it would appear that during the present year there has been a slight falling off from the proportions found in Table XVIII. of last year.

TABLE XIII.—Marriages, 1879. Ages of Men and Women at Marriage.

Ages.	Scotland.		Principal Towns.		Large Towns.		Small Towns.		Mainland-Rural.		Insular-Rural.	
	Men.	Women.	Men.	Women.	Men.	Women.	Men.	Women.	Men.	Women.	Men.	Women.
Under 15	–	1	–	–	–	–	–	1	–	–	–	
15—16	1	11	–	3	–	2	1	3	–	3	–	–
16—17	2	59	1	22	–	5	1	15	–	17	–	–
17—18	17	331	8	144	2	39	5	77	2	67	–	4
18—19	153	988	75	442	20	127	29	202	26	207	3	10
19—20	574	1777	249	739	68	212	119	410	132	393	6	23
20—21	1050	2021	439	858	128	235	246	462	231	437	6	29
21—25	8108	8689	3276	3490	1020	1000	1904	1955	1799	2044	109	200
25—30	7085	5432	2846	2051	779	650	1499	1116	1764	1427	197	188
30—35	2732	1968	1054	783	316	240	511	379	731	495	120	71
35—40	1581	1159	627	488	187	144	326	235	367	259	74	33
40—45	856	568	340	256	107	54	173	117	214	127	22	14
45—50	582	295	271	127	65	40	115	69	116	55	15	4
50—55	330	124	125	47	33	20	80	31	85	22	7	4
55—60	219	61	94	27	31	8	36	17	46	8	12	1
60—65	136	22	49	10	16	2	29	4	38	5	4	1
65—70	55	4	17	1	5	1	15	2	13	–	5	–
70—75	24	1	13	–	2	–	5	–	2	1	2	–
75—80	4	–	2	–	1	–	1	–	–	–	–	–
80—85	1	–	–	–	–	–	–	–	1	–	–	–
85—90	–	–	–	–	–	–	–	–	–	–	–	–
Not stated	9	8	4	2	1	2	1	1	2	2	1	1
Total	23519	23519	9490	9490	2781	2781	5096	5096	5569	5569	583	583

TABLE XIV.—Marriages, 1879. Percentage of Men and Women at different Ages who contracted Marriage in Scotland in 1879.

Ages.	Men.						Women.					
	Scotland.	Principal Towns.	Large Towns.	Small Towns.	Mainland-Rural.	Insular-Rural.	Scotland	Principal Towns.	Large Towns.	Small Towns.	Mainland-Rural.	Insular-Rural.
15—20 years	3·18	3·51	3·24	3·04	2·87	1·54	13·46	14·22	13·84	13·88	12·33	6·35
20—25	38·94	39·14	41·28	42·19	36·45	19·72	45·54	45·82	44·41	47·43	44·55	39·28
25—30	30·12	29·99	28·01	29·42	31·68	33·79	23·10	21·61	23·37	21·88	25·63	32·25
30—35	11·62	11·11	11·36	10·03	13·13	20·58	8·37	8·25	8·63	7·43	8·89	12·18
35—40	6·72	6·61	6·73	6·39	6·59	12·69	4·93	5·14	5·18	4·61	4·65	5·66
40—45	3·64	3·58	3·85	3·39	3·84	3·77	2·42	2·70	1·94	2·28	2·28	2·40
45—50	2·47	2·86	2·34	2·26	2·08	2·57	1·25	1·34	1·44	1·35	0·99	0·69
50 and above	3·27	3·16	3·16	3·26	3·33	5·32	0·90	0·90	1·12	1·06	0·65	1·02
Not stated	0·04	0·04	0·03	0·02	0·03	0·02	0·03	0·02	0·07	0·08	0·03	0·17
Total	100·00	100·00	100·00	100·00	100·00	100·00	100·00	100·00	100·00	100·00	100·00	100·00

In the two last lines of Table XVIII. will be found figures relative to populations of Edinburgh and Glasgow. Here we find that the state of education, as signified by the numbers signing their names at marriage, is in a more advanced state in the former than in the latter town, and which may be explained, as Dr Robertson pointed out in his Report for last year, by the great and continued influx of Irish immigrants into Glasgow seeking for employment, most of whom are, it is well known, perfectly unable to read and especially to write.

TABLE XV.—Marriages, 1855–1879. Number and Proportion of Men and Women in Scotland at each Quinquennial Period of Age who contracted Marriage during the Years 1855–1879.

AGES.	MEN.		WOMEN.	
	Number who married at each Age.	Percentage at each Age to Total Marriages.	Number who married at each Age.	Percentage at each Age to Total Marriages.
15—20 years	17444	3·03	74554	12·94
20—25	222722	38·64	262977	45·63
25—30	170887	29·65	137147	23·80
30—35	71691	12·44	50010	8·68
35—40	37669	6·54	26105	4·53
40—45	22322	3·87	13562	2·35
45—50	14081	2·44	6687	1·16
50 and above	18883	3·28	4195	0·72
Not stated	657	0·11	1119	0·19
TOTAL	576356	100·00	576356	100·00

TABLE XVI.—Marriages in Scotland, 1855–1879. Numbers.

YEARS.	Number who Married						Number who Signed				Number of Marriages between			
	Under 21 years.		Under 25 years.		Above 25 years.		By Writing.		By Mark.		Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.
	Men.	Women	Men.	Women	Men.	Women	Men.	Women	Men.	Women				
1855	?	?	7724	11118	11858	8390	17436	15174	2244	4506	15251	557	1863	619
1856	?	?	8433	12033	12307	8707	18485	15772	2455	4968	17035	536	1721	605
1857	1593	4568	8995	12513	12374	8856	18781	16064	2588	5305	17030	521	1648	601
1858	1448	4172	8096	11492	11511	8084	17328	14929	2327	4726	16196	492	1624	533
1859	1571	4565	8726	12425	12443	8704	18992	16494	2209	4707	17536	567	1864	603
1860	1561	4607	8666	12459	12525	8695	19036	16616	2189	4609	18157	508	1738	558
1861	1480	4403	8550	12235	12323	8601	18679	16439	2217	4457	17431	441	1768	517
1862	1569	4496	8663	12205	11912	8358	18535	16405	2062	4192	17392	464	1747	501
1863	1756	4897	8731	13304	12488	8896	19819	17319	2415	4915	19142	348	1856	584
1864	1695	4989	9662	13547	13033	9132	20120	17298	2605	5427	19383	497	1922	631
1865	1690	5010	9859	13864	13724	9696	20914	18364	2697	5247	20158	593	2055	642
1866	1706	4896	9923	13843	13752	9812	21032	18483	2656	5205	20080	601	2094	715
1867	1532	4611	9180	12991	13414	9595	20224	17931	2394	4687	19067	578	2075	689
1868	1459	4463	8668	12439	13169	9384	19712	17701	2143	4154	18609	484	1966	671
1869	1576	4622	8792	12699	13352	9445	19911	17723	2233	4421	18818	625	1949	651
1870	1744	5175	9657	13723	14176	10102	21403	19194	2451	4660	20262	653	2132	759
1871	1821	5321	9895	13945	14124	10074	21630	19315	2389	4704	20440	610	2099	778
1872	1978	5666	10714	14953	14927	10688	22965	20380	2676	5261	21637	798	2269	889
1873	2229	6129	11573	15938	15175	10810	24175	21754	2573	4994	22648	813	2368	851
1874	2176	6000	11425	15675	14965	10715	23989	21643	2401	4747	22291	840	2330	855
1875	2103	5829	11061	15252	14913	10722	23740	21581	2234	4393	21877	860	2353	837
1876	2173	6014	11472	15750	15107	10829	24586	22291	1993	4288	22438	794	2432	896
1877	2060	5767	11118	15349	14699	10468	23865	21839	1952	3978	21945	795	2285	778
1878	1877	5436	10418	14555	13940	9803	22684	20839	1674	3519	20809	691	2083	752
1879	1797	5188	9905	13877	13614	9642	21725	19919	1794	3600	19915	782	2083	725

DEATHS.

There were 73347 deaths registered in all Scotland during the year 1879, being at the rate of 200·1 for every ten thousand of estimated population. During the ten years immediately preceding, the death-rate of all Scotland was 220·9 per ten thousand; consequently it appears that the mortality of the year under review has been the lowest on record for the last 22 years.

In England (according to the Registrar-General's Annual Report, p. xx.) the rate of mortality in 1879 was 209 per ten thousand of estimated population, and only upon four occasions, he states, has it been so low, viz., in 1845, when it was also 209; in 1850, when it was 208; in 1856, when it was 205; and in 1877, when it was 204, and the lowest on record.

The mortality of the five registration groups into which we regard Scotland as divided for statistical purposes, was as follows:—In the Eight Principal Towns, there were 27144 deaths, showing an annual death-rate of about 230 for every ten thousand inhabitants; in the Large Towns, the deaths were 9433, being equivalent to a death-rate of about 222 per ten thousand; in the Small Towns, 16562 deaths, or 194 per ten thousand; in in the Mainland-Rural, 18039 deaths, or 167 per ten thousand; and in the Insular-Rural districts, 2169, or 165 deaths per ten thousand estimated population.

From Table XXII. we find that in Paisley, the deaths are at the rate of 2·75 per cent. of the estimated population; in Glasgow, the death-rate was 2·46 per cent.; in Greenock, 2·36 per cent.; in Dundee, 2·29; in Perth, 2·25; in Aberdeen, 2·09; in Edinburgh, 1·99; and in Leith, 1·98 per cent.

TABLE XVII.—Marriages in Scotland, 1855–1879. Proportions.

Years.	Percentage who Married						Percentage who signed				Proportion in every 100 Marriages between			
	Under 21 years		Under 25 years		Above 25 years		By Writing.		By Mark.		Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinters.	Widowers and Widows.
	Men.	Women	Men.	Women	Men.	Women	Men.	Women	Men.	Women				
1855	?	?	39·44	57·99	60·56	42·01	88·60	77·10	11·40	22·90	83·48	3·04	10·20	3·38
1856	?	?	40·79	58·44	59·21	41·56	89·13	76·05	10·87	23·95	85·62	2·69	8·65	3·04
1857	7·47	21·43	42·19	58·84	57·81	41·16	87·89	75·34	12·11	24·66	86·01	3·63	8·32	3·04
1858	7·38	21·23	41·25	58·70	58·75	41·30	88·16	75·95	11·84	24·05	85·95	2·61	8·62	2·82
1859	7·42	21·60	41·22	58·80	58·78	41·20	89·58	77·80	10·42	22·10	85·25	2·76	9·06	2·93
1860	7·36	21·77	40·89	58·89	59·11	41·11	89·68	78·28	10·32	21·72	86·62	2·42	8·29	2·67
1861	7·09	21·13	40·96	58·72	59·04	41·28	89·39	78·67	10·61	21·33	86·48	2·19	8·77	2·56
1862	7·62	21·86	42·11	59·35	57·89	40·65	89·99	79·65	10·01	20·35	86·51	2·31	8·69	2·49
1863	7·91	22·05	43·79	59·93	56·21	40·07	89·14	77·89	10·86	22·11	87·29	1·59	8·46	2·66
1864	7·46	21·99	42·57	59·73	57·42	40·26	88·54	76·12	11·46	23·88	86·41	2·21	8·57	2·81
1865	7·16	21·26	41·38	58·84	58·62	41·16	88·58	77·78	11·42	22·22	85·97	2·53	8·77	2·73
1866	7·20	20·69	41·91	58·52	58·09	41·48	88·78	78·50	11·22	22·00	85·49	2·55	8·92	3·04
1867	6·77	20·41	40·63	57·47	59·37	42·53	89·41	79·27	10·59	20·73	85·09	2·58	9·26	3·07
1868	6·68	20·45	39·69	57·00	60·31	43·00	90·19	80·99	9·81	19·01	85·64	2·22	9·05	3·09
1869	7·08	20·87	39·70	57·34	60·30	42·66	89·92	80·04	10·08	19·96	85·38	2·83	8·84	2·95
1870	7·32	21·72	40·52	57·60	59·48	42·40	89·73	80·46	10·27	19·54	85·11	2·74	8·96	3·19
1871	7·58	22·15	41·20	58·06	58·80	41·94	90·05	80·42	9·95	19·58	85·10	2·54	8·74	3·24
1872	7·71	22·10	41·78	58·32	58·22	41·68	89·56	79·48	10·44	20·52	84·38	3·11	8·35	3·47
1873	8·33	22·91	43·26	59·58	56·74	40·42	90·38	81·33	9·62	18·67	84·89	3·05	8·88	3·18
1874	8·25	22·73	43·29	59·40	56·71	40·60	90·90	92·01	9·10	17·99	84·47	3·18	8·83	3·24
1875	8·10	22·44	42·58	58·72	57·42	41·28	91·40	83·09	8·60	16·91	84·23	3·31	9·06	3·22
1876	8·18	22·63	43·16	59·26	56·84	40·74	92·50	83·87	7·50	16·13	84·42	2·99	9·15	3·37
1877	7·98	22·34	43·06	59·46	56·94	40·54	92·44	84·59	7·56	15·41	85·00	3·08	8·89	3·01
1878	7·71	22·32	42·77	59·75	57·23	40·25	93·13	85·55	6·87	14·45	85·43	2·84	8·55	3·09
1879	7·64	22·06	42·11	59·00	57·89	41·00	92·37	84·69	7·63	15·31	84·68	3·32	8·86	3·08

Of the 73347 deaths that were registered in all Scotland, 36296 occurred among males, and 37051 among females. Hence, by using the

TABLE XVIII.—Marriages, 1879. Percentage of Men and Women who signed by Writing or by Mark, of persons under 21 years of age, and of Marriages between persons in different conjugal conditions, in Scotland, its Groups of Districts, Divisions, and Counties; also the percentage of the same in Edinburgh and Glasgow.

1879.		Signed by Writing.		Signed by Mark.		Persons under 21 Years.		Percentage of Marriages between			
		Per cent. of Men.	Per cent. of Women.	Per cent. of Men.	Per cent. of Women.	Per cent. of Men.	Per cent. of Women.	Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.
SCOTLAND.		92·37	84·69	7·63	15·31	7·64	22·06	84·68	3·32	8·86	3·08
GROUPS.											
PRINCIPAL TOWNS		91·86	82·21	8·14	17·79	8·13	23·26	82·99	3·99	8·89	4·08
LARGE TOWNS		90·58	82·60	9·42	17·40	7·84	22·29	82·99	4·78	8·77	3·45
SMALL TOWNS		91·58	84·28	8·42	15·72	7·87	22·96	84·89	2·98	9·28	2·78
MAINLAND-RURAL		96·03	92·33	3·97	7·67	7·02	20·18	88·09	1·95	8·21	1·63
INSULAR-RURAL		81·31	65·70	18·69	34·30	2·57	11·32	85·59	1·54	11·14	1·37
	DIVISIONS.										
I.	NORTHERN	95·71	88·00	4·29	12·00	4·80	15·44	85·93	2·57	10·46	0·86
II.	NORTH-WESTERN	79·60	61·10	20·40	38·90	1·39	12·67	86·06	1·52	10·52	1·65
III.	NORTH-EASTERN	98·09	94·51	1·91	5·49	6·03	20·59	87·78	2·53	8·06	1·52
IV.	EAST-MIDLAND	96·25	90·20	3·75	9·80	8·06	16·98	86·39	2·39	9·04	2·14
V.	WEST-MIDLAND	90·94	95·23	9·06	4·77	6·04	20·67	84·96	3·29	8·93	2·74
VI.	SOUTH-WESTERN	88·36	77·72	11·64	22·28	8·22	26·87	82·35	4·27	8·84	4·49
VII.	SOUTH-EASTERN	96·58	93·07	3·42	6·93	6·54	20·45	85·41	3·35	8·56	2·62
VIII.	SOUTHERN	95·66	93·11	4·34	6·89	7·92	18·06	87·31	1·70	9·11	1·87
	COUNTIES.										
1	Shetland	94·83	81·04	5·17	18·96	3·44	6·03	80·17	1·72	17·24	0·86
2	Orkney	99·48	96·88	0·52	3·12	4·16	12·50	84·89	4·16	9·89	0·52
3	Caithness	94·97	89·39	5·03	10·61	6·14	25·14	89·95	1·68	7·26	1·12
4	Sutherland	90·63	76·04	9·37	23·96	5·21	14·58	87·50	2·08	9·37	1·04
5	Ross & Cromarty	78·28	55·95	21·72	44·05	0·89	14·28	89·28	0·59	8·93	1·19
6	Inverness	80·57	64·91	19·43	35·09	1·77	11·48	83·66	2·21	11·69	1·98
7	Nairn	92·68	70·73	7·32	29·27	0·00	12·19	80·49	2·44	17·07	–
8	Elgin	97·38	94·76	2·62	5·24	4·49	18·35	89·14	1·12	8·99	0·75
9	Banff	97·95	94·74	2·05	5·26	6·72	23·09	92·10	1·46	4·97	1·46
10	Aberdeen	98·20	94·95	1·80	5·05	6·37	20·92	86·95	3·25	7·88	1·74
11	Kincardine	99·22	95·71	0·78	4·29	5·47	18·75	87·11	0·78	10·94	1·17
12	Forfar	94·25	85·03	5·75	14·97	8·80	20·24	85·86	2·52	8·80	2·75
13	Perth	98·45	94·92	1·55	5·08	5·08	12·71	85·87	2·82	9·74	1·41
14	Fife	97·83	94·78	2·17	5·22	9·06	15·17	88·08	2·17	8·57	1·18
15	Kinross	100·00	100·00	0·00	0·00	11·76	11·76	76·47	–	17·64	5·88
16	Clackmannan	96·75	92·68	3·25	7·32	5·69	13·82	84·55	0·81	9·75	4·88
17	Stirling	93·69	86·94	6·31	13·06	6·76	24·62	83·93	4·20	8·41	3·45
18	Dumbarton	85·98	82·48	14·02	17·52	5·66	20·48	84·37	3·23	10·78	1·62
19	Argyll	89·94	83·23	10·06	16·77	4·57	13·41	87·19	1·83	8·53	2·13
20	Bute	94·51	91·21	5·49	8·79	7·69	18·68	86·81	2·19	6·59	4·39
21	Renfrew	86·93	76·77	13·07	23·23	9·31	24·62	81·05	3·76	10·09	5·02
22	Ayr	91·83	84·16	8·17	15·84	9·57	25·41	82·67	3·30	9·82	4·12
23	Lanark	88·06	76·14	11·94	23·86	9·21	27·63	82·58	4·56	8·39	4·44
24	Linlithgow	93·83	86·83	6·17	13·17	7·41	26·75	86·83	1·65	6·99	3·70
25	Edinburgh	96·75	93·61	3·25	6·39	6·19	20·31	84·52	3·64	8·98	2·85
26	Haddington	94·06	86·14	5·94	13·86	5·94	17·33	89·11	4·95	4·45	1·48
27	Berwick	99·40	95·78	0·60	4·22	7·23	19·27	88·55	0·60	9·64	1·21
28	Peebles	100·00	100·00	0·00	0·00	10·29	20·58	85·29	2·94	11·76	–
29	Selkirk	96·16	95·52	3·84	4·48	10·25	18·59	92·31	1·28	5·77	0·64
30	Roxburgh	96·02	93·63	3·98	6·37	6·37	13·15	90·04	1·19	7·56	1·19
31	Dumfries	97·36	94·95	2·64	5·05	7·03	19·78	87·69	2·64	8·35	1·32
32	Kirkcudbright	97·18	94·36	2·82	5·64	6·05	20·17	84·68	1·21	10·89	3·23
33	Wigtown	90·00	87·28	10·00	12·72	13·18	17·73	86·36	0·91	10·45	2·27
	EDINBURGH	97·53	94·96	2·47	5·04	5·65	18·90	84·22	3·33	9·78	2·67
	GLASGOW	88·31	74·37	11·69	25·63	8·20	26·59	81·79	4·36	8·96	4·86

estimates of male and female population given in Table II., it may be calculated, that the deaths per thousand of the inhabitants of all Scotland were 20·59 for every thousand males, and 19·47 for every thousand females. Table XX. shows that, as usual, there was a preponderance of male mortality in every one of the registration groups, except in the Insular-Rural, where the female deaths were slightly in excess of the male, and that such preponderance was more conspicuous in the Principal and Large Towns than elsewhere.

The percentage of deaths to estimated population at each of seventeen periods of life is shown in Table XXIV. for males and females separately, for Scotland, as also for each of its five registration groups.

For males under 1 year, the mortality is 13·480 for every hundred of population, that for females being 11·104. The mortality at this early age was most marked in the Principal Towns, where males died at the rate of 15·819, and females at the rate of 13·854 per cent. The numbers gradually fall in the Large Towns, Small Towns, and Mainland-Rural districts, until in the Insular-Rural we find them at a minimum, the male deaths being 9·045 and the females 8·511 per cent. In the latter group, however, we find the percentage of female deaths under 1 year of age slightly to exceed those of the same sex in the Mainland-Rural districts.

During the second year of life, the mortality was also highest in the Principal Town group, gradually falling as the density of the population become less. Thus, in the Principal Towns, while the male deaths were 8·846 per cent., in the Insular-Rural districts they were only 2·811 per cent.; the female mortality being in a like proportion.

Of the children who died during the third year of life, we find that

---

TABLE XIX.—Deaths of Males and Females in Scotland, and its Five Groups of Districts, during each of the Years 1855–1879.

Years.	Scotland.		Principal Towns.		Large Towns.		Small Towns.		Mainland-Rural.		Insular-Rural.	
	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.
1855	30626	31378	11189	11517	2972	2982	4963	5052	10681	10975	821	852
1856	29418	29111	11155	11099	2703	2671	4785	4757	9855	9607	920	977
1857	30937	30969	11692	11671	2917	2943	4911	5098	10421	10285	996	972
1858	31652	31887	11770	11675	3034	3129	5046	5030	10792	10997	1010	1056
1859	30588	31126	11075	11277	2946	2829	4975	5070	10418	10672	1174	1278
1860	33610	34560	12814	13252	2972	3070	5480	5590	11169	11424	1175	1224
1861	30890	31451	11464	11685	2869	2962	5150	5216	10346	10474	1061	1114
1862	33179	34016	12270	12690	3286	3280	5368	5565	10967	11141	1288	1340
1863	35631	35850	13624	13421	3358	3422	5862	5680	11510	11999	1277	1328
1864	37010	37406	14504	14341	3544	3588	6132	6162	11722	12082	1108	1233
1865	35190	35701	14263	14252	3352	3544	5598	5658	10906	11174	1071	1073
1866	35355	35993	13742	13724	3378	3528	5777	6032	11334	11571	1124	1138
1867	34363	34705	13219	13300	3322	3454	5786	5771	10964	11022	1072	1158
1868	34662	34754	14154	13883	3359	3325	5640	5752	10522	10642	987	1152
1869	37868	38007	15744	15723	3647	3839	6022	5879	11274	11342	1181	1224
1870	36866	37299	14234	14274	3858	3854	5929	6168	11760	11894	1085	1109
1871	36827	37885	15478	15948	4003	4068	7913	8287	8527	8653	906	929
1872	37939	37355	15192	15007	4363	4240	8500	8315	8876	9217	1008	1076
1873	39037	37909	15227	14781	4766	4540	8869	8488	9155	8943	1020	1157
1874	40678	40042	16245	15879	5079	4947	8852	8708	9419	9397	1083	1111
1875	40323	41444	15272	15711	4984	4818	9026	9259	9925	10378	1116	1278
1876	37404	36725	14256	13721	4500	4524	8420	8406	9177	9015	1051	1059
1877	37173	36764	14190	14037	4521	4536	8052	8008	9383	9092	1027	1091
1878	38389	38404	14707	14718	5157	5031	8512	8493	9072	9140	941	1022
1879	36296	37051	13397	13747	4682	4751	8217	8345	8999	9040	1001	1168

the female mortality exceeded that of the male in the Large Towns, Small Towns, and Mainland-Rural districts; in the other two groups the male deaths exceeded those of the females.

During the fourth and fifth years, the mortality was still highest, both in the case of male and female deaths, in the Principal Towns, but the percentage of deaths among female children, during the fourth year of life, exceeded that of the male in the Small Towns, Mainland-Rural and Insular-Rural districts; whilst of those occurring during the fifth year of life, in all the registration districts, the percentage of female deaths was greater than that of males.

Between the ages of 5 and 10 years, the mortality was still highest in the Principal Towns, although not much behind in the Small Towns. In the Mainland-Rural and Insular-Rural groups, the female mortality exceeded that of the males.

At ages between 10 and 15, in all the districts the female mortality was greater than the male. From 15 to 20, in all, with the exception of

TABLE XX.—Percentage of Male and Female Deaths to the Population in Scotland, and its Five Groups of Districts, during each of the Years 1855–1879.

Years.	Scotland.		Principal Towns.		Large Towns.		Small Towns.		Mainland-Rural.		Insular-Rural.	
	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.
1855	2·162	2·003	2·929	2·584	2·644	2·382	2·163	1·995				
1856	2·065	1·850	2·887	2·460	2·378	2·107	2·070	1·863				
1857	2·161	1·958	2·991	2·556	2·539	2·292	2·109	1·981				
1858	2·202	2·005	2·976	2·527	2·612	2·407	2·152	1·939				
1859	2·120	1·940	2·769	2·412	2·509	2·179	2·107	1·938				
1860	2·321	2·150	3·168	2·801	2·336	2·304	2·304	2·125				
1861	2·125	1·946	2·796	2·438	2·386	2·193	2·157	1·924				
1862	2·260	2·087	2·931	2·603	2·675	2·384	2·231	2·085				
1863	2·402	2·181	3·188	2·706	2·676	2·441	2·363	2·114				
1864	2·470	2·256	3·324	2·842	2·764	2·512	2·510	2·277				
1865	2·325	2·135	3·202	2·777	2·559	2·435	2·274	2·076				
1866	2·313	2·134	3·021	2·628	2·524	2·379	2·329	2·198				
1867	2·226	2·040	2·853	2·504	2·430	2·286	2·315	2·088				
1868	2·222	2·025	2·985	2·569	2·405	2·159	2·240	2·067				
1869	2·404	2·196	3·252	2·860	2·556	2·448	2·374	2·098				
1870	2·317	2·137	2·880	2·552	2·647	2·412	2·319	2·185				
1871	2·290	2·151	3·039	2·786	2·544	2·359	2·143	2·055	1·669	1·596	1·484	1·309
1872	2·333	2·100	2·949	2·594	2·682	2·386	2·271	2·038	1·731	1·698	1·651	1·521
1873	2·372	2·111	2·923	2·529	2·834	2·479	2·338	2·056	1·778	1·645	1·671	1·639
1874	2·444	2·208	3·083	2·688	2·921	2·620	2·303	2·085	1·822	1·727	1·773	1·578
1875	2·394	2·263	2·865	2·632	2·772	2·476	2·317	2·191	1·913	1·905	1·826	1·820
1876	2·196	1·986	2·644	2·274	2·421	2·255	2·133	1·965	1·762	1·652	1·719	1·512
1877	2·157	1·969	2·603	2·302	2·352	2·194	2·012	1·850	1·794	1·664	1·680	1·562
1878	2·202	2·037	2·667	2·389	2·595	2·361	2·099	1·939	1·728	1·671	1·539	1·467
1879	2·059	1·947	2·401	2·208	2·278	2·162	1·999	1·883	1·707	1·651	1·637	1·680

TABLE XXI.—Town Deaths, 1869–1879. Annual Number of Deaths in the Eight Principal Towns of Scotland.

Towns.	1869.	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	1879.
Glasgow . . .	15648	13955	15790	14053	14499	15845	15384	13763	13823	14157	12498
Edinburgh . . .	5406	4715	5447	5484	4578	5011	5044	4392	4644	4910	4432
Dundee . . .	3564	3185	3336	3491	3281	4170	3305	3075	3026	3159	3178
Aberdeen . . .	1787	1927	1997	2119	2120	2066	2011	2033	2060	2204	2127
Greenock . . .	1750	1674	1772	1697	2220	1690	2180	1613	1563	1549	1597
Paisley	1449	1352	1453	1430	1589	1388	1364	1287	1325	1591	1497
Leith	1169	1059	1081	1338	1084	1254	1060	1174	1169	1215	1158
Perth	694	641	550	587	637	700	635	640	617	640	657

the Insular-Rural group, the female deaths outnumbered those of the male per hundred of population.

Between 20 and 30, the male mortality is greater than the female, in the Small Towns, Mainland-Rural, and Insular-Rural districts; whilst the reverse occurs in the Principal and Large Towns.

At all ages above 30, the proportion of male deaths preponderates over those among females, excepting in the case of the Large Towns and Insular-Rural groups, where, at ages between 30 and 40, the reverse occurs to a slight extent, as also again between the ages of 50 and 60.

Any other deviation from the above need hardly be regarded, as the numbers of deaths are barely sufficient to found a comparison of mortality rates upon.

In Table XXV. will be found the percentage of deaths at each age, to the total deaths at all ages, of males and females in all Scotland, and in each of its registration groups, during 1879. 36·8 per cent. of the whole male mortality in Scotland occurred in the persons of children under 5 years of age, and 31·07 per cent. of the total female mortality took place at the same early age.

TABLE XXII.—Proportion of Town Deaths, 1869–1879. Annual Percentage of Deaths to the Population in each of the Principal Towns in Scotland.

Towns.	1869.	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.	1878.	Mean Annual Mortality.	1879.
Glasgow .	3·37	2·96	3·21	2·84	2·93	3·18	3·08	2·74	2·74	2·79	2·98	2·46
Edinburgh	2·77	2·38	2·75	2·73	2·25	2·42	2·40	2·06	2·15	2·24	2·41	1·99
Dundee .	3·09	2·69	2·75	2·83	2·61	3·27	2·55	2·33	2·26	2·32	2·67	2·29
Aberdeen	2·09	2·21	2·25	2·35	2·31	2·21	2·12	2·10	2·09	2·20	2·19	2·09
Greenock	3·09	2·87	2·95	2·79	3·59	2·69	3·42	2·49	2·38	2·33	2·86	2·36
Paisley .	3·01	2·80	3·00	2·91	3·19	2·75	2·66	2·47	2·51	2·97	2·83	2·75
Leith . .	2·63	2·32	2·31	2·78	2·19	2·47	2·03	2·19	2·12	2·14	2·32	1·98
Perth . .	2·62	2·43	2·08	2·19	2·35	2·55	2·29	2·28	2·17	2·22	2·32	2·25

TABLE XXIII.—Ages of Males and Females who died in Scotland, and in each of its Groups of Districts, during the Year 1879.

Age.	Scotland.		Principal Towns.		Large Towns.		Small Towns.		Mainland-Rural.		Insular-Rural.	
	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.
Under 1 Year	7568	6003	3011	2552	1052	751	1770	1346	1597	1226	138	128
— 2	2956	2704	1397	1281	422	399	634	580	463	412	40	32
— 3	1349	1325	621	566	190	212	310	301	210	233	18	13
— 4	927	860	404	370	144	96	213	217	159	160	7	17
— 5	557	621	245	282	77	86	119	131	104	110	12	12
0– 5	13357	11513	5678	5051	1885	1544	3046	2575	2533	2141	215	202
5–10	1635	1556	629	606	243	198	401	369	335	352	27	31
10–15	955	954	347	357	135	134	226	219	226	217	21	27
15–20	1165	1240	412	462	138	164	311	308	267	270	37	36
20–30	2471	2636	912	1050	296	372	537	595	630	552	96	67
30–40	2106	2410	928	1004	246	333	439	485	435	509	58	79
40–50	2412	2346	1020	1001	348	311	487	516	507	459	50	59
50–60	2874	2940	1153	1214	362	392	654	591	649	650	56	93
60–70	3718	3936	1202	1341	478	519	853	894	1087	1065	98	117
70–80	3600	4450	833	1142	408	516	818	1064	1367	1517	174	211
80–90	1745	2614	267	462	123	236	392	620	815	1091	148	205
90–100	244	429	16	56	15	31	53	103	141	206	19	33
100 and above	5	22	–	1	–	–	–	5	3	8	2	8
Not stated	9	5	–	–	5	1	–	1	4	3	–	–
All Ages	36296	37051	13397	13747	4682	4751	8217	8345	8999	9040	1001	1168

In the Principal Towns, the proportion of the mortality borne by children under 5 years of age, was 42·38 per cent. among males, and 36·74 per cent. among females. In the Large Towns, the proportion was 40·26 per cent. among males, and 32·49 per cent. among females; in the Small Towns, 37·06 per cent. of males, and 30·85 of females; in the Mainland-Rural districts, 28·15 per cent. of males, and 23·68 per cent. of females; while in the Insular-Rural group of districts, the total mortality was only 21·48 per cent. among males, and 17·29 per cent. among females, another

TABLE XXIV.—Percentage of Deaths to the Population at each Age in 1879.

Age.	Scotland.		Principal Towns.		Large Towns.		Small Towns.		Mainland-Rural.		Insular-Rural.	
	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.
Under 1 Year	13·480	11·104	15·819	13·854	15·326	11·273	13·030	10·349	10·421	8·365	9·043	8·511
— 2	6·067	5·798	8·846	8·403	7·131	7·047	5·477	5·152	3·283	3·102	2·811	2·494
— 3	2·662	2·732	3·945	3·635	3·150	3·591	2·468	2·552	1·412	1·682	1·167	0·886
— 4	1·862	1·793	2·622	2·461	2·443	1·704	1·745	1·819	1·084	1·155	0·426	1·106
— 5	1·149	1·341	1·669	1·988	1·362	1·562	1·004	1·155	0·715	0·799	0·696	0·787
0– 5	5·263	4·728	7·040	6·438	6·209	5·257	4·931	4·340	3·446	3·085	2·737	2·762
5–10	0·727	0·718	0·954	0·931	0·919	0·779	0·725	0·694	0·484	0·536	0·340	0·428
10–15	0·457	0·483	0·578	0·606	0·557	0·584	0·441	0·452	0·347	0·365	0·267	0·373
15–20	0·633	0·680	0·717	0·739	0·645	0·757	0·717	0·737	0·481	0·538	0·592	0·561
20–30	0·883	0·831	0·854	0·879	0·868	0·989	0·896	0·853	0·863	0·678	1·294	0·662
30–40	1·036	0·990	1·267	1·156	1·016	1·161	0·971	0·883	0·797	0·787	0·889	0·896
40–50	1·489	1·232	1·951	1·565	1·813	1·437	1·299	1·185	1·062	0·850	0·928	0·816
50–60	2·388	2·068	3·373	2·759	2·698	2·544	2·379	1·801	1·667	1·499	1·164	1·508
60–70	4·682	3·878	6·211	4·721	5·897	4·938	4·653	3·778	3·728	3·175	2·582	2·479
70–80	9·463	8·441	12·107	9·297	11·916	10·072	9·108	8·578	8·702	7·859	7·044	7·030
80–90	19·423	18·381	23·258	18·362	18·249	19·125	20·839	20·195	18·967	18·174	19·347	18·468
90–100	37·771	32·402	18·823	26·168	38·461	27·193	39·552	42·213	47·474	33·771	26·389	30·275
100 and above	20·000	36·666	0·000	7·143	0·000	0·000	0·000	45·454	27·273	36·364	66·666	100·000
Not stated	–	–	–	–	–	–	–	–	–	–	–	–
TOTAL . .	2·059	1·947	2·401	2·208	2·278	2·162	1·999	1·883	1·707	1·651	1·637	1·680

TABLE XXV.—Percentage of Deaths at each Age to the Total Deaths in 1879.

Age.	Scotland.		Principal Towns.		Large Towns.		Small Towns.		Mainland-Rural.		Insular-Rural.	
	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.
Under 1 Year	20·86	16·20	22·47	18·56	22·47	15·81	21·54	16·12	17·74	13·56	13·79	10·96
— 2	8·14	7·29	10·43	9·32	9·02	8·39	7·71	6·95	5·15	4·56	3·99	2·74
— 3	3·72	3·58	4·64	4·12	4·06	4·46	3·77	3·61	2·33	2·58	1·80	1·11
— 4	2·55	2·32	3·01	2·69	3·07	2·02	2·59	2·60	1·77	1·77	0·70	1·46
— 5	1·53	1·68	1·83	2·05	1·64	1·81	1·45	1·57	1·16	1·21	1·20	1·02
0– 5	36·80	31·07	42·38	36·74	40·26	32·49	37·06	30·85	28·15	23·68	21·48	17·29
5–10	4·50	4·19	4·69	4·41	5·19	4·17	4·88	4·42	3·72	3·89	2·69	2·65
10–15	2·63	2·57	2·59	2·59	2·88	2·82	2·75	2·62	2·51	2·40	2·10	2·31
15–20	3·22	3·34	3·03	3·36	2·95	3·45	3·78	3·69	2·97	2·99	3·70	3·08
20–30	6·82	7·12	6·81	7·64	6·33	7·83	6·54	7·13	7·00	6·11	9·59	5·74
30–40	5·80	6·50	6·93	7·30	5·25	7·01	5·35	5·82	4·83	5·63	5·80	6·77
40–50	6·64	6·34	7·61	7·28	7·43	6·55	5·93	6·19	5·63	5·08	4·99	5·05
50–60	7·92	7·94	8·60	8·84	7·73	8·26	7·96	7·08	7·22	7·19	5·59	7·96
60–70	10·24	10·62	8·97	9·75	10·21	10·92	10·38	10·72	12·08	11·78	9·79	10·02
70–80	9·92	12·02	6·21	8·31	8·71	10·86	9·96	12·75	15·19	16·78	17·38	18·07
80–90	4·81	7·06	1·99	3·36	2·63	4·97	4·77	7·43	9·06	12·07	14·79	17·55
90–100	0·67	1·16	0·19	0·41	0·33	0·65	0·64	1·23	1·57	2·28	1·90	2·83
100 and above	0·01	0·06	0·00	0·01	0·00	0·00	0·00	0·06	0·03	0·09	0·20	0·68
Not stated	0·02	0·01	0·00	0·00	0·10	0·02	0·00	0·01	0·04	0·03	0·00	0·00
TOTAL . .	100·00	100·00	100·00	100·00	100·00	100·00	100·00	100·00	100·00	100·00	100·00	100·00

example of the fact that the denser the population, the greater the mortality during infant life.

The following details are interesting in relation to the subject of longevity in Scotland. During 1879, of every hundred females that died, 20·30 were aged 70 years or upwards. In the Insular-Rural districts, 39·13 females out of every hundred that died, had reached threescore and ten; in the Mainland-Rural districts, 31·22 per cent. of the female deaths were at this ripe old age; in the Small Towns, the rate was 21·47 per cent.; in the Large Towns, 16·48 per cent.; and in the Principal Towns, 12·09 per cent. These numbers clearly point to the connection which exists between density or "proximity" of population, and its effects upon the longevity of those forming part of the various communities, as they are large or small.

TABLE XXVI.—Deaths at different Ages in each of the Eight Principal Towns of Scotland during the Year 1879.

AGE.	Glasgow.	Edinburgh.	Dundee.	Aberdeen.	Greenock.	Paisley.	Leith.	Perth.
Under 1 Year	2504	881	750	428	308	264	311	117
— 2	1377	356	279	162	180	145	117	62
— 3	626	154	126	64	84	69	44	20
— 4	414	93	87	38	56	48	26	12
— 5	286	59	49	28	39	32	24	10
0– 5	5207	1543	1291	720	667	558	522	221
5–10	638	166	131	80	66	86	48	20
10–15	363	75	78	54	53	45	26	10
15–20	437	120	87	62	49	67	29	23
20–30	945	347	244	138	111	84	65	28
30–40	963	317	185	147	116	97	66	41
40–50	946	359	221	144	120	112	76	43
50–60	1092	406	297	155	133	123	89	72
60–70	1033	486	323	221	148	155	112	65
70–80	659	406	230	283	96	127	82	92
80–90	198	189	81	107	34	41	40	39
90–100	16	18	10	16	4	2	3	3
100 and above	1	–	–	–	–	–	–	–
Not stated	–	–	–	–	–	–	–	–
ALL AGES . . .	12498	4432	3178	2127	1597	1497	1158	657

TABLE XXVII.—Percentage of Deaths to the Population at each Age in each of the Principal Towns of Scotland in 1879.

AGE.	Glasgow.	Edinburgh.	Dundee.	Aberdeen.	Greenock.	Paisley.	Leith.	Perth.
Under 1 Year	14·79	13·81	17·89	13·20	13·16	16·25	15·75	15·96
— 2	10·09	6·68	7·96	5·80	9·03	10·48	6·91	8·82
— 3	4·63	2·81	3·28	2·40	4·33	4·87	2·48	2·86
— 4	3·19	1·78	2·34	1·35	2·88	3·39	1·54	1·69
— 5	2·32	1·16	1·36	1·09	2·11	2·34	1·58	1·54
0– 5	7·51	5·62	6·85	5·11	6·63	7·74	6·04	6·33
5–10	1·14	0·73	0·82	0·67	0·83	1·35	0·69	0·62
10–15	0·71	0·35	0·53	0·51	0·80	0·73	0·43	0·33
15–20	0·85	0·52	0·58	0·61	0·80	1·12	0·55	0·82
20–30	0·92	0·79	0·97	0·81	0·85	0·94	0·61	0·60
30–40	1·38	1·03	1·01	1·16	1·17	1·46	0·80	1·08
40–50	1·89	1·62	1·57	1·49	1·90	2·15	1·35	1·34
50–60	3·41	2·55	3·12	2·07	3·28	3·22	2·40	3·11
60–70	5·74	4·72	5·99	4·11	6·20	5·84	5·18	3·94
70–80	10·28	8·88	11·46	11·37	10·65	10·71	9·51	10·80
80–90	17·38	21·62	23·48	17·77	19·65	17·83	25·97	21·19
90–100	16·84	26·86	31·25	34·04	33·33	9·52	42·85	16·67
100 and above	11·11	0·00	0·00	0·00	0·00	0·00	0·00	0·00
Not stated	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·00

Causes of Death.

In this, as in the last two Detailed Annual Reports, the system of nomenclature of disease, as long used by Dr. Farr in the Reports of the Registrar-General for England, is adhered to.

The number of deaths registered in all Scotland during the year 1879 was 73347; but in 1262 cases the causes of death were either unknown to the informants, or so stated to the registrars as to be useless for statistical purposes. Thus, about 1·7 per cent. of all registered deaths were not referred to any specified cause. This in Scotland is almost unavoidable, as in some out-of-the-way districts the registrar has to be satisfied with the report of a friend or relative as to the cause of death, there being no medical man near to whom to apply, either to see the patient during life or to certify as to the cause of death. It is also more than possible that some of the deaths attributed to "violence," "accident," &c., may be suicidal; but no registrar would take upon himself the responsibility of stating them as such.

During 1879, the deaths registered in all Scotland as due to Zymotic diseases were 10447, being 290 for every hundred thousand of estimated population, and 14·59 per cent. of all registered deaths. The incidence of such diseases was most marked in the Large Towns, but even in these, as in the other four registration groups, the numbers are much below those of the previous year.

In Table XXXII. the deaths from the chief Zymotic diseases, and from all other causes, are so arranged as to exhibit the mortality due to each, during five successive periods of life. Out of every hundred deaths from Zymotic diseases, 61·9 occurred during the first five years of life, 72·9 during the first ten years, 3·1 at ages between 10 and 15, 15·8 between 15 and 60, and 8·2 at ages over 60.

Hooping-cough, of all the Zymotic diseases, was the most fatal to children under 5 years of age, of whom at this early period of life 2361 died, being 95·1 per cent. of the total mortality at all ages ascribed to this cause. Scarlet Fever proved fatal in 1592 cases, and 984 or 61·8 per cent. of these deaths occurred at ages under 5 years. There were 862 deaths attributed to Diphtheria, and of these 544, or 63·1 per cent., occurred during the first period of life, embraced in Table XXXII. Measles proved fatal in 769 cases, of which 688, or 89·5 per cent., took place during the first five years of life. Of the 728 cases due to Croup, 630, or 86·6 per cent., occurred at the same early age. Of Diarrhœa, Dysentery, and Cholera, there were in all 1561 deaths, 925, or 59·2 per cent., of these being among children under 5 years of age. From Syphilis, 225 deaths occurred, and 186, or 82·7 per cent., of these were registered at ages under 5 years. Continued Fevers caused 1361 deaths in all Scotland during the year, being at the very moderate rate of 37 to every hundred thousand of estimated population. In every one of the five registration groups, Typhoid or Enteric Fever was far more frequent than any of the others, and most so in the Small Towns and Mainland-Rural districts. The total number of deaths from these Fevers was, Typhus 210, Typhoid 1013, Relapsing 5, and Simple Continued 133. We find that 15·4 per cent. of the deaths from Fevers of all kinds took place at ages below 5 years, 15·7 per cent. between the ages of 5 and 10 years, 8·7 per cent. between 10 and 15 years of age, 53·2 per cent. between 15 and 60, and 7·0 per cent. among those of 60 and upwards.

Out of every hundred thousand persons inhabiting the Large Towns of Scotland, there died of Miasmatic diseases, 359; while in the Principal

Towns the rate was 327; in the Small Towns, 312; in the Mainland-Rural districts, 215; and in the Insular-Rural group, 195. In the whole of Scotland the rate was 290 per hundred thousand.

TABLE XXVIII.—Proportion of Deaths from different Diseases to every

DISEASES AND ORDERS OF DISEASE.	Proportion of DEATHS in every 100,000 Persons Living.								
	SCOTLAND.			PRINCIPAL TOWNS.			LARGE TOWNS.		
	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.
TOTAL DEATHS . .	2001	2059	1947	2299	2401	2208	2218	2278	2162
1. Miasmatic Order .	290	289	290	327	327	327	359	365	353
2. Tubercular Order .	336	338	334	426	432	421	402	408	398
3. Nervous System .	215	233	197	244	280	212	261	268	255
4. Organs of Circulation	140	143	138	148	144	150	149	159	140
5. Respiratory Organs .	397	419	377	536	568	505	428	449	409
6. Organs of Digestion .	118	121	115	118	122	115	121	128	115
7. Urinary Organs . .	43	56	30	46	61	34	35	47	24
8. Generative Organs .	4	1	8	5	1	9	5	1	9
9. Locomotive Organs .	9	11	7	10	13	8	9	12	7
10. Skin, etc.	8	7	8	9	7	10	10	9	11
11. Developmental Diseases of Children .	66	78	56	90	104	77	73	93	54
12. Age	140	108	171	80	60	97	128	89	165
13. Atrophy	68	75	61	77	86	68	80	90	71
14. Violent Deaths . .	67	102	33	71	109	38	56	86	27
Small-pox	1	1	1	1	1	1	1	1	–
Measles	21	23	20	26	28	24	35	36	34
Scarlatina	44	49	40	41	44	38	63	79	49
Diphtheria	24	24	24	24	25	23	25	25	25
Croup	20	21	19	21	23	20	22	22	22
Hooping-cough . .	69	64	74	95	88	101	98	89	106
All FEVERS, viz. .	37	38	36	38	40	37	35	36	35
Typhus . .	5	6	5	11	12	11	4	5	4
Enteric . . .	28	28	27	24	24	23	27	26	27
Relapsing . .	1	1	1	1	1	1	–	–	–
Continued . .	3	3	3	2	3	2	4	4	4
Erysipelas	7	8	6	8	9	6	8	9	8
Metria	5	–	10	5	–	9	5	–	11
Influenza	3	3	3	2	2	2	3	3	3
Dysentery	4	4	4	3	4	2	6	6	5
DIARRHŒA . . .	37	37	37	46	47	46	40	43	37
Cholera	2	3	2	3	3	3	3	4	1
Rheumatism . . .	10	9	11	8	8	9	10	7	12
Dropsy	13	10	15	12	10	14	14	14	15
Cancer	50	38	62	50	36	63	50	37	62
Scrofula	19	22	16	22	27	18	20	25	15
Tabes Mesenterica .	30	33	27	40	44	37	41	51	31
PHTHISIS . . .	231	222	240	291	283	297	265	244	286
Hydrocephalus . .	55	61	50	73	77	69	75	87	64
Apoplexy	54	56	53	60	63	57	66	64	69
Paralysis	59	61	58	60	66	55	70	69	71
Epilepsy	8	9	7	7	8	5	7	7	7
Convulsions . . .	29	34	24	39	50	29	36	39	33
BRONCHITIS . .	255	253	257	356	356	356	264	263	266
Pneumonia	85	100	71	118	141	97	91	103	79
Enteritis	22	24	21	24	27	20	20	24	16
All Liver Diseases .	32	35	29	30	33	28	38	42	34
Teething	16	18	14	23	25	20	16	20	11
CHILDBIRTH . .	11	–	21	13	–	25	12	–	23
Fracture & Contusion	23	38	9	27	45	11	18	28	8
Burns and Scalds .	8	9	7	7	8	7	7	9	6
Drowning	16	28	5	11	21	2	14	25	4

From Table XXVIII. we may trace the incidence of Hooping-cough, Scarlatina, Measles, and generally of the more familiar Miasmatic diseases, to have been most appreciable in the Large Towns, less so in the Principal

Hundred Thousand Persons of the Population in 1879, allowing for Causes not Specified.

DISEASES AND ORDERS OF DISEASE.	Proportion of DEATHS in every 100,000 Persons Living.								
	SMALL TOWNS.			MAINLAND-RURAL.			INSULAR-RURAL.		
	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.
TOTAL DEATHS . .	1939	1999	1883	1688	1707	1651	1759	1637	1680
1. Miasmatic Order .	312	321	304	215	208	221	195	176	214
2. Tubercular Order .	326	332	321	226	224	229	247	261	240
3. Nervous System .	201	217	186	185	193	177	118	139	103
4. Organs of Circulation	147	149	145	131	138	124	80	83	79
5. Respiratory Organs.	337	363	314	293	309	278	276	278	279
6. Organs of Digestion.	126	125	127	113	118	108	92	91	93
7. Urinary Organs . .	41	49	33	43	59	28	39	67	16
8. Generative Organs .	–	–	–	4	1	8	1	–	3
9. Locomotive Organs.	8	9	7	8	12	5	4	3	4
10. Skin, etc.	7	7	6	7	5	8	5	5	4
11. Developmental Diseases of Children .	65	77	54	45	52	39	11	11	11
12. Age	129	92	163	197	155	236	403	345	469
13. Atrophy	73	79	67	54	59	50	26	24	27
14. Violent Deaths . .	67	105	33	66	101	31	61	95	33
Small-pox	–	–	–	–	–	–	1	2	–
Measles	23	26	20	11	12	10	4	8	1
Scarlatina	57	58	56	33	36	29	20	34	8
Diphtheria	24	25	23	23	23	24	25	16	33
Croup	21	26	18	14	14	15	42	36	47
Hooping-cough . .	65	63	67	37	34	40	8	5	11
All FEVERS, viz. .	44	48	39	33	32	33	37	27	46
Typhus . .	3	4	1	2	2	1	13	10	16
Enteric . . .	34	37	32	29	27	30	18	11	24
Relapsing . .	1	1	–	–	–	–	1	1	–
Continued .	6	6	6	2	3	2	5	5	5
Erysipelas	8	8	7	6	7	5	6	10	3
Metria	5	–	10	5	–	10	2	–	5
Influenza	3	2	4	5	5	4	7	3	10
Dysentery	4	5	4	4	3	5	2	–	5
DIARRHŒA . . .	38	40	36	26	24	28	17	13	21
Cholera	3	3	2	2	2	2	–	–	–
Rheumatism . . .	12	10	14	11	11	11	16	15	18
Dropsy	13	12	14	10	7	14	26	13	39
Cancer	51	34	66	53	45	61	38	33	44
Scrofula	19	21	17	14	17	12	16	11	21
Tabes Mesenterica .	33	36	30	15	14	15	9	11	8
PHTHISIS . . .	216	208	224	167	160	175	206	229	188
Hydrocephalus . .	58	67	50	29	33	26	15	10	21
Apoplexy	52	54	50	50	51	49	18	16	20
Paralysis	56	57	55	58	55	61	50	62	41
Epilepsy	8	10	7	9	10	8	6	5	6
Convulsions . . .	29	32	26	16	18	15	14	21	8
BRONCHITIS . .	220	225	216	178	172	184	152	144	161
Pneumonia . . .	68	78	59	64	76	52	49	57	43
Enteritis	25	25	25	21	22	19	14	13	15
All Liver Diseases .	34	36	32	31	35	28	30	33	27
Teething	14	16	13	11	10	11	5	8	3
CHILDBIRTH . .	10	–	19	8	–	16	15	–	23
Fracture & Contusion	23	40	8	22	35	8	7	10	4
Burns and Scalds .	8	8	7	10	13	7	7	3	10
Drowning	20	33	7	17	28	7	37	69	10

and Small Towns, and far less in the Rural districts, especially in the Insular-Rural group, with the exception of Diphtheria and Croup, which were in decided excess in the latter. Hooping-cough caused 2483 deaths in

TABLE XXIX.—Proportion of Deaths from different

DISEASES AND ORDERS OF DISEASE.	Proportion of DEATHS in every 10,000 Specified Causes of Death.								
	SCOTLAND.			PRINCIPAL TOWNS.			LARGE TOWNS.		
	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.
1 Miasmatic Order . .	1459	1408	1489	1423	1363	1480	1617	1601	1633
2. Tubercular Order .	1678	1642	1714	1855	1799	1909	1815	1790	1838
3. Nervous System . .	1072	1133	1013	1062	1166	961	1177	1177	1178
4. Organs of Circulation	701	695	708	642	602	681	673	701	646
5. Respiratory Organs	1985	2036	1936	2333	2365	2302	1930	1971	1889
6. Organs of Digestion	588	587	589	514	506	521	546	562	532
7. Urinary Organs . .	214	271	157	203	254	154	159	204	114
8. Generative Organs .	23	1	44	21	1	40	23	2	44
9. Locomotive Organs .	45	54	35	46	53	38	43	54	32
10. Skin, etc.	38	33	43	38	31	45	45	39	51
11. Developmental Diseases of Children .	332	379	286	390	433	348	330	411	250
12. Age	705	524	881	348	252	441	580	394	762
13. Atrophy	340	365	316	334	359	309	363	398	328
14. Violent Deaths . .	333	498	172	311	454	172	251	376	127
Small-pox	1	1	1	1	2	1	3	6	–
Measles	107	113	101	114	118	111	158	159	157
Scarlatina	221	237	205	177	183	171	286	346	227
Diphtheria	119	118	122	104	105	102	113	110	116
Croup	101	104	98	93	96	91	100	99	102
Hooping-cough . .	344	309	378	415	366	463	441	392	489
All FEVERS, viz. .	188	189	188	161	167	169	160	157	163
Typhus . . .	29	31	27	49	50	49	20	21	19
Enteric . . .	140	138	143	106	104	108	121	117	125
Relapsing . .	1	1	1	1	1	1	–	–	–
Continued . .	18	19	17	12	12	11	19	19	19
Erysipelas	37	41	33	34	38	30	38	39	38
Metria	25	–	50	22	–	43	26	–	51
Influenza	17	16	18	10	9	10	13	13	13
Dysentery	19	20	19	14	18	9	26	28	13
DIARRHŒA . . .	184	178	189	201	195	208	180	189	171
Cholera	13	14	12	14	13	15	13	19	6
Rheumatism . . .	52	46	59	37	32	42	44	30	57
Dropsy	63	50	76	52	43	61	66	62	70
Cancer	254	186	320	218	151	284	225	161	288
Scrofula	94	106	83	97	113	81	92	112	72
Tabes Mesenterica .	151	161	142	174	182	167	185	224	146
PHTHISIS	1156	1079	1232	1265	1180	1346	1198	1069	1324
Hydrocephalus . .	276	295	258	319	323	315	340	385	296
Apoplexy	272	272	273	261	262	260	300	282	318
Paralysis	297	296	299	263	275	250	316	303	328
Epilepsy	38	42	34	28	32	25	32	30	34
Convulsions . . .	145	166	125	171	210	132	162	172	152
BRONCHITIS . .	1274	1228	1319	1549	1483	1614	1192	1155	1228
Pneumonia	425	485	367	512	588	438	409	452	366
Enteritis	113	119	106	103	113	93	92	107	76
All Liver Diseases .	162	173	152	132	138	127	173	185	161
Teething	79	86	74	99	106	92	71	90	53
CHILDBIRTH . .	55	–	109	57	–	113	54	–	108
Fracture & Contusion	115	185	47	119	189	52	80	125	36
Burns and Scalds .	41	46	36	33	34	31	34	39	30
Drowning	81	135	27	49	88	10	66	112	21

Scotland during the year, *i.e.* 69 deaths out of every hundred thousand of the estimated population of the country. Scarlatina caused 1592, or 44 deaths out of every hundred thousand inhabitants. Measles was fatal in

Diseases to the Total Deaths from Specified Causes in 1879.

DISEASES AND ORDERS OF DISEASE.	Proportion of DEATHS in every 10,000 Specified Causes of Death.								
	SMALL TOWNS.			MAINLAND-RURAL.			INSULAR-RURAL.		
	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.
1. Miasmatic Order . .	1609	1607	1611	1281	1220	1341	1180	1073	1271
2. Tubercular Order .	1684	1662	1704	1349	1310	1387	1491	1580	1416
3. Nervous System . .	1037	1088	987	1104	1129	1078	716	842	611
4. Organs of Circulation	756	744	768	780	806	754	485	507	465
5. Respiratory Organs .	1740	1818	1663	1745	1808	1682	1665	1684	1649
6. Organs of Digestion	649	627	672	672	691	654	553	554	553
7. Urinary Organs . .	210	244	177	259	346	173	237	404	97
8. Generative Organs .	24	–	47	26	1	50	10	–	19
9. Locomotive Organs .	40	44	36	51	69	33	26	23	29
10. Skin, etc.	35	36	34	39	32	46	32	35	29
11. Developmental Diseases of Children .	335	386	284	269	304	235	68	69	68
12. Age	664	461	864	1172	912	1430	2476	2088	2706
13. Atrophy	376	399	354	323	346	301	158	150	165
14. Violent Deaths . .	348	526	173	392	595	192	369	577	194
Small-pox	–	–		–	–	–	5	11	–
Measles	117	131	104	65	70	61	26	46	10
Scarlatina	294	292	296	196	212	179	121	208	48
Diphtheria	123	125	121	140	135	145	153	104	194
Croup	111	129	93	87	82	91	253	219	281
Hooping-cough . .	338	317	358	222	200	243	53	35	68
All FEVERS, viz. .	226	244	207	196	190	203	226	173	271
Typhus . . .	16	25	7	9	11	8	79	58	97
Enteric . . .	179	187	170	172	162	182	111	69	145
Relapsing . .	1	1	–	–	–	–	5	11	–
Continued . .	30	31	30	15	17	13	31	35	29
Erysipelas	41	42	40	36	43	28	37	58	19
Metria	26	–	52	31	–	62	16	–	29
Influenza	16	11	22	28	31	25	42	23	58
Dysentery	23	26	21	24	16	33	10	–	19
DIARRHŒA . . .	196	199	194	155	139	171	105	81	126
Cholera	14	17	11	11	11	11	–	–	–
Rheumatism . . .	61	49	73	68	67	69	100	92	107
Dropsy	66	58	74	64	45	84	163	81	233
Cancer	262	171	352	318	265	370	232	196	262
Scrofula	98	104	92	87	97	76	100	69	126
Tabes Mesenterica .	171	181	161	88	85	92	58	69	48
PHTHISIS . . .	1114	1040	1187	998	937	1059	1238	1384	1115
Hydrocephalus . .	300	337	263	176	191	160	95	58	126
Apoplexy	266	269	263	299	300	299	111	104	116
Paralysis	291	287	294	347	322	371	306	381	242
Epilepsy	43	49	36	52	58	46	37	35	39
Convulsions . . .	150	162	139	99	104	93	84	127	48
BRONCHITIS . .	1135	1124	1146	1063	1010	1114	917	876	950
Pneumonia	352	391	314	383	448	318	295	346	252
Enteritis	131	128	133	124	132	117	89	81	97
All Liver Diseases .	176	183	169	188	207	168	179	196	165
Teething	74	80	68	64	61	68	32	46	19
CHILDBIRTH . .	52	–	103	51	–	101	95	–	174
Fracture & Contusion	120	201	41	129	207	52	42	58	29
Burns and Scalds .	40	39	40	58	76	41	42	23	58
Drowning	102	165	40	103	164	42	221	415	58

769 cases, or 21 in every hundred thousand of population, very considerably below the average for some years. The deaths ascribed as due to Diphtheria numbered 862, or 24 per hundred thousand of population; and those to Croup, 728, or 20 per hundred thousand inhabitants. Diarrhœa caused 1325 deaths, or at the rate of 37 out of every hundred thousand estimated population.

In Tables XXX. and XXXI. is found how the mortality of the Eight Principal Towns was caused by various diseases, and we would note more especially the share which the principal Zymotics had in each town.

1. In Paisley, 488 out of every hundred thousand inhabitants succumbed to Zymotic diseases. Of these Scarlatina was the most fatal, 107 deaths being from it. Measles stands next, with 90, and Hooping-cough, Fevers, and Diarrhœa, follow in diminishing proportions.

2. In Perth, 384 deaths per hundred thousand occurred from Zymotics. Hooping-cough stands pre-eminently forward as a cause of this mortality, 178 deaths occurring from it. Measles and Diarrhœa follow, 48 deaths being ascribed to each.

TABLE XXX.—Proportion of Deaths from different Diseases to the Population in each of the Eight Principal Towns of Scotland during the Year 1879, allowing for the Causes not Specified.

DISEASES.	Proportion of DEATHS to every 100,000 Persons living.							
	Glasgow.	Edinburgh.	Dundee.	Aberdeen.	Greenock.	Paisley.	Leith.	Perth.
TOTAL DEATHS	2459	1997	2295	2086	2365	2757	1985	2255
Miasmatic Diseases	348	259	316	290	312	488	332	384
Tubercular Diseases	510	330	386	313	474	554	308	292
Brain, etc., Diseases	238	234	242	255	278	278	224	292
Heart, etc., Diseases	136	180	139	159	144	138	111	182
Respiratory Organs	632	404	561	430	499	508	442	449
Organs of Digestion	131	106	102	101	130	147	87	99
Developmental Diseases of Children	90	83	96	93	102	88	96	44
Old Age	57	69	101	103	78	208	63	168
Violent Deaths	74	63	76	65	78	72	62	62
Small-pox	–	2	–	–	–	–	–	–
Measles	32	9	1	47	25	90	–	48
SCARLATINA	50	41	22	22	6	107	29	10
Diphtheria	26	15	14	36	37	26	27	14
Croup	25	10	13	16	29	29	44	24
HOOPING-COUGH	102	65	136	57	50	74	92	178
FEVERS, viz.	40	37	28	29	42	64	42	24
Typhus	11	10	14	5	24	18	8	3
Enteric	27	25	13	23	16	33	29	17
Relapsing	–	–	–	1	–	4	–	–
Continued	2	2	1	–	2	9	5	3
Dysentery	3	3	2	3	–	11	2	7
DIARRHŒA	39	39	78	42	40	59	36	48
Cholera	3	4	1	2	1	2	2	3
Rheumatism	6	14	7	12	10	5	8	–
Dropsy	14	7	10	8	15	15	17	14
Cancer	41	72	46	66	37	37	46	68
PHTHISIS	336	223	303	218	330	366	207	216
Apoplexy	59	64	56	52	55	85	53	58
Paralysis	55	52	65	57	72	79	79	106
BRONCHITIS	221	234	390	318	305	385	312	309
Pneumonia	129	110	131	73	151	88	94	86
Teething	22	14	25	20	41	42	19	17

3. In Glasgow, the deaths from Zymotic causes were 348 per hundred thousand inhabitants. Hooping-cough was the most fatal epidemic, causing 102 deaths, Scarlet Fever 50, Fever and Diarrhœa less, but quite appreciable numbers.

4. In Leith, 332 deaths per hundred thousand inhabitants are due to Zymotics. Hooping-cough, the cause of 92 deaths, and Croup of 44, stand foremost. Scarlet Fever, Diphtheria, Fevers, and Diarrhœa are in less proportions, while from Measles there is not a single death.

5. In Dundee, the Zymotic mortality was 316 per hundred thousand. Here Hooping-cough is the ruling epidemic, having caused 136 deaths, Diarrhœa 78, Scarlatina 22, while there is but a single one from Measles.

6. In Greenock, the deaths from the same class of diseases were 312 per hundred thousand inhabitants. Hooping-cough and Fevers carried off the largest proportion; there were but 6 deaths ascribed to Scarlet Fever, but 25 to Measles.

7. In Aberdeen, the Zymotic deaths per hundred thousand were 290. Hooping-cough, Measles, Diarrhœa, and Diphtheria standing most prominently forward as the causes of death.

8. In Edinburgh, the deaths from Zymotics were only 259 per hundred

---

TABLE XXXI.—Proportion of Deaths from different Diseases to the Total Deaths from Specified Causes in each of the Eight Principal Towns of Scotland, during the Year 1879.

DISEASES.	Proportion of DEATHS in every 10,000 Specified Causes of Death.							
	Glasgow.	Edinburgh.	Dundee.	Aberdeen.	Greenock.	Paisley.	Leith.	Perth.
Miasmatic Diseases	1416	1299	1378	1389	1320	1772	1678	1700
Tubercular Diseases	2049	1657	1684	1503	2002	2013	1557	1286
Brain Diseases	968	1177	1056	1224	1175	1007	1133	1286
Heart, etc. Diseases	555	908	607	765	606	503	562	811
Respiratory Organs	2572	2031	2446	2065	2110	1846	2231	1991
Organs of Digestion	534	532	446	482	549	537	441	444
Developmental Diseases of Children	368	419	417	449	429	322	484	199
Old Age	232	349	442	496	335	752	320	750
Violent Deaths	306	319	335	317	335	262	311	276
Small-pox	–	9	–	–	–	–	–	–
Measles	128	47	3	227	107	329	–	214
SCARLATINA	202	208	95	109	25	389	147	46
Diphtheria	107	75	60	175	158	94	138	61
Croup	102	52	57	76	120	107	225	107
HOOPING-COUGH	416	328	594	274	423	268	467	796
FEVERS, viz.	165	190	123	141	183	234	216	107
Typhus	44	50	60	24	101	67	43	15
Enteric	110	129	57	113	69	121	147	77
Relapsing	–	–	–	4	–	13	–	–
Continued	11	11	6	–	13	33	26	15
Dysentery	12	16	9	14	–	40	9	31
DIARRHŒA	161	197	341	203	170	215	285	214
Cholera	15	23	6	9	6	7	9	15
Rheumatism	26	70	32	57	44	20	43	–
Dropsy	57	36	44	38	63	54	86	61
Cancer	166	362	202	317	158	134	233	306
PHTHISIS	1351	1121	1321	1044	1396	1329	1047	965
Apoplexy	242	321	246	250	234	309	268	260
Paralysis	223	260	284	274	309	288	398	475
BRONCHITIS	900	1175	1700	1526	1289	1396	1574	363
Pneumonia	526	555	572	354	638	322	476	383
Teething	90	72	111	99	177	154	95	76

thousand inhabitants. Hooping cough and Scarlatina were the most fatal epidemics of the year, while Diarrhœa and Fevers caused a by no means inconsiderable number of deaths.

During 1879, there were registered throughout Scotland 8 deaths from Small-pox; 4 of which occurred in Edinburgh, 2 in Arbroath, and 1 in the town of Inverness, the eighth being in the county of Inverness, which forms a part of the Insular-Rural district. In one case the death took place at the age of two months, before the child was vaccinated.

To Gout the deaths of 10 males and 2 females were ascribed. All the males died between 60 and 80 years of age; one female between 60 and 65, the other between 75 and 80. Gout being due to a blood poison, which complicates so many other diseases, and as it is almost protean in its nature, it is more than probable that the deaths alleged to have been caused by this do not include the whole, and that many who succumbed to Apoplexy, Heart and Kidney disease, really did so in a secondary degree, the primary pathological changes in these organs being caused by the gouty poison.

Dropsy, without explanation as to its seat or probable cause, was the registered cause of 455 deaths, of which 179 occurred among males, and 276 among females.

Cancer, according to the register of deaths, has proved fatal to 663 males and 1167 females. At the same time, it is more than probable that many cases of malignant disease of the Stomach, Liver, Intestines, Kidneys, &c., are not recognised during life, or are not returned to the registrars as cases of Cancer at all, but are merely included under such headings as "Diseases of the Stomach," &c. The number of deaths from Cancer was, in the counties of Lanark, 362; in Edinburgh, 234; in Forfar, 150; and in Aberdeen, 137; much above the numbers representing those who succumbed to this horrible malady in other counties. In all probability, this

TABLE XXXII.—Number and Proportion of Deaths at different Ages from the Zymotic and Ordinary Diseases in Scotland in 1879.

Diseases.	Number of Deaths at each Age.						Percentage at each Age.					
	0–5 years.	5–10.	10–15.	15–60.	Above 60.	Total.	0–5.	5–10	10–15	15–60	Above 60.	Total.
Small-pox . . .	1	1	–	6	–	8	12·5	12·5	0·0	75·0	0·0	100
Measles	688	65	7	9	–	769	89·5	8·4	0·9	1·2	0·0	100
Scarlatina	984	453	94	60	1	1592	61·8	28·4	5·9	3·8	0·1	100
Diphtheria . . .	544	204	54	54	6	862	63·1	23·6	6·3	6·3	0·7	100
Hooping-cough . .	2361	112	5	5	–	2483	95·1	4·5	0·2	0·2	0·0	100
Croup	630	88	9	1	–	728	86·6	12·1	1·2	0·1	0·0	100
Diarrhœa	813	33	11	135	333	1325	61·3	2·5	0·8	10·2	25·2	100
Dysentery . . .	48	1	1	42	52	144	33·3	0·7	0·7	29·2	36·1	100
Cholera	64	6	–	12	10	92	69·6	6·5	0·0	13·0	10·9	100
All Fevers, viz. . .	209	214	118	724	96	1361	15·4	15·7	8·7	53·2	7·0	100
Typhus	10	13	15	159	13	210	4·8	6·2	7·1	75·7	6·2	100
Enteric	166	176	94	508	69	1013	16·3	17·4	9·3	50·2	6·8	100
Relapsing . . .	–	1	–	4	–	5	0·0	20·0	0·0	80·0	0·0	100
Simple Continued	33	24	9	53	14	133	24·8	18·0	6·8	39·8	10·6	100
Syphilis	186	–	–	36	3	225	82·7	0·0	0·0	16·0	1·3	100
Erysipelas . . .	100	7	12	68	78	265	37·7	2·6	4·6	25·7	29·4	100
All Zymotics . . .	6884	1226	346	1752	915	11123	61·9	11·0	3·1	15·8	8·2	100
All other Diseases, exclud'g Zymotics	17986	1965	1563	20848	19862	62224	28·9	3·1	2·5	33·6	31·9	100
Total Deaths . . .	24870	3191	1909	22600	20777	73347	33·9	4·4	2·6	30·8	28·3	100

is due to the fact of there being in the chief towns of these counties large hospitals, to which patients flock from all parts of the country seeking relief, from this and other maladies, and as undoubtedly not a few die while inmates of these institutions, their deaths necessarily swell the local death-rate from Cancer.

Tubercular Diseases caused 12098 deaths in all Scotland, whereof 5851 occurred among males and 6247 among females, constituting a mortality of 336 for every hundred thousand of estimated population and 16·78 per cent. of the deaths from all Specified Causes. It was most marked in the Principal Towns, less so in the other four districts into which the whole country is divided, being least of all in the Mainland-Rural. Of all deaths from Specified Causes, 18·55 per cent. were, in the Principal Towns, due to diseases of a tubercular nature; in the Large Towns, 18·15 per cent.; in the Small Towns, the rate was 16·84 per cent.; in the Insular-Rural, 14·91 per cent.; and in the Mainland-Rural districts, 13·49 per cent.

From Table XXX. it appears that the deaths from Tubercular diseases per hundred thousand of population in each of the Eight Principal Towns were as follows:—554 in Paisley, 510 in Glasgow, 474 in Greenock, 386 in Dundee, 330 in Edinburgh, 313 in Aberdeen, 308 in Leith, and 292 in Perth.

Table XXXIII.—Number and Percentage of Deaths from the Zymotic and Ordinary Diseases at each Age.

Age.	Number of Deaths.			Percentage of Deaths at each Age from	
	Total Deaths.	Zymotic Deaths.	All other Diseases.	Zymotic Deaths.	All other Diseases.
0—5	24,870	6,884	17,986	27·7	72·3
5—10	3,191	1,226	1,965	38·4	61·6
10—15	1,909	346	1,563	18·1	81·9
15—60	22,600	1,752	20,848	7·8	92·2
Above 60	20,777	915	19,862	4·4	95·6
0—15	29,970	8,456	21,514	28·2	71·8
15 and upwards	43,377	2,667	40,710	6·1	93·9

Table XXXIV.—Small-pox Deaths in Scotland.

Year.	Small-pox Deaths.	Year.	Small-pox Deaths.
1855	1,309	1868	15
1856	1,306	1869	64
1857	845	1870	114
1858	332	1871	1,442
1859	682	1872	2,448
1860	1,495	1873	1,126
1861	766	1874	1,246
1862	426	1875	76
1863	1,648	1876	39
1864	1,741	1877	38
1865	383	1878	4
1866	200	1879	8
1867	100		

From Consumption alone, the deaths in all Scotland in 1879 numbered 8336, being made up of 3487 males and 4489 females. Of these, 1392, or 16·70 per cent., occurred at ages under 15 years; 5624, or 67·46 per cent., among those aged from 15 to 45; and 1320, or 15·83 per cent., at more advanced ages. The proportion of female exceeds that of male deaths from this disease in the whole of Scotland, and in its five groups of registration districts, except in the Insular-Rural, where the reverse occurs. As for the relative frequency of deaths from Consumption in the Eight Principal Towns, we find from Table XXX. that Paisley stands highest, with a proportion of 366 deaths for every hundred thousand of estimated population; Glasgow follows, with 336; Greenock, 330; Dundee, 303; Edinburgh, 223; Aberdeen, 218; Perth, 216; and lastly Leith, with 207.

Hydrocephalus proved fatal to 1994 persons; Tabes Mesenterica, to 1089; and Scrofula, to 679; and in each the female deaths considerably exceeded the male.

Of Diseases of the Brain and Nervous System, there died 7731 persons, of whom 4038 were males and 3693 females. Out of every hundred thousand inhabitants, Scotland lost by these diseases 215 lives, constituting 10·72 per cent. of all deaths occurring during the year from Specified Causes. Deaths from this class of disease were in greatest number in the densely populated town districts, and were more frequent among males than females.

Of Diseases of the Heart and Circulatory Organs there died in all 5057 persons, of whom 2477 were males and 2580 females, being at the rate of 140 for every hundred thousand inhabitants of Scotland, and constituting 7·01 per cent. of all deaths from Specified Causes. The proportion of these did not vary much in the three Town districts

TABLE XXXV.—Vaccinations in Scotland, 1869–79, and Proportion to the Births each Year.

Years.		Successfully Vaccinated.	Vaccination Postponed.	Insusceptible of Vaccination— From Constitutional Insusceptibility.	From having had Small-pox	From previous Vaccination.	Died before Vaccination.	Removed from District before Vaccination, or otherwise unaccounted for.	TOTAL BIRTHS.
1869	Numbers .	99265	966	177	17	174	10069	2773	113441
1870	Numbers .	101875	843	215	28	229	9724	2532	115446
1871	Numbers .	101923	841	241	142	175	10280	2582	116184
1872	Numbers .	104902	811	184	64	322	10325	2351	118959
1873	Numbers .	105177	1113	162	39	163	10527	2629	119810
1874	Numbers .	108022	1229	206	33	205	11288	2878	123861
1875	Numbers .	108096	1211	190	1	252	11326	2575	123651
1876	Numbers .	111815	1034	177	5	348	10760	2567	126706
1877	Numbers .	112229	1304	180	4	480	10374	2329	126900
1878	Numbers .	111694	1196	190	3	406	10905	2460	126854
10 Years.	Average .	106500	1055	192	33	275	10558	2568	121181
1879	Numbers .	111469	1290	180	3	349	9999	2492	125782
1869	Percentage	87·504	0·852	0·156	0·015	0·153	8·876	2·444	100·000
1870	Percentage	88·246	0·730	0·186	0·024	0·198	8·423	2·193	100·000
1871	Percentage	87·726	0·724	0·208	0·122	0·150	8·848	2·222	100·000
1872	Percentage	88·183	0·682	0·155	0·054	0·271	8·679	1·976	100·000
1873	Percentage	87·786	0·930	0·135	0·033	0·136	8·786	2·194	100·000
1874	Percentage	87·213	0·992	0·166	0·027	0·165	9·114	2·323	100·000
1875	Percentage	87·420	0·979	0·154	0·001	0·204	9·160	2·082	100·000
1876	Percentage	88·248	0·816	0·140	0·003	0·275	8·492	2·025	100·000
1877	Percentage	88·438	1·028	0·141	0·003	0·378	8·175	1·835	100·000
1878	Percentage	88·049	0·943	0·150	0·003	0·320	8·596	1·939	100·000
10 Years.	Percentage	87·881	0·868	0·159	0·029	0·225	8·715	2·123	100·000
1879	Percentage	88·621	1·026	0·143	0·003	0·277	7·949	1·981	100·000

(Principal, Large, and Small), but it fell, as usual, considerably in the Mainland-Rural, and much in the Insular-Rural districts.

Diseases of the Organs of Respiration caused the deaths of 14331 persons, of whom 7256 were males and 7075 females. This mortality is decidedly higher than in 1878. In all Scotland there perished by Diseases of the Respiratory Organs, 379 per hundred thousand of estimated population, and these do not include such diseases as Consumption, Croup, or Diphtheria. The rates were, 536 in the Principal Towns, and 428 in the Large Towns, falling off considerably in the other districts; being smallest in the Insular-Rural. Of the Eight Principal Towns, Glasgow and Dundee suffered most, Edinburgh being in this respect much better situated.

In all Scotland, Bronchitis alone caused 9185 deaths, being 12·74 per cent. of all deaths referred to Specified Causes. The deaths from Pneumonia were 3067; from Pleurisy, 307; from Laryngitis, 197; from Asthma, 353; and from Lung Disease of unspecified nature, 1204.

Diseases of the Organs of Digestion caused 4243 deaths, being at the rate of 121 per hundred thousand males, and 115 per hundred thousand females of the estimated population. From Gastritis and Enteritis there were 1052 deaths; from Peritonitis, 470; from Ulceration of the Intestines, Ileus, Intussusception, and Stricture of the Bowels, 586; from Diseases of the Liver and Biliary System, 1169; from Diseases of the Spleen, 47. To Unspecified Diseases of the Alimentary Canal were ascribed 680 deaths; Hernia caused 129, of these 56 being in the male sex and 73 in the female, and 9 of them took place during the first year of life, 100 at ages exceeding 50 years.

TABLE XXXVI.—Vaccinations in Scotland, 1869–1879, deducting from the Births those who died before they could be Vaccinated, and giving the Proportion of the Vaccinated to the surviving Births of each Year.

Years.		Successfully Vaccinated.	Vaccination Postponed.	Insusceptible of Vaccination.			Removed from District before Vaccination, or otherwise unaccounted for.	TOTAL LIVING.
				From Constitutional Insusceptibility.	From having had Small-pox.	From previous Vaccination.		
1869	Numbers .	99265	966	177	17	174	2773	103372
1870	Numbers .	101875	843	215	28	229	2532	105722
1871	Numbers .	101923	841	241	142	175	2582	105904
1872	Numbers .	104902	811	184	64	322	2351	108634
1873	Numbers .	105177	1113	162	39	163	2629	109283
1874	Numbers .	108022	1229	206	33	205	2878	112573
1875	Numbers .	108096	1211	190	1	252	2575	112325
1876	Numbers .	111815	1034	177	5	348	2567	115946
1877	Numbers .	112229	1304	180	4	480	2329	116526
1878	Numbers .	111694	1196	190	3	406	2460	115949
10 Years.	Average .	106500	1055	192	33	275	2568	110623
1879	Numbers .	111469	1290	180	3	349	2492	115783
1869	Percentage	96·027	0·935	0·171	0·016	0·168	2·683	100·000
1870	Percentage	96·362	0·797	0·203	0·026	0·217	2·395	100·000
1871	Percentage	96·241	0·794	0·228	0·134	0·165	2·438	100·000
1872	Percentage	96·565	0·747	0·169	0·059	0·296	2·164	100·000
1873	Percentage	96·243	1·018	0·148	0·036	0·149	2·406	100·000
1874	Percentage	95·958	1·092	0·183	0·029	0·182	2·556	100·000
1875	Percentage	96·235	1·078	0·169	0·001	0·224	2·293	100·000
1876	Percentage	96·437	0·892	0·153	0·004	0·300	2·214	100·000
1877	Percentage	96·312	1·119	0·154	0·003	0·411	1·999	100·000
1878	Percentage	96·330	1·031	0·164	0·003	0·350	2·122	100·000
10 Years.	Percentage	96·271	0·951	0·174	0·031	0·246	2·327	100·000
1879	Percentage	96·274	1·14	0·156	0·003	0·301	2·152	100·000

Diseases of the Urinary Organs accounted for 1540 deaths, being at the rate of 43 per hundred thousand of estimated population. Such deaths were as usual much more frequent among males than females. Nephritis caused 199 deaths, Ischuria 60, Calculus 40, Cystitis 167, Bright's Disease 457, Kidney Disease of Unspecified Nature 479, Diabetes 138.

Ovarian disease proved fatal to 70 females. Diseases of the Organs of Generation to 164, Paramenia to 21; Metria to 184; Childbirth, in 397 cases; there being consequently 581 from Puerperal Causes.

The number of children born alive in Scotland during the year 1879 has already been stated to be 125730. Correcting for twin and triplet births, we estimate the number of mothers who gave birth to live children as 124238; of these 0·467 per cent., or about one in every 214, died of some cause directly connected with the act of childbearing.

In 1514 cases infants were brought into this world prematurely; 574 died from Teething, and 305 from Cyanosis, Spina Bifida, &c.

To Old Age 5081 individuals are supposed to have succumbed, viz., 1869 males and 3212 females, and of these deaths 4481, or 88·1 per cent., occurred among those aged 70 years or upwards, and the greater proportion were to be found in the Insular-Rural districts.

In the case of 5 males, death took place at the age of 100 or upwards, 3 being over this number, 2 at 102 years, in the persons of a Free Church minister and a hawker; and 1 at 111 years, a pauper, who had formerly been a fisherman.

Of the 22 females who died at 100 years of age or upwards, 14 were

---

TABLE XXXVII.—Deaths from Fever in 1879.

Fevers.	Rural Districts.		Town Districts.	
	Deaths from each Fever.	Percentage to Total Fever Deaths.	Deaths from each Fever.	Percentage to Total Fever Deaths.
Typhus . . .	32	8·2	178	18·3
Enteric . . .	322	83·0	691	71·0
Relapsing . . .	1	0·3	4	0·4
Simple Continued . .	33	8·5	100	10·3
All Fevers . .	388	100·0	973	100·0

TABLE XXXVIII.—Monthly Deaths from Fever in the Eight Principal Towns of Scotland during the Ten Years 1870–1879; specifying those from Typhus and Enteric Fever.

Months.	Total Fever Deaths.	Typhus.	Enteric.	Months.	Total Fever Deaths.	Typhus.	Enteric.
January .	905	443	330	July . .	600	251	275
February .	768	334	308	August .	562	204	291
March .	815	361	332	September .	605	197	344
April . .	740	342	315	October .	757	241	416
May . .	680	310	283	November .	781	283	375
June . .	634	259	298	December .	845	285	411

over the 100 years, and of these 1, the widow of a stocking weaver, was 106; and 1, a pauper, formerly a domestic servant, was aged 109 years. The remainder were variously described as widows of farmers, ploughmen, crofters, labourers; one was the widow of a pensioner; one is put down as a single female; in four cases this point was not stated, and in one no conditions were specified.

There were 2400 violent deaths, being at the rate of 102 for every hundred thousand of male population, and 33 for a like number of females. Of the deaths attributed to Accident or Negligence, Fractures and Contusions caused 856, Drowning 533, Burns and Scalds 295, Suffocation 279; and 272 Accidental deaths resulted from Cuts, Gunshot Wounds, Poison, &c.

There were 14 deaths from Murder or Homicide.

123 males and 55 females committed Suicide in Scotland during 1879. By Hanging, 43 males and 14 females made away with themselves; by Drowning, 30 males and 19 females; by Cut-throat or Stabs, 21 males and 10 females; by Gunshot, 10 males; by Poison, 13 males and 8 females. The poisons made use of for suicidal purposes were Laudanum in 9 cases, Strychnine in 1, and Carbolic Acid in 1. In 9 cases the form of poison taken was not mentioned. 3 males and 2 females effected their purpose by throwing themselves before railway trains. Death from Accidental Poisoning occurred in Scotland during the year 1879 in 29 cases, 19 of these being in the male sex and 10 in the female.

The poisons mentioned under this head are Laudanum and Opium, Alcohol, Corrosive Sublimate, Strychnia, Tobacco, Morphia, Hydrochloric Acid, and Phosphorus.

106 deaths were registered as sudden, and 1156 from causes not specified or ill-defined.

TABLE XXXIX.—The Twenty most fatal Diseases in Scotland and England in 1879, arranged in the order of their fatality.

SCOTLAND.		ENGLAND.	
DISEASES.	Proportion of Deaths to 100,000 living.	DISEASES.	Proportion of Deaths to 100,000 living.
Bronchitis	255	Bronchitis	285
Phthisis	231	Phthisis	204
Heart, &c., Diseases of	140	Heart, &c., Diseases of	150
Age	140	Age	118
Pneumonia	85	Pneumonia	108
Hooping-cough	69	Atrophy and Debility	99
Atrophy	68	Convulsions	95
Developmental Dis. of Children	66	Scarlet Fever	70
Paralysis	59	Apoplexy	57
Hydrocephalus	55	Cancer	51
Apoplexy	54	Hooping-cough	51
Cancer	50	Paralysis	51
Scarlatina	44	Premature Birth	47
All Fevers	37	Diarrhœa	43
Diarrhœa	37	Measles	37
All Liver Diseases	32	Hydrocephalus	32
Tabes Mesenterica	30	Tabes Mesenterica	30
Convulsions	29	Cephalitis	29
Diphtheria	24	Brain Disease	29
Fractures and Contusions	23	Liver Disease	27

WEATHER AND ITS INFLUENCE ON THE MORTALITY.

In commencing the year 1879, we have to bear in mind that the last month of 1878 was one of great severity, showing a mean temperature of no less than 8 degrees below the average of previous Decembers. On looking at Tables XL. and XLI. we have again before us an example of the relation which a hard winter and inclement seasons generally bear to the mortality among the inhabitants of a land so afflicted. The causes of death which in this country are most apt to be intensified by any considerable lowering of temperature, want of sunshine, and excess of moisture, are diseases of the Respiratory Organs, Bronchitis, Pneumonia, and Pleurisy, with Consumption also, which often results from one or other of these. In the same manner those of the Zymotic class, especially Hooping-cough, Croup, Measles, and Diphtheria, increase in numbers and severity; moreover, the mortality among infants, as from Premature Birth and Infantile Debility, go to swell the death-rate in no inconsiderable proportion.

January was chiefly remarkable for an unprecedentedly low mean temperature—lower, in fact, than that of any month on record since 1856. This cold, coming as it did in continuation of the almost equally extreme cold of December 1878, produced an unexampled period of frost of eight weeks' duration. The air was dry, and the rainfall only one-third of the average; smaller than in any previous January. The daily deaths were 250.

February was characterised by the low mean temperature, 4° less than the average of former years for the same month, yet happily 3°·7 higher than the January of the present year. The amount of rain was small, and the strength of wind slight, but its direction unusually from the east. The daily deaths were 260.

March was cold, wet, and windy, but although the mean temperature was 2°·5 below the average, it is to be noted that this depression was less than had been recorded in either of the two immediately preceding months. The direction of the wind was equally divided between east and west, with a slight inclination to the south. The daily deaths were 223.

April was characterised by unprecedentedly low mean temperature, no

---

TABLE XL.—Monthly Mortality and Mean Temperature in Scotland during 1879, compared with the Mean of the Ten Years 1855–1864.

YEAR 1879.					1855–1864.	
MONTHS.	Mean Temperature.	Actual Deaths.	Deaths when Months are equalized to 31 Days.	Proportion to 12,000 per Annum, or 1000 per Month.	Monthly Proportion of Deaths.	Mean Temperature.
January . . .	31°·0	7752	7752	1243	1134	37°·2
February . . .	34·0	7274	8053	1291	1193	37·4
March	37·5	6924	6924	1110	1145	39·8
April	41·0	6613	6833	1096	1083	44·1
May	46·2	6539	6539	1048	1010	49·5
June	53·2	5632	5820	933	956	55·6
July	54·8	5436	5436	872	895	57·6
August . . .	56·0	4845	4845	777	856	57·3
September . .	51·5	4834	4995	801	843	52·8
October . . .	46·0	5042	5042	808	858	47·2
November . .	40·5	4962	5127	822	954	40·2
December . . .	34·7	7476	7476	1199	1073	38·6
YEAR . .	43·9	73,329	74,842	12,000	12,000	46·7

less than 4° below the average of previous years; and this was accompanied with a generally low barometric pressure, and by wind not very violent, but almost invariably from the east. The rainfall, rather abundant in the east, was very scanty in the west, and was of about average amount in the country at large. There were 220 deaths daily during the month.

May had a low mean temperature (not, however, quite so low as that of May 1877), accompanied with little wind, more northerly in direction than is usual. There was a fair if not an abundant rainfall. The daily deaths had sunk to 211.

June was remarkable for low barometric pressure, low mean temperature, large humidity, large rainfall (almost double the average), and wind preponderating for direction in an unusual degree to the east and south-east. The daily registered deaths were 188.

July was remarkable for a small barometric pressure, a very low mean temperature, and large amount of rain. The greatest rainfall was at Edinburgh, where it amounted to the very unusual quantity of 7·56 inches. The daily deaths were 175.

In *August*, after the long depression of temperature which had existed for seven months, the weather had nearly recovered its normal conditions. The humidity, rainfall, and strength of wind were, however, all slightly greater than usual. The prevailing winds were easterly. The average temperature about 1° below the average of former years. The daily deaths were only 156, being the minimum for the year.

TABLE XLI.—Meteorology of Scotland for 1879, deduced from Observations made at 55 Stations of the Meteorological Society of Scotland, the particulars for each of the Stations having been published in the Quarterly Reports of the Registrar-General; also, the Number of Births, Deaths, and Marriages registered during each Month of the Year 1879.

1879.	Jan.	Feb.	Mar.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	YEAR.
Highest Temp. in shade	51°·0	55°·0	58°·0	58°·0	70°·0	76°·0	78°·0	79°·0	70°·5	68°·5	62°·0	56°·8	65°·2
Lowest Temp. in do.	0°·0	4°·5	2°·0	21°·0	20°·0	31°·3	30°·0	28°·0	25°·0	21°·7	13°·0	8°·0	17°·0
Mean Day Temp. . .	36°·3	38°·8	43°·0	47°·2	54°·3	60°·0	60°·8	62°·6	58°·4	53°·1	45°·6	40°·6	50°·1
Mean Night Temp. .	25°·8	29°·3	31°·9	34°·8	38°·1	46°·4	48°·9	49°·4	44°·7	38°·8	35°·3	28°·9	37°·7
Daily Range	10°·5	9°·6	11°·0	12°·4	16°·2	13°·6	11°·9	13°·2	13°·6	14°·3	10°·3	11°·7	12°·4
Mean Temperature .	31°·0	34°·0	37°·5	41°·0	46°·2	53°·2	54°·8	56°·0	51°·5	46°·0	40°·5	34°·7	43°·9
Highest Temperature in sun	89°·0	99°·0	121°·2	124°·5	133°·8	134°·8	137°·5	134°·3	125°·0	125°·0	112°·0	81°·5	118°·1
Lowest on grass at night	0°·0	4°·0	4°·0	12°·0	13°·0	22°·5	30°·0	28°·5	20°·5	14°·5	10°·5	11°·0	14°·2
Wet-bulb Temperature	30°·0	33°·1	35°·7	38°·6	43°·6	50°·7	52°·0	53°·4	49°·3	43°·3	38°·2	33°·7	41°·8
Dew-point Temperature	27°·2	31°·3	33°·7	36°·2	40°·5	48°·6	49°·8	51°·4	47°·2	41°·4	35°·9	31°·7	39°·6
Humidity of Air . .	86	90	88	85	81	86	85	86	86	88	86	88	86
Elastic force of Vapour (inches)	0·149	0·177	0·194	0·214	0·253	0·342	0·358	0·381	0·326	0·262	0·212	0·181	0·254
Number of Rainy Days	11	15	16	12	14	18	19	19	16	13	13	11	177
Amount of Rain (inch.)	1·84	2·52	3·20	1·89	2·30	4·24	5·03	4·48	3·99	1·97	2·27	2·70	36·43
Amount of Cloud . .	5·9	6·9	6·5	6·8	6·0	7·3	7·8	6·7	6·0	5·9	6·0	5·8	6·5
Hours of Sunshine .	71	62	104	121	178	155	144	165	141	131	95	74	1441
Mean Barometer (in.)	30·034	29·512	29·899	29·748	29·983	29·709	29·698	29·703	29·802	30·050	30·219	30·116	29·873
Easterly Winds (number of days) . . .	14	15	13	19	9	13	9	10	4	5	9	4	124
Westerly Winds (do.)	10	7	13	5	13	10	15	14	20	19	13	18	157
Births	10721	9640	10907	11093	11249	10626	11058	10068	10310	10287	9406	10371	125736
Deaths	7752	7274	6924	6613	6539	5632	5436	4845	4834	5042	4962	7476	73329
Marriages	3005	1349	1474	1465	1156	3429	2231	1382	1448	1419	2199	2905	23462
Daily Births	346	344	352	370	363	354	357	325	344	332	314	335	345
Daily Deaths	250	260	223	220	211	188	175	156	161	163	165	241	201

September had a slightly lower temperature than usual. The other meteorological circumstances were either normal, or rather more favourable than normal. The direction of the prevailing winds was from the west, rather less rain, and more calm weather than usual. The daily deaths were 161.

October had a rather low mean temperature (1°·3 below the average), but the barometer in general stood high; there was little rain, and little wind, the prevailing currents being from W.N.W. The daily deaths were 163.

In *November*, for the first time for twelve consecutive months, the mean temperature of all the eight towns together was observed to be slightly *above* the mean of former years. The rainfall, scanty on the whole, had its maximum in the eastern towns, Aberdeen and Edinburgh. The average direction of the wind was from W.N.W. The daily deaths were 165.

December was on the whole cold, dry, with little wind, and a high barometric pressure; the early part of the month indeed was exceedingly cold, and at Edinburgh the minimum thermometer one day marked 7°·5, being 24°·5 below freezing; but towards the end of the month the weather became remarkably windy. The prevailing wind was W.S.W. The daily deaths were 241.

From Table XL. we find that the mean temperature of each month in 1879 throughout Scotland was below that of the mean of the corresponding months of the ten years 1855–64. Except in the case of November, when that of this year had an advantage of 0°·3; the total mean for the year being 43°·9, as against 46°·7, the mean of the above decennial period.

January was the coldest month of the year, and its mean temperature was 6°·2 below that of the decennial mean for the same month. February was also very cold, and the difference between its mean temperature and that

---

TABLE XLII.—Showing the connection between certain Atmospheric Phenomena, especially Temperature, and the Deaths from certain Diseases and Classes of Disease, in the Eight Principal Towns of Scotland, during each Month of the Year 1879.

1879.	Jan.	Feb.	Mar.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
Mean Temperature	31°·3	35°·0	38°·0	41°·3	47°·2	53°·6	56°·0	56°·8	52°·6	46°·4	41°·3	35°·5
Highest Temperature	51°·0	49°·4	54°·2	57°·0	64°·3	72°·6	76°·8	78°·0	68°·2	63°·3	59°·0	56°·3
Lowest Temperature	7°·0	17°·0	17°·0	28°·0	28°·0	37°·0	40°·3	39°·0	31°·0	29°·0	24°·0	7°·5
Rainfall in inches	1·48	1·93	3·29	2·38	2·11	4·97	4·66	4·20	3·62	1·56	1·95	1·91
Easterly Winds (days)	13	15	15	21	12	15	10	11	5	5	8	2
Westerly Winds (days)	13	10	15	5	15	13	18	16	22	23	18	25
Total Deaths	3031	2606	2488	2477	2451	2079	1979	1701	1788	1808	1833	2897
Daily Deaths	98	93	80	83	79	69	64	55	60	58	61	93
Zymotic Diseases	437	386	398	334	369	311	288	262	300	343	293	392
Small-pox	1	–	–	–	1	1	–	–	–	–	–	1
Measles	36	30	39	49	56	40	24	8	5	7	4	13
Scarlatina	47	33	35	22	24	37	29	34	36	58	58	55
Diphtheria	32	27	28	18	16	20	17	14	13	30	28	26
Hooping-cough	128	140	143	122	113	80	60	48	48	58	60	116
Croup	24	28	35	15	19	10	16	14	24	29	22	37
All Fevers	48	42	38	24	39	33	35	26	35	42	40	50
Diarrhœa	31	35	29	37	47	39	54	59	88	67	31	30
Dysentery	5	2	4	–	6	1	4	2	4	2	6	1
Cholera	2	–	–	2	1	3	1	6	9	6	–	3
Consumption	314	282	341	340	345	316	256	241	231	235	213	266
Diseases Respiratory Organs	957	754	585	591	557	418	347	257	267	309	421	956
Heart, etc., Diseases	194	135	131	132	127	119	118	127	101	141	114	161
Brain, etc., Diseases	295	281	246	258	241	233	256	189	195	177	188	259
Premature Births	70	56	80	74	60	64	70	44	43	44	57	41
Age	145	121	86	87	92	80	75	69	67	72	70	117

of the corresponding month during the above average of ten years was 3°·4. August was the warmest month, but its mean was below that of the average of the Augusts between 1855–64 by 1°·3.

In Table XLI. we find the connection between the daily deaths in each month in the Eight Principal Towns, and the temperature, and other meteorological phenomena during the successive months of the year. Bearing in mind that December of 1878 was a most inclement month, its mean temperature being only 30°·7, which was 8° below the average temperature of this month, we find a large death-rate in January, and for similar reasons in February and March, the weather of the three first months of the year being very severe. The rate then gradually declined until August, when they were at a minimum; then slowly increased in number till December, when a sudden advent of cold weather apparently caused the mortality to become as considerable as it had been in February.

The deaths from Small-pox were only four in number, a single case occurring in each of the four months, January, May, June, and December.

Measles proved most fatal in May, but deaths from this cause were likewise rather frequent in April and in June. During the latter half of the year the virulence of Measles seems to have rapidly abated, and in November the deaths from this cause were at a minimum.

Deaths from Scarlatina were most frequent in October and November; scarcely less so in December. In April and in May they were at a minimum, and upon the whole it may be said that the disease was at no time very destructive during 1879.

Deaths from Diphtheria and Croup were most frequent in the coldest months, January and December. Hooping-cough was the ruling Epidemic at the commencement of the year; its victims were most numerous in February and in March. After April its frequency became rapidly diminished, but

---

TABLE XLIII.—Deaths, Temperatures, and Fall of Rain in the Eight Principal Towns of Scotland during each Week of the Year 1879.

No. of Week.	Week ending		Deaths.	Temperature.			Rain, in inches	No. of Week.	Week ending		Deaths.	Temperature.			Rain, in inches
				Mean.	Highest	Lowest						Mean.	Highest	Lowest	
				°	°	°						°	°	°	
1	January	4	720	34·5	51·0	11·0	1·12	27	July	5	468	54·8	68·0	46·0	1·02
2		11	689	31·2	41·0	19·0	0·27	28		12	487	54·5	67·0	40·3	1·05
3		18	664	33·7	48·0	7·0	1·00	29		19	404	54·3	71·0	45·7	1·12
4		25	690	28·5	39·0	12·0	0·12	30		26	423	57·7	76·8	41·0	0·87
5	February	1	702	31·4	41·9	14·0	0·19	31	August	2	429	58·4	73·0	44·0	1·02
6		8	708	36·9	49·4	23·0	0·49	32		9	405	55·7	68·0	43·0	1·48
7		15	648	36·1	44·7	27·0	0·73	33		16	372	58·3	78·0	39·0	0·31
8		22	589	31·2	40·0	17·0	0·86	34		23	416	57·5	69·0	48·0	0·85
9	March	1	649	35·1	47·9	14·0	0·27	35		30	416	56·2	69·0	41·0	1·26
10		8	535	43·0	56·0	32·0	1·17	36	September	6	392	53·9	68·0	40·1	1·20
11		15	578	37·2	53·0	17·0	0·91	37		13	409	54·9	68·2	45·0	0·99
12		22	560	36·2	47·2	23·7	0·93	38		20	412	53·9	64·0	40·6	0·06
13		29	581	34·6	58·0	24·0	0·31	39		27	385	49·9	61·0	31·0	1·03
14	April	5	602	43·5	61·0	28·0	0·22	40	October	4	402	49·4	59·8	36·3	0·93
15		12	550	41·9	53·0	30·0	1·14	41		11	421	49·4	63·0	34·7	0·01
16		19	607	38·6	57·0	28·0	0·43	42		18	405	44·4	59·5	30·0	0·45
17		26	578	41·3	55·0	30·0	0·37	43		25	418	48·1	62·0	34·0	0·80
18	May	3	556	43·0	60·0	28·0	0·17	44	November	1	386	41·6	56·5	26·0	0·04
19		10	549	44·3	64·0	31·0	0·15	45		8	423	44·8	58·3	24·0	0·11
20		17	535	48·0	63·0	31·0	0·38	46		15	456	39·9	59·0	23·0	0·96
21		24	557	49·0	63·0	37·8	0·58	47		22	482	45·1	59·0	32·5	0·64
22		31	565	48·4	63·0	33·0	1·11	48		29	438	37·1	49·0	27·0	0·16
23	June	7	479	49·2	62·5	37·0	1·01	49	December	6	571	27·1	38·5	7·0	0·26
24		14	498	53·0	70·0	42·0	0·78	50		13	677	32·7	46·0	20·0	0·12
25		21	502	56·0	72·6	44·0	1·08	51		20	695	39·3	53·0	23·0	0·02
26		28	461	55·1	68·0	46·0	1·48	52		27	612	39·7	55·2	25·0	0·48

during the last three months of the year deaths from this disease again manifested a tendency to increase in number.

The deaths from Fevers were in unusually moderate proportion, their frequency being most considerable in December and January; least considerable in April and in August.

Diarrhœa is in this country one of the few Epidemic Disorders that is apt to be much favoured by the prevalence of hot weather. Of course, during 1879, no such fostering influence was to be met with in the climate of Scotland, and the deaths from Diarrhœa were consequently few. They were most frequent in September; least common in March and in December.

It may be well to note here that there were 2 deaths from Hydrophobia registered in the Principal Towns during 1879. Both were well ascertained to have been real cases of this fortunately rare disease. One occurred in Edinburgh in January; the other in Glasgow in November. The former case was a male, the other a female.

Deaths from Consumption were most frequent in May, March, and April, least frequent in November.

Diseases of the Organs of Respiration are, more than any others, apt to be influenced by extremes or vicissitudes of temperature. During 1879 this was well illustrated in the Eight Principal Towns. The deaths due to these chest complaints were unusually numerous in January—a cold month following an equally inclement December. They abated in frequency as the season advanced, attaining their minimum in August, the warmest month of the year. In November they again manifested a tendency to increase in frequency, and in December they were about as numerous as they had been in January. The mean temperature of the whole year, 43°·9, was about three degrees below the average of former years; and, except in November, the mean temperature of every month was below the average temperature of the corresponding month of the standard decennium. Hence it was only naturally to be expected that the deaths from diseases of the Respiratory System should be more numerous than usual.

By means of the statements given in Tables XLIV. and XLV., the reader

---

TABLE XLIV.—Monthly Deaths at Four Periods of Life in the Eight Principal Towns of Scotland during the Year 1879, and Proportion at each Age in every Hundred Deaths per Month.

MONTHS.	Actual Number of Deaths in 1879.					Proportion at each Age in every Hundred Deaths per Month.				
	0–5 years.	5–20.	20–60.	60 and above.	Total Deaths.	0–5 years.	5–20.	20–60.	60 and above.	Total.
January . .	1088	253	974	716	3031	35·9	8·4	32·1	23·6	100
February .	994	227	804	581	2606	38·1	8·7	30·9	22·3	100
March . .	1026	249	758	455	2488	41·2	10·0	30·5	18·3	100
April . . .	1027	264	764	422	2477	41·5	10·7	30·8	17·0	100
May . . .	1000	271	742	438	2451	40·8	11·1	30·3	17·8	100
June . . .	823	254	616	386	2079	39·6	12·2	29·6	18·6	100
July . . .	773	244	582	380	1979	39·1	12·3	29·4	19·2	100
August . .	647	197	549	308	1701	38·0	11·6	32·3	18·1	100
September .	712	206	541	329	1788	39·8	11·5	30·3	18·4	100
October .	690	214	578	326	1808	38·2	11·8	32·0	18·0	100
November .	757	192	539	345	1833	41·3	10·5	29·4	18·8	100
December .	1191	254	818	634	2897	41·1	8·8	28·2	21·9	100
YEAR .	10,728	2,825	8,265	5,320	27,138	39·5	10·4	30·5	19·6	100

has it in his power to ascertain the relative monthly mortality experienced in the Eight Principal Towns, among the inhabitants divided according to age into four classes. Table XLV., in which the months are equalised to a uniform length of 31 days, is probably that which conveys this information in the most convenient form.

Children under 5 years of age died in largest proportion in December, which it must be noted was characterised by extreme cold suddenly succeeding the only really genial month of the whole year. The month of February was but little less fatal to infants and children of tender years. In August the deaths were decidedly at a minimum. Of course, the absence of hot weather prevented the usual mortality of infants from Diarrhœa.

Adolescents, among whom are here included all persons between the ages of 5 and 20 years, suffered in highest proportion in April and in May, months in which the incidence of Consumption was chiefly manifested among adolescents. The least mortality prevailed in August, the warmest month, and in November, the only genial month of the year.

Adults, aged from 20 to 60 years, a class which of course includes the vast majority of those who follow active occupations, or who labour for their daily bread, died in highest proportion in January, in February, and in December—in short, in the most inclement months of the year, when diseases of the chest are apt to be most rife. The mortality of adults was least considerable in August and in November.

Aged persons, or such as had attained the age of 60 years, died in highest proportion in January, February, and December. This is no doubt due to the comparative frequency of such diseases of the brain as Apoplexy and Paralysis during cold weather, and to the liability to Chest complaints in such weather, which is alike felt by adults and by aged persons. For those of mature years the month of August appears to have been the most salubrious. Among the whole inhabitants of the Eight Principal Towns of Scotland, the deaths during each month ranked as follows in order of frequency:—January, December, February, April, March, May, June, July, November, September, October, and August.

TABLE XLV.—Months equalized to 31 Days, and Deaths at each Age corrected thereto, in order to show the relative Mortality at each Age in the Eight Principal Towns during each Month of the Year 1879.

MONTHS.	Relative Number of Deaths in 1879.					Monthly Deaths, proportioned to 1000 per Month, or 12,000 per annum.
	0–5 years.	5–20.	20–60.	60 and above.	Total.	
January . . .	1088	253	974	716	3031	1314
February . . .	1101	251	890	643	2885	1250
March . . .	1026	249	758	455	2488	1078
April . . .	1061	273	789	436	2559	1109
May . . .	1000	271	742	438	2451	1062
June . . .	850	262	637	399	2148	931
July . . .	773	244	582	380	1979	858
August . . .	647	197	549	308	1701	737
September . .	736	213	559	340	1848	801
October . . .	690	214	578	326	1808	784
November . .	782	198	557	357	1894	821
December . .	1191	254	818	634	2897	1255
YEAR . .	10,945	2,879	8,433	5,432	27,689	12,000

As in previous years, we would beg to mention that for the information which specially refers to the weather and its presumed influence upon the death-rate, we are mainly indebted to the remarks furnished in the Annual Report for 1879.

I have the honour to be,

SIR,

Your most obedient Servant,

R. J. BLAIR CUNYNGHAME, M.D.

GENERAL REGISTRY OFFICE OF BIRTHS, &c.,
EDINBURGH, 30*th March* 1883.

VACCINATIONS IN SCOTLAND—1879.

REGISTRATION GROUPS, DIVISIONS, AND COUNTIES.	Successfully Vaccinated.	Vaccination Postponed.	Insusceptible of Vaccine Disease: On the ground of Constitutional Insusceptibility.	Insusceptible of Vaccine Disease: In respect of the Children having already had Small-pox.	Insusceptible of Vaccine Disease: On the ground of previous Successful Vaccination.	Died before Vaccination.	Removed from District before Vaccination, or otherwise unaccounted for.	Total Births for 1879.
SCOTLAND, - -	111469	1290	180	3	349	9999	2492	125782
GROUPS OF DISTRICTS.								
PRINCIPAL TOWNS, - -	38061	156	63	0	223	4029	1025	43557
LARGE TOWNS, - - -	14176	90	19	1	37	1252	359	15934
SMALL TOWNS, - - -	26857	361	29	0	67	2363	394	30071
MAINLAND-RURAL, - -	29881	459	53	1	20	2095	426	32935
INSULAR-RURAL, - -	2494	224	16	1	2	260	288	3285
DIVISIONS.								
NORTHERN, - - -	2693	162	6	0	1	160	86	3108
NORTH-WESTERN, - -	3378	260	13	2	5	367	268	4293
NORTH-EASTERN, - -	12510	92	12	0	0	1012	40	13666
EAST-MIDLAND, - - -	16984	153	44	1	58	1574	235	19049
WEST-MIDLAND, - - -	8009	200	16	0	10	644	186	9065
SOUTH-WESTERN, - -	46039	190	57	0	247	4156	1306	51995
SOUTH-EASTERN, - - -	16121	153	26	0	5	1573	294	18172
SOUTHERN, - - - -	5735	80	6	0	23	513	77	6434
COUNTIES.								
I. NORTHERN.								
Shetland, - - - - -	512	35	0	0	0	39	46	632
Orkney, - - - - -	758	33	3	0	0	38	8	840
Caithness, - - - -	932	76	3	0	0	55	18	1084
Sutherland, - - - -	491	18	0	0	1	28	14	552
II. NORTH-WESTERN.								
Ross and Cromarty, - -	1662	141	8	1	1	177	23	2013
Inverness, - - - -	1716	119	5	1	4	190	245	2280
III. NORTH-EASTERN.								
Nairn, - - - - -	195	3	1	0	0	20	0	219
Elgin (or Moray), - - -	1257	8	1	0	0	88	7	1361
Banff, - - - - -	1740	22	1	0	0	145	6	1914
Aberdeen, - - - -	8223	50	8	0	0	680	25	8986
Kincardine, - - - -	1095	9	1	0	0	79	2	1186
IV. EAST-MIDLAND.								
Forfar, - - - - -	7910	44	29	1	57	851	102	8994
Perth, - - - - -	3191	37	4	0	0	242	76	3550
Fife, - - - - -	4981	65	9	0	1	376	43	5475
Kinross, - - - - -	134	1	1	0	0	20	1	157
Clackmannan, - - - -	768	6	1	0	0	85	13	873
V. WEST-MIDLAND.								
Stirling, - - - - -	3630	38	6	0	5	284	51	4014
Dumbarton, - - - -	2207	44	1	0	1	212	28	2493
Argyll, - - - - -	1776	112	4	0	4	111	91	2098
Bute, - - - - -	396	6	5	0	0	37	16	460
VI. SOUTH-WESTERN.								
Renfrew, - - - -	6951	40	22	0	41	641	243	7938
Ayr, - - - - -	7140	35	8	0	8	535	96	7822
Lanark, - - - - -	31948	115	27	0	198	2980	967	36235
VII. SOUTH-EASTERN.								
Linlithgow, - - - -	1438	16	1	0	0	134	43	1632
Edinburgh, - - - -	11511	110	20	0	2	1190	211	13044
Haddington, - - - -	1045	4	2	0	3	81	26	1161
Berwick, - - - - -	971	9	1	0	0	62	4	1047
Peebles, - - - - -	363	8	1	0	0	33	3	408
Selkirk, - - - - -	793	6	1	0	0	73	7	880
VIII. SOUTHERN.								
Roxburgh, - - - -	1424	17	1	0	2	154	8	1606
Dumfries, - - - -	2048	24	4	0	18	201	41	2336
Kirkcudbright, - - -	1162	14	0	0	3	67	11	1257
Wigtown, - - - - -	1101	25	1	0	0	91	17	1235

BIRTHS, DEATHS, and MARRIAGES registered in SCOTLAND during the YEAR 1879.

	1879.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.	Excess of Births over Deaths.	Area in Square Miles.*
		1871.	1881.	Male.	Fem.	Total.	Mal.	Fem	Total.	Male.	Fem.	Total.			
	SCOTLAND, - -	3,360,018	3,735,573	64346	61384	125730	5550	5177	10727	36296	37051	73347	23519	52383	29819·8
	GROUPS OF DISTRICTS.														
1	PRINCIPAL TOWNS .	1,078,609	1,203,139	22153	21460	43613	1894	1817	3711	13397	13747	27144	9490	16469	
2	LARGE TOWNS . .	327,119	449,382	8239	7657	15896	558	517	1075	4682	4751	9433	2781	6463	
3	SMALL TOWNS . .	770,022	873,087	15317	14731	30048	1271	1134	2405	8217	8345	16562	5096	13486	
4	MAINLAND-RURAL .	1,052,264	1,079,577	16942	15944	32886	1736	1600	3336	8999	9040	18039	5569	14847	
5	INSULAR-RURAL . .	132,004	130,388	1695	1592	3287	91	109	200	1001	1168	2169	583	1118	
	DIVISIONS.														
1	NORTHERN . . .	127,191	123,984	1594	1507	3101	105	109	214	954	1098	2052	583	1049	3640·6
2	NORTH-WESTERN . .	166,351	165,856	2193	2095	4288	139	139	278	1331	1497	2828	789	1460	7218·1
3	NORTH-EASTERN . .	393,199	418,250	6985	6673	13658	990	945	1935	3467	3578	7045	2569	6613	3634·2
4	EAST-MIDLAND . .	559,676	602,421	9770	9262	19032	897	800	1697	5501	6051	11552	3550	7480	4015·3
5	WEST-MIDLAND . .	251,088	283,460	4635	4441	9076	303	287	590	2719	2718	5437	1456	3639	4119·9
6	SOUTH-WESTERN . .	1,183,218	1,385,447	26539	25456	51995	1912	1798	3710	15339	14978	30317	9545	21678	2255·2
7	SOUTH-EASTERN . .	475,523	546,658	9275	8885	18160	742	705	1447	5029	5193	10222	3853	7938	1825·1
8	SOUTHERN . . .	203,772	209,497	3355	3065	6420	462	394	856	1956	1938	3894	1174	2526	3111·3
	COUNTIES.														
	I. NORTHERN.														
1	Shetland . .	31,608	29,705	330	304	634	14	11	25	217	235	452	116	182	551·4
2	Orkney . . .	31,274	32,044	437	401	838	20	25	45	246	323	569	192	269	375·7
3	Caithness	41,011	39,859	546	537	1083	54	56	110	325	317	642	179	441	685·7
4	Sutherland	23,298	22,376	281	265	546	17	17	34	166	223	389	96	157	2027·9
	II. NORTH-WESTERN.														
5	Ross and Cromarty . .	82,093	79,467	1057	953	2010	56	40	96	628	687	1315	336	695	3129·8
6	Inverness	84,258	86,389	1136	1142	2278	83	99	182	703	810	1513	453	765	4088·3
	III. NORTH-EASTERN.														
7	Nairn	8,372	8,847	107	112	219	7	7	14	61	69		41	89	178·8
8	Elgin (or Moray) . .	44,549	45.108	700	657	1357	99	78	177	360	366	726	201	631	475·9
9	Banff	58,883	59,783	981	932	1913	169	169	338	496	555	1051	342	862	640·8
10	Aberdeen	246,298	269,047	4569	4418	8987	624	612	1236	2263	2306	4569	1663	4418	1955·4
11	Kincardine . . .	35,097	35,465	628	554	1182	91	79	170	287	282	569	256	613	383·4
	IV. EAST-MIDLAND.														
12	Forfar	240,049	268,653	4612	4379	8991	496	432	928	2584	2925	5509	1670	3482	875·1
13	Perth	128,550	130.282	1810	1734	3544	166	159	325	1176	1246	2422	708	1122	2527·8
14	Fife	160,924	172,131	2821	2647	5468	191	172	363	1432	1555	2987	1015	2481	492·1
15	Kinross	7,918	7,330	75	82	157	4	9	13	65	74	139	34	18	72·6
16	Clackmannan . . .	22,235	24,025	452	420	872	40	28	68	244	251	495	123	377	47·6
	V. WEST-MIDLAND.														
17	Stirling	93,345	106,883	2023	1987	4010	125	120	245	1114	1064	2178	666	1832	447·4
18	Dumbarton . . .	61,116	78,182	1302	1192	2494	74	65	139	649	703	1352	371	1142	241·5
19	Argyll	79,661	80,761	1051	1061	2112	90	87	177	766	755	1521	328	591	3213·1
20	Bute	16,966	17,634	259	201	460	14	15	29	190	196	386	91	74	217·9
	VI. SOUTH-WESTERN.														
21	Renfrew	195,305	225,611	4038	3899	7937	252	236	488	2520	2515	5035	1515	2902	245·0
22	Ayr	200,908	217,630	3951	3865	7816	307	309	616	2139	2096	4235	1212	3581	1128·5
23	Lanark	787,005	942,206	18550	17692	36242	1353	1253	2606	10680	10367	21047	6818	15195	881·7
	VII. SOUTH-EASTERN.														
24	Linlithgow	41,379	44,005	802	830	1632	77	64	141	401	389	790	243	842	120·0
25	Edinburgh	328,138	388,836	6656	6385	13041	510	495	1005	3727	3866	7593	3018	5448	362·1
26	Haddington . . .	37,755	38,510	598	560	1158	46	51	97	290	303	593	202	565	270·8
27	Berwick	36,382	35,275	539	508	1047	50	47	97	278	302	580	166	467	460·6
28	Peebles	12,218	13,688	228	179	407	16	17	33	103	117	220	68	187	354·5
29	Selkirk . . .	19,651	26,346	452	423	875	43	31	74	230	216	446	156	429	257·1
	VIII. SOUTHERN.														
30	Roxburgh . . .	48,241	52,592	832	772	1604	109	76	185	467	459	926	251	678	665·1
31	Dumfries . .	74,842	76,167	1212	1116	2328	172	141	313	747	743	1490	455	838	1062·8
32	Kirkcudbright .	42,087	42,290	665	589	1254	76	97	173	382	363	745	248	509	897·8
33	Wigtown . .	38,602	38,448	646	588	1234	105	80	185	360	373	733	220	501	485·5

* The acreage of all Scotland, so far as can be ascertained from the present state of the Ordnance Survey, is 19,084,659 acres.

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1871.	1881.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
	NORTHERN.												
	1. Shetland.												
1	Bressay, etc. (1) Bressay,	902	850	4	9	13	–	–	–	6	2	8	6
	(2) Burra and Quarff	952	918	12	11	23	–	–	–	11	7	18	3
2	Delting, ...	1862	1654	24	12	36	2	–	2	10	15	25	5
3	Dunrossness, etc.—												
	(1) Dunrossness, . .	1970	1604	12	16	28	1	1	2	7	15	22	14
	(2) Sandwick and Cunningsburgh, . .	2326	2308	31	21	52	–	–	–	27	21	48	9
	(3) Fair Isle, . .	226	214	6	1	7	–	–	–	3	0	3	2
4	Fetlar, etc.—												
	(1) Fetlar, . . .	517	431	4	5	9	–	–	–	2	2	4	–
	(2) North Yell, . .	893	821	13	10	23	1	–	1	5	6	11	1
5	Lerwick, . . .	4180	4772	56	39	95	4	4	8	43	62	105	47
6	Mid and South Yell, .	1843	1708	17	20	37	–	1	1	9	14	23	4
7	Nesting, etc.—												
	(1) Nesting, . .	868	816	13	8	21	2	–	2	9	4	13	2
	(2) Lunnasting, . .	822	783	4	12	16	–	1	1	1	4	5	–
	(3) Whalsay & Skerries,	989	1027	17	9	26	–	–	–	6	3	9	1
8	Northmavine, . .	2602	2269	34	24	58	–	1	1	17	13	30	4
9	Sandsting and Aithsting,	2806	2702	19	34	53	–	–	–	13	18	31	4
10	Tingwall, etc.— . .												
	(1) Tingwall, . .	1442	1484	10	15	25	–	–	–	9	13	22	3
	(2) Whiteness & Weisdale	1049	901	10	10	20	–	2	2	9	5	14	2
11	Unst, . . .	2780	2181	16	17	33	1	–	1	15	15	30	3
12	Walls, etc.—(1) Walls, .	1325	1166	13	21	34	–	–	–	11	11	22	6
	(2) Sandness, .	646	575	9	5	14	3	–	3	1	2	3	–
	(3) Papa-Stour, .	351	254	3	2	5	–	1	1	2	3	5	–
	(4) Foula, . .	257	267	3	3	6	–	–	–	1	0	1	–
	Total,	31608	29705	330	304	634	14	11	25	217	235	452	116
	2. Orkney.												
†13	Birsay (part of Harray & Birsay)	1597	1581	24	24	48	1	2	3	12	9	21	8
*14	Deerness, . . .	863	867	11	5	16	1	–	1	2	8	10	4
*15	Eday and Pharay, . .	905	802	13	7	20	1	1	2	8	6	14	6
16	Evie and Rendall, . .	1340	1351	12	11	23	1	1	2	6	11	17	8
17	Firth and Stennes, .	1434	1362	15	18	33	1	1	2	11	23	34	5
†18	Harray (part of Harray & Birsay)	727	745	8	9	17	–	1	1	2	10	12	2
19	Holm and Paplay, . .	935	1090	14	19	33	1	1	2	3	11	14	6
20	Hoy and Græmsay, .	581	603	12	6	18	–	–	–	2	13	15	6
21	KIRKWALL and St Ola,	4261	4801	80	68	148	5	4	9	53	41	94	25
*22	North Ronaldshay, .	539	547	9	12	21	–	–	–	3	5	8	–
23	Orphir, ...	1040	1015	17	12	29	–	2	2	6	12	18	10
24	Rousay and Egilshay, .	1101	1118	12	16	28	–	–	–	14	15	29	6
†25	St Andrews, . . .	870	828	8	12	20	–	–	–	9	8	17	2
*26	Sanday, ...	2053	2082	19	20	39	–	–	–	17	16	33	13
27	Sandwick, . . .	1153	1198	18	8	26	1	1	2	5	12	17	9
28	Shapinshay, . . .	949	974	14	11	25	–	3	3	3	9	12	9
29	South Ronaldshay and Burray, . . .	3228	3314	41	46	87	2	1	3	24	37	61	14
30	Stromness, . . .	2403	2410	33	27	60	1	2	3	27	32	59	16
†31	Stronsay, . . .	1305	1305	11	17	28	–	–	–	8	12	20	8
32	Walls, etc.—(1) Walls, .	1054	1013	17	12	29	1	2	3	6	9	15	8
	(2) Flotta, .	476	493	4	8	12	–	–	–	9	4	13	7
33	Westray, etc.—(1) Westray	2090	2200	36	32	68	3	3	6	12	20	32	15
	(2) Papa-Westray,	370	345	9	1	10	1	–	1	4	–	4	5
	Total,	31274	32044	437	401	838	20	25	45	246	323	569	192

Districts containing Parliamentary and Royal Burghs are printed in capitals, thus:—EDINBURGH. Districts containing Towns of 2000 Inhabitants and upwards are printed in small capitals, thus:—Carluke.

N.B.—An asterisk "*" is prefixed to those Districts which comprise one or more Parishes or parts of Parishes and the component parts of these Districts will be found at page 247.

A dagger "†" is prefixed to those Districts which consist of only a part of the Parish of the same name

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1871.	1881.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
	3. Caithness.												
34	Bower, ...	1700	1608	19	8	27	1	3	4	8	12	20	4
35	Canisbay, . . .	2729	2626	40	28	68	5	3	8	17	20	37	12
36	Dunnet, . . .	1661	1607	19	22	41	1	2	3	10	13	23	7
37	Halkirk, . . .	2664	2705	46	25	71	2	5	7	24	17	41	12
38	Latheron, . . .	7400	6675	83	75	158	7	12	19	66	52	118	31
39	Olrig, ...	2028	2002	31	27	58	2	3	5	22	15	37	8
40	Reay, ...	2331	2191	19	20	39	–	2	2	14	20	34	4
41	Thurso, ...	5754	6217	109	115	224	11	8	19	48	50	98	43
42	Watten, . . .	1453	1406	10	20	30	–	4	4	13	4	17	4
43	WICK, ...	13291	12822	170	197	367	25	14	39	103	114	217	54
	Total,	41011	39859	546	537	1083	54	56	110	325	317	642	179
	4. Sutherland.												
44	Assynt—(1) Kirkton, .	487	498	4	3	7	–	–	–	2	5	7	2
	(2) Stoer, .	2519	2283	26	30	56	–	1	1	17	16	33	2
45	Clyne, ...	1733	1812	24	21	45	2	3	5	15	23	38	7
46	Creich—(1) Bonar, .	1854	1571	22	13	35	3	1	4	19	30	49	9
	(2) Rosehall, .	670	652	5	6	11	–	–	–	7	2	9	5
47	DORNOCH, . . .	2764	2525	32	29	61	2	–	2	20	26	46	15
48	Durness, . . .	1049	987	19	12	31	1	2	3	7	6	13	1
49	Eddrachillis—(1) Scourie,	648	605	6	4	10	1	–	1	–	3	3	2
	(2) Kinlochbervie,	882	920	9	17	26	2	1	3	7	13	20	5
50	Farr—(1) Kirkton, .	1190	1140	11	13	24	–	2	2	7	7	14	5
	(2) Strathy, .	882	790	11	10	21	–	–	–	7	8	15	4
51	Golspie, . . .	1804	1556	16	25	41	1	2	3	7	18	25	9
52	Kildonan, . .	1916	1942	31	20	51	3	–	3	14	15	29	4
53	Lairg, ...	978	1355	23	21	44	–	2	2	8	11	19	16
54	Loth, ...	583	584	7	6	13	–	–	–	2	10	12	2
55	Rogart, ...	1314	1227	17	11	28	–	1	1	12	13	25	5
56	Tongue, . . .	2051	1929	18	24	42	2	2	4	15	17	32	3
	Total,	23298	22376	281	265	546	17	17	34	166	223	389	96
	II. NORTH-WESTERN.												
	5. Ross and Cromarty. *Mainland.*												
57	Alness, ...	1053	1033	14	15	29	3	1	4	13	14	27	4
*58	Applecross—												
	(1) Applecross, . .	1129	958	12	12	24	1	–	1	8	8	16	1
	(2) Shieldaig, . .	1467	1396	11	13	24	1	–	1	10	11	21	5
59*a*	Avoch, ...	1828	1691	33	34	67	1	2	3	14	15	29	13
*59*b*	Carnoch, . . .	325	296	1	2	3	–	–	–	1	3	4	1
†60	Contin, ...	729	708	12	6	18	1	–	1	4	5	9	5
61	CROMARTY, . .	2180	2009	36	30	66	2	1	3	13	30	43	9
62	DINGWALL, . .	2443	2220	29	29	58	4	1	5	21	21	42	15
63	Edderton, . . .	860	789	9	10	19	2	–	2	9	5	14	5
64	Fearn, ...	2135	2135	32	20	52	–	1	1	10	9	19	7
†65	Fodderty, . . .	1943	1880	27	15	42	5	3	8	9	19	28	7
66	Gairloch—(1) Northern,	1669	1461	13	12	25	1	1	2	16	17	33	5
	(2) Southern,	3253	3018	31	31	62	1	2	3	27	27	54	13
67	Glenshiel, . . .	463	424	3	2	5	–	–	–	5	2	7	3
68	Killearnan, . . .	1272	1059	9	18	27	1	–	1	13	8	21	5
69	Kilmuir-Easter, . .	1281	1146	14	9	23	–	–	–	9	8	17	2
70	Kiltearn, . . .	1496	1182	12	15	27	2	3	5	11	12	23	5
71*a*	Kincardine—												
	(1) Kincardine, .	1267	1148	14	13	27	1	2	3	8	8	16	2
	(2) Strathoykel, .	418	324	6	8	14	–	–	–	3	2	5	2
*71*b*	Kinlochluichart, . .	704	632	9	9	18	–	–	–	3	1	4	–
72	Kintail, . . .	753	688	4	5	9	–	–	–	5	18	23	2

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1871.	1881.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
73	Knockbain, . . .	2155	1866	18	19	37	–	2	2	14	15	29	11
74	Lochalsh, . . .	2319	2050	16	24	40	2	1	3	6	14	20	14
75	Lochbroom—												
	(1) Lochbroom, .	3167	3024	35	39	74	1	1	2	32	32	64	5
	(2) Coigach, . .	1239	1167	16	7	23	–	–	–	12	8	20	5
76	Lochcarron, . . ,	1629	1456	26	11	37	3	1	4	12	12	24	9
77	Logie-Easter, . .	912	827	9	7	16	2	–	2	8	4	12	2
78	Nigg, ...	1201	1000	15	9	24	–	–	–	12	8	20	7
79	Resolis, ...	1527	1424	13	21	34	–	1	1	10	11	21	2
80	ROSEMARKIE, . .	1441	1357	22	22	44	2	1	3	12	12	24	4
81	Rosskeen, . . .	3808	3773	39	33	72	1	–	1	40	27	67	13
82	TAIN, ...	3221	3009	38	22	60	4	–	4	32	43	75	15
83	Tarbat, ...	2182	1878	19	24	43	2	–	2	12	17	29	8
84	Urquhart & Logie-Wester	2863	2525	23	32	55	2	4	6	23	31	54	8
†85	Urray, ...	2278	2427	39	29	68	1	1	2	14	15	29	9
	Insular.												
86*a*	Barvas, ...	4950	5325	92	64	156	1	1	2	34	48	82	26
*86*b*	Carloway, . . .	2702	2974	38	41	79	–	1	1	16	16	32	12
*87	Lochs, ...	4162	4543	89	60	149	1	2	3	27	41	68	17
88	STORNOWAY, . . .	9510	10389	148	162	310	8	6	14	78	74	152	49
†89	Uig, ...	2159	2256	31	19	50	–	1	1	22	16	38	9
	Total,	82093	79467	1057	953	2010	56	40	96	628	687	1315	336
	6. INVERNESS.												
	Mainland.												
90*a*	Abernethy & Kincardine,	1752	1530	30	22	52	9	11	20	9	19	28	3
90*b*	Alvie, ...	882	707	13	5	18	–	–	–	5	3	8	2
91	Ardersier, . . .	1284	2086	27	22	49	2	3	5	15	12	27	5
92	Boleskine, etc.—												
	(1) Boleskine, . .	681	575	3	7	10	1	–	1	3	1	4	1
	(2 Fort-Augustus or Abertarff, .	897	873	8	14	22	–	–	–	4	6	10	2
93	Cromdale and Inverallan. (Now 128*b* *infra.*)												
94	Croy and Dalcross, .	1841	1709	20	32	52	4	3	7	8	8	16	11
95	Daviot and Dunlichty, .	1598	1252	8	20	28	1	1	2	11	10	21	3
96*a*	Dores, ...	1401	1148	19	15	34	–	1	1	11	11	22	6
96*b*	Duthil, etc.—(1) Duthil,	1530	1371	15	12	27	4	4	8	7	14	21	8
	(2) Rothiemurchus, .	342	293	7	4	11	1	1	2	4	–	4	–
97	Glenelg—(1) Glenelg, .	714	658	4	6	10	–	1	1	8	8	16	–
	(2) Knoydart, .	499	458	3	7	10	–	2	2	1	4	5	1
	(3)North Morar,	440	485	9	7	16	–	2	2	3	6	9	3
98	INVERNESS, . .	18552	21725	313	293	606	16	19	35	226	223	449	168
99	Kilmonivaig—												
	(1) Glengarry, . .	550	553	8	6	14	–	–	–	1	5	6	–
	(2) Lochaber, . .	1417	1375	20	11	31	1	–	1	9	11	20	8
100	Kilmorack, . . .	2728	2618	27	33	60	1	2	3	21	25	46	14
101	Kiltarlity, . . .	2537	2134	16	15	31	1	1	2	15	21	36	6
102	Kingussie and Insh, .	2101	1987	21	25	46	3	4	7	14	21	35	10
103	Kirkhill, . . .	1582	1480	16	15	31	1	1	2	18	17	35	7
104	Laggan, . . .	950	917	9	21	30	3	3	6	3	10	13	2
105	Moy and Dalarossie, .	1005	822	12	8	20	2	1	3	6	7	13	3
106	Petty, ...	1549	1531	28	16	44	5	3	8	17	8	25	6
107	Urquhart, etc.—												
	(1) Urquhart, .	2215	2013	21	22	43	–	–	–	14	28	42	7
	(2) Glenmoriston,	565	425	2	2	4	1	–	1	1	2	3	2
	Insular.												
108	Barra, ...	1997	2161	32	35	67	1	–	1	11	14	25	15
109	Bracadale, . . .	1113	929	10	11	21	2	3	5	10	11	21	5

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1871.	1881.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
110	Duirinish, ...	4422	4319	59	64	123	5	5	10	41	40	81	12
111	Harris—(1) North Harris	2306	2844	43	47	90	–	7	7	19	23	42	15
	(2) South Harris,	1362	1439	22	17	39	2	1	3	13	18	31	8
	(3) Bernera, .	381	454	5	7	12	–	–	–	3	5	8	3
	(4) St Kilda, .	71	77	2	–	2	–	–	–	–	–	–	2
*112	Kilmuir—(1) Kilmuir, .	1362	1265	16	18	34	1	–	1	9	18	27	11
	(2) Stenscholl,	1228	1314	16	26	42	–	1	1	14	12	26	8
113	North Uist, ...	4107	4264	54	55	109	3	5	8	25	45	70	22
114	Portree—(1) Portree, .	2328	2483	45	31	76	5	2	7	19	18	37	19
	(2) Raasay, .	600	708	17	16	33	2	–	2	3	2	5	4
115	Sleat, ...	2233	2060	26	32	58	1	4	5	19	21	40	5
116	Small Isles, . . .	522	550	6	6	12	–	–	–	–	5	5	1
†117	Snizort—(1) North, .	803	731	8	9	17	2	–	2	5	8	13	2
	(2) South, .	1500	1372	17	18	35	1	1	2	10	15	25	8
118	South Uist—												
	(1) Benbecula, . .	1651	1781	20	17	37	1	–	1	17	11	28	4
	(2) Howmore, . .	1818	1968	23	30	53	–	2	2	11	21	32	13
	(3) Boisdale, . .	2280	2329	21	33	54	1	2	3	18	23	41	8
119	Strath, ...	2562	2616	35	30	65	–	3	3	22	20	42	10
	—— Total,	84258	86389	1136	1142	2278	83	99	182	703	810	1513	453
	III. NORTH-EASTERN.												
	7. Nairn.												
120	Ardclach, . . .	1197	1117	5	15	20	–	1	1	5	7	12	6
121	Auldearn, . . .	1279	1292	13	21	34	1	2	3	13	8	21	6
122	Cawdor, . . .	1027	1070	11	13	24	1	–	1	2	9	11	2
123	NAIRN, . .	4869	5368	78	63	141	5	4	9	41	45	86	27
	Total,	8372	8847	107	112	219	7	7	14	61	69	130	41
	8. Elgin (or Moray).												
124	Abernethy and Kincardine. (Now 90*a supra*).												
125	Alves, ...	1018	1117	26	28	54	2	3	5	10	5	15	5
†126	Bellie, ...	2013	2047	34	30	64	1	2	3	13	11	24	17
127	Birnie, ...	375	367	8	6	14	3	1	4	1	–	1	4
128*a*	Boharm, . . .	1337	1166	13	15	28	3	2	5	7	14	21	8
128*b*	Cromdale, etc.,—												
	(1) Cromdale & Advie,	1295	1166	15	10	25	5	1	6	9	10	19	4
	(2) Inverallan, . .	2522	2476	38	30	68	8	6	14	23	27	50	23
129	Dallas, ...	1060	915	8	5	13	–	–	–	9	6	15	5
130	Drainie, . . .	3293	3991	78	58	136	9	5	14	34	16	50	30
131	Duffus, ...	3716	3985	77	71	148	3	10	13	22	33	55	18
132	Duthil, etc.–(Now 96*b sup.*)												
133	Dyke, ...	1238	1236	14	12	26	2	1	3	10	9	19	7
134	Edinkillie, . . .	1286	1175	8	11	19	1	–	1	5	5	10	6
*135	ELGIN, . . .	9703	9868	151	152	303	28	19	47	79	101	180	52
†136	New Spynie, . .	573	544	8	7	15	–	1	1	8	12	20	4
137	FORRES, . . .	4562	4752	60	74	134	8	9	17	46	46	92	36
138	Kinloss, . . .	1112	1072	23	18	41	2	2	4	11	8	19	5
139	Knockando, . . .	1909	1838	32	24	56	7	3	10	15	17	32	9
140	Rafford, . . .	1101	1052	17	10	27	2	1	3	12	3	15	3
141	Rothes, ...	2148	2201	33	39	72	8	5	13	18	13	31	14
†142	St Andrews-Lhanbryde,	1286	1345	18	21	39	2	2	4	7	10	17	5
143	Speymouth, . . .	634	656	14	10	24	1	4	5	4	6	10	1
144	Urquhart, . . .	2368	2139	25	26	51	4	1	5	17	14	31	11
	Total,	44549	45108	700	657	1357	99	78	177	360	366	726	267
	9. Banff.												
†145	Aberlour, . .	1632	1794	17	21	38	5	4	9	18	16	34	10
146	Alvah, . .	1436	1356	16	16	32	2	2	4	10	3	13	10

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1871.	1881.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
*147	BANFF,	8425	8868	138	162	300	17	24	41	83	85	168	55
148	Botriphnie,	785	696	13	6	19	3	1	4	5	6	11	2
149	Boyndie,	1854	2004	39	35	74	7	3	10	24	28	52	8
†150	CULLEN,	2056	2033	24	32	56	1	3	4	19	16	35	8
151	Deskford,	972	849	16	12	28	4	4	8	6	5	11	7
*152	Enzie,	2251	2413	40	48	88	5	5	10	25	8	33	14
153	FORDYCE—												
	(1) Fordyce,	2151	1976	27	29	56	3	8	11	13	13	26	12
	(2) PORTSOY,	2002	2313	45	35	80	6	4	10	20	22	42	9
154	Forglen,	845	744	11	12	23	1	2	3	3	6	9	2
†155*a*	Gamrie,	3151	3106	56	49	105	7	5	12	22	29	51	31
*155*b*	Glenrinnes,	466	401	4	6	10	1	2	3	2	2	4	2
156	Grange,	1876	1754	30	23	53	9	4	13	9	21	30	10
157	Inveravon—(1) Inveravon,	890	952	19	12	31	4	2	6	4	6	10	3
	(2) Glenlivat,	1718	1616	24	17	41	4	2	6	10	19	29	5
158	Inverkeithny,	1000	909	15	9	24	2	1	3	6	7	13	5
159	KEITH,	5891	6396	119	105	224	22	24	46	61	72	133	36
160	Kirkmichael, etc.—												
	(1) Kirkmichael,	477	387	3	4	7	1	1	2	1	3	4	1
	(2) Tomintoul,	799	686	8	7	15	2	2	4	12	9	21	1
161	Marnoch,	3294	3230	55	49	104	17	18	35	22	41	63	19
†162	Mortlach,	2737	2651	44	28	72	6	6	12	26	18	44	11
163	Ordiquhill,	761	714	8	9	17	1	1	2	7	5	12	8
†164	RATHVEN,	6659	7396	128	131	259	18	28	46	55	77	132	43
165	Rothiemay,	1370	1363	27	21	48	9	7	16	6	14	20	9
166	St Fergus,	1633	1527	27	21	48	7	3	10	16	14	30	10
*167	SEA IELD,	1752	1649	28	33	61	5	3	8	11	10	21	11
	Total,	58883	59783	981	932	1913	169	169	338	496	555	1051	342
	10. ABERDEEN,												
168	ABERDEEN—												
	(1) St Nicholas,	47077	50525	939	915	1854	106	127	233	580	551	1131	418
	(2) Old Machar,	41104	54551	846	869	1715	78	80	158	458	538	996	370
	Do. (Landward),	1373	1451	20	24	44	1	4	5	9	7	16	7
†169	Aberdour,	1945	1931	36	21	57	6	3	9	8	17	25	8
170	Aboyne,	1351	1427	21	26	47	2	2	4	12	7	19	4
171	Alford,	1396	1472	14	20	34	2	3	5	6	12	18	1
172	Auchindoir,	1545	1514	30	31	61	10	10	20	10	10	20	8
†173	Auchterless,	1971	1948	25	37	62	5	7	12	8	11	19	10
174	Belhelvie,	1833	1850	34	24	58	6	3	9	15	11	26	7
175	Birse,	1198	1093	7	13	20	3	–	3	12	8	20	4
176	Bourtie,	499	463	3	6	9	1	1	2	2	0	2	2
177	Cabrach,	775	682	11	6	17	3	–	3	3	3	6	2
178	Cairney,	1525	1565	32	18	50	8	4	12	17	7	24	7
179	Chapel of Garioch,	1928	1923	39	26	65	4	5	9	21	8	29	8
180	Clatt,	483	452	8	2	10	1	1	2	5	3	8	3
181	Cluny,	1366	1298	21	19	40	4	4	8	8	7	15	9
182	Coull,	824	783	11	9	20	4	2	6	5	4	9	3
183	Crathie and Braemar,	1566	1611	19	10	29	1	1	2	11	14	25	4
184	Crimond,	887	832	12	9	21	1	1	2	4	5	9	4
185	Cruden,	3124	3444	58	62	120	5	6	11	33	27	60	17
186	Culsamond,	896	828	9	15	24	–	4	4	6	7	13	3
187	Daviot,	597	515	9	8	17	2	2	4	5	–	5	1
188	Drumblade,	931	943	15	14	29	2	2	4	4	6	10	9
189	Drumoak,	1032	930	11	14	25	1	2	3	6	10	16	5
190	Dyce,	945	1162	21	25	46	4	3	7	8	3	11	10
191	Echt,	1259	1297	18	20	38	5	4	9	7	12	19	11
†192	Ellon,	3036	3057	41	61	102	8	9	17	14	28	42	17
193	Fintray,	1108	1032	17	19	36	3	3	6	6	2	8	3

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1871.	1881.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
†194	Forgue,	1332	1303	25	15	40	7	3	10	11	6	17	9
195	Foveran,	1859	2042	54	34	88	3	6	9	11	11	22	10
196	Fraserburgh,	5301	7596	186	152	338	13	16	29	64	55	119	36
†197	Fyvie,	3306	3317	53	37	90	9	5	14	20	25	45	28
198	Gartly,	972	890	6	13	19	1	3	4	5	9	14	9
199	Glass,	1061	1020	18	15	33	6	4	10	8	8	16	4
200	Glenbucket,	570	506	3	12	15	0	3	3	3	3	6	-
201	Glenmuick, Tullich, and Glengairn,	1992	1946	29	22	51	1	4	5	13	17	30	14
202	Huntly,	4374	4388	63	78	141	13	19	32	26	43	69	33
203	Insch,	1596	1536	31	22	53	5	5	10	13	10	23	7
204	INVERURIE,	2970	3038	50	52	102	8	4	12	30	29	59	17
205	Keig,	886	776	20	11	31	3	2	5	4	4	8	5
206	Keithhall,	874	880	13	11	24	2	2	4	7	4	11	4
207	Kemnay,	1300	1636	32	29	61	3	2	5	11	19	30	10
208	Kildrummy,	660	656	10	4	14	–	–	–	6	3	9	1
209	Kincardine O'Neil,	2000	1931	28	20	48	10	3	13	13	14	27	12
210	King-Edward—												
	(1) King-Edward,	1058	1164	16	15	31	2	1	3	6	6	12	6
	(2) New Byth,	2053	1904	40	30	70	9	7	16	10	20	30	16
211	Kinnellar,	601	580	13	7	20	3	1	4	4	2	6	2
212	Kinnethmont,	1062	999	14	12	26	1	2	3	11	9	20	2
213	KINTORE,	2158	2327	40	25	65	3	3	6	19	15	34	8
214	Leochel-Cushnie,	1232	1217	23	25	48	2	4	6	5	11	16	8
215	Leslie,	532	523	17	5	22	4	3	7	7	2	9	3
216	Logie-Buchan,	808	767	8	16	24	1	6	7	3	1	4	4
*217	Logie Coldstone & Cromar,	1068	1071	13	16	29	3	1	4	5	6	11	5
218	Longside,	3321	3222	62	54	116	12	6	18	23	21	44	21
219	Lonmay,	2245	2393	39	37	76	3	2	5	13	15	28	8
220	Lumphanan,	1239	1130	14	18	32	4	6	10	6	5	11	5
221	Methlic,	2084	2162	25	41	66	6	7	13	7	11	18	14
22*a*	Midmar,	1127	1041	20	18	38	3	2	5	4	9	13	8
*222*b*	Millbrex,	1484	1406	18	22	40	6	5	11	8	10	18	14
†223	Monquhitter,	2670	2474	41	39	80	14	6	20	16	16	32	19
224	Monymusk,	996	1155	16	23	39	1	3	4	7	9	16	8
†225	New Deer,	4147	4097	57	52	109	13	11	24	34	35	69	12
226	Newhills,	4210	5480	87	75	162	8	6	14	43	39	82	23
227*a*	New Machar,	1520	1505	23	23	46	1	3	4	14	9	23	8
*227*b*	New Pitsligo,	3090	2964	64	60	124	16	9	25	27	20	47	20
†228	Old Deer,	4434	4443	75	73	148	17	13	30	32	35	67	27
229	Old Meldrum,	2330	2254	44	34	78	11	5	16	18	14	32	9
230	Oyne,	1050	962	14	7	21	4	2	6	10	6	16	5
231	Peterculter,	1668	1908	24	24	48	5	3	8	14	7	21	8
232	PETERHEAD,	10162	12491	282	249	531	27	20	47	141	131	272	81
	Boddam,	1344	1766	39	31	70	2	3	5	27	15	42	13
233	Pitsligo,	2218	2582	49	61	110	8	7	15	14	23	37	11
234	Premnay,	997	930	16	21	37	1	5	6	9	10	19	9
235	Rathen,—(1) Rathen,	1257	1248	18	20	38	8	3	11	5	2	7	7
	(2) Inverallochy,	1593	1577	28	29	57	3	1	4	8	10	18	5
236	Rayne,	1409	1284	21	22	43	2	3	5	8	11	19	8
237*a*	Rhynie,	1195	1126	25	16	41	4	2	6	13	5	18	3
*237*b*	Savoch,	1961	2040	37	32	69	8	6	14	13	18	31	5
238	Skene,	1842	1787	23	16	39	1	4	5	17	19	36	10
239	Slains,	1355	1256	19	24	43	1	8	9	13	16	29	4
*240	Strathdon,	1761	1542	14	19	33	3	4	7	10	8	18	6
†241	Strichen,	2254	2306	28	50	78	4	6	10	16	25	41	10
†242	Tarland,	983	947	15	8	23	4	2	6	5	9	14	7
†243	Tarves,	2288	2389	35	40	75	2	11	13	19	17	36	12
244	Tough,	760	681	8	7	15	4	3	7	5	1	6	5
245	Towie,	798	759	17	11	28	2	4	6	4	8	12	2
246	Tullynessle and Forbes,	970	981	6	11	17	1	1	2	9	8	17	5

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1871.	1881.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
247	Turriff,	4348	4343	77	81	158	18	18	36	27	37	64	16
†248	Tyrie,	869	871	13	12	25	2	2	4	7	5	12	8
†249*a*	Udny,	1626	1638	29	34	63	2	2	4	17	9	26	10
*249*b*	Ythan Wells,	1494	1315	15	23	38	5	6	11	2	8	10	9
	Total,	246298	269047	4569	4418	8987	624	612	1236	2263	2306	4569	1663
	11. Kincardine.												
250	Arbuthnott,	924	809	17	16	33	5	2	7	8	1	9	8
	BANCHORY-DEVENICK—												
	(1) BANCHORY-DEVENICK,	1263	1707	25	26	51	4	5	9	15	11	26	7
	(2) Portlethen,	1789	1610	22	30	52	5	5	10	11	15	26	16
252	Banchory-Ternan,	2875	3066	39	35	74	6	3	9	24	32	56	15
253	BENHOLM,	1569	1527	36	28	64	6	4	10	9	13	22	11
254	BERVIE,	1843	2107	38	45	83	–	4	4	24	23	47	13
255	Dunnottar,	2102	2498	58	41	99	9	8	17	25	16	41	20
256	Durris,	1021	1014	20	23	43	2	5	7	8	4	12	3
257	Fettercairn,	1539	1503	25	26	51	1	4	5	11	8	19	6
258	Fetteresso—												
	(1) Fetteresso,	3585	3565	59	52	111	14	7	21	23	34	57	20
	(2) Cookney,	2080	1976	45	37	82	12	9	21	22	12	34	26
259	Fordoun,	2113	1992	34	24	58	2	3	5	13	18	31	15
260	Garvock,	476	428	7	3	10	1	1	2	2	1	3	6
261	Glenbervie,	1073	972	17	12	29	1	1	2	8	5	13	5
262	KINNEFF AND CATTERLINE,	1062	997	23	14	37	4	1	5	7	5	12	9
263	Laurencekirk,	2174	2045	41	28	69	5	3	8	19	21	40	19
264	Maryculter,	1110	1072	19	11	30	2	1	3	6	9	15	3
265	Marykirk,	1771	1461	23	21	44	5	4	9	17	14	31	13
266	Nigg,	2348	2935	53	51	104	4	3	7	16	27	43	20
267	St Cyrus,	1585	1487	22	23	45	2	3	5	14	10	24	11
268	Strachan,	795	694	5	8	13	1	3	4	5	3	8	10
	Total,	35097	35465	628	554	1182	91	79	170	287	282	569	256
	IV. EAST-MIDLAND.												
	12. Forfar.												
269	Aberlemno,	1007	993	16	13	29	1	1	2	6	7	13	7
270	Airlie,	778	844	20	11	31	–	1	1	4	1	5	4
271	Arbirlot,	919	822	14	13	27	–	1	1	2	3	5	7
*272	ARBROATH,	20169	21995	367	341	708	33	30	63	244	276	520	126
273	Auchterhouse,	721	661	9	10	19	–	–	–	5	6	11	3
274	Barry,	3008	3233	52	44	96	1	4	5	25	50	75	15
275	BRECHIN,	9514	10499	152	162	314	26	28	54	104	119	223	70
276	Carmylie,	1309	1137	19	19	38	–	3	3	9	9	18	9
277	Careston,	209	194	4	1	5	1	–	1	4	–	4	2
278	Cortachy and Clova,	554	442	4	10	14	–	–	–	2	1	3	3
†279	Coupar-Angus,	2797	2546	32	36	68	4	7	11	22	20	42	17
280	CRAIG,	2402	2589	53	44	97	5	1	6	18	15	33	12
†281	Dun,	565	541	8	8	16	1	1	2	4	6	10	4
*282	DUNDEE,												
	(1) St Peter,	22,894	28014	494	465	959	40	49	89	274	304	578	211
	(2) St Mary,	23,582	25320	480	392	872	69	57	126	326	348	674	211
	(3) St Clement,	25,090	25978	470	487	957	58	53	111	246	282	528	130
	(4) St Andrew,	38,082	50773	966	933	1899	105	81	186	532	603	1,135	329
	(5) Lochee,	11,076	12370	218	197	415	35	32	67	117	146	263	102
283	Dunnichen,	1536	1422	19	21	40	3	1	4	16	16	32	4
284	Eassie and Nevay,	586	561	11	8	19	1	1	2	2	8	10	2
285	Edzell,	976	823	10	11	21	1	1	2	7	12	19	3

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1871.	1881.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
286	Farnell,	580	613	9	9	18	–	1	1	4	3	7	4
287	Fearn,	348	316	10	3	13	–	–	–	1	3	4	–
288	FORFAR,	12,585	14,470	244	248	492	30	24	54	143	158	301	71
289	Glamis,	1813	1631	22	27	49	2	1	3	9	8	17	13
290	Glenisla,	925	791	11	10	21	1	1	2	5	3	8	1
291	Guthrie,	404	439	6	6	12	1	–	1	2	5	7	1
292	Inverarity,	888	862	17	18	35	3	2	5	5	–	5	5
293	Inverkeillor,	1521	1671	24	30	54	1	2	3	6	13	19	3
294	Kettins,	855	903	15	11	26	2	–	2	8	4	12	5
295	Kingoldrum,	409	389	7	7	14	–	1	1	4	1	5	3
296	Kinnell,	766	696	16	13	29	4	3	7	7	3	10	9
297	Kinnettles,	405	418	2	10	12	–	2	2	2	5	7	1
298	Kirkden,	1623	1682	21	33	54	4	–	4	18	16	34	5
299	Kirriemuir,	6420	6616	88	87	175	8	10	18	48	65	113	53
300	Lethnott and Navar,	318	288	5	2	7	–	1	1	2	–	2	1
301	Liff, Benvie, and Invergowrie,	1357	1333	20	14	34	–	1	1	9	5	14	9
302	Lintrathen,	756	641	8	10	18	–	–	–	6	2	8	5
303	Lochlee,	424	359	2	4	6	–	1	1	2	1	3	6
304	Logie-Pert,	1251	995	9	11	20	–	2	2	3	6	9	2
305	Lunan,	248	243	5	6	11	1	2	3	3	2	5	3
306	Lundie,	400	317	11	3	14	–	–	–	2	1	3	1
307	Mains, etc.—(1) Mains,	1927	2292	52	32	84	3	–	3	25	19	44	16
	(2) Strathmartine,	822	1198	15	19	34	2	–	2	12	11	23	5
308	Marytown,	396	389	6	8	14	1	1	2	–	1	1	4
309	Menmuir,	761	755	15	14	29	–	–	–	1	3	4	3
310	Monifieth,	7252	9521	154	145	299	12	2	14	64	65	129	32
311	Monikie,	1397	1412	15	19	34	2	1	3	9	7	16	4
312	MONTROSE,	15,783	16,303	237	216	453	24	11	35	157	214	371	83
313	Murroes,	751	749	17	16	33	–	1	1	3	6	9	3
314	Newtyle,	931	911	12	11	23	–	1	1	9	16	25	6
315	Oathlaw,	452	440	7	10	17	–	1	1	2	4	6	2
316	Panbride,	1331	1395	19	17	36	–	–	–	9	11	20	8
317	Rescobie,	748	685	8	13	21	–	–	–	5	2	7	4
318	Ruthven,	247	195	3	–	3	–	–	–	2	1	3	–
319	St Vigeans,	2513	2480	37	35	72	5	4	9	12	17	29	16
320	Stracathro,	503	487	8	7	15	1	–	1	4	2	6	4
321	Tannadice,	1286	1254	25	13	38	3	3	6	9	6	15	5
322	Tealing,	879	757	12	16	28	2	1	3	3	4	7	3
	Total,	240049	268653	4612	4379	8991	496	432	928	2584	2925	5509	1670
	13. Perth.												
323	Aberdalgie,	342	297	5	3	8	–	–	–	–	1	1	2
324	Aberfeldy,	2286	2268	32	19	51	2	2	4	25	25	50	7
325	Aberfoyle,	432	465	6	4	10	1	2	3	4	2	6	2
326	Abernethy,	1744	1714	22	25	47	5	2	7	9	13	22	7
327	Abernyte,	253	275	3	4	7	–	–	–	1	3	4	2
328*a*	Alyth,	3151	3372	48	61	109	9	7	16	24	33	57	16
328*b*	Ardoch,	1316	1102	22	11	33	3	2	5	10	7	17	8
329	Auchterarder,	3795	3648	51	46	97	8	7	15	31	46	77	23
330	Auchtergaven,	1472	1339	14	14	28	2	1	3	17	16	33	7
331	Balquhidder,	882	759	4	11	15	–	–	–	2	8	10	3
332	Bendochy,	474	499	13	7	20	1	2	3	2	3	5	2
333	Blackford,	1836	1595	25	23	48	2	1	3	8	13	21	14
334	Blair-Athol,	1718	1687	18	19	37	2	2	4	19	18	37	4
335	Blairgowrie,	4832	4936	59	73	132	10	7	17	39	46	85	30
336	Callander,	1870	2167	28	24	52	2	1	3	21	18	39	7

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1871.	1881.	Males.	Fem.	Total.	Mal.	Fem	Totl.	Mal.	Fem	Total.	
†337	Caputh,	1571	1509	20	15	35	3	1	4	16	10	26	5
338	Cargill,	1411	1348	16	14	30	4	1	5	10	15	25	3
339	Clunie,	603	582	6	12	18	1	1	2	5	8	13	6
†340	Collace,	456	409	3	4	7	–	–	–	5	5	10	1
341	Comrie,	1772	1726	28	22	50	2	1	3	11	16	27	11
†342	Crieff,	4598	4852	73	62	135	7	11	18	57	54	111	29
343	CULROSS,	1354	1130	11	15	26	2	2	4	7	12	19	4
†344	Dowally,	461	431	4	8	12	1	1	2	4	6	10	1
345	Dron,	343	335	8	5	13	–	1	1	2	–	2	1
†346	Dull,	677	618	7	10	17	1	2	3	5	6	11	2
347	Dunbarney,	913	756	10	7	17	–	2	2	5	9	14	3
348	Dunblane,	2765	3123	50	49	99	6	6	12	26	30	56	15
*349	Dunkeld,	881	882	7	12	19	–	2	2	5	6	11	5
350	Dunning,	1832	1635	22	25	47	6	5	11	12	18	30	11
351	Errol,	2504	2421	30	38	68	2	2	4	17	15	32	9
352	Findo-Gask,	369	364	5	5	10	–	1	1	2	3	5	8
353	Forgandenny,	632	627	8	15	23	1	2	3	5	7	12	6
354	Forteviot,	567	618	13	9	22	2	–	2	2	3	5	4
†355*a*	Fortingall,												
	(1) Innerwick in Glenlyon	393	355	4	2	6	–	1	1	2	1	3	–
	(2) Fortingall,	621	568	14	5	19	2	–	2	8	5	13	3
*355*b*	Foss,	270	226	1	5	6	–	–	–	1	2	3	1
†356	Fowlis-Easter,	291	311	2	5	7	1	–	1	1	–	1	2
†357	Fowlis-Wester,	1028	979	12	8	20	–	1	1	4	6	10	1
358	Glendevon,	105	147	3	2	5	–	–	–	4	–	4	–
359	Inchture,	659	650	20	9	29	2	1	3	5	3	8	2
†360	Kenmore,	1215	1112	16	12	28	1	2	3	9	15	24	3
†361	Killin,	1977	1379	12	11	23	1	–	1	7	13	20	6
362	Kilmadock,	3170	3012	42	31	73	1	2	3	26	24	50	16
363	Kilspindie,	679	693	17	14	31	3	–	3	7	5	12	4
364	Kincardine,	1484	1359	21	18	39	–	3	3	6	8	14	7
†365	Kinclaven,	528	490	7	2	9	–	–	–	2	4	6	2
366	Kinfauns,	578	583	10	9	19	1	–	1	7	6	13	3
*367	Kinloch-Rannoch,	921	894	11	6	17	2	1	3	7	6	13	3
368	Kinnaird,	299	260	8	5	13	–	1	1	1	3	4	–
†369	Kinnoul,	723	734	10	15	25	1	1	2	4	5	9	2
†370	Kirkmichael—												
	(1) Kirkmichael,	657	568	8	6	14	3	–	3	2	4	6	4
	(2) Glenshee,	241	226	1	1	2	–	–	–	3	2	5	–
371	Lecropt,	535	602	12	13	25	1	2	3	4	4	8	1
†372	Lethendy, etc.—												
	(1) Lethendy,	179	149	1	1	2	–	–	–	1	–	1	–
	(2) Kinloch,	251	252	3	3	6	–	–	–	1	–	1	1
†373	Little Dunkeld,	2352	2149	26	20	46	1	–	1	19	22	41	12
374	LOGIE,	4553	4696	57	52	109	4	5	9	57	31	88	20
*375	Logiealmond,	646	623	10	10	20	1	–	1	1	8	9	3
†376	Logierait,	1739	1697	20	17	37	–	2	2	16	15	31	3
377	Longforgan,	1753	1854	33	23	56	–	1	1	13	9	22	6
378	Madderty,	523	527	7	6	13	–	–	–	–	3	3	3
*379	Meigle,	1003	966	17	22	39	1	2	3	6	9	15	6
†380	Methven,	2073	1848	27	28	55	5	–	5	19	18	37	9
381	Moneydie,	244	233	1	3	4	–	1	1	–	–	–	2
†382	Monzie,	413	381	4	1	5	–	–	–	1	1	2	1
383	Monzievaird and Strowan	744	700	7	6	13	–	–	–	4	5	9	3
†384	Moulin,	1561	1836	18	24	42	–	2	2	24	16	40	4
385	Muckart,	612	601	10	7	17	–	2	2	3	3	6	4
386*a*	Muthill,	1916	1702	22	18	40	3	–	3	23	23	46	8
*386*b*	Persie,	820	715	12	8	20	1	1	2	10	5	15	2
*387	PERTH,	26382	29756	398	451	849	33	31	64	307	350	657	216
388	Port of Menteith,	1243	1175	15	16	31	–	3	3	6	7	13	3

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1871.	1881.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
389	Rattray,	2586	3018	40	23	63	3	5	8	30	32	62	10
390	Redgorton,	1046	1100	27	9	36	2	–	2	8	12	20	14
391	Rhynd,	327	297	4	5	9	–	1	1	3	–	3	1
392	St Madoes,	290	316	10	5	15	–	–	–	1	–	1	2
93*a*	St Martins,	735	741	6	10	16	–	1	1	6	4	10	3
393*b*	Stanley,	1103	1276	21	23	44	3	3	6	12	16	28	9
394*a*	Scone,	2185	2306	28	33	61	2	2	4	25	20	45	15
394*b*	Strathfillan,	342	327	8	2	10	1	–	1	2	–	2	4
394*c*	Tenandry,	530	497	3	3	6	–	–	–	6	6	12	2
395	Tibbermore,	1128	1131	16	15	31	–	1	1	14	7	21	11
396	Trinity-Gask,	415	396	5	5	10	–	1	1	5	2	7	3
397	Tulliallan,	2184	2207	50	31	81	2	3	5	33	28	61	9
398	Weem,	186	181	2	4	6	–	–	–	2	3	5	1
	Total,	128550	130282	1810	1734	3544	166	159	325	1176	1246	2422	708
	14. Fife.												
399	Abbotshall (merged in 442),												
*400	Abdie,	1057	862	11	14	25	3	2	5	10	6	16	4
401	Aberdour,	1697	1736	32	37	69	2	3	5	11	13	24	12
*402	ANSTRUTHER-EASTER,	1239	1349	20	17	37	1	3	4	7	6	13	6
403	ANSTRUTHER-WESTER,	545	673	8	8	16	–	–	–	7	5	12	3
404	Arngask,	565	547	6	5	11	–	1	1	4	3	7	4
405	Auchterderran,	4017	4332	74	102	176	6	7	13	26	35	61	14
406	AUCHTERMUCHTY,	2958	2322	32	20	52	7	3	10	24	18	42	5
407	Auchtertool,	529	706	14	17	31	1	1	2	4	9	13	1
408	Ballingry,	982	1065	21	22	43	–	2	2	9	5	14	8
409	Balmerino,	717	664	13	19	32	–	2	2	7	9	16	2
410	Beath,	3534	5442	127	107	234	11	4	15	33	19	52	33
411	BURNTISLAND,	3872	4821	91	80	171	3	6	9	42	37	79	34
412	Cameron,	1158	1003	10	11	21	2	1	3	5	8	13	2
413	Carnbee,	1088	1057	15	21	36	–	1	1	5	2	7	7
414	Carnock,	1764	1055	14	19	33	1	1	2	6	9	15	2
415	Ceres,	2381	2063	27	32	59	6	7	13	20	19	39	11
416	Collessie,	1703	1989	31	25	56	–	2	2	11	15	26	9
†417	CRAIL,	1864	1762	30	30	60	–	3	3	19	10	29	7
418	Creich,	387	386	6	2	8	–	–	–	5	3	8	1
419	Cults,	767	704	9	10	19	1	1	2	9	8	17	6
420	CUPAR,	7102	7404	93	81	174	10	7	17	82	86	168	47
421	Dairsie,	687	693	10	8	18	–	–	–	4	7	11	4
422	Dalgetty	1310	1321	26	26	52	2	–	2	16	19	35	7
*423	Dunbog,	395	386	9	3	12	–	–	–	3	1	4	1
†424	DUNFERMLINE—	23256	26346	439	400	839	21	22	43	202	229	431	185
*425	Dunino,	325	297	3	1	4	–	–	–	1	2	3	4
426	DYSART,	9682	11601	199	194	393	10	5	15	98	115	213	77
427	Elie,	775	670	9	11	20	–	–	–	3	4	7	3
428	FALKLAND,	3069	2698	27	38	65	7	5	12	37	30	67	15
429	Ferry Port-on-Craig,	2674	2818	53	35	88	2	2	4	28	25	53	17
†430	Flisk,	212	213	5	4	9	1	1	2	1	–	1	5
431	Forgan,	2243	3308	43	48	91	2	2	4	26	15	41	4
†432	INVERKEITHING,	3131	2787	65	52	117	6	6	12	33	29	62	29
433	Kemback,	1056	853	7	13	20	–	–	–	4	10	14	3
434	Kennoway,	1703	1560	19	17	36	1	1	2	16	14	30	9
435	Kettle,	2323	2054	39	31	70	4	2	6	15	20	35	13
436	KILCONQUHAR,	2018	2053	30	28	58	5	3	8	15	16	31	16
437	Kilmany,	651	634	11	7	18	2	–	2	2	6	8	2
†438	KILRENNY,	2945	3097	57	55	112	2	3	5	30	41	71	14

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1871.	1881.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
439	KINGHORN,	2602	2773	47	46	93	4	4	8	37	41	78	21
440	Kinglassie,	1082	1292	18	22	40	1	2	3	6	11	17	9
441	Kingsbarns,	922	795	14	8	22	1	–	1	8	6	14	4
*442	KIRKCALDY and ABBOTSHALL,	13509	15840	249	265	514	15	13	28	127	144	271	95
443	Largo,	2318	2234	37	24	61	1	1	2	19	12	31	15
444	Leslie,	4294	4345	57	53	110	1	4	5	38	40	78	19
445	Leuchars,	1727	2185	39	23	62	2	2	4	13	14	27	12
446	Logie,	402	390	5	5	10	–	1	1	1	3	4	5
447	Markinch,	5413	5863	89	85	174	5	6	11	60	63	123	36
448	Monimail,	918	834	20	10	30	3	1	4	5	6	11	9
449	Moonzie,	154	148	3	3	6	1	–	1	5	1	6	2
450	NEWBURGH,	2529	2191	34	35	69	1	1	2	18	33	51	11
451	Newburn,	362	344	7	5	12	1	–	1	–	–	–	3
452	PITTENWEEM,	1803	2119	35	33	68	5	4	9	11	27	38	7
453	ST ANDREWS and ST LEONARDS,	8592	8604	140	106	246	15	11	26	44	93	137	48
454	St Monance (or Abercrombie),	1761	2054	34	40	74	5	5	10	14	20	34	8
455	Saline,	1259	954	17	15	32	1	1	2	10	5	15	5
456	Scoonie,	3178	3730	50	50	100	1	2	3	33	36	69	16
457	Strathmiglo,	2267	2061	27	32	59	2	3	5	15	19	34	16
458	Torryburn,	1051	737	7	13	20	–	–	–	11	13	24	3
459	Wemyss—(1) Wemyss,	2587	2711	53	42	95	3	–	3	23	18	41	15
	(2) Buckhaven,	3813	4596	104	82	186	4	2	6	54	42	96	30
	Total,	160924	172131	2821	2647	5468	191	172	363	1432	1555	2987	1015
	15. Kinross.												
460	Cleish,	539	498	4	5	9	–	2	2	2	1	3	2
461	Fossoway and Tulliebole,	1461	1267	10	14	24	–	1	1	17	9	26	3
462	Kinross,	2477	2492	29	28	57	1	4	5	31	27	58	13
463	Orwell,	2248	2031	19	18	37	3	2	5	12	24	36	9
464	Portmoak,	1193	1042	13	17	30	–	–	–	3	13	16	7
	Total,	7918	7330	75	82	157	4	9	13	65	74	139	34
	16. Clackmannan.												
465	Alloa,	9940	11638	232	233	465	23	13	36	152	147	299	60
466	Clackmannan,	4653	4543	110	85	195	4	4	8	37	47	84	20
467	Dollar,	2524	2500	21	36	57	4	2	6	10	17	27	11
468	Tillicoultry,	5118	5344	89	66	155	9	9	18	45	40	85	32
	Total,	22235	24025	452	420	872	40	28	68	244	251	495	123
	V. WEST-MIDLAND.												
	17. Stirling.												
469	Airth,	1396	1362	33	24	57	1	2	3	12	11	23	5
470	Alva,	4296	5113	101	82	183	8	5	13	52	52	104	24
471	Baldernock,	616	569	7	7	14	–	1	1	1	7	8	1
472	Balfron,	1502	1327	16	16	32	4	–	4	14	15	29	4
†473	Bothkennar,	1726	1798	35	52	87	2	3	5	19	24	43	17
474	Buchanan,	591	550	8	8	16	–	–	–	7	2	9	3
475	Campsie,	6739	5873	96	98	194	6	6	12	53	49	102	27
476	Denny—(1) Denny,	3530	4228	71	92	163	–	5	5	40	28	68	35
	(2) Haggs,	1463	1500	28	29	57	3	1	4	20	16	36	6
477	Drymen,	1405	1431	20	19	39	3	1	4	9	11	20	3
478	Dunipace,	1733	1874	35	37	72	3	5	8	13	13	26	6

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1871.	1881.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
479	FALKIRK—(1) BURGH,	9547	13170	299	287	586	18	19	37	162	172	334	99
	(2) Landward,	6726	8980	181	175	356	12	10	22	103	77	180	74
480	Fintry,	499	414	5	9	14	–	–	–	5	7	12	1
481*a*	Gargunnock,	675	698	8	5	13	1	–	1	2	9	11	3
481*b*	Grangemouth,	2569	4560	77	80	157	–	2	2	52	30	82	24
482	Killearn,	1111	1131	10	17	27	1	2	3	14	9	23	2
483	Kilsyth,	6313	6840	152	139	291	8	8	16	75	82	157	42
484	Kippen,	1568	1449	9	22	31	1	2	3	16	16	32	13
485	Larbert,	5280	6346	122	112	234	9	4	13	67	58	125	42
486	Muiravonside,	2653	2713	51	51	102	3	2	5	24	36	60	14
487	Polmont,	3848	3861	92	91	183	8	8	16	43	36	79	29
488	ST NINIANS—												
	(1) ST NINIANS,	5287	5465	94	83	177	8	7	15	42	46	88	28
	(2) Bannockburn,	4332	4331	79	72	151	4	6	10	34	31	65	23
489	Slamannan,	4164	5850	123	131	254	1	9	10	52	56	108	27
490	STIRLING,	12541	14107	241	233	474	18	12	30	171	161	332	107
491	Strathblane,	1235	1343	30	16	46	3	–	3	12	10	22	7
	Total,	93345	106883	2023	1987	4010	125	120	245	1114	1064	2178	666
	18. Dumbarton.												
492	Arrochar,	525	517	1	4	5	–	–	–	7	6	13	1
493	BONHILL,	9593	13122	190	183	373	16	10	26	77	97	174	75
494	Cardross,	4405	5883	88	83	171	4	4	8	41	51	92	19
495	Cumbernauld,	3602	4270	84	73	157	3	2	5	58	47	105	18
496	DUMBARTON,	11423	13786	269	257	526	13	20	33	115	133	248	79
497	Kilmaronock,	978	927	12	4	16	–	–	–	1	5	6	8
498	Kirkintilloch,	8257	10591	186	171	357	16	14	30	131	130	261	46
499	Luss,	730	719	12	8	20	1	1	2	8	6	14	–
500	New or East Kilpatrick,	6038	7414	139	146	285	4	5	9	60	53	113	42
501	Old or West Kilpatrick,	5346	8862	156	131	287	8	4	12	65	70	135	28
502	Roseneath—(1) Roseneath	677	858	10	5	15	1	–	1	8	7	15	9
	(2) Kilcreggan and Cove,	1103	1136	13	10	23	–	2	2	11	7	18	3
503	Row,	8439	10097	142	117	259	8	3	11	67	91	158	43
	Total,	61116	78182	1302	1192	2494	74	65	139	649	703	1352	371
	19. Argyll. *Mainland.*												
504	Ardchattan,	1172	1390	18	15	33	1	1	2	8	7	15	4
505	Ardnamurchan—												
	(1) Aharacle,	1414	1425	22	21	43	3	2	5	9	5	14	3
	(2) Arisaig,	1131	1136	11	8	19	–	–	–	18	13	31	6
	(3) Sunart (or Strontian),	760	633	4	7	11	–	1	1	5	9	14	1
	(4) Western Ardnamurchan,	954	911	13	12	25	1	–	1	8	8	16	1
506	Ballachulish and Corran of Ardgour,	849	749	10	4	14	2	–	2	4	5	9	5
507	CAMPBELTOWN,	8580	9755	178	175	353	11	18	29	92	107	199	72
508	Craignish,	481	451	4	8	12	–	1	1	3	3	6	–
509	Cumlodden and Minard,	1119	1142	13	14	27	–	–	–	10	4	14	6
510	Dunoon and Kilmun,	6871	8002	103	101	204	5	8	13	76	99	175	30
511	Glassary,	1242	1234	10	23	33	–	2	2	12	13	25	4
512	Glenorchy,	754	761	9	13	22	–	–	–	11	9	20	4
513	INVERARAY,	1503	1407	24	11	35	4	2	6	16	13	29	3
514	Inverchaolain,	443	407	7	5	12	–	–	–	3	4	7	–
515	Kilbrandon & Kilchattan,	2107	1921	22	24	46	–	–	–	9	10	19	2
516	Kilcalmonell, etc.—												
	(1) Kilcalmonell,	684	583	5	7	12	1	–	1	11	6	17	1
	(2) Kilberry,	485	460	4	9	13	2	–	2	10	2	12	3

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1871.	1881.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
*517	Kilchrenan, etc.—												
	(1) Kilchrenan, . .	401	406	1	4	5	–	1	1	3	5	8	4
	(2) Dalavich, . .	217	226	–	3	3	–	–	–	2	–	2	–
518	Kilfinan, . . .	2228	2153	33	22	55	2	1	3	28	23	51	3
519	Killean and Kilchenzie,.	1614	1368	15	9	24	1	–	1	17	6	23	4
†520	Kilmalie, . . .	3217	3408	38	49	87	4	3	7	32	31	63	9
521	Kilmartin, . . .	869	811	6	9	15	–	–	–	5	9	14	6
522	Kilmodan, . . .	358	323	7	4	11	–	–	–	1	2	3	–
†523	KILMORE AND KILBRIDE, .	3402	5142	56	72	128	6	4	10	54	61	115	32
524	Kilninver, etc.—												
	(1) Kilninver, . .	253	224	2	4	6	–	–	–	1	3	4	–
	(2) Kilmelford, . .	506	181	2	2	4	–	–	–	2	1	3	–
525	Lismore, etc.—												
	(1) Lismore, . .	908	738	6	5	11	1	–	1	12	7	19	3
	(2) Appin, . . .	728	762	9	4	13	1	–	1	5	6	11	2
	(3) Glencoe & Ballachulish, . .	1529	1444	18	22	40	–	1	1	8	10	18	7
	(4) Duror, . . .	370	489	12	7	19	1	–	1	2	2	4	2
*526	Lochgilphead, . .	3680	3605	51	39	90	5	1	6	35	42	77	7
527	Lochgoilhead, etc.—												
	(1) Lochgoilhead, .	436	540	6	8	14	–	1	1	9	2	11	2
	(2) Kilmorich, . .	330	330	2	5	7	–	1	1	2	4	6	3
528	Morvern, . . .	973	828	6	8	14	–	1	1	6	4	10	1
*529	Muckairn, . . .	786	831	17	13	30	1	–	1	11	9	20	4
530	North Knapdale, . .	1059	927	10	11	21	–	–	–	8	7	15	1
†531	Saddell, etc.—												
	(1) Saddell, . .	645	686	11	9	20	1	–	1	5	6	11	5
	(2) Skipness, . .	500	470	5	5	10	–	–	–	7	3	10	–
532	Southend, . . .	1044	955	12	13	25	1	1	2	3	2	5	6
†533	South Knapdale, . .	548	453	3	6	9	1	–	1	1	1	2	3
534	Stralachlan, etc.—												
	(1) Stralachlan, . .	340	358	4	5	9	1	1	2	2	1	3	1
	(2) Strachur, . .	527	574	4	8	12	–	1	1	7	9	16	1
*535	Tarbert, . . .	1866	2017	28	30	58	–	1	1	15	9	24	11
	Insular.												
*536	Bowmore (or Kilarrow),	2088	1875	18	24	42	6	1	7	28	33	61	11
537	Gigha, ...	390	382	3	7	10	–	–	–	7	3	10	1
538	Iona (merged in 542), .												
†539	Jura, etc.—(1) Jura, .	775	792	9	9	18	–	1	1	4	1	5	2
	(2) Colonsay,	456	397	7	5	12	2	1	3	2	6	8	2
†540	Kilchoman, . . .	1882	1687	19	20	39	4	3	7	20	20	40	8
541	Kildalton and Oa, . .	2283	2271	31	27	58	4	7	11	24	20	44	10
*542	Kilfinichen & Kilvickeon,	2461	1990	30	26	56	4	2	6	18	18	36	7
†543	Kilmeny, . . .	924	881	16	17	33	4	4	8	10	6	16	1
†544	Kilninian and Kilmore,.	1189	985	10	13	23	–	2	2	7	9	16	7
*545	Kinlochspelvie, . .	388	311	7	6	13	3	–	3	2	3	5	–
546	Oa (merged in 541), .												
*547	Portnahaven, . .	979	860	11	16	27	3	2	5	6	6	12	2
*548	Salen, ...	605	600	7	6	13	–	–	–	5	7	12	–
*549	Tobermory, . . .	1344	1342	15	8	23	1	2	3	18	14	32	5
†550	Torosay, . . .	454	396	4	2	6	–	2	2	4	1	5	–
551	Tyree, etc.—(1) Tyree, .	2837	2733	32	32	64	2	6	8	20	23	43	7
	(2) Coll, .	723	643	11	10	21	1	1	2	3	3	6	3
	Total,	79661	80761	1051	1061	2112	90	87	177	766	755	1521	328

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1871.	1881.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
	20. Bute.												
552	Cumbrae,	1613	1856	35	23	58	1	–	1	28	18	46	8
553	Kilbride—(1) Brodick,	928	837	5	3	8	–	–	–	6	6	12	4
	(2) Kilbride,	1276	1183	10	11	21	1	–	1	12	16	28	7
554	Kilmory,	2278	2028	22	12	34	1	3	4	15	22	37	6
555	Kingarth,	901	1260	10	11	21	–	–	–	7	8	15	5
556	Lochranza,	777	714	5	3	8	–	–	–	3	5	8	3
557	North Bute,	1393	1427	20	17	37	–	3	3	17	14	31	9
558	ROTHESAY,	7800	8329	152	121	273	11	9	20	102	107	209	49
	Total,	16966	17634	259	201	460	14	15	29	190	196	386	91
	VI. SOUTH-WESTERN.												
	21. Renfrew.												
559	Abbey—												
	(1) Burghal (merged in 573).												
	(3) Johnstone and Elderslie,	9573	11488	254	206	460	11	16	27	100	126	226	122
560	Cathcart,	7231	12211	169	186	355	9	9	18	71	61	132	77
561	Eaglesham,	1714	1385	21	18	39	1	1	2	13	22	35	16
562	Eastwood,	13098	13915	258	239	497	23	13	36	176	180	356	84
563	Erskine,	1565	1653	16	19	35	–	–	–	9	11	20	10
564	GREENOCK—												
	(1) New, or Middle,	20822	20302	380	402	782	23	24	47	244	242	486	86
	(2) East,	13662	18188	368	346	714	20	14	34	172	160	332	118
	(3) Old, or West,	25310	30748	552	520	1072	19	23	42	432	347	779	291
565	Houstoun and Killellan,	2167	2191	38	41	79	8	4	12	35	23	58	15
566	Inchinnan,	584	508	10	9	19	–	1	1	6	1	7	2
567	Inverkip—(1) Inverkip,	1393	1295	23	18	41	–	–	–	5	9	14	7
	(2) Gourock,	3109	4064	54	51	105	4	–	4	63	53	116	10
568	Kilbarchan,	6093	6868	102	109	211	3	3	6	76	59	135	28
569	Kilmalcolm,	1716	2708	30	38	68	1	–	1	16	15	31	10
570	Lochwinnoch,	3816	3369	45	37	82	8	9	17	29	33	62	19
571	Mearns,	3543	3965	61	48	109	6	4	10	30	33	63	23
*572	Neilston—(1) Neilston,	4633	4631	70	76	146	7	11	18	37	60	97	35
	(2) Barrhead,	8784	9430	193	154	347	13	10	23	92	116	208	57
*573	PAISLEY,	48257	55638	1015	994	2009	77	78	155	733	764	1497	375
			2733	46	38	84	3	2	5	19	22	41	13
574	PORT-GLASGOW,	9912	10913	195	215	410	10	10	20	98	105	203	74
575	RENFREW,	5908	7408	138	135	273	6	4	10	64	73	137	43
	Total,	195305	225611	4038	3899	7937	252	236	488	2520	2515	5035	1515
	22 Ayr.												
*576	Ardrossan—												
	(1) Old Ardrossan,	3336	3686	51	69	120	4	5	9	34	33	67	23
	(2) New Ardrossan,	3929	4098	90	72	162	5	2	7	33	46	79	24
577	Auchinleck,	6174	6681	119	155	274	11	16	27	62	63	125	49
*578	AYR,	19172	22279	378	349	727	29	32	61	246	245	491	131
579	Ballantrae,	1277	1442	24	19	43	2	1	3	10	6	16	12
580	Barr,	672	600	6	7	13	–	–	–	7	5	12	4
581	Beith,	6233	6555	109	101	210	5	7	12	44	57	101	33
582	Colmonell—(1) Colmonell	1172	1132	20	14	34	1	4	5	11	6	17	4
	(2) Barrhill,	1121	1059	19	17	36	3	5	8	6	7	13	10
583	Coylton,	1440	3100	50	61	111	2	4	6	18	20	38	13
584	Craigie	618	590	5	2	7	–	–	–	5	3	8	3
*584	*b*.Crosshill,	1372	1285	16	27	43	5	6	11	4	14	18	7
585	Dailly,	1932	2226	47	39	86	7	4	11	25	19	44	11
586	Dalmellington,	6165	6383	142	125	267	9	7	16	67	51	118	28
587	Dalry,	10885	10215	177	172	349	16	15	31	103	84	187	45

No.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1871.	1881.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
588	Dalrymple,	1412	1362	23	21	44	1	1	2	13	7	20	3
589	Dreghorn,	3241	3949	87	79	166	10	6	16	41	43	84	31
†590	Dundonald—												
	(1) Dundonald,	1507	1509	19	22	41	–	1	1	14	15	29	5
	(2) Troon,	2870	2587	44	35	79	1	1	2	21	22	43	16
591	Dunlop,	1160	1363	15	17	32	1	1	2	15	12	27	4
592	Fenwick,	1318	1152	18	18	36	2	1	3	15	10	25	8
593	Galston,	6331	5961	116	117	233	7	5	12	56	57	113	45
594	Girvan,	5685	5480	77	78	155	12	12	24	42	65	107	30
*595	IRVINE,	8462	10022	235	207	442	27	19	46	152	122	274	52
596	Kilbirnie,	4953	5243	82	80	162	2	4	6	54	59	113	33
597	KILMARNOCK,	24072	25864	475	437	912	26	29	55	259	267	526	140
598	Kilmaurs,	3449	3704	72	66	138	6	5	11	41	41	82	22
599	Kilwinning,	7375	7037	143	143	286	16	19	35	78	90	168	29
†600	Kirkmichael,	1125	983	9	16	25	4	2	6	14	11	25	8
†601	Kirkoswald,	1658	1540	24	17	41	3	–	3	9	5	14	10
602	Largs,	4087	5149	80	85	165	3	3	6	40	34	74	32
603	Loudoun,	5525	5239	73	83	156	6	2	8	50	38	88	29
604	Mauchline,	2435	2504	37	39	76	2	3	5	22	24	46	14
†605	Maybole,	5845	6590	121	108	229	19	11	30	62	54	116	47
606	Monkton and Prestwick,	1744	2121	27	35	62	2	3	5	22	17	39	10
607	Muirkirk,	3253	5123	148	117	265	8	7	15	65	47	112	32
608	New Cumnock,	3434	3781	90	88	178	4	12	16	40	27	67	26
609	Ochiltree,	1656	1493	20	21	41	3	–	3	14	14	28	7
610	Old Cumnock,	4041	4861	78	104	182	4	11	15	45	50	95	19
611	RICCARTON,	5845	7112	143	172	315	7	12	19	58	78	136	36
†612	St Quivox and Newton-upon-Ayr,	1363	1766	34	27	61	3	3	6	12	8	20	4
613	Sorn,	4032	4255	87	60	147	6	3	9	32	41	73	24
614	Stair,	734	928	24	22	46	–	1	1	10	5	15	12
615	Stevenston,	5019	5694	96	124	220	7	8	15	65	61	126	30
616	Stewarton,	4478	4309	69	59	128	6	5	11	36	38	74	23
617	Straiton,	1443	1241	17	23	40	–	3	3	10	11	21	7
618	Symington,	792	697	7	6	13	–	2	2	2	5	7	2
619	Tarbolton,	3219	3599	69	82	151		3	8	39	40	79	17
†620	West Kilbride,	1847	2081	39	28	67	5	3	8	16	19	35	8
	Total,	200908	217630	3951	3865	7816	307	309	616	2139	2096	4235	1212
	23 Lanark.												
621	Avondale,	5460	5466	79	77	156	7	5	12	56	64	120	36
†622	Barony,—												
	(1) Maryhill,	6828	18385	425	378	803	14	14	28	198	194	392	143
	(2) Shettleston,	7517	9238	178	137	315	8	5	13	66	87	153	54
623	Biggar,	2013	2128	32	38	70	3	13	16	17	11	28	19
624	Blantyre,	3472	9760	199	200	399	11	11	22	128	124	252	70
625	Bothwell—												
	(1) Bothwell,	9193	15017	274	248	522	14	8	22	110	135	245	73
	(2) Holytown,	10099	10449	196	196	392	10	5	15	121	103	224	58
626*a*	Cadder—(1) Western,	3261	3507	74	61	135	2	5	7	23	29	52	16
	(2) Eastern,	3203	3458	62	65	127	4	1	5	24	26	50	20
*626*b*	Calderhead,	4271	4158	85	80	165	3	2	5	37	36	73	22
627	Cambuslang,	3740	9447	177	193	370	8	6	14	101	78	179	47
628	Cambusnethan,	18709	19286	387	389	776	31	27	58	161	144	305	108
629	Carluke,	7066	8552	176	177	353	13	12	25	109	82	191	53
630	Carmichael,	708	770	15	7	22	1	3	4	4	2	6	3
631	Carmunnock,	702	722	6	4	10	2	1	3	5	8	13	2
632	Carnwath,	5709	5831	127	126	253	13	9	22	51	50	101	29
633	Carstairs,	1718	1955	47	25	72	1	1	2	13	13	26	18

No. of District.	Registration Districts.	Population		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1871.	1881.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
634	Covington and Thankerton	454	444	6	6	12	–	2	2	5	2	7	–
635	Crawford,—(1) Crawford,	727	698	7	11	18	–	2	2	6	7	13	1
	(2) Leadhills,	1102	1065	16	22	38	–	2	2	12	7	19	8
636	Crawfordjohn, . .	853	843	12	9	21	2	–	2	5	5	10	5
637	Culter, ...	593	574	3	3	6	–	2	2	2	2	4	2
638	Dalserf—(1) Larkhall	5332	6703	157	136	293	10	8	18	78	65	143	53
	(2) Dalserf, .	2009	2675	59	58	117	5	5	10	15	15	30	12
639	Dalziel, . . .	9175	13853	283	292	575	16	15	31	159	122	281	96
640	Dolphinton, . . .	231	292	6	2	8	1	–	1	3	1	4	3
641	Douglas, . . .	2624	2641	37	46	83	3	4	7	15	24	39	26
642	Dunsyre, . . .	302	254	3	2	5	–	–	–	3	3	6	–
643	East Kilbride, . .	3861	3975	43	81	124	6	3	9	32	23	55	23
644	GLASGOW—												
	(1) Bridgeton, . .		39630	846	811	1657	49	49	98	532	539	1071	315
	(2) Camlachie, . .		37994	806	785	1591	55	82	137	432	463	895	240
	(3) Dennistoun, . .		46118	910	815	1725	36	43	79	827	642	1469	501
	Do. (Landward),		6009	119	90	209	34	25	59	210	188	398	24
	(4) Calton, . . .		37450	686	674	1360	68	55	123	436	488	924	288
	(5) Blackfriars, . .		33961	621	649	1270	112	123	235	403	460	863	246
	(6) St Rollox, . .		42490	883	910	1793	100	94	194	751	707	1458	297
	Do. (Landward),		945	26	19	45	–	–	–	15	5	20	2
	(7) Blythswood, . .		30521	455	425	880	65	47	112	344	302	646	354
	(8) Milton, . . .	508262	35572	781	762	1543	63	65	128	413	446	859	201
	(9) Kelvin, . . .		53794	910	877	1787	46	38	84	501	511	1012	558
	(10) Anderston, . .		39006	821	743	1564	63	46	109	419	402	821	283
	(11) Hutchesontown, .		44443	1025	1004	2029	61	59	120	437	516	953	192
	Do. (Landward),		5951	130	103	233	2	7	9	56	52	108	17
	(12) Gorbals, . .		39235	699	690	1389	72	52	124	395	436	831	571
	Do. (Landward),		5011	90	68	158	1	–	1	31	19	50	17
	(13) Tradeston, . .		18057	351	329	680	30	24	54	223	209	432	59
	Do. (Landward),		5451	70	82	152	4	3	7	25	29	54	42
	(14) Kinning Park,		13144	262	221	483	25	14	39	132	132	264	69
	Do. (Landward)		15752	314	312	626	16	26	42	124	130	254	133
645	Glassford, . . .	1430	1452	24	25	49	3	2	5	18	14	32	15
646	Govan—												
	(1) Govan Church, .	19899	51915	1067	1024	2091	77	55	132	601	610	1211	256
	(2) Partick, . .	23726	39028	671	653	1324	29	28	57	347	327	674	254
647	HAMILTON, .	16803	26231	561	458	1019	35	25	60	278	245	523	132
648	LANARK, . . .	7841	7580	116	115	231	10	13	23	89	92	181	63
649	Lesmahagow, . .	8709	9949	234	208	442	15	9	24	95	93	188	68
650	Libberton, . . .	691	625	13	15	28	3	1	4	6	2	8	6
651	NEW MONKLAND—												
	(1) AIRDRIE, . .	13488	13363	292	261	553	13	15	28	145	150	295	115
	(2) Landward, . .	9264	14453	305	277	582	13	19	32	146	119	265	67
652	Old Monkland—												
	(1) Western, . .	7873	8597	175	172	347	14	7	21	62	54	116	59
	(2) Middle, . .	18410	19483	418	384	802	13	14	27	271	218	489	152
	(3) Eastern, . .	7790	9243	179	165	344	12	9	21	94	68	162	31
653	Pettinain, . . .	366	360	8	5	13	1	1	2	6	2	8	2
654	RUTHERGLEN, . .	10766	13801	266	252	518	14	8	22	126	136	262	121
655	Shotts,—(1) Middle Dist.	2523	2596	53	45	98	2	2	4	24	25	49	9
	(2) Eastern do.	1852	3466	71	65	136	2	4	6	20	17	37	15
	(2) Western do.	324	2531	51	46	97	2	3	5	24	29	53	15
656	Stonehouse, . . .	3177	3173	52	57	109	3	5	8	41	21	62	19
657	Symington, . . .	442	462	7	6	13	2	3	5	4	3	7	3
658	Walston, . . .	425	340	3	2	5	–	2	2	5	1	6	3
659	Wandell and Lamington,	332	316	1	5	6	–	1	1	5	1	6	1
660	Wiston and Roberton, .	680	562	7	14	21	–	4	4	8	2	10	3
	Total,	787005	942206	18550	17692	36242	1353	1253	2606	10680	10367	21047	6818

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1871.	1881	Males.	Fem.	Total.	Mal.	Fem	Tot.	Mal.	Fem	Total.	
	VII. SOUTH-EASTERN.												
	24. Linlithgow.												
661	Abercorn, . . .	933	856	12	12	24	–	1	1	4	8	12	5
662	Bathgate— . . .												
	(1) Bathgate, . .	6942	6425	151	147	298	16	11	27	65	63	128	42
	(2) Armadale, . .	3187	3025	66	83	149	8	5	13	25	37	62	18
663	Borrowstounness, .	4986	6088	118	107	225	16	7	23	60	45	105	34
664	Carriden, . . .	1799	1989	37	33	70	4	1	5	16	18	34	15
†665	Dalmeny, . . .	916	1048	19	15	34	2	–	2	5	9	14	6
666	Ecclesmachen, . .	329	278	4	1	5	–	–	–	2	–	2	1
†667	Kirkliston, . . .	2172	2563	39	42	81	4	4	8	23	19	42	13
668	LINLITHGOW, . .	5554	5619	89	107	196	8	8	16	58	72	130	34
669	Livingstone, . . .	1727	1484	33	27	60	5	5	10	20	8	28	9
*670	QUEENSFERRY, .	1521	1966	28	26	54	1	3	4	12	11	23	4
671	Torphichen, . . .	1630	1526	19	31	50	1	2	3	12	10	22	11
672	Uphall, . . .	2772	4812	86	73	159	5	6	11	47	50	97	22
673	Whitburn—												
	(1) Whitburn, . .	2801	2393	36	38	74	4	7	11	19	13	32	9
	(2) Fauldhouse, .	4110	3933	65	88	153	3	4	7	33	26	59	20
	Total,	41379	44005	802	830	1632	77	64	141	401	389	790	243
	25 Edinburgh.												
†674	Borthwick, . . .	1494	1374	29	30	59	5	7	12	10	10	20	5
675	Carrington, . . .	712	606	19	15	34	3	2	5	10	3	13	3
†676	Cockpen, . . .	2481	3431	53	58	111	3	1	4	29	25	54	19
677	Colinton, . . .	3644	4347	64	65	129	11	11	22	79	98	177	20
678	Corstorphine, . .	1788	2156	19	31	50	–	1	1	23	19	42	7
†679	Cramond, . . .	3020	2960	39	40	79	1	–	1	27	17	44	13
680	Cranston, . . .	1036	998	17	13	30	2	1	3	3	7	10	7
681	Crichton, . . .	1223	1094	13	23	36	–	2	2	9	6	15	9
682	Currie, ...	2360	2390	36	34	70	2	1	3	17	16	33	20
683	Dalkeith, . . .	7667	7707	158	110	268	13	9	22	86	74	160	67
†684	DUDDINGSTON—												
	(1) PORTOBELLO, .	5481	6794	125	125	250	10	12	22	56	61	117	43
	(2) Landward, . .	970	1124	16	19	35	–	2	2	8	8	16	6
*685	EDINBURGH—												
	(1) St George, . .	50988	65446	1020	1001	2021	58	65	123	472	568	1040	414
	Do. (Landward), .	4061	7960	68	85	153	7	11	18	155	161	316	29
	(2) St Andrew, . .	39781	44537	644	649	1293	36	27	63	348	368	716	416
	(3) Canongate, . .	33183	31339	737	687	1424	82	87	169	551	464	1015	322
	(4) St Giles, . .	31960	32833	584	526	1110	90	79	169	359	390	749	349
	(5) Newington, . .	41079	54218	804	763	1567	46	41	87	415	497	912	483
686	Fala and Soutra, . .	364	312	9	6	15	–	2	2	2	4	6	1
687	Glencorse, . . .	1153	1500	28	24	52	–	–	–	8	7	15	6
688	Heriot, ...	414	429	6	7	13	–	–	–	5	3	8	2
689	INVERESK, . .	10068	10536	179	167	346	12	12	24	102	123	225	60
*690	Kirknewton and East. Calder, . . .	2213	2759	44	48	92	3	2	5	17	18	35	15
691	Lasswade, . . .	7098	8872	162	161	323	13	5	18	87	84	171	42
†692	LEITH—												
	(1) North Leith, . .	16582	21977	412	355	767	12	17	29	180	189	369	151
	(2) South Leith, . .	29852	39211	770	813	1583	62	61	123	406	383	789	324
†693	Liberton, . . .	3791	5732	97	94	191	5	4	9	62	58	120	23
694	Mid-Calder, . . .	1634	1695	28	25	53	3	1	4	12	18	30	10
†695	Newbattle, . . .	2424	2771	53	43	96	7	1	8	20	23	43	14
696	Newton, . . .	1181	1307	19	19	38	1	–	1	11	16	27	8
697	Penicuik, . . .	3765	5309	93	97	190	4	7	11	40	41	81	33
698*a*	Ratho, . . .	1744	1815	29	29	58	1	3	4	14	15	29	13

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1871.	1881.	Male	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
*698b	Stobhill,	2447	3065	53	43	96	4	2	6	30	18	48	25
†699	Stow,	1957	2010	38	26	64	5	4	9	21	16	37	15
†700	Temple,	658	541	14	10	24	1	1	2	9	4	13	5
701	West-Calder,	7865	7681	177	144	321	8	14	22	44	54	98	39
	Total,	328138	388836	6656	6385	13041	510	495	1005	3727	3866	7593	3018
	26. Haddington.												
702	Aberlady,	1022	1000	15	10	25	2	–	2	4	10	14	2
703	Athelstaneford,	844	762	11	13	24	1	–	1	6	3	9	7
704	Bolton,	364	337	2	2	4	1	1	2	1	1	2	–
705	Dirleton,	1419	1506	10	22	32	1	4	5	6	10	16	7
706	DUNBAR,	4982	5396	76	86	162	7	3	10	37	44	81	32
707	Garvald,	832	758	11	10	21	–	3	3	2	6	8	3
708	Gladsmuir,	1863	1747	36	19	55	3	3	6	18	14	32	7
709	HADDINGTON,	5735	5660	80	79	159	6	9	15	48	51	99	41
710	Humbie,	967	907	18	10	28	2	1	3	7	4	11	3
711	Innerwick,	892	777	10	10	20	1	–	1	7	6	13	4
712	Morham,	204	209	4	1	5	1	–	1	–	–	–	–
713	NORTH BERWICK,	2373	2688	40	25	65	3	3	6	14	9	23	16
714	Oldhamstocks,	592	568	6	11	17	1	1	2	7	6	13	2
715	Ormiston,	911	1026	21	15	36	–	2	2	5	5	10	5
716	Pencaitland,	1320	1107	16	21	37	–	–	–	5	8	13	4
717	Prestonkirk,	1931	1929	17	27	44	1	3	4	13	19	32	20
718	Prestonpans,	2069	2573	55	38	93	3	3	6	26	24	50	12
719	Salton,	647	575	8	10	18	–	1	1	4	4	8	3
720	Spott,	560	579	7	9	16	2	1	3	1	7	8	–
721	Stenton,	612	594	12	5	17	1	–	1	4	4	8	3
722	Tranent,	4852	5198	107	90	197	7	6	13	49	46	95	27
723	Whitekirk and Tynninghame,	1073	1051	7	21	28	–	–	–	14	10	24	1
724	Whittinghame	657	639	11	8	19	1	3	4	6	2	8	2
725	Yester,	1034	924	18	18	36	2	4	6	6	10	16	1
	Total,	37755	38510	598	560	1158	46	51	97	290	303	593	202
	27. Berwick.												
726	Abbey St Bathans,	195	250	8	4	12	–	–	–	–	2	2	1
727	Ayton,	1983	2040	29	25	54	3	4	7	19	18	37	7
728	Bunkle and Preston,	764	726	9	5	14	1	–	1	4	1	5	–
729	Channelkirk,	705	607	14	11	25	3	–	3	–	3	3	1
730	Chirnside,	1413	1516	25	20	45	–	2	2	18	15	33	9
731	Cockburnspath,	1133	1130	17	11	28	1	1	2	9	14	23	8
732	Coldingham,	3093	3173	53	53	106	5	5	10	21	16	37	16
733	Coldstream,	2619	2561	50	39	89	3	2	5	36	40	76	12
734	Cranshaws,	142	106	3	–	3	–	–	–	2	1	3	1
735	Dunse,	3602	3353	45	52	97	4	4	8	37	28	65	11
736	Earlston,	1977	1767	21	25	46	3	4	7	11	14	25	9
737	Eccles,	1780	1546	15	24	39	3	–	3	15	16	31	1
738	Edrom,	1513	1514	23	16	39	2	2	4	10	9	19	2
739	Eyemouth,	2372	2935	63	69	132	5	6	11	15	17	32	20
740	Fogo,	502	468	4	3	7	–	2	2	4	2	6	1
741	Foulden,	425	393	7	3	10	2	2	4	7	5	12	1
742	Gordon,	876	832	19	14	33	1	1	2	6	7	13	4
743	Greenlaw,	1381	1245	21	16	37	5	2	7	9	16	25	9
744	Hume,	460	407	4	3	7	1	–	1	2	4	6	2
745	Hutton,	1077	962	9	11	20	1	1	2	5	7	12	5
746	Ladykirk,	518	438	3	2	5	–	–	–	4	5	9	5

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1871.	1881.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
747	Langton, . . .	548	505	4	4	8	–	1	1	3	5	8	5
748	LAUDER, . . .	2120	1940	29	23	52	2	2	4	11	21	32	11
749	Legerwood, . . .	525	549	10	8	18	–	1	1	2	3	5	3
750	Longformacus, . .	452	385	8	8	16	–	–	–	2	5	7	2
751	Merton, . . .	734	682	6	9	15	–	1	1	5	2	7	5
752	Mordington, . . .	402	367	3	8	11	–	2	2	1	3	4	3
753	Nenthorn, . . .	434	454	6	6	12	1	–	1	2	1	3	4
754	Polwarth, . . .	249	227	4	–	4	1	–	1	1	3	4	–
755	Swinton, . . .	996	964	16	21	37	3	2	5	11	11	22	4
756	Westruther, . . .	784	671	6	10	16	–	–	–	1	5	6	2
757	Whitsome, . . .	608	560	5	5	10	–	–	–	5	3	8	2
	Total,	36382	35273	539	508	1047	50	47	97	278	302	580	166
	28. Peebles.												
758	Broughton (merged in 763), ...												
759	Drumelzier, . . .	221	208	2	1	3	–	–	–	–	–	–	–
760	Eddlestone, . . .	700	711	12	6	18	1	–	1	1	3	4	4
761	Glenholm (merged in 763),												
†762	Innerleithen, . .	2776	3636	65	54	119	5	6	11	27	31	58	29
763	Kilbucho, Broughton, and Glenholm, . .	729	665	7	5	12	2	–	2	–	3	3	–
764	Kirkurd, . . .	294	282	5	6	11	1	1	2	2	1	3	1
765	Lyne, etc.—(1) Lyne, .	104	114	3	1	4	–	–	–	1	1	2	–
	(2) Megget,	70	90	–	1	1	–	–	–	–	–	–	–
766	Manor, ...	271	277	6	5	11	–	–	–	3	5	8	–
767	Newlands, . . .	851	819	13	13	26	3	1	4	7	9	16	1
768	PEEBLES, . . .	3172	4059	65	44	109	3	3	6	36	33	69	20
769	Skirling, . . .	325	274	2	5	7	–	–	–	2	4	6	1
770	Stobo, ...	459	467	12	8	20	–	–	–	4	4	8	1
771	Traquair, . . .	669	754	19	11	30	–	–	–	1	9	10	3
772	Tweedsmuir, . .	190	215	2	2	4	–	–	–	1	2	3	1
773	West Linton, . .	1387	1117	15	17	32	1	6	7	18	12	30	7
	Total,	12218	13688	228	179	407	16	17	33	103	117	220	68
	29. Selkirk.												
*774*a*	Caddonfoot, . . .	699	693	12	8	20	2	–	2	9	9	18	2
774*b*	Ettrick, ...	434	397	2	3	5	–	–	–	1	2	3	–
†775	GALASHIELS, . .	5921	9599	162	148	310	14	11	25	79	63	142	66
776*a*	Kirkhope, . . .	565	547	5	9	14	1	–	1	4	4	8	3
*776*b*	LADHOPE, . . .	5317	6612	132	125	257	9	10	19	52	63	115	41
777	Roberton, . . .	593	567	6	7	13	–	1	1	4	1	5	3
†778	SELKIRK, . . .	5555	7369	127	112	239	15	9	24	75	69	144	39
†779	Yarrow, ...	567	562	6	11	17	2	–	2	6	5	11	2
	Total,	19651	26346	452	423	875	43	31	74	230	216	446	156
	VIII. SOUTHERN. 30. Roxburgh.												
780	Ancrum, . . .	1391	1360	25	6	31	6	1	7	10	12	22	10
781	Ashkirk, . . .	550	500	10	8	18	1	–	1	5	4	9	2
782	Bedrule, . . .	292	269	5	4	9	–	–	–	2	0	2	2
783	Bowden, . . .	842	769	11	8	19	1	1	2	2	9	11	3
784	Castleton, . . .	2202	2256	35	32	67	6	2	8	16	13	29	8
†785	Cavers, ...	922	842	13	10	23	1	2	3	12	6	18	6
876	Crailing, . . .	657	638	10	13	23	1	1	2	2	0	2	2
787*a*	Eckford, . . .	931	912	8	11	19	1	2	3	2	6	8	3
*787*b*	Edgerston, . . .	365	358	11	6	17	–	2	2	2	4	6	1

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1871	1881	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
788	Ednam,	613	613	12	7	19	7	1	8	6	4	10	8
789	HAWICK,	8733	11758	199	198	397	31	25	56	125	126	251	60
790	Hobkirk,	718	662	8	6	14	–	2	2	6	4	10	3
791	Hownam,	238	263	4	5	9	1	–	1	2	1	3	–
†792	JEDBURGH,	4971	4917	81	79	160	9	5	14	50	47	97	32
793	Kelso,	5124	5235	76	58	134	7	4	11	57	58	115	22
*794	Kirkton,	841	810	15	10	25	2	2	4	4	6	10	3
795	Lilliesleaf,	788	718	12	9	21	1	–	1	1	9	10	5
796	Linton,	570	543	2	9	11	1	5	6	6	–	6	3
797	Makerston,	361	381	3	2	5	–	–	–	2	1	3	–
798	Maxton,	481	456	8	6	14	1	–	1	3	4	7	2
†799	Melrose,	4115	4519	60	75	135	5	3	8	42	39	81	18
800	Minto,	431	433	7	4	11	1	2	3	6	2	8	2
801	Morebattle,	986	1003	16	12	28	2	1	3	6	6	12	3
†802	Oxnam,	652	638	8	8	16	2	2	4	5	4	9	4
803	Roxburgh,	1053	1012	9	16	25	3	1	4	6	7	13	6
804	St Boswells,	973	959	16	12	28	2	1	3	15	6	21	4
805	Smailholm,	534	446	5	7	12	2	–	2	2	2	4	–
†806	Southdean,	674	641	11	7	18	–	1	1	7	2	9	2
807	Sprouston,	1294	1026	13	15	28	4	2	6	6	6	12	6
808	Stitchel,	388	342	5	2	7	–	–	–	4	3	7	2
809	Teviothead,	515	486	9	8	17	2	–	2	–	2	2	3
810	WILTON,	3936	5782	100	96	196	6	5	11	49	56	105	23
811	Yetholm,	1100	1045	25	23	48	3	3	6	4	10	14	3
	Total,	48241	52592	832	772	1604	109	76	185	467	459	926	251
	31. Dumfries.												
†812	ANNAN,	4631	4943	73	86	159	9	9	18	61	51	112	32
813*a*	Applegarth,	902	969	15	9	24	5	1	6	10	5	15	3
*813*b*	BRYDEKIRK,	731	702	10	7	17	2	2	4	9	8	17	5
814	Canonbie,	3055	2723	48	30	78	4	4	8	33	27	60	14
815	Carlaverock,	1151	1051	17	10	27	3	4	7	7	5	12	6
816	Closeburn,	1612	1505	28	30	58	2	2	4	8	18	26	7
†817	Cummertrees,	1072	1068	23	12	35	3	2	5	6	8	14	7
818	Dalton,	577	579	9	6	15	2	–	2	6	6	12	2
819	Dornock,	826	814	11	17	28	4	2	6	5	4	9	6
820	Dryfesdale,	2825	2971	54	39	93	6	1	7	26	30	56	10
821	DUMFRIES,	14841	16841	286	269	555	41	45	86	200	218	418	131
822	Dunscore,	1504	1405	23	20	43	3	3	6	10	18	28	4
823	Durrisdeer,	1189	1107	12	11	23	1	1	2	13	6	19	6
824	Eskdalemuir,	551	543	7	6	13	–	–	–	7	–	7	2
825	Ewes,	338	337	3	4	7	–	–	–	2	1	3	2
826	Glencairn,	1749	1737	25	29	54	3	1	4	14	16	30	12
827	Graitney (or Gretna),	1395	1212	23	14	37	5	1	6	12	8	20	7
828	Halfmorton,	611	497	8	4	12	1	1	2	7	5	12	1
†829	Hoddom,	1520	1445	24	20	44	2	6	8	14	11	25	7
830	Holywood,	1069	1078	10	14	24	2	3	5	7	10	17	3
831	Hutton,	842	814	13	8	21	1	–	1	7	4	11	4
832	Johnstone,	1089	1002	18	17	35	2	2	4	9	9	18	6
833	Keir,	828	745	11	13	24	2	–	2	7	6	13	8
834	Kirkconnel,	952	1019	19	13	32	2	–	2	5	7	12	6
835	Kirkmahoe,	1332	1250	19	21	40	1	4	5	13	10	23	7
836	Kirkmichael,	903	849	16	14	30	3	4	7	9	5	14	8
837	Kirkpatrick-Fleming—												
	(1) Northern District,	393	393	5	5	10	–	–	–	4	2	6	3
	(2) Southern District,	1136	1071	15	20	35	5	4	9	4	11	15	7
838	Kirkpatrick-Juxta,	1091	1064	20	12	32	4	1	5	9	8	17	10
839	Langholm,	3735	4612	75	70	145	6	3	9	43	50	93	24

No. of District.	Registration Districts	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1871.	1881.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
840	LOCHMABEN,	3085	2816	48	37	85	10	4	14	27	28	55	24
841	Middlebie,	2000	1927	26	23	49	7	4	11	19	13	32	5
842	Moffat,	2543	2930	37	34	71	1	1	2	19	25	44	9
843	Morton,	2099	2118	25	40	65	5	3	8	27	21	48	6
844	Mouswald,	647	558	5	11	16	4	2	6	2	6	8	4
845	Penpont,	1323	1176	21	13	34	3	1	4	12	17	29	10
846	Ruthwell,	972	868	9	10	19	2	2	4	9	6	15	2
847	St Mungo,	658	653	7	5	12	2	2	4	4	2	6	4
†848	SANQUHAR,	2201	2255	40	36	76	7	2	9	21	17	38	14
849	Tinwald,	993	861	18	19	37	2	3	5	2	9	11	5
850	Torthorwald,	1098	990	17	14	31	4	5	9	14	12	26	5
851	Tundergarth,	510	466	7	7	14	–	1	1	3	7	10	5
852	Tynron,	381	416	7	6	13	–	1	1	2	3	5	5
853*a*	Wamphray,	505	455	3	7	10	–	2	2	4	2	6	5
*853*b*	Wanlockhead,	837	854	19	16	35	1	1	2	9	3	12	2
854	Westerkirk,	540	478	3	8	11	–	1	1	6	5	11	–
	Total,	74842	76167	1212	1116	2328	172	141	313	747	743	1490	455
	32. Kirkcudbright.												
855	Anwoth,	827	728	10	8	18	1	1	2	5	2	7	2
–856	Ba maclellan,	861	787	13	13	26	1	1	2	4	9	13	6
857*a*	Balmaghie,	1085	924	12	15	27	2	2	4	6	7	13	7
*857*b*	Bargrennan,	428	366	5	4	9	–	–	–	8	2	10	2
858	Borgue,	1087	1129	21	14	35	3	–	3	13	9	22	5
859	Buittle	1026	991	21	12	33	2	–	2	11	12	23	6
860	Carsphairn,	545	484	6	6	12	–	2	2	4	2	6	–
861	Colvend,	1318	1281	28	14	42	2	1	3	13	11	24	7
*862	Corsock-Bridge,	563	551	4	13	17	–	1	1	1	1	2	2
863	Crossmichael,	1492	1333	16	18	34	1	6	7	10	13	23	10
*864	Dalbeattie,	3163	4140	80	71	151	8	10	18	42	36	78	24
865	Dalry,	1074	988	10	13	23	–	4	4	9	8	17	6
866	Girthon,	1586	1415	21	25	46	2	5	7	11	12	23	3
867	Irongray,	815	784	10	6	16	3	2	5	4	7	11	7
868	KELLS,	1007	970	6	11	17	–	2	2	6	7	13	4
869	Kelton,	3222	3458	58	56	114	7	14	21	51	43	94	24
870	Kirkbean,	825	794	11	8	19	1	–	1	6	3	9	2
871	KIRKCUDBRIGHT,	3346	3479	61	32	93	13	4	17	43	34	77	15
†872	Kirkgunzeon,	661	656	9	11	20	1	3	4	5	2	7	4
873	Krikmabreck,	1568	1834	36	29	65	3	4	7	22	18	40	11
†874	Kirkpatrick-Durham,	1218	1113	14	17	31	5	4	9	10	8	18	7
875	Lochrutton,	656	614	8	8	16	1	1	2	3	2	5	6
†876	Minnigaff,	1329	1384	29	19	48	1	4	5	7	15	22	12
†877	New Abbey,	931	906	20	13	33	–	1	1	2	4	6	5
†878	Parton,	526	519	9	5	14	2	–	2	5	1	6	7
879	Rerrick,	1911	1807	19	12	31	2	3	5	8	15	23	11
880	TERREGLES,	547	471	5	4	9	–	1	1	4	5	9	2
881	Tongland,	908	829	14	15	29	2	2	4	5	7	12	3
882	TROQUEER,	5402	5524	81	86	167	9	13	22	51	47	98	41
883	Twynholm,	717	681	9	13	22	2	2	4	2	6	8	4
†884	Urr,	1443	1350	19	18	37	2	4	6	11	15	26	3
	Total,	42087	42290	665	589	1254	76	97	173	382	363	745	248
	33. Wigtown.												
885	Glasserton,	1196	1203	26	21	47	4	2	6	14	6	20	8
†886	Inch,	2189	2260	44	36	80	4	3	7	23	15	38	11
887	Kirkcolm,	1948	1847	25	27	52	5	5	10	18	15	33	16

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1871.	1881.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
888	Kirkcowan, . . .	1352	1307	21	20	41	2	1	3	4	15	19	12
889	Kirkinner, . . .	1548	1597	25	28	53	6	4	10	8	17	25	15
890	Kirkmaiden, . . .	2507	2446	56	31	87	4	2	6	20	16	36	8
891	Leswalt, . .	1249	1254	20	20	40	1	2	3	3	5	8	5
892	Mochrum, . . .	2450	2315	51	36	87	13	6	19	34	36	70	6
893	New Luce, . . .	661	706	11	11	22	3	1	4	7	11	18	5
894	Old Luce (or Glenluce), .	2449	2447	36	43	79	9	5	14	15	26	41	12
895	Penninghame, . .	3712	3777	71	48	119	10	4	14	37	42	79	27
896	Portpatrick, . . .	1492	1285	16	10	26	4	–	4	10	10	20	7
897	Sorbie, ...	1667	1696	29	24	53	4	5	9	11	18	29	6
898	Stoneykirk, . . .	2993	2766	50	49	99	12	6	18	31	24	55	12
899	STRANRAER, . .	5977	6415	93	106	199	17	18	35	83	69	152	38
900	WHITHORN, . .	2906	2929	49	44	93	5	9	14	28	27	55	19
901	WIGTOWN, . .	2306	2198	23	34	57	2	7	9	14	21	35	13
	Total,	38602	38448	646	588	1234	105	80	185	360	373	733	220

MARRIAGES registered in SCOTLAND in 1879, according to the Rites of the several Religious Denominations, with the Conditions of Parties, and the Number of Men and Women who signed the Register with Marks.

DISTRICTS, DIVISIONS, AND COUNTIES.	Total Marriages.	Regular Marriages according to the Rites of							Irregular Marriages.	Condition of Parties.					Signed the Register by Marks.	
		Established Church.	Free Church.	United Presbyterian Church.	Episcopalians.	Roman Catholic Church.	Other Denominations.	Not stated.		Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.	Not stated.	Men.	Women.
SCOTLAND	23519	10744	5314	2878	653	2171	1415	18	326	19915	782	2083	725	14	1794	3600
GROUPS OF DISTRICTS.																
PRINCIPAL TOWNS	9490	3554	1998	1166	413	1190	852	15	302	7876	379	844	388	3	773	1688
LARGE TOWNS	2781	1194	596	383	83	328	185	–	12	2308	133	244	96	–	262	484
SMALL TOWNS	5096	2438	1036	780	102	469	260	1	10	4326	152	473	142	3	429	801
MAINLAND-RURAL	5569	3305	1458	494	54	152	102	2	2	4906	109	457	91	6	221	427
INSULAR-RURAL	583	253	226	55	1	32	16	–	–	499	9	65	8	2	109	200
DIVISIONS.																
I. NORTHERN	583	228	256	67	3	1	27	–	1	501	15	61	5	1	25	70
II. NORTH-WESTERN	789	192	521	13	7	49	6	–	1	679	12	83	13	2	161	307
III. NORTH-EASTERN	2569	1483	629	131	91	50	166	–	19	2255	65	207	39	3	49	141
IV. EAST MIDLAND	3550	1805	707	462	137	171	208	3	57	3067	85	321	76	1	133	348
V. WEST MIDLAND	1456	740	325	180	28	136	43	–	4	1237	48	130	40	1	132	215
VI. SOUTH-WESTERN	9549	3947	1789	1262	199	1444	743	13	148	7860	408	844	429	4	1111	2171
VII. SOUTH-EASTERN	3853	1686	865	595	170	258	184	2	93	3291	129	330	101	2	132	267
VIII. SOUTHERN	1174	663	222	168	18	62	38	–	3	1025	20	107	22	–	51	81
COUNTIES.																
1 Shetland	116	83	19	8	2	–	4	–	–	93	2	20	1	–	6	22
2 Orkney	192	87	35	57	1	–	11	–	1	163	8	19	1	1	1	6
3 Caithness	179	40	124	2	–	1	12	–	–	161	3	13	2	–	9	19
4 Sutherland	96	18	78	–	–	–	–	–	–	84	2	9	1	–	9	23
5 Ross and Cromarty	336	41	279	7	2	1	6	–	–	300	2	30	4	–	73	148
6 Inverness	453	151	242	6	5	48	–	–	1	379	10	53	9	2	88	159
7 Nairn	41	12	19	5	2	1	2	–	–	33	1	7	–	–	3	12
8 Elgin	267	121	106	28	2	3	7	–	–	238	3	24	2	–	7	14
9 Banff	342	200	72	28	4	19	19	–	–	315	5	17	5	–	7	20
10 Aberdeen	1663	964	388	68	63	25	136	–	19	1446	54	131	29	3	30	84
11 Kincardine	256	186	44	2	20	2	2	–	–	223	2	28	3	–	2	11
12 Forfar	1670	742	320	168	120	128	138	–	54	1435	42	147	46	–	96	250
13 Perth	708	385	184	80	9	27	19	3	1	608	20	69	10	1	11	36
14 Fife	1015	592	177	189	7	11	37	–	2	894	22	87	12	–	22	53
15 Kinross	34	19	7	8	–	–	–	–	–	26	–	6	2	–	–	–
16 Clackmannan	123	67	19	17	1	5	14	–	–	104	1	12	6	–	4	9
17 Stirling	666	355	129	109	5	43	21	–	4	559	28	56	23	–	42	87
18 Dumbarton	371	173	64	39	7	71	17	–	–	313	12	40	6	–	52	65
19 Argyll	328	180	95	21	10	17	5	–	–	286	6	28	7	1	33	55
20 Bute	91	32	37	11	6	5	–	–	–	79	2	6	4	–	5	8
21 Renfrew	1515	558	326	178	50	279	108	–	16	1228	57	153	76	1	198	352
22 Ayr	1212	686	232	148	13	76	57	–	–	1002	40	119	50	1	99	192
23 Lanark	6818	2703	1231	936	136	1089	578	13	132	5630	311	572	303	2	814	1627
24 Linlithgow	243	136	49	25	4	19	9	–	1	211	4	17	9	2	15	32
25 Edinburgh	3018	1248	725	440	159	200	153	2	91	2551	110	271	86	–	98	193
26 Haddington	202	104	33	33	3	23	6	–	–	180	10	9	3	–	12	28
27 Berwick	166	77	31	52	–	–	5	–	1	147	1	16	2	–	1	7
28 Peebles	68	46	10	9	–	–	3	–	–	58	2	8	–	–	–	–
29 Selkirk	156	75	17	36	4	16	8	–	–	144	2	9	1	–	6	7
30 Roxburgh	251	122	44	58	6	13	7	–	1	226	3	19	3	–	10	16
31 Dumfries	455	245	85	67	10	22	24	–	2	399	12	38	6	–	12	23
32 Kirkcudbright	248	160	52	18	1	14	3	–	–	210	3	27	8	–	7	14
33 Wigtown	220	136	41	25	1	13	4	–	–	190	2	23	5	–	22	28

CONDITION and AGE of PERSONS married in SCOTLAND in 1879.

CONDITION AND AGE OF PERSONS MARRIED IN SCOTLAND IN 1879.

CONDITION.	Total Marriages.	AGES AT MARRIAGE.																					
		Under 15	16	17	18	19	20	21	25	30	35	40	45	50	55	60	65	70	75	80	85	90	Age not stated.
Bachelors with Spinsters.	19915	–	1	2	17	153	571	1040	7946	6511	2112	924	359	158	66	25	20	2	2	–	1	–	5
	19915	1	11	56	325	959	1747	1974	8265	4620	1270	480	139	45	9	7	2	1	–	–	–	–	4
Bachelors with Widows.	782	–	–	–	–	–	3	8	101	242	156	137	69	37	16	8	4	–	1	–	–	–	–
	782	–	–	–	–	1	–	3	47	214	206	182	71	36	13	6	3	–	–	–	–	–	–
Widowers with Spinsters.	2083	–	–	–	–	–	–	2	56	294	387	398	300	260	158	105	69	37	13	2	–	–	2
	2083	–	–	3	6	28	30	44	364	525	382	325	204	108	40	16	6	–	1	–	–	–	1
Widowers with Widows.	725	–	–	–	–	–	–	–	4	34	76	119	127	127	88	81	43	16	8	2	–	–	–
	725	–	–	–	–	–	–	–	8	69	109	171	154	106	61	32	11	3	–	–	–	–	1
Condition not stated. Men.	14	–	–	–	–	–	–	–	1	4	1	3	1	–	2	–	–	–	–	–	–	–	2
Condition not stated. Women.	14	–	–	–	–	–	–	–	5	4	1	1	–	–	1	–	–	–	–	–	–	–	2
Total Men.....	23519	–	1	2	17	153	574	1050	8108	7085	2732	1581	856	582	330	219	136	55	24	4	1	–	9
Total Women...	23519	1	11	59	331	988	1777	2021	8689	5432	1968	1159	568	295	124	61	22	4	1	–	–	–	8

AGES of MALES married in Scotland in 1879.

	Total Males.	AGES OF MALES MARRIED IN SCOTLAND IN 1878.																					
		Under 15	16	17	18	19	20	21	25	30	35	40	45	50	55	60	65	70	75	80	85	90	Age not stated.
Scotland.	23519	–	1	2	17	153	574	1050	8108	7085	2732	1581	856	582	330	219	136	55	24	4	1	–	9
GROUPS OF DISTRICTS.																							
Principal Towns	9490	–	–	1	8	75	249	439	3276	2846	1054	627	340	271	125	94	49	17	13	2	–	–	4
Large Towns	2781	–	–	–	2	20	68	128	1020	779	316	187	107	65	33	31	16	5	2	1	–	–	1
Small Towns	5096	–	1	1	5	29	119	246	1904	1499	511	326	173	115	80	36	29	15	5	1	–	–	1
Mainland-Rural	5569	–	–	–	2	26	132	231	1799	1764	731	367	214	116	85	46	38	13	2	–	1	–	2
Insular-Rural	583	–	–	–	–	3	6	6	109	197	120	74	22	15	7	12	4	5	2	–	–	–	1
DIVISIONS.																							
1. Northern	583	–	–	–	–	2	10	16	168	183	82	57	31	13	6	7	4	3	1	–	–	–	–
2. North-Western	789	–	–	–	–	4	4	3	128	273	176	95	45	26	15	11	5	2	2	–	–	–	–
3. North-Eastern	2569	–	1	–	–	7	53	94	836	847	317	169	99	55	40	17	19	9	3	–	–	–	3
4. East Midland	3550	–	–	–	3	36	83	164	1306	1078	357	203	125	84	45	29	23	7	4	–	–	–	3
5. West Midland	1456	–	–	–	–	5	33	50	485	426	206	110	54	34	23	14	7	6	1	1	–	–	1
6. South-Western	9545	–	–	1	11	74	292	507	3507	2635	1025	611	342	256	122	88	51	14	7	2	–	–	–
7. South-Eastern	3853	–	–	1	2	17	74	158	1285	1301	417	255	120	83	60	43	19	9	5	1	1	–	2
8. Southern	1174	–	–	–	1	8	25	58	393	342	152	81	40	31	19	10	8	5	1	–	–	–	–
COUNTIES.																							
Shetland	116	–	–	–	–	–	1	3	37	34	16	15	2	1	2	3	1	1	–	–	–	–	–
Orkney	192	–	–	–	–	2	3	3	47	70	24	22	8	7	2	1	1	1	1	–	–	–	–
Caithness	179	–	–	–	–	–	3	8	58	55	24	14	9	3	2	1	1	1	–	–	–	–	–
Sutherland	96	–	–	–	–	–	3	2	26	24	18	6	12	2	–	2	1	–	–	–	–	–	–
Ross and Cromarty	336	–	–	–	–	–	3	–	59	126	69	32	20	14	8	3	1	–	1	–	–	–	–
Inverness	453	–	–	–	–	4	1	3	69	147	107	63	25	12	7	8	4	2	1	–	–	–	–

AGES of MALES married in Scotland in 1879.

Nairn . .	41	–	–	–	–	–	–	–	6	17	7	5	3	2	–	1	–	–	–	–	–	–	–
Elgin . . .	267	–	–	–	–	–	6	6	74	105	29	22	8	7	7	2	1	–	–	–	–	–	–
Banff . . .	342	–	–	–	–	1	6	16	121	116	38	19	8	6	5	1	2	2	1	–	–	–	–
Aberdeen . . .	1663	–	1	–	–	6	35	64	557	516	214	106	70	35	25	10	13	6	2	–	–	–	3
Kincardine . .	256	–	–	–	–	–	6	8	78	93	29	17	10	5	3	3	1	–	–	–	–	–	–
Forfar . . .	1670	–	–	–	3	24	47	73	635	497	148	87	60	44	22	13	10	2	4	–	–	–	1
Perth . . .	708	–	–	–	–	3	11	22	210	241	92	55	35	17	11	3	6	1	–	–	–	–	1
Fife	1015	–	–	–	–	8	23	61	405	293	100	52	25	17	11	12	5	2	–	–	–	–	1
Kinross . . .	34	–	–	–	–	–	2	2	5	12	5	6	–	–	–	–	1	1	–	–	–	–	–
Clackmannan . .	123	–	–	–	–	1	–	6	51	35	12	3	5	6	1	1	1	1	–	–	–	–	–
Stirling . . .	666	–	–	–	–	2	15	28	261	191	77	36	21	13	8	6	3	4	1	–	–	–	–
Dumbarton . .	371	–	–	–	–	–	8	13	142	116	39	18	11	11	6	4	2	–	–	1	–	–	–
Argyll . . .	328	–	–	–	–	2	6	7	61	103	68	45	17	7	7	3	1	1	–	–	–	–	–
Bute	91	–	–	–	–	1	4	2	21	16	22	11	5	3	2	1	1	1	–	–	–	–	1
Renfrew . . .	1515	–	–	–	2	15	43	81	534	417	185	90	49	44	22	18	10	2	3	–	–	–	–
Ayr	1212	–	–	–	1	7	37	71	462	320	122	76	50	26	22	9	6	2	1	–	–	–	–
Lanark . . .	6818	–	–	1	8	52	212	355	2511	1898	718	445	243	186	78	61	35	10	3	2	–	–	–
Linlithgow . .	243	–	–	–	–	3	6	9	92	79	23	19	1	3	3	3	1	–	1	–	–	–	–
Edinburgh . .	3018	–	–	1	2	13	55	116	964	1030	350	203	97	71	51	36	14	7	4	1	1	–	2
Haddington . .	202	–	–	–	–	1	4	7	85	58	13	19	7	4	3	–	–	1	–	–	–	–	–
Berwick . . .	166	–	–	–	–	–	2	10	58	57	15	6	10	1	1	3	2	1	–	–	–	–	–
Peebles . . .	68	–	–	–	–	–	–	7	21	28	4	3	2	3	–	–	–	–	–	–	–	–	–
Selkirk . . .	156	–	–	–	–	–	7	9	65	49	12	5	3	1	2	1	2	–	–	–	–	–	–
Roxburgh . . .	251	–	–	–	–	–	6	10	92	77	32	17	6	6	4	–	1	–	–	–	–	–	–
Dumfries . . .	455	–	–	–	–	3	8	21	150	136	64	32	14	10	10	5	2	–	–	–	–	–	–
Kirkcudbright . .	248	–	–	–	1	1	3	10	84	73	31	16	12	7	1	3	3	3	–	–	–	–	–
Wigtown . . .	220	–	–	–	–	4	8	17	67	56	25	16	8	8	4	2	2	2	1	–	–	–	–

AGES of FEMALES married in Scotland in 1879.

	Total Females	AGES OF FEMALES MARRIED IN SCOTLAND IN 1879.																					
		Under 15	16	17	18	19	20	21	25	30	35	40	45	50	55	60	65	70	75	80	85	90	Age not stated.
Scotland . . .	23519	1	11	59	331	988	1777	2021	8689	5432	1968	1159	568	295	124	61	22	4	1	–	–	–	8
GROUPS of DISTRICTS.																							
Principal Towns .	9490	–	3	22	144	442	739	858	3490	2051	783	488	256	127	47	27	10	1	–	–	–	–	2
Large Towns . .	2781	–	2	5	39	127	212	235	1000	650	240	144	54	40	20	8	2	1	–	–	–	–	2
Small Towns . .	5096	1	3	15	77	202	410	462	1955	1116	379	235	117	69	31	17	4	2	–	–	–	–	1
Mainland-Rural .	5569	–	3	17	67	207	393	437	2044	1427	495	259	127	55	22	8	5	–	1	–	–	–	2
Insular-Rural .	583	–	–	–	4	10	23	29	200	188	71	33	14	4	4	1	1	–	–	–	–	–	1
DIVISIONS.																							
1. Northern . .	583	–	1	–	2	20	30	37	194	188	58	26	14	6	3	3	1	–	–	–	–	–	–
2. North-Western .	789	–	–	1	7	19	25	48	275	233	97	59	17	5	2	1	–	–	–	–	–	–	–
3. North-Eastern .	2569	–	2	9	35	95	189	199	957	614	239	125	51	32	10	7	3	–	–	–	–	–	2
4. East Midland .	3550	–	–	9	32	93	209	260	1402	889	307	185	89	43	19	7	3	–	–	–	–	–	3
5. West Midland .	1456	–	–	3	17	62	108	111	525	356	128	87	28	13	10	5	2	–	–	–	–	–	1
6. South-Western .	9545	1	8	32	191	510	877	946	3457	1916	701	436	243	137	56	20	10	3	1	–	–	–	–
7. South-Eastern .	3853	–	–	3	41	154	260	330	1450	923	331	181	97	48	18	13	2	1	–	–	–	–	1
8. Southern . .	1174	–	–	2	6	35	79	90	429	313	107	60	29	11	6	5	1	–	–	–	–	–	1
COUNTIES.																							
Shetland . . .	116	–	–	–	–	2	3	2	45	39	10	9	4	–	1	1	–	–	–	–	–	–	–
Orkney . . .	192	–	–	–	1	2	12	9	63	65	20	9	4	3	2	1	1	–	–	–	–	–	–
Caithness . . .	179	–	–	–	–	13	10	22	61	51	12	3	5	2	–	–	–	–	–	–	–	–	–
Sutherland . .	96	–	1	–	1	3	5	4	25	33	16	5	1	1	–	1	–	–	–	–	–	–	–
Ross and Cromarty .	336	–	–	1	1	11	12	23	122	94	40	24	4	3	1	–	–	–	–	–	–	–	–
Inverness . . .	453	–	–	–	6	8	13	25	153	139	57	35	13	2	1	1	–	–	–	–	–	–	–

AGES of FEMALES married in Scotland in 1879.

Nairn . . .	41	–	1	–	–	1	2	1	12	17	3	2	–	2	–	–	–	–	–	–	–	–	–
Elgin . . .	267	–	1	2	5	8	10	23	83	85	30	14	4	1	1	–	–	–	–	–	–	–	–
Banff . . .	342	–	–	–	7	13	34	25	136	78	24	8	10	5	1	–	1	–	–	–	–	–	–
Aberdeen . .	1663	–	–	7	22	64	121	134	620	379	164	85	32	20	7	4	2	–	–	–	–	–	2
Kincardine . .	256	–	–	–	1	9	22	16	106	55	18	16	5	4	1	3	–	–	–	–	–	–	–
Forfar . . .	1670	–	–	6	21	52	112	147	636	387	139	98	34	25	9	3	1	–	–	–	–	–	–
Perth . . .	708	–	–	2	4	19	30	35	250	217	69	40	29	7	3	1	1	–	–	–	–	–	1
Fife . . .	1015	–	–	–	6	22	57	69	447	249	85	41	21	10	5	1	–	–	–	–	–	–	2
Kinross . . .	34	–	–	–	–	–	1	3	7	10	7	3	1	–	–	1	1	–	–	–	–	–	–
Clackmannan . .	123	–	–	1	1	–	9	6	62	26	7	3	4	1	2	1	–	–	–	–	–	–	–
Stirling . . .	666	–	–	1	9	39	56	59	252	135	50	38	11	6	5	3	2	–	–	–	–	–	–
Dumbarton . .	371	–	–	–	2	13	27	34	149	81	25	22	10	5	2	1	–	–	–	–	–	–	–
Argyll . . .	328	–	–	2	6	7	18	11	101	110	43	20	6	2	2	–	–	–	–	–	–	–	–
Bute . . .	91	–	–	–	–	3	7	7	23	30	10	7	1	–	1	1	–	–	–	–	–	–	1
Renfrew . . .	1515	–	1	2	21	65	133	151	577	290	119	69	47	21	13	5	1	–	–	–	–	–	–
Ayr . . .	1212	1	1	4	21	55	106	120	442	269	81	47	35	13	10	4	2	–	1	–	–	–	–
Lanark . . .	6818	–	6	26	149	390	638	675	2438	1357	501	320	161	103	33	11	7	3	–	–	–	–	–
Linlithgow . .	243	–	–	–	4	13	22	26	94	49	17	9	1	5	1	1	–	1	–	–	–	–	–
Edinburgh . .	3018	–	–	3	33	121	205	251	1094	735	277	148	82	40	15	11	2	–	–	–	–	–	1
Haddington . .	202	–	–	–	3	7	11	14	87	48	14	9	6	1	1	1	–	–	–	–	–	–	–
Berwick . . .	166	–	–	–	1	2	12	17	70	36	11	10	4	2	1	–	–	–	–	–	–	–	–
Peebles . . .	68	–	–	–	–	3	3	8	25	22	6	–	1	–	–	–	–	–	–	–	–	–	–
Selkirk . . .	156	–	–	–	–	8	7	14	80	33	6	5	3	–	–	–	–	–	–	–	–	–	–
Roxburgh . .	251	–	–	1	2	9	15	6	106	73	19	11	5	3	–	1	–	–	–	–	–	–	–
Dumfries . .	455	–	–	–	2	12	31	45	153	121	49	22	11	3	4	1	–	–	–	–	–	–	1
Kirkcudbright .	248	–	–	–	1	7	22	20	91	64	19	13	6	4	–	–	1	–	–	–	–	–	–
Wigtown . .	220	–	–	1	1	7	11	19	79	55	20	14	7	1	2	3	–	–	–	–	–	–	–

DEATHS at Different Ages in SCOTLAND during the YEAR 1879.—BOTH SEXES.

	POPULATION.		BOTH SEXES.													
			ALL AGES.	AGE UNDER												
				MONTHS.			2	3	4	5	10	15	20	25	30
	1871.	1881.		3	6	12									
SCOTLAND .	3360018	3735573	73347	6755	2358	4458	5660	2674	1787	1178	3191	1909	2405	2662	2445
Principal Towns	1078609	1203139	27144	2613	1011	1939	2678	1187	774	527	1235	704	874	990	972
Large Towns	327119	449382	9433	845	293	665	821	402	240	163	441	269	302	348	320
Small Towns .	770022	873087	16562	1559	557	1000	1214	611	430	250	770	445	619	588	544
Mainland-Rural	1052264	1079577	18039	1560	470	793	875	443	319	214	687	443	537	642	540
Insular-Rural .	132004	130388	2169	178	27	61	72	31	24	24	58	48	73	94	69
Shetland . .	31608	29705	452	28	3	10	7	2	3	1	16	7	14	21	13
Orkney . .	31274	32044	569	29	5	14	14	13	3	6	23	18	32	22	19
Caithness .	41011	39859	642	42	17	27	23	15	13	5	23	16	15	22	21
Sutherland .	23298	22376	389	21	8	8	10	3	3	3	10	6	9	7	10
Ross & Cromarty	82093	79467	1315	120	16	53	38	19	17	6	26	18	38	49	39
Inverness .	84258	86389	1513	125	30	44	57	25	16	11	29	22	29	56	61
Nairn . .	8372	8847	130	13	2	9	7	2	2	–	2	2	2	3	–
Elgin .	44549	45108	726	61	22	32	24	7	14	8	33	10	23	28	26
Banff .	58883	59783	1051	97	43	42	46	40	29	18	55	26	22	34	33
Aberdeen .	246298	269047	4569	446	181	271	292	116	86	59	184	113	138	148	123
Kincardine .	35097	35465	569	55	15	17	11	11	6	11	34	13	21	25	13
Forfar . .	240049	268653	5509	582	201	343	416	190	118	82	206	127	173	171	190
Perth . .	128550	130282	2422	181	51	100	121	45	26	26	75	49	56	91	69
Fife . . .	160924	172131	2987	264	100	157	207	100	76	37	129	78	91	103	89
Kinross . .	7918	7330	139	11	5	5	5	5	4	2	4	5	5	2	6
Clackmannan .	22235	24025	495	62	14	35	29	19	14	5	19	24	36	21	17
Stirling . .	93345	106883	2178	198	77	157	184	100	68	42	99	62	69	65	69
Dumbarton .	61116	78182	1352	128	44	77	101	64	27	21	59	35	57	60	69
Argyll . .	79661	80761	1521	76	23	54	57	19	18	15	38	39	44	64	62
Bute . .	16966	17634	386	28	6	12	21	7	9	7	8	8	19	19	15
Renfrew . .	195305	225611	5035	370	179	376	471	252	165	106	257	145	194	189	173
Ayr . .	200908	217630	4235	376	107	276	374	180	107	64	236	142	165	169	134
Lanark . .	787005	942206	21047	1989	718	1574	2225	1052	687	467	1143	650	720	794	727
Linlithgow .	41379	44005	790	92	28	67	81	34	12	13	34	30	26	25	17
Edinburgh .	328138	388836	7593	801	299	468	572	241	158	113	268	135	196	259	277
Haddington .	37755	38510	593	56	21	27	30	14	13	9	17	17	21	8	14
Berwick . .	36382	35273	580	40	13	21	28	19	20	4	20	15	12	15	20
Peebles . .	12218	13688	220	26	5	8	15	3	1	2	11	2	9	8	5
Selkirk . .	19651	26346	446	53	17	21	36	9	15	4	19	12	22	29	15
Roxburgh .	48241	52592	926	114	34	43	33	18	9	8	24	17	32	39	32
Dumfries .	74842	76167	1490	149	40	49	48	26	20	12	44	30	59	68	56
Kirkcudbright	42087	42290	745	57	18	29	30	6	10	5	22	17	35	25	18
Wigtown .	38602	38448	733	65	16	32	47	18	18	6	24	19	21	23	13

DEATHS at Different Ages in the PRINCIPAL TOWNS of SCOTLAND, 1879.—BOTH SEXES.

Glasgow . .	491846	511415	12498	1122	425	957	1377	626	414	286	638	363	437	479	466
Edinburgh .	196991	228373	4432	455	162	264	356	154	93	59	166	75	120	165	182
Dundee . .	120724	142455	3178	391	141	218	279	126	87	49	131	78	87	118	126
Aberdeen .	88181	105076	2127	206	85	137	162	64	38	28	80	54	62	73	65
Greenock .	59794	69238	1597	124	64	120	180	84	56	39	66	53	49	63	48
Paisley . .	48257	55638	1497	106	51	107	145	69	48	32	86	45	67	39	45
Leith . .	46434	61188	1158	159	61	91	117	44	26	24	48	26	29	35	30
Perth . .	26382	29756	657	50	22	45	62	20	12	10	20	10	23	18	10

DEATHS at Different Ages in SCOTLAND during the YEAR 1879.—BOTH SEXES.

	BOTH SEXES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
SCOTLAND, . .	2141	2375	2337	2421	2830	2984	3739	3915	3960	4090	2891	1468	530	143	27	14
Principal Towns .	898	1034	995	1026	1228	1139	1330	1213	1086	889	499	230	62	10	1	–
Large Towns . .	275	304	318	341	340	414	521	476	460	464	265	94	34	12	0	6
Small Towns . .	439	485	495	508	597	648	871	876	922	960	673	339	122	34	5	1
Mainland-Rural .	464	480	472	494	598	701	931	1221	1320	1564	1238	668	279	68	11	7
Insular-Rural . .	65	72	57	52	67	82	86	129	172	213	216	137	33	19	10	–
Shetland . . .	21	18	9	12	13	22	13	24	44	48	53	35	13	1	1	–
Orkney . . .	14	15	8	13	20	23	21	36	47	63	62	43	4	1	1	–
Caithness . .	15	18	11	14	17	14	29	32	61	66	64	37	22	2	1	–
Sutherland . .	11	7	6	15	7	22	27	22	31	48	45	31	13	6	–	–
Ross and Cromarty .	36	29	25	36	38	43	70	88	106	152	126	76	27	15	8	1
Inverness . . .	44	57	58	55	48	60	76	108	133	140	120	66	23	9	6	5
Nairn . . .	4	1	6	2	6	7	12	6	11	10	16	5	–	–	–	–
Elgin . . .	13	19	19	16	26	32	38	54	54	70	52	24	18	3	–	–
Banff . . .	27	23	20	27	36	34	58	56	55	72	92	48	12	6	–	–
Aberdeen . . .	115	135	133	132	144	153	240	249	336	329	227	139	63	14	–	3
Kincardine . .	17	26	13	11	18	25	22	36	36	49	48	23	11	2	–	–
Forfar . . .	139	165	196	189	249	232	310	308	294	311	193	85	31	7	1	–
Perth . . .	75	63	72	69	91	112	136	192	206	220	166	89	28	11	2	–
Fife	54	68	71	83	91	128	173	184	213	228	155	78	26	4	–	–
Kinross . . .	1	5	5	3	8	7	7	8	6	11	13	6	–	–	–	–
Clackmannan . .	15	18	13	11	9	25	20	28	28	19	7	3	4	–	–	–
Stirling . . .	67	55	62	60	83	89	114	122	96	121	70	34	14	1	–	–
Dumbarton . .	38	44	43	43	56	44	63	62	67	78	38	24	7	2	1	–
Argyll . . .	53	55	39	41	52	51	84	119	119	149	134	77	31	7	1	–
Bute	9	16	15	14	13	16	21	31	2 0	28	27	14	3	–	–	–
Renfrew . . .	165	194	187	174	204	193	243	249	199	178	107	51	12	1	–	1
Ayr	106	109	119	139	168	150	216	203	209	209	161	79	28	9	–	–
Lanark . . .	677	759	742	761	891	860	972	809	702	592	343	132	46	12	3	–
Linlithgow . .	18	17	19	16	22	27	35	48	43	41	31	8	2	4	–	–
Edinburgh . .	249	275	284	315	332	361	423	431	397	374	228	101	28	7	–	1
Haddington . .	7	28	23	17	16	36	31	39	51	51	29	12	5	1	–	–
Berwick . . .	20	24	11	10	25	15	31	56	52	56	27	16	8	1	–	1
Peebles . .	11	7	8	5	5	11	12	10	12	23	11	5	3	2	–	–
Selkirk . . .	17	12	10	9	16	14	18	25	23	26	14	5	4	–	1	–
Roxburgh . . .	30	26	25	36	28	51	56	63	76	68	32	23	8	1	–	–
Dumfries . . .	30	37	42	53	49	64	90	107	121	129	107	41	13	3	1	2
Kirkcudbright . .	26	28	23	23	31	30	36	53	60	71	43	32	14	3	–	–
Wigtown . . .	17	22	20	17	18	33	42	57	52	60	50	26	9	8	–	–

DEATHS at Different Ages in the PRINCIPAL TOWNS of SCOTLAND, 1879.—BOTH SEXES.

Glasgow . . .	439	524	461	485	573	519	563	470	371	288	146	52	14	2	1	
Edinburgh . .	154	163	156	203	207	199	234	252	219	187	128	61	14	4	–	–
Dundee . . .	88	97	115	106	161	136	180	143	131	99	56	25	10	–	–	–
Aberdeen . . .	60	87	73	71	75	80	120	101	155	128	69	38	12	4	–	–
Greenock . . .	61	55	69	51	70	63	76	72	63	33	18	16	4	–	–	–
Paisley . . .	42	55	58	54	69	54	66	89	61	66	31	10	2	–	–	–
Leith . . .	31	35	44	32	47	42	62	50	41	41	28	12	3	–	–	–
Perth . . .	23	18	19	24	26	46	29	36	45	47	23	16	3	–	–	–

DEATHS at Different Ages in SCOTLAND during the YEAR 1879.—MALES

	MALE POPULATION.		MALES.												
			ALL AGES.	AGE UNDER											
				MONTHS.			2	3	4	5	10	15	20	25	30
	1871.	1881.		3	6	12									
SCOTLAND .	1603143	1799475	36296	3868	1293	2407	2956	1349	927	557	1635	955	1165	1331	1140
Principal Towns	507761	569008	13397	1441	540	1030	1397	621	404	245	629	347	412	471	441
Large Towns .	156031	217792	4682	520	169	363	422	190	144	77	243	135	138	165	131
Small Towns .	368041	420742	8217	903	312	555	634	310	213	119	401	226	311	289	248
Mainland-Rural	510269	530754	8999	909	255	433	463	210	159	104	335	226	267	348	282
Insular-Rural .	61041	61179	1001	95	17	26	40	18	7	12	27	21	37	58	38
Shetland . .	13103	12656	217	17	3	4	5	–	–	1	8	2	9	12	7
Orkney . .	14355	14982	246	16	3	8	9	8	2	4	13	7	20	13	7
Caithness .	19403	18861	325	23	11	12	17	5	7	4	12	7	8	18	13
Sutherland .	10942	10749	166	8	4	5	5	3	1	1	3	3	3	4	4
Ross & Cromarty	38558	37444	628	72	8	27	21	12	6	1	15	10	19	38	24
Inverness .	39360	41911	703	64	21	20	32	13	9	6	13	12	16	34	37
Nairn . .	3925	4201	61	7	1	2	7	1	2	–	1	–	–	2	–
Elgin . .	20738	21337	360	32	13	24	15	3	7	2	19	5	11	13	15
Banff . .	27826	28372	496	59	28	21	17	21	14	10	30	11	11	20	19
Aberdeen. .	116768	128682	2263	261	82	154	158	61	43	29	96	57	71	73	58
Kincardine .	17002	17399	287	35	9	13	8	7	2	8	22	5	11	12	10
Forfar . .	107416	121127	2584	317	106	187	218	112	54	38	106	61	90	71	73
Perth . .	60812	61963	1176	107	30	57	70	24	10	13	38	27	26	42	35
Fife . . .	75206	80968	1432	141	63	90	103	47	39	18	60	42	49	55	40
Kinross . .	3748	3449	65	5	2	3	4	3	1	1	1	2	2	–	4
Clackmannan .	10819	11397	244	39	10	18	16	9	6	1	9	17	16	9	4
Stirling . .	46193	53688	1114	114	42	89	91	44	36	18	45	30	34	26	38
Dumbarton .	29957	38751	649	67	22	42	46	29	9	9	26	22	26	32	31
Argyll . .	38796	39974	766	41	11	24	32	8	9	7	14	21	23	42	36
Bute . .	7616	8090	190	19	4	7	10	6	3	6	2	3	11	11	7
Renfrew . .	93167	108763	2520	206	101	196	243	137	88	50	135	56	88	88	77
Ayr . .	98244	106868	2139	221	67	162	192	85	59	20	124	80	88	77	55
Lanark . .	388392	467293	10680	1160	395	850	1124	518	378	226	604	328	339	389	326
Linlithgow .	21049	22979	401	48	12	40	48	13	5	11	18	18	14	9	10
Edinburgh .	153784	183769	3727	448	153	233	315	121	85	52	133	68	91	139	129
Haddington .	18069	18812	290	32	14	14	19	7	7	7	9	9	14	5	6
Berwick . .	17361	16880	278	24	7	10	15	10	7	2	9	6	4	8	10
Peebles . .	5902	6562	103	15	3	4	8	2	1	–	9	1	3	3	–
Selkirk . .	9476	12524	230	30	9	13	22	5	9	2	9	5	7	13	10
Roxburgh .	22949	25034	467	68	15	26	19	9	5	2	11	4	14	13	15
Dumfries . .	34831	36040	747	90	23	27	26	14	11	2	22	16	20	31	25
Kirkcudbright.	19607	19886	382	38	12	14	15	5	4	2	10	9	16	18	10
Wigtown .	17769	18064	360	44	9	11	26	7	8	4	9	11	11	11	5

DEATHS at Different Ages in the PRINCIPAL TOWNS of SCOTLAND, 1879.—MALES.

Glasgow . .	238574	248366	6245	624	237	502	690	312	221	133	330	182	202	223	214
Edinburgh .	89251	104254	2145	254	85	133	202	74	47	28	84	32	53	90	84
Dundee . .	52605	62347	1495	209	75	121	152	77	40	24	67	42	48	44	47
Aberdeen .	39786	48231	1038	121	40	76	86	40	17	11	45	30	32	36	32
Greenock .	30298	35589	848	67	39	65	101	38	31	18	37	24	25	36	25
Paisley . .	22269	25838	733	58	21	56	73	44	30	14	37	17	29	16	19
Leith . .	22976	30529	586	87	31	49	60	26	12	12	21	15	13	18	16
Perth . .	12002	13854	307	21	12	28	33	10	6	5	8	5	10	8	4

DEATHS at Different Ages in SCOTLAND during the YEAR 1879.—MALES.

	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
SCOTLAND . . .	1003	1103	1180	1232	1379	1495	1830	1888	1784	1816	1163	582	191	53	5	9
Principal Towns .	440	488	503	517	583	570	633	569	469	364	187	80	14	2	–	–
Large Towns . .	113	133	158	190	161	201	257	221	214	194	93	30	8	7	–	5
Small Towns . .	213	226	239	248	312	342	438	415	393	425	266	126	40	13	–	–
Mainland-Rural. .	211	224	254	253	296	353	461	626	634	733	525	290	116	25	3	4
Insular-Rural . .	26	32	26	24	27	29	41	57	74	100	92	56	13	6	2	–
Shetland . . .	11	9	4	4	8	6	8	11	22	28	20	14	3	–	1	–
Orkney . . .	3	7	2	5	8	6	7	16	18	22	26	14	1	1	–	–
Caithness . . .	8	8	4	5	8	8	14	18	36	24	28	17	10	–	–	–
Sutherland . .	5	5	4	4	4	8	16	14	13	15	15	13	5	1	–	–
Ross and Cromarty .	19	14	13	16	12	24	36	35	38	65	52	31	11	6	3	–
Inverness . . .	17	19	25	24	19	25	33	50	57	66	48	30	8	1	–	4
Nairn . . .	2	1	3	–	4	5	4	4	6	3	4	2	–	–	–	–
Elgin . . .	5	8	13	6	12	17	20	29	26	30	22	7	6	–	–	–
Banff. . . .	10	13	7	8	16	12	27	29	24	31	37	14	7	–	–	–
Aberdeen . . .	50	47	70	65	69	79	128	126	161	142	105	56	16	4	–	2
Kincardine . .	9	14	6	4	10	9	9	17	16	19	18	8	5	1	–	–
Forfar . . .	61	60	87	87	94	100	132	141	128	141	81	31	7	1	–	–
Perth . . .	31	32	30	35	49	52	52	106	94	101	57	42	11	5	–	–
Fife	19	34	27	42	40	51	91	79	99	102	59	32	9	1	–	–
Kinross . . .	–	2	3	2	2	1	4	2	2	7	8	4	–	–	–	–
Clackmannan . .	5	6	5	9	3	15	9	13	14	7	2	2	–	–	–	–
Stirling . . .	35	26	36	37	47	50	61	61	48	62	21	16	6	1	–	–
Dumbarton . .	25	19	20	25	25	28	29	27	27	30	19	11	1	2	–	–
Argyll . . .	24	31	21	25	29	28	48	54	49	75	57	36	16	5	–	–
Bute	1	6	11	10	8	6	11	15	8	10	12	2	1	–	–	–
Renfrew . . .	81	90	99	86	103	96	108	138	101	86	43	19	5	–	–	–
Ayr	47	44	57	76	91	91	107	97	101	96	58	27	13	4	–	–
Lanark . . .	332	358	376	404	480	460	491	369	316	253	133	47	16	7	1	–
Linlithgow . .	10	9	8	7	9	14	17	24	21	16	11	4	2	3	–	–
Edinburgh . .	113	151	168	159	144	182	206	193	153	166	85	33	6	1	–	–
Haddington . .	5	12	11	5	8	14	15	15	25	22	10	4	–	1	–	–
Berwick . . .	12	14	3	6	13	8	15	27	20	26	10	6	4	1	–	1
Peebles . . .	5	3	4	1	1	8	4	4	5	8	6	3	1	1	–	–
Selkirk . . .	10	5	5	3	6	7	12	14	12	14	6	1	1	–	–	–
Roxburgh . . .	13	11	16	21	16	29	27	32	35	37	17	7	4	1	–	–
Dumfries . . .	17	19	19	31	21	30	43	60	55	60	53	22	7	1	–	2
Kirkcudbright . .	11	15	10	12	13	13	22	28	34	30	22	13	5	1	–	–
Wigtown . . .	7	11	13	8	7	13	24	40	20	22	18	14	4	3	–	–

DEATHS at Different Ages in the PRINCIPAL TOWNS of SCOTLAND, 1879.—MALES.

Glasgow . , .	231	255	237	46	291	275	275	201	165	116	55	21	5	2	–	–
Edinburgh . .	73	90	92	99	89	92	111	112	79	73	44	22	3	–	–	–
Dundee . . .	39	32	41	47	58	60	74	70	51	43	25	8	1	–	–	–
Aberdeen . . .	21	30	34	35	36	41	61	53	77	41	29	12	2	–	–	–
Greenock . . .	33	27	35	34	38	31	38	39	35	16	8	6	2	–	–	–
Paisley . . .	21	23	34	23	35	24	30	49	30	35	10	4	1	–	–	–
Leith . .	14	22	24	20	22	21	32	25	16	17	10	3	–	–	–	–
Perth . . .	8	9	6	13	14	26	12	20	16	23	6	4	–	–	–	–

DEATHS at Different Ages in SCOTLAND during the YEAR 1879.—FEMALES.

	FEMALE POPULATION.		FEMALES.													
			ALL AGES.	AGE UNDER												
				MONTHS.			2	3	4	5	10	15	20	25	30
	1871.	1881.		3	6	12									
SCOTLAND .	1756875	1936098	37051	2887	1065	2051	2704	1325	860	621	1556	954	1240	1331	1305
Principal Towns	570848	634131	13747	1172	471	909	1281	566	370	282	606	357	462	519	531
Large Towns .	171088	231590	4751	325	124	302	399	212	96	86	198	134	164	183	189
Small Towns .	401981	452345	8345	656	245	445	580	301	217	131	369	219	308	299	296
Mainland-Rural	541995	548823	9040	651	215	360	412	233	160	110	352	217	270	294	258
Insular-Rural .	70963	69209	1168	83	10	35	32	13	17	12	31	27	36	36	31
Shetland . .	18505	17049	235	11	–	6	2	2	3	–	8	5	5	9	6
Orkney . .	16919	17062	323	13	2	6	5	5	1	2	10	11	12	9	12
Caithness .	21608	20998	317	19	6	15	6	10	6	1	11	9	7	4	8
Sutherland .	12356	11627	223	13	4	3	5	–	2	2	7	3	6	3	6
Ross & Cromarty	43535	42023	687	48	8	26	17	7	11	5	11	8	19	11	15
Inverness .	44898	44478	810	61	9	24	25	12	7	5	16	10	13	22	24
Nairn . .	4447	4646	69	6	1	7	–	1	–	–	1	2	2	1	–
Elgin . .	23811	23771	366	29	9	8	9	4	7	6	14	5	12	15	11
Banff . .	31057	31411	555	38	15	21	29	19	15	8	25	15	11	14	14
Aberdeen .	129530	140365	2306	185	99	117	134	55	43	30	88	56	67	75	65
Kincardine .	18095	18066	282	20	6	4	3	4	4	3	12	8	10	13	3
Forfar . .	132633	147526	2925	265	95	156	198	78	64	44	100	66	83	100	117
Perth . .	67738	68319	1246	74	21	43	51	21	16	13	37	22	30	49	34
Fife. . .	85718	91163	1555	123	37	67	104	53	37	19	69	36	42	48	49
Kinross . .	4170	3881	74	6	3	2	1	2	3	1	3	3	3	2	2
Clackmannan .	11416	12628	251	23	4	17	13	10	8	4	10	7	20	12	13
Stirling . .	47152	53195	1064	84	35	68	93	56	32	24	54	32	35	39	31
Dumbarton .	31159	39431	703	61	22	35	55	35	18	12	33	13	31	28	38
Argyll . .	40865	40787	755	35	12	30	25	11	9	8	24	18	21	22	26
Bute . .	9350	9544	196	9	2	5	11	1	6	1	6	5	8	8	8
Renfrew . .	102138	116848	2515	164	78	180	228	115	77	56	122	89	106	101	96
Ayr. . .	102664	110762	2096	155	40	114	182	95	48	44	112	62	77	92	79
Lanark . .	398613	474913	10367	829	323	724	1101	534	309	241	539	322	381	405	401
Linlithgow .	20330	21026	389	44	16	27	33	21	7	2	16	12	12	16	7
Edinburgh .	174354	205067	3866	353	146	235	257	120	73	61	135	67	105	120	148
Haddington .	19686	19698	303	24	7	13	11	7	6	2	8	8	7	3	8
Berwick . .	19021	18393	302	16	6	11	13	9	13	2	11	9	8	7	10
Peebles . .	6316	7126	117	11	2	4	7	1	–	2	2	1	6	5	5
Selkirk . .	10175	13822	216	23	8	8	14	4	6	2	10	7	15	16	5
Roxburgh .	25292	27558	459	46	19	17	14	9	4	6	13	13	18	26	17
Dumfries. .	40011	40127	743	59	17	22	22	12	9	10	22	14	39	37	31
Kirkcudbright	22480	22404	363	19	6	15	15	1	6	3	12	8	19	7	8
Wigtown .	20833	20384	373	21	7	21	21	11	10	2	15	8	10	12	8

DEATHS at Different Ages in the PRINCIPAL TOWNS of SCOTLAND, 1879.—FEMALES.

Glasgow . .	253272	263049	6253	498	188	455	687	314	193	153	308	181	235	256	252
Edinburgh .	107740	124119	2287	201	77	131	154	80	46	31	82	43	67	75	98
Dundee . .	68119	80108	1683	182	66	97	127	49	47	25	64	36	39	74	79
Aberdeen .	48395	56845	1089	85	45	61	76	24	21	17	35	24	30	37	33
Greenock .	29496	33649	749	57	25	55	79	46	25	21	29	29	24	27	23
Paisley . .	25988	29800	764	48	30	51	72	25	18	18	49	28	38	23	26
Leith . .	23458	30659	572	72	30	42	57	18	14	12	27	11	16	17	14
Perth . .	14380	15902	350	29	10	17	29	10	6	5	12	5	13	10	6

DEATHS at Different Ages in SCOTLAND during the YEAR 1879.—FEMALES.

	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
SCOTLAND . . .	1138	1272	1157	1189	1451	1489	1909	2027	2176	2274	1728	886	339	90	22	5
Principal Towns .	458	546	492	509	645	569	697	644	617	525	312	150	48	8	1	–
Large Towns . .	162	171	160	151	179	213	264	255	246	270	172	64	26	5	–	1
Small Towns . .	226	259	256	260	285	306	433	461	529	535	407	213	82	21	5	1
Mainland-Rural . .	253	256	218	241	302	348	470	595	686	831	713	378	163	43	8	3
Insular-Rural . .	39	40	31	28	40	53	45	72	98	113	124	81	20	13	8	–
Shetland . . .	10	9	5	8	5	16	5	13	22	20	33	21	10	1	–	–
Orkney . . .	11	8	6	8	12	17	14	20	29	41	36	29	3	–	1	–
Caithness . . .	7	10	7	9	9	6	15	14	25	42	36	20	12	2	1	–
Sutherland . .	6	2	2	11	3	14	11	8	18	33	30	18	8	5	–	–
Ross and Cromarty .	17	15	12	20	26	19	34	53	68	87	74	45	16	9	5	1
Inverness . . .	27	38	33	31	29	35	43	58	76	74	72	36	15	8	6	1
Nairn . . .	2	–	3	2	2	2	8	2	5	7	12	3	–	–	–	–
Elgin . . .	8	11	6	10	14	15	18	25	28	40	30	17	12	3	–	–
Banff . . .	17	10	13	19	20	22	31	27	31	41	55	34	5	6	–	–
Aberdeen . . .	65	88	63	67	75	74	112	123	175	187	122	83	47	10	–	1
Kincardine . .	8	12	7	7	8	16	13	19	20	30	30	15	6	1	–	–
Forfar . . .	78	105	109	102	155	132	178	167	166	170	112	54	24	6	1	–
Perth . . .	44	31	42	34	42	60	84	86	112	119	109	47	17	6	2	–
Fife	35	34	44	41	51	77	82	105	114	126	96	46	17	3	–	–
Kinross . . .	1	3	2	1	6	6	3	6	4	4	5	2	–	–	–	–
Clackmannan . .	10	12	8	2	6	10	11	15	14	12	5	1	4	–	–	–
Stirling . . .	32	29	26	23	36	39	53	61	48	59	49	18	8	–	–	–
Dumbarton . .	13	25	23	18	31	16	34	35	40	48	19	13	6	–	1	–
Argyll . . .	29	24	18	16	23	23	36	65	70	74	77	41	15	2	1	–
Bute	8	10	4	4	5	10	10	16	12	18	15	12	2	–	–	–
Renfrew . . .	84	104	88	88	101	97	135	111	98	92	64	32	7	1	–	1
Ayr	59	65	62	63	77	59	109	106	108	113	103	52	15	5	–	–
Lanark . . .	345	401	366	357	411	400	481	440	386	339	210	85	30	5	2	–
Linlithgow . .	8	8	11	9	13	13	18	24	22	25	20	4	–	1	–	–
Edinburgh . .	136	124	116	156	188	179	217	238	244	208	143	68	22	6	–	1
Haddington . .	2	16	12	12	8	22	16	24	26	29	19	8	5	–	–	–
Berwick . . .	8	10	8	4	12	7	16	29	32	30	17	10	4	–	–	–
Peebles . . .	6	4	4	4	4	3	8	6	7	15	5	2	2	1	–	
Selkirk . . .	7	7	5	6	10	7	6	11	11	12	8	4	3	–	1	
Roxburgh . . .	17	15	9	15	12	22	29	31	41	31	15	16	4	–	–	–
Dumfries . . .	13	18	23	22	28	34	47	47	66	69	54	19	6	2	1	–
Kirkcudbright . .	15	13	13	11	18	17	14	25	26	41	21	19	9	2	–	–
Wigtown . . .	10	11	7	9	11	20	18	17	32	38	32	12	5	5	–	

DEATHS at Different Ages in the PRINCIPAL TOWNS of SCOTLAND, 1879.—FEMALES.

Glasgow . . .	208	269	224	239	282	244	288	269	206	172	91	31	9	–	1	
Edinburgh . .	81	73	64	104	118	107	123	140	140	114	84	39	11	4	–	–
Dundee . . .	49	65	74	59	103	76	106	73	80	56	31	17	9	–	–	–
Aberdeen . . .	39	57	39	36	39	39	59	48	78	87	40	26	10	4	–	–
Greenock . . .	28	28	34	17	32	32	38	33	28	17	10	10	2	–	–	–
Paisley . . .	21	32	24	31	34	30	36	40	31	31	21	6	1	–	–	–
Leith . . .	17	13	20	12	25	21	30	25	25	24	18	9	3	–	–	–
Perth . . .	15	9	13	11	12	20	17	16	29	24	17	12	3	–	–	–

DEATHS at Different Ages in the LARGE TOWNS of SCOTLAND, 1879.—Both Sexes.

	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
Inverness	449	34	12	12	22	10	9	5	14	5	13	14	22
Arbroath	520	51	6	41	45	25	7	8	19	12	19	15	11
Forfar	301	22	10	21	16	11	4	4	12	5	9	11	12
Montrose	371	26	7	17	17	4	6	8	11	8	10	5	10
Dunfermline	431	40	10	19	26	10	8	7	11	18	17	15	15
Kirkcaldy	271	18	8	17	27	12	8	3	9	4	12	13	12
Stirling	332	33	6	20	22	12	8	3	22	8	12	10	11
Dumbarton	248	18	9	18	20	12	4	2	8	4	12	9	8
Ayr	491	44	10	22	35	19	4	4	20	17	12	28	14
Kilmarnock	526	42	13	48	53	26	14	7	36	20	25	27	13
Barony	545	57	24	56	60	46	15	8	29	31	20	19	22
Glasgow (Landward)	884	69	23	74	86	23	24	16	50	30	18	28	30
Govan	1885	168	89	166	220	99	72	45	89	46	31	77	54
Hamilton	523	52	22	31	49	38	14	13	39	11	17	14	19
Airdrie	295	33	9	12	18	13	10	8	15	15	21	11	10
Coatbridge	489	46	12	33	60	28	15	14	31	17	16	16	19
Hawick	356	52	15	30	22	7	7	5	11	5	16	16	15
Dumfries	516	40	8	28	23	7	11	3	15	13	22	20	23

DEATHS at Different Ages in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND, 1879—Both Sexes.

Shetland	105	4	1	3	2	1	–	–	6	3	4	4	5
Orkney	94	4	–	5	3	4	1	–	3	1	9	4	5
Caithness	315	21	10	16	14	13	9	4	14	7	6	11	11
Ross and Cromarty	194	20	3	6	8	5	5	1	6	3	5	10	13
Nairn	86	10	1	7	4	2	2	–	1	–	1	1	–
Elgin	322	32	11	16	8	6	5	4	16	3	13	12	13
Banff	468	45	27	19	21	18	13	6	26	8	12	15	16
Aberdeen	672	80	33	54	55	22	20	9	32	21	19	13	10
Kincardine	98	12	2	3	2	2	1	–	3	1	2	6	2
Forfar	582	48	15	23	34	12	7	9	10	9	17	8	16
Perth	480	35	11	21	23	11	3	5	11	19	10	26	24
Fife	1143	98	44	70	77	40	31	13	66	27	35	44	30
Clackmannan	411	51	13	30	23	14	12	4	14	23	30	18	16
Stirling	1062	94	40	82	95	40	36	22	46	26	30	24	39
Dumbarton	798	73	26	41	66	40	11	11	40	22	37	37	41
Argyll	489	36	9	20	20	10	4	4	15	13	10	14	15
Bute	209	16	3	10	14	5	7	3	2	5	11	10	7
Renfrew	1513	108	51	127	118	77	54	31	85	38	67	72	54
Ayr	2146	199	63	137	187	92	64	36	114	68	88	74	78
Lanark	2471	266	72	145	245	121	90	52	171	81	103	89	70
Linlithgow	484	58	17	39	54	19	5	5	18	16	18	13	12
Edinburgh	681	76	30	44	40	19	13	16	16	13	23	19	16
Haddington	275	23	12	13	13	9	7	6	9	8	12	5	9
Berwick	97	9	5	7	3	2	6	1	3	–	2	2	4
Peebles	69	5	3	4	3	–	–	–	4	1	4	1	1
Selkirk	401	49	16	20	36	8	15	4	19	11	22	25	15
Roxburgh	212	19	7	7	7	4	1	1	4	4	7	8	3
Dumfries	205	25	12	10	6	7	2	1	6	5	5	8	6
Kirkcudbright	249	25	12	10	15	3	1	1	8	4	10	6	8
Wigtown	231	18	8	11	18	5	5	1	2	5	7	9	5

DEATHS at Different Ages in the LARGE TOWNS of SCOTLAND, 1879.—Both Sexes.

	BOTH SEXES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Inverness	15	18	18	22	17	21	31	29	42	29	19	8	4	–	–	4
Arbroath	11	17	20	19	22	19	28	30	28	37	18	10	1	1	–	–
Forfar	8	9	11	8	8	12	15	18	21	26	20	7	1	–	–	–
Montrose	9	12	13	24	16	16	22	29	33	44	15	6	1	2	–	–
Dunfermline	12	9	9	20	10	22	34	37	32	30	12	7	1	–	–	–
Kirkcaldy	3	10	11	7	10	16	19	10	11	18	8	3	2	–	–	–
Stirling	15	13	7	14	16	18	14	19	14	21	10	2	1	1	–	–
Dumbarton	10	11	11	11	9	4	14	16	11	15	8	4	–	–	–	–
Ayr	15	12	17	18	21	24	30	32	27	30	24	4	6	2	–	–
Kilmarnock	18	15	16	8	17	20	19	19	19	23	19	5	3	1	–	–
Barony	16	19	11	17	23	17	16	15	8	6	7	1	–	2	–	–
Glasgow (Landward)	23	31	32	32	40	41	64	49	53	33	10	5	–	–	–	–
Govan	64	66	75	70	51	72	90	69	69	59	28	10	5	1	–	–
Hamilton	12	16	18	9	19	19	18	26	13	25	17	7	5	–	–	–
Airdrie	7	7	12	11	12	16	20	9	4	8	11	2	1	–	–	–
Coatbridge	13	14	12	14	19	24	24	24	18	12	5	3	–	–	–	–
Hawick	11	9	8	13	10	27	22	13	16	17	7	2	–	–	–	–
Dumfries	13	16	17	24	20	26	41	32	41	31	27	8	3	2	–	2

DEATHS at Different Ages in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND, 1879.—Both Sexes.

Shetland	1	7	2	4	3	5	3	9	13	10	6	6	3	–	–	–
Orkney	2	1	1	2	1	6	6	12	5	3	8	7	1	–	–	–
Caithness	8	8	5	9	10	9	20	18	27	29	20	11	4	1	–	–
Ross and Cromarty	6	7	3	8	4	5	7	12	10	21	11	8	3	2	2	–
Nairn	2	1	5	2	4	6	9	4	6	8	8	2	–	–	–	–
Elgin	9	6	6	6	10	16	18	22	24	32	20	7	7	–	–	–
Banff	20	14	9	13	19	16	31	19	23	30	26	18	4	–	–	–
Aberdeen	17	11	21	21	16	22	26	31	35	49	31	12	9	3	–	–
Kincardine	4	8	1	1	2	7	2	7	4	9	10	5	1	1	–	–
Forfar	10	17	22	20	24	27	36	42	50	49	47	18	11	–	1	–
Perth	14	12	12	14	25	22	33	38	35	33	26	11	3	3	–	–
Fife	12	31	27	30	34	53	67	68	76	73	53	34	8	2	–	–
Clackmannan	13	14	12	10	9	21	17	20	20	15	7	2	3	–	–	–
Stirling	34	25	38	33	46	40	55	58	49	59	31	14	6	–	–	–
Dumbarton	21	24	26	23	34	30	36	36	41	43	21	11	4	2	1	–
Argyll	19	15	16	15	23	16	26	42	41	45	35	17	9	–	–	–
Bute	7	10	9	9	7	11	12	19	7	10	9	4	2	–	–	–
Renfrew	46	64	48	54	54	52	80	60	52	57	41	19	3	–	–	1
Ayr	44	60	58	77	76	68	119	107	116	91	71	43	11	5	–	–
Lanark	65	55	79	77	99	86	118	89	94	93	65	29	11	5	1	–
Linlithgow	12	10	9	10	12	22	20	32	30	27	17	7	–	2	–	–
Edinburgh	23	29	26	25	20	32	39	36	52	37	25	7	3	2	–	–
Haddington	5	10	12	5	7	19	18	11	16	22	14	8	2	–	–	–
Berwick	5	3	1	1	5	3	7	4	9	6	7	1	1	–	–	–
Peebles	4	–	3	4	4	4	2	3	3	11	1	3	–	1	–	–
Selkirk	16	11	8	9	15	13	14	15	17	23	12	5	3	–	–	–
Roxburgh	6	7	9	9	10	10	13	18	25	14	8	8	3	–	–	–
Dumfries	6	4	10	5	10	9	12	15	8	16	12	3	1	1	–	–
Kirkcudbright	6	12	9	7	7	8	9	19	19	22	13	11	3	1	–	–
Wigtown	2	9	8	5	7	10	16	10	15	23	18	8	3	3	–	–

DEATHS at Different Ages in the LARGE TOWNS of SCOTLAND, 1879.—MALES.

	MALES.												
	ALL AGES	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
Inverness	226	18	10	5	14	5	7	3	6	2	9	7	12
Arbroath	244	31	3	18	26	14	6	5	13	3	10	8	2
Forfar	143	11	4	14	9	7	1	2	5	4	4	5	4
Montrose	157	16	6	9	7	2	4	3	3	3	5	3	3
Dunfermline	202	28	6	9	14	3	4	4	2	9	7	7	8
Kirkcaldy	127	9	6	7	14	8	3	2	5	2	10	6	5
Stirling	171	20	5	10	11	5	3	1	11	3	7	3	6
Dumbarton	115	10	3	11	10	6	2	1	4	3	5	5	3
Ayr	246	26	8	15	17	10	2	2	10	9	5	11	8
Kilmarnock	259	26	10	27	32	6	11	–	21	10	14	14	3
Barony	264	31	13	27	27	24	9	6	21	19	5	7	5
Glasgow (Landward)	461	47	12	39	50	9	13	9	32	21	8	16	6
Govan	948	105	49	98	101	46	45	18	48	23	12	41	21
Hamilton	278	34	15	16	21	21	6	5	26	6	9	5	13
Airdrie	145	21	3	8	11	7	5	6	7	5	11	2	5
Coatbridge	271	31	6	20	33	12	12	8	16	7	8	11	10
Hawick	174	34	5	17	13	4	4	1	6	–	4	4	8
Dumfries	251	22	5	13	12	1	7	1	7	6	5	10	9

DEATHS at Different Ages in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND, 1879.—MALES.

Shetland	43	2	1	1	1	–	–	–	3	1	3	1	3
Orkney	53	4	–	4	3	2	1	–	1	–	6	2	3
Caithness	151	12	5	7	10	4	6	4	6	3	4	8	4
Ross and Cromarty	99	9	2	5	5	4	2	–	4	3	3	10	7
Nairn	41	7	–	1	4	1	2	–	–	–	–	–	–
Elgin	159	17	6	13	4	2	2	1	10	1	6	7	9
Banff	218	23	16	11	6	8	7	4	12	2	8	8	10
Aberdeen	342	49	13	31	36	7	11	6	17	9	11	9	4
Kincardine	48	6	2	3	2	1	–	–	3	1	1	5	2
Forfar	263	24	7	11	13	7	–	1	6	2	7	6	8
Perth	238	28	7	12	17	6	–	1	7	10	2	9	9
Fife	531	54	23	42	37	21	15	7	26	13	16	23	12
Clackmannan	207	31	9	16	11	8	6	1	8	16	14	9	4
Stirling	543	53	21	47	44	20	18	8	26	15	16	6	21
Dumbarton	376	34	14	20	28	17	4	5	18	11	16	22	19
Argyll	222	19	5	9	9	3	3	3	8	5	6	10	9
Bute	102	10	3	6	6	4	2	3	1	1	7	5	3
Renfrew	740	67	31	66	53	42	25	17	52	13	31	30	18
Ayr	1070	118	38	81	99	45	33	12	59	38	45	26	33
Lanark	1307	161	39	84	131	66	47	29	86	41	57	47	30
Linlithgow	241	30	8	21	32	11	1	4	10	12	10	5	7
Edinburgh	328	45	15	17	21	9	8	7	11	9	13	12	5
Haddington	134	11	8	8	8	6	4	4	5	5	8	3	4
Berwick	52	5	4	4	2	1	3	–	–	–	–	2	2
Peebles	36	4	3	2	3	–	–	–	3	–	1	–	–
Selkirk	206	28	9	12	22	5	9	2	9	4	7	11	10
Roxburgh	107	12	4	4	4	2	1	–	–	1	4	3	2
Dumfries	104	12	8	4	1	3	–	–	5	4	1	3	4
Kirkcudbright	136	15	7	6	11	3	–	–	4	2	6	4	4
Wigtown	120	13	4	7	11	2	3	–	1	4	2	3	2

DEATHS at Different Ages in the LARGE TOWNS of SCOTLAND, 1879.—MALES.

	MALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Inverness	7	6	10	11	7	9	16	14	19	13	11	2	–	–	–	3
Arbroath	5	6	14	9	7	8	10	9	13	18	5	1	–	–	–	–
Forfar	4	3	6	4	2	3	8	8	11	14	8	2	–	–	–	–
Montrose	4	4	4	13	7	7	10	11	12	15	4	1	–	1	–	–
Dunfermline	4	3	2	13	2	7	23	14	15	13	2	3	–	–	–	–
Kirkcaldy	–	3	4	2	4	4	8	6	6	9	1	2	1	–	–	–
Stirling	7	6	3	10	10	12	7	10	7	9	4	–	–	1	–	–
Dumbarton	8	3	7	6	3	1	3	5	6	5	4	1	–	–	–	–
Ayr	7	7	9	13	11	17	12	13	12	12	6	1	1	2	–	–
Kilmarnock	6	5	9	4	5	11	8	7	11	9	6	2	2	–	–	–
Barony	6	11	4	9	12	9	6	4	5	2	1	–	–	1	–	–
Glasgow (Landward)	7	16	20	16	22	24	26	28	20	14	6	–	–	–	–	–
Govan	22	29	33	42	23	29	48	38	35	25	8	5	3	1	–	–
Hamilton	4	8	13	2	11	12	13	15	6	9	5	3	–	–	–	–
Airdrie	3	3	4	8	8	7	7	5	3	1	4	–	1	–	–	–
Coatbridge	8	6	6	8	12	12	15	13	6	6	2	3	–	–	–	–
Hawick	3	3	5	4	4	17	14	4	6	11	3	–	–	–	–	–
Dumfries	8	11	5	16	11	12	23	17	21	9	13	4	–	1	–	2

DEATHS at Different Ages in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND, 1879.—MALES.

Shetland	–	4	–	–	3	2	2	4	4	3	3	1	1	–	–	–
Orkney	1	1	–	1	–	2	3	5	4	2	4	3	1	–	–	–
Caithness	4	2	2	3	4	4	8	9	15	13	7	5	2	–	–	–
Ross and Cromarty	4	3	1	4	2	3	3	4	4	10	4	1	–	2	–	–
Nairn	1	1	3	–	3	5	3	3	2	2	2	1	–	–	–	–
Elgin	3	4	5	2	4	10	9	11	9	11	9	2	2	–	–	–
Banff	10	8	2	5	10	5	16	9	8	11	11	6	2	–	–	–
Aberdeen	11	4	10	12	5	11	13	16	11	24	15	6	1	–	–	–
Kincardine	3	4	–	–	1	2	–	4	1	4	1	2	–	–	–	–
Forfar	5	8	11	6	11	12	16	22	29	18	22	8	3	–	–	–
Perth	5	7	6	5	12	9	14	21	16	12	12	8	1	2	–	–
Fife	5	18	12	12	17	22	36	27	27	30	22	11	3	–	–	–
Clackmannan	5	5	4	8	3	13	9	9	9	6	2	1	–	–	–	–
Stirling	20	13	23	18	23	21	25	27	24	35	9	7	3	–	–	–
Dumbarton	13	11	11	15	16	19	19	16	15	16	9	5	1	2	–	–
Argyll	5	5	7	8	14	12	16	14	12	19	11	7	3	–	–	–
Bute	–	6	8	6	5	3	5	9	2	3	4	–	–	–	–	–
Renfrew	21	33	25	22	26	27	33	34	24	25	17	7	1	–	–	–
Ayr	19	21	21	43	45	41	63	55	49	41	28	12	4	1	–	–
Lanark	29	16	39	45	66	54	68	36	46	48	26	9	5	2	–	–
Linlithgow	8	6	3	3	4	12	9	14	12	9	5	4	–	1	–	–
Edinburgh	9	15	10	9	9	16	17	17	24	18	7	3	1	1	–	–
Haddington	3	6	7	2	5	8	7	4	4	6	5	3	–	–	–	–
Berwick	4	2	1	1	4	2	5	2	1	3	4	–	–	–	–	–
Peebles	3	–	1	1	1	2	2	1	2	4	–	2	–	1	–	–
Selkirk	9	5	4	3	5	7	9	8	8	14	5	1	–	–	–	–
Roxburgh	3	2	7	7	6	5	7	8	11	9	2	2	1	–	–	–
Dumfries	4	3	4	4	3	4	8	9	4	7	8	–	1	–	–	–
Kirkcudbright	5	8	6	1	2	3	4	11	10	12	6	4	2	–	–	–
Wigtown	1	5	6	2	3	6	9	6	6	10	6	5	2	1	–	–

DEATHS at Different Ages in the LARGE TOWNS of SCOTLAND, 1879.—FEMALES.

	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
Inverness	223	16	2	7	8	5	2	2	8	3	4	7	10
Arbroath	276	20	3	23	19	11	1	3	6	9	9	7	9
Forfar	158	11	6	7	7	4	3	2	7	1	5	6	8
Montrose	214	10	1	8	10	2	2	5	8	5	5	2	7
Dunfermline	229	12	4	10	12	7	4	3	9	9	10	8	7
Kirkcaldy	144	9	2	10	13	4	5	1	4	2	2	7	7
Stirling	161	13	1	10	11	7	5	2	11	5	5	7	5
Dumbarton	133	8	6	7	10	6	2	1	4	1	7	4	5
Ayr	245	18	2	7	18	9	2	2	10	8	7	17	6
Kilmarnock	267	16	3	21	21	20	3	7	15	10	11	13	10
Barony	281	26	11	29	33	22	6	2	8	12	15	12	17
Glasgow (Landward)	423	22	11	35	36	14	11	7	18	9	10	12	24
Govan	937	63	40	68	119	53	27	27	41	23	19	36	33
Hamilton	245	18	7	15	28	17	8	8	13	5	8	9	6
Airdrie	150	12	6	4	7	6	5	2	8	10	10	9	5
Coatbridge	218	15	6	13	27	16	3	6	15	10	8	5	9
Hawick	182	18	10	13	9	3	3	4	5	5	12	12	7
Dumfries	265	18	3	15	11	6	4	2	8	7	17	10	14

DEATHS at Different Ages in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND, 1879.—FEMALES.

Shetland	62	2	–	2	1	1	–	–	3	2	1	3	2
Orkney	41	–	–	1	–	2	–	–	2	1	3	2	2
Caithness	164	9	5	9	4	9	3	–	8	4	2	3	7
Ross and Cromarty	95	11	1	1	3	1	3	1	2	–	2	–	6
Nairn	45	3	1	6	–	1	–	–	1	–	1	1	–
Elgin	163	15	5	3	4	4	3	3	6	2	7	5	4
Banff	250	22	11	8	15	10	6	2	14	6	4	7	6
Aberdeen	330	31	20	23	19	15	9	3	15	12	8	4	6
Kincardine	50	6	–	–	–	1	1	–	–	–	1	1	–
Forfar	319	24	8	12	21	5	7	8	4	7	10	2	8
Perth	242	7	4	9	6	5	3	4	4	9	8	17	15
Fife	612	44	21	28	40	19	16	6	40	14	19	21	18
Clackmannan	204	20	4	14	12	6	6	3	6	7	16	9	12
Stirling	519	41	19	35	51	20	18	14	20	11	14	18	18
Dumbarton	422	39	12	21	38	23	7	6	22	11	21	15	22
Argyll	267	17	4	11	11	7	1	1	7	8	4	4	6
Bute	107	6	–	4	8	1	5	–	1	4	4	5	4
Renfrew	773	41	20	61	65	35	29	14	33	25	36	42	36
Ayr	1076	81	25	56	88	47	31	24	55	30	43	48	45
Lanark	1164	105	33	61	114	55	43	23	85	40	46	42	40
Linlithgow	243	28	9	18	22	8	4	1	8	4	8	8	5
Edinburgh	353	31	15	27	19	10	5	9	5	4	10	7	11
Haddington	141	12	4	5	5	3	3	2	4	3	4	2	5
Berwick	45	4	1	3	1	1	3	1	3	–	2	–	2
Peebles	33	1	–	2	–	–	–	–	1	1	3	1	1
Selkirk	195	21	7	8	14	3	6	2	10	7	15	14	5
Roxburgh	105	7	3	3	3	2	–	1	4	3	3	5	1
Dumfries	101	13	4	6	5	4	2	1	1	1	4	5	2
Kirkcudbright	113	10	5	4	4	–	1	1	4	2	4	2	4
Wigtown	111	5	4	4	7	3	2	1	1	1	5	6	3

DEATHS at Different Ages in the LARGE TOWNS of SCOTLAND, 1879.—Females.

	FEMALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Inverness	8	12	8	11	10	12	15	15	23	16	8	6	4	–	–	1
Arbroath	6	11	6	10	15	11	18	21	15	19	13	9	1	1	–	–
Forfar	4	6	5	4	6	9	7	10	10	12	12	5	1	–	–	–
Montrose	5	8	9	11	9	9	12	18	21	29	11	5	1	1	–	–
Dunfermline	8	6	7	7	8	15	11	23	17	17	10	4	1	–	–	–
Kirkcaldy	3	7	7	5	6	12	11	4	5	9	7	1	1	–	–	–
Stirling	8	7	4	4	6	6	7	9	7	12	6	2	1	–	–	–
Dumbarton	2	8	4	5	6	3	11	11	5	10	4	3	–	–	–	–
Ayr	8	5	8	5	10	7	18	19	15	18	18	3	5	–	–	–
Kilmarnock	12	10	7	4	12	9	11	12	8	14	13	3	1	1	–	–
Barony	10	8	7	8	11	8	10	11	3	4	6	1	–	1	–	–
Glasgow (Landward)	16	15	12	16	18	17	30	21	33	19	4	5	–	–	–	–
Govan	42	37	42	28	28	43	42	31	34	34	20	5	2	–	–	–
Hamilton	8	8	5	7	8	7	5	11	7	16	12	4	5	–	–	–
Airdrie	4	4	8	3	4	9	13	4	1	7	7	2	–	–	–	–
Coatbridge	5	8	6	6	7	12	9	11	12	6	3	–	–	–	–	–
Hawick	8	6	3	9	6	10	8	9	10	6	4	2	–	–	–	–
Dumfries	5	5	12	8	9	14	18	15	20	22	14	4	3	1	–	–

DEATHS at Different Ages in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND, 1879.—Females.

Shetland	1	3	2	4	–	3	1	5	9	7	3	5	2	–	–	–
Orkney	1	–	1	1	1	4	3	7	1	1	4	4	–	–	–	–
Caithness	4	6	3	6	6	5	12	9	12	16	13	6	2	1	–	–
Ross and Cromarty	2	4	2	4	2	2	4	8	6	11	7	7	3	–	2	–
Nairn	1	–	2	2	1	1	6	1	4	6	6	1	–	–	–	–
Elgin	6	2	1	4	6	6	9	11	15	21	11	5	5	–	–	–
Banff	10	6	7	8	9	11	15	10	15	19	15	12	2	–	–	–
Aberdeen	6	7	11	9	11	11	13	15	24	25	16	6	8	3	–	–
Kincardine	1	4	1	1	1	5	2	3	3	5	9	3	1	1	–	–
Forfar	5	9	11	14	13	15	20	20	21	31	25	10	8	–	1	–
Perth	9	5	6	9	13	13	19	17	19	21	14	3	2	1	–	–
Fife	7	13	15	18	17	31	31	41	49	43	31	23	5	2	–	–
Clackmannan	8	9	8	2	6	8	8	11	11	9	5	1	3	–	–	–
Stirling	14	12	15	15	23	19	30	31	25	24	22	7	3	–	–	–
Dumbarton	8	13	15	8	18	11	17	20	26	27	12	6	3	–	1	–
Argyll	14	10	9	7	9	4	10	28	29	26	24	10	6	–	–	–
Bute	7	4	1	3	2	8	7	10	5	7	5	4	2	–	–	–
Renfrew	25	31	23	32	28	25	47	26	28	32	24	12	2	–	–	1
Ayr	25	39	37	34	31	27	56	52	67	50	43	31	7	4	–	–
Lanark	36	39	40	32	33	32	50	53	48	45	39	20	6	3	1	–
Linlithgow	4	4	6	7	8	10	11	18	18	18	12	3	–	1	–	–
Edinburgh	14	14	16	16	11	16	22	19	28	19	18	4	2	1	–	–
Haddington	2	4	5	3	2	11	11	7	12	16	9	5	2	–	–	–
Berwick	1	1	–	–	1	1	2	2	8	3	3	1	1	–	–	–
Peebles	1	–	2	3	3	2	–	2	1	7	1	1	–	–	–	–
Selkirk	7	6	4	6	10	6	5	7	9	9	7	4	3	–	–	–
Roxburgh	3	5	2	2	4	5	6	10	14	5	6	6	2	–	–	–
Dumfries	2	1	6	1	7	5	4	6	4	9	4	3	–	1	–	–
Kirkcudbright	1	4	3	6	5	5	5	8	9	10	7	7	1	1	–	–
Wigtown	1	4	2	3	4	4	7	4	9	13	12	3	1	2	–	–

DEATHS at Different Ages in the MAINLAND-RURAL DISTRICTS of SCOTLAND, 1879.—Both Sexes.

	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
Caithness	327	21	7	11	9	2	4	1	9	9	9	11	10
Sutherland	389	21	8	8	10	3	3	3	10	6	9	7	10
Ross and Cromarty	901	58	10	33	17	8	7	3	15	7	26	30	23
Inverness	465	28	10	11	14	4	2	2	6	8	7	23	14
Nairn	44	3	1	2	3	–	–	–	1	2	1	2	–
Elgin	404	29	11	16	16	1	9	4	17	7	10	16	13
Banff	583	52	16	23	25	22	16	12	29	18	10	19	17
Aberdeen	1770	160	63	80	75	30	28	22	72	38	57	62	48
Kincardine	471	43	13	14	9	9	5	11	31	12	19	19	11
Forfar	557	44	22	23	25	12	7	4	23	15	31	14	15
Perth	1285	96	18	34	36	14	11	11	44	20	23	47	35
Fife	1142	108	38	51	77	38	29	14	43	29	27	31	32
Kinross	139	11	5	5	5	5	4	2	4	5	5	2	6
Clackmannan	84	11	1	5	6	5	2	1	5	1	6	3	1
Stirling	784	71	31	55	67	48	24	17	31	28	27	31	19
Dumbarton	306	37	9	18	15	12	12	8	11	9	8	14	20
Argyll	681	28	8	26	22	7	7	4	15	19	18	28	36
Renfrew	428	32	13	22	28	22	7	4	20	9	11	15	26
Ayr	1072	91	21	69	99	43	25	17	66	37	40	40	29
Lanark	1457	176	42	100	110	58	33	25	81	56	57	61	37
Linlithgow	306	34	11	28	27	15	7	8	16	14	8	12	5
Edinburgh	1322	111	46	69	59	24	26	14	38	21	24	40	49
Haddington	318	33	9	14	17	5	6	3	8	9	9	3	5
Berwick	483	31	8	14	25	17	14	3	17	15	10	13	16
Peebles	151	21	2	4	12	3	1	2	7	1	5	7	4
Selkirk	45	4	1	1	–	1	–	–	–	1	–	4	–
Roxburgh	358	43	12	6	4	7	1	2	9	8	9	15	14
Dumfries	867	88	20	23	26	13	11	8	24	17	37	43	27
Kirkcudbright	398	28	6	7	8	2	5	4	13	8	20	16	10
Wigtown	502	47	8	21	29	13	13	5	22	14	14	14	8

DEATHS at Different Ages in the INSULAR-RURAL DISTRICTS of SCOTLAND, 1879.—Both Sexes.

Shetland	347	24	2	7	5	1	3	1	10	4	10	17	8
Orkney	475	25	5	9	11	9	2	6	20	17	23	18	14
Ross and Cromarty	220	42	3	14	13	6	5	2	5	8	7	9	3
Inverness	599	63	8	21	21	11	5	4	9	9	9	19	25
Argyll	351	12	6	8	15	2	7	7	8	7	16	22	11
Bute	177	12	3	2	7		2	4	6	3	8	9	8

DEATHS at Different Ages in the MAINLAND-RURAL DISTRICTS of SCOTLAND, 1879.—Both Sexes.

	BOTH SEXES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Caithness	7	10	6	5	7	5	9	14	34	37	44	26	18	1	1	–
Sutherland	11	7	6	15	7	22	27	22	31	48	45	31	13	6	–	–
Ross and Cromarty	25	19	15	22	30	27	53	70	90	115	107	58	22	6	4	1
Inverness	12	17	14	18	11	18	22	34	39	64	45	30	8	2	1	1
Nairn	2	–	1	–	2	1	3	2	5	2		3	–	–	–	–
Elgin	4	13	13	10	16	16	20	32	30	38	32	17	11	3	–	–
Banff	7	9	11	14	17	18	27	37	32	42	66	30	8	6	–	–
Aberdeen	38	37	39	40	53	51	94	117	146	152	127	89	42	7	–	3
Kincardine	13	18	12	10	16	18	20	29	32	40	38	18	10	1	–	–
Forfar	13	13	15	12	18	22	29	46	31	56	37	19	7	4	–	–
Perth	38	33	41	31	40	44	74	118	126	140	117	62	22	8	2	–
Fife	27	18	24	26	37	37	53	69	94	107	82	34	15	2	–	–
Kinross	1	5	5	3	8	7	7	8	6	11	13	6	–	–	–	–
Clackmannan	2	4	1	1	–	4	3	8	8	4	–	1	1	–	–	–
Stirling	18	17	17	13	21	31	45	45	33	41	29	18	7	–	–	–
Dumbarton	7	9	6	9	13	10	13	10	15	20	9	9	3	–	–	–
Argyll	25	24	19	19	21	24	39	50	50	70	66	36	16	4	–	–
Renfrew	16	20	12	15	11	24	21	28	23	22	17	6	3	1	–	–
Ayr	29	22	28	36	54	38	48	45	47	65	47	27	8	1	–	–
Lanark	38	27	42	46	55	66	59	58	72	68	54	23	10	2	1	–
Linlithgow	6	7	10	6	10	5	15	16	13	14	14	1	2	2	–	–
Edinburgh	41	48	58	55	58	88	88	93	85	109	47	21	8	1	–	1
Haddington	2	18	11	12	9	17	13	28	35	29	15	4	3	1	–	–
Berwick	15	21	10	9	20	12	24	52	43	50	20	15	7	1	–	1
Peebles	7	7	5	1	1	7	10	7	9	12	10	2	3	1	–	–
Selkirk	1	1	2	–	1	1	4	10	6	3	2	–	1	–	1	–
Roxburgh	13	10	8	14	8	14	21	32	35	37	17	13	5	1	–	–
Dumfries	15	18	18	26	23	33	45	70	79	87	71	33	10	1	1	–
Kirkcudbright	16	15	11	14	20	18	19	24	34	44	27	18	10	1	–	–
Wigtown	15	13	12	12	11	23	26	47	37	37	32	18	6	5	–	–

DEATHS at Different Ages in the INSULAR-RURAL DISTRICTS of SCOTLAND 1879.—Both Sexes.

Shetland	20	11	7	8	10	17	10	15	31	38	47	29	10	1	1	–
Orkney	12	14	7	11	19	17	15	24	42	60	54	36	3	1	1	–
Ross and Cromarty	5	3	7	6	4	11	10	6	6	16	8	10	2	7	2	–
Inverness	17	22	26	15	20	21	23	45	52	47	56	28	11	7	5	–
Argyll	9	16	4	7	8	11	19	27	28	34	33	24	6	3	1	–
Bute	2	6	6	5	6	5	9	12	13	18	18	10	1	–	–	–

DEATHS at Different Ages in the MAINLAND-RURAL DISTRICTS of SCOTLAND, 1879.—MALES.

	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
Caithness	174	11	6	5	7	1	1	–	6	4	4	10	9
Sutherland	166	8	4	5	5	3	1	1	3	3	3	4	4
Ross and Cromarty	430	39	5	16	10	4	2	1	8	5	15	23	14
Inverness	208	17	5	6	7	3	1	1	2	4	3	15	9
Nairn	20	–	1	1	3	–	–	–	1	–	–	2	–
Elgin	201	15	7	11	11	1	5	1	9	4	5	6	6
Banff	278	36	12	10	11	13	7	6	18	9	3	12	9
Aberdeen	883	91	29	47	36	14	15	12	34	18	28	28	22
Kincardine	239	29	7	10	6	6	2	8	19	4	10	7	8
Forfar	282	26	11	14	11	5	3	3	12	7	16	5	9
Perth	631	58	11	17	20	8	4	7	23	12	14	25	22
Fife	572	50	28	32	38	15	17	5	27	18	16	19	15
Kinross	65	5	2	3	4	3	1	1	1	2	2	–	4
Clackmannan	37	8	1	2	5	1	–	–	1	1	2	–	–
Stirling	400	41	16	32	36	19	15	9	8	12	11	17	11
Dumbarton	158	23	5	11	8	6	3	3	4	8	5	5	9
Argyll	366	16	2	12	14	4	4	2	5	13	9	19	20
Renfrew	199	14	10	9	16	13	2	1	9	2	3	6	15
Ayr	564	51	11	39	44	24	13	6	34	23	24	26	11
Lanark	761	106	21	56	60	21	20	12	38	24	27	37	22
Linlithgow	160	18	4	19	16	2	4	7	8	6	4	4	3
Edinburgh	668	62	22	34	32	12	18	5	17	12	12	19	24
Haddington	156	21	6	6	11	1	3	3	4	4	6	2	2
Berwick	226	19	3	6	13	9	4	2	9	6	4	6	8
Peebles	67	11	–	2	5	2	1	–	6	1	2	3	–
Selkirk	24	2	–	1	–	–	–	–	–	1	–	2	–
Roxburgh	186	22	6	5	2	3	–	1	5	3	6	6	5
Dumfries	443	59	10	15	17	10	7	1	11	8	15	20	12
Kirkcudbright	195	20	5	3	–	2	1	2	5	5	9	12	6
Wigtown	240	31	5	4	15	5	5	4	8	7	9	8	3

DEATHS at Different Ages in the INSULAR-RURAL DISTRICTS of SCOTLAND, 1879.—MALES.

Shetland,	174	15	2	3	4	–	–	1	5	1	6	11	4
Orkney,	193	12	3	4	6	6	1	4	12	7	14	11	4
Ross and Cromarty	99	24	1	6	6	4	2	–	3	2	1	5	3
Inverness	269	29	6	9	11	5	1	2	5	6	4	12	16
Argyll	178	6	4	3	9	1	2	2	1	3	8	13	7
Bute	88	9	1	1	4	2	1	3	1	2	4	6	4

DEATHS at Different Ages in the MAINLAND-RURAL DISTRICTS of SCOTLAND, 1879.—MALES.

	MALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Caithness	4	6	2	2	4	4	6	9	21	11	21	12	8	–	–	–
Sutherland	5	5	4	4	4	8	16	14	13	15	15	13	5	1	–	–
Ross and Cromarty	13	10	8	10	9	16	27	29	34	48	44	25	11	2	2	–
Inverness	4	6	5	9	5	7	8	18	13	30	14	13	2	–	–	1
Nairn	1	–	–	–	1	–	1	1	4	1	2	1	–	–	–	–
Elgin	2	4	8	4	8	7	11	18	17	19	13	5	4	–	–	–
Banff	–	5	5	3	6	7	11	20	16	20	26	8	5	–	–	–
Aberdeen	18	13	26	18	28	27	54	57	73	77	61	38	13	4	–	2
Kincardine	6	10	6	4	9	7	9	13	15	15	17	6	5	1	–	–
Forfar	4	7	11	8	9	10	14	21	12	33	17	11	3	–	–	–
Perth	18	16	18	17	23	17	26	65	62	66	39	30	10	3	–	–
Fife	10	10	9	15	17	18	24	32	51	50	34	16	5	1	–	–
Kinross	–	2	3	2	2	1	4	2	2	7	8	4	–	–	–	–
Clackmannan	–	1	1	1	–	2	–	4	5	1	–	1	–	–	–	–
Stirling	8	7	10	9	14	17	29	24	17	18	8	9	3	–	–	–
Dumbarton	4	5	2	4	6	8	7	6	6	9	6	5	–	–	–	–
Argyll	15	13	11	11	12	12	22	27	26	38	28	19	9	3	–	–
Renfrew	6	7	5	7	4	14	7	16	12	10	8	2	1	–	–	–
Ayr	15	11	18	16	30	22	24	22	29	34	18	12	6	1	–	–
Lanark	22	14	20	28	35	38	33	29	30	32	26	6	2	1	1	–
Linlithgow	2	3	5	4	5	2	8	10	9	7	6	–	2	2	–	–
Edinburgh	17	24	42	31	24	53	46	39	34	58	24	5	2	–	–	–
Haddington	2	6	4	3	3	6	8	11	21	16	5	1	–	1	–	–
Berwick	8	12	2	5	9	6	10	25	19	23	6	6	4	1	–	1
Peebles	2	3	3	–	–	6	2	3	3	4	6	1	1	–	–	–
Selkirk	1	–	1	–	1	–	3	6	4	–	1	–	1	–	–	–
Roxburgh	7	6	4	10	6	7	6	20	18	17	12	5	3	1	–	–
Dumfries	7	6	11	13	11	16	16	41	34	44	34	19	6	–	–	–
Kirkcudbright	4	6	3	9	7	8	14	10	20	18	14	8	3	1	–	
Wigtown	6	6	7	6	4	7	15	34	14	12	12	9	2	2	–	–

DEATHS at Different Ages in the INSULAR-RURAL DISTRICTS of SCOTLAND, 1878.—MALES.

Shetland	11	5	4	4	5	4	6	7	18	25	17	13	2	–	1	–
Orkney	2	6	2	4	8	4	4	11	14	20	22	11	–	1	–	–
Ross and Cromarty	2	1	4	2	1	5	6	2	–	7	4	5	–	2	1	–
Inverness	6	7	10	4	7	9	9	18	25	23	23	15	6	1	–	–
Argyll	4	13	3	6	3	4	10	13	11	18	18	10	4	2	–	–
Bute	1	–	3	4	3	3	6	6	6	7	8	2	1	–	–	–

DEATHS at Different Ages in the MAINLAND-RURAL DISTRICTS of SCOTLAND, 1879.—FEMALES.

	FEMALES.													
	ALL AGES.	AGE UNDER												
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12										
Caithness	153	10	1	6	2	1	3	1	3	5	5	1	1
Sutherland	223	13	4	3	5	–	2	2	7	3	6	3	6
Ross and Cromarty	471	19	5	17	7	4	5	2	7	2	11	7	9
Inverness	257	11	5	5	7	1	1	1	4	4	4	8	5
Nairn	24	3	–	1	–	–	–	–	–	2	1	–	–
Elgin	203	14	4	5	5	–	4	3	8	3	5	10	7
Banff	305	16	4	13	14	9	9	6	11	9	7	7	8
Aberdeen	887	69	34	33	39	16	13	10	38	20	29	34	26
Kincardine	232	14	6	4	3	3	3	3	12	8	9	12	3
Forfar	275	18	11	9	14	7	4	1	11	8	15	9	6
Perth	654	38	7	17	16	6	7	4	21	8	9	22	13
Fife	570	58	10	19	39	23	12	9	16	11	11	12	17
Kinross	74	6	3	2	1	2	3	1	3	3	3	2	2
Clackmannan	47	3	–	3	1	4	2	1	4	–	4	3	1
Stirling	384	30	15	23	31	29	9	8	23	16	16	14	8
Dumbarton	148	14	4	7	7	6	9	5	7	1	3	9	11
Argyll	315	12	6	14	8	3	3	2	10	6	9	9	16
Renfrew	229	18	3	13	12	9	5	3	11	7	8	9	11
Ayr	508	40	10	30	55	19	12	11	32	14	16	14	18
Lanark	696	70	21	44	50	37	13	13	43	32	30	24	15
Linlithgow	146	16	7	9	11	13	3	1	8	8	4	8	2
Edinburgh	654	49	24	35	27	12	8	9	21	9	12	21	25
Haddington	162	12	3	8	6	4	3	–	4	5	3	1	3
Berwick	257	12	5	8	12	8	10	1	8	9	6	7	8
Peebles	84	10	2	2	7	1	–	2	1	–	3	4	4
Selkirk	21	2	1	–	–	1	–	–	–	–	–	2	–
Roxburgh	172	21	6	1	2	4	1	1	4	5	3	9	9
Dumfries	424	29	10	8	9	3	4	7	13	9	22	23	15
Kirkcudbright	203	8	1	4	8	–	4	2	8	3	11	4	4
Wigtown	262	16	3	17	14	8	8	1	14	7	5	6	5

DEATHS at Different Ages in the INSULAR-RURAL DISTRICTS of SCOTLAND, 1879.—FEMALES.

Shetland	173	9	–	4	1	1	3	–	5	3	4	6	4
Orkney	282	13	2	5	5	3	1	2	8	10	9	7	10
Ross and Cromarty	121	18	2	8	7	2	3	2	2	6	6	4	–
Inverness	330	34	2	12	10	6	4	2	4	3	5	7	9
Argyll	173	6	2	5	6	1	5	5	7	4	8	9	4
Bute	89	3	2	1	3	–	1	1	5	1	4	3	4

DEATHS at Different Ages in the MAINLAND-RURAL DISTRICTS of SCOTLAND, 1879.—FEMALES.

	FEMALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Caithness	3	4	4	3	3	1	3	5	13	26	23	14	10	1	1	–
Sutherland	6	2	2	11	3	14	11	8	18	33	30	18	8	5	–	–
Ross and Cromarty	12	9	7	12	21	11	26	41	56	67	63	33	11	4	2	1
Inverness	8	11	9	9	6	11	14	16	26	34	31	17	6	2	1	–
Nairn	1	–	1	–	1	1	2	1	1	1	6	2	–	–	–	–
Elgin	2	9	5	6	8	9	9	14	13	19	19	12	7	3	–	–
Banff	7	4	6	11	11	11	16	17	16	22	40	22	3	6	–	–
Aberdeen	20	24	13	22	25	24	40	60	73	75	66	51	29	3	–	1
Kincardine	7	8	6	6	7	11	11	16	17	25	21	12	5	–	–	–
Forfar	9	6	4	4	9	12	15	25	19	23	20	8	4	4	–	–
Perth	20	17	23	14	17	27	48	53	64	74	78	32	12	5	2	–
Fife	17	8	15	11	20	19	29	37	43	57	48	18	10	1	–	–
Kinross	1	3	2	1	6	6	3	6	4	4	5	2	–	–	–	–
Clackmannan	2	3	–	–	–	2	3	4	3	3	–	–	1	–	–	–
Stirling	10	10	7	4	7	14	16	21	16	23	21	9	4	–	–	–
Dumbarton	3	4	4	5	7	2	6	4	9	11	3	4	3	–	–	–
Argyll	10	11	8	8	9	12	17	23	24	32	38	17	7	1	–	–
Renfrew	10	13	7	8	7	10	14	12	11	12	9	4	2	1	–	–
Ayr	14	11	10	20	24	16	24	23	18	31	29	15	2	–	–	–
Lanark	16	13	22	18	20	28	26	29	42	36	28	17	8	1	–	–
Linlithgow	4	4	5	2	5	3	7	6	4	7	8	1	–	–	–	–
Edinburgh	24	24	16	24	34	35	42	54	51	51	23	16	6	1	–	1
Haddington	–	12	7	9	6	11	5	17	14	13	10	3	3	–	–	–
Berwick	7	9	8	4	11	6	14	27	24	27	14	9	3	–	–	–
Peebles	5	4	2	1	1	1	8	4	6	8	4	1	2	1	–	–
Selkirk	–	1	1	–	–	1	1	4	2	3	1	–	–	–	1	–
Roxburgh	6	4	4	4	2	7	15	12	17	20	5	8	2	–	–	–
Dumfries	8	12	7	13	12	17	29	29	45	43	37	14	4	1	1	–
Kirkcudbright	12	9	8	5	13	10	5	14	14	26	13	10	7	–	–	–
Wigtown	9	7	5	6	7	16	11	13	23	25	20	9	4	3	–	–

DEATHS at Different Ages in the INSULAR-RURAL DISTRICTS of SCOTLAND, 1879.—FEMALES.

Shetland	9	6	3	4	5	13	4	8	13	13	30	16	8	1	–	–
Orkney	10	8	5	7	11	13	11	13	28	40	32	25	3	–	1	–
Ross and Cromarty	3	2	3	4	3	6	4	4	6	9	4	5	2	5	1	–
Inverness	11	15	16	11	13	12	14	27	27	24	33	13	5	6	5	–
Argyll	5	3	1	1	5	7	9	14	17	16	15	14	2	1	1	–
Bute	1	6	3	1	3	2	3	6	7	11	10	8	–	–	–	–

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1879.—MALES.

Class.	CAUSES OF DEATH.	SCOTLAND.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.
	All Causes	36296	217	246	325	166	628	703	61	360	496	2263	287	2584	1176	1432	65
	Specified Causes . .	35635	188	236	320	149	556	652	59	353	490	2230	280	2571	1151	1397	65
	(CLASSES.)																
I.	ZYMOTIC DISEASES	5409	13	44	45	12	59	65	5	48	85	339	44	400	124	237	9
II.	CONSTITUTIONAL ,,	6786	47	33	66	26	92	103	10	66	69	361	44	429	173	222	11
III.	LOCAL ,,	17147	64	97	140	68	258	322	29	192	240	1136	133	1275	625	637	33
IV.	DEVELOPMENTAL ,,	4520	54	50	53	33	122	129	14	34	65	272	40	350	165	224	10
V.	VIOLENT DEATHS . .	1773	10	12	16	10	25	33	1	13	31	122	19	117	64	77	2
	(ORDERS.)																
I.	1. MIASMATIC DISEASES .	5016	11	42	44	11	59	63	4	46	85	312	43	368	111	228	9
	2. ENTHETIC ,, . .	141	–	–	1	1	–	1	–	2	–	8	–	15	2	2	–
	3. DIETIC ,, . .	232	2	2	–	–	–	1	1	–	–	15	1	15	10	7	–
	4. PARASITIC ,, . .	20	–	–	–	–	–	–	–	–	–	4	–	2	1	–	–
II.	1. DIATHETIC ,, . .	935	9	3	18	8	19	22	2	13	21	57	11	71	36	34	4
	2. TUBERCULAR ,, . .	5851	38	30	48	18	73	81	8	53	48	304	33	358	137	188	7
III.	1. DISEASES OF NERVOUS SYSTEM .	4058	17	23	31	17	58	80	6	56	52	273	32	297	161	160	5
	2. ,, OF ORGANS OF CIRCULATION . .	2477	8	7	24	7	32	45	3	33	43	185	28	178	118	113	7
	3. ,, OF RESPIRATORY ORGANS . .	7256	23	38	48	24	111	129	16	63	91	437	43	580	213	243	17
	4. ,, OF DIGESTIVE ORGANS	2093	6	18	18	11	31	41	4	20	34	126	19	134	81	68	2
	5. ,, OF URINARY ORGANS	967	10	8	17	8	21	20	–	17	13	103	10	58	38	46	2
	6. ,, OF ORGANS OF GENERATION .	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
	7. ,, OF ORGANS OF LOCOMOTION . .	194	–	–	2	1	4	4	–	2	3	7	–	14	7	4	–
	8. ,, OF INTEGUMENTARY SYSTEM . .	119	–	3	–	–	1	3	–	1	4	5	1	14	6	3	–
IV.	1. DEV. DIS. OF CHILDREN .	1351	1	2	9	1	10	9	4	6	25	102	11	116	30	42	2
	2. ,, OF ADULTS .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. ,, OF OLD PEOPLE	1869	51	43	36	30	106	102	10	21	21	115	21	124	92	123	8
	4. DISEASES OF NUTRITION .	1300	2	5	8	2	6	18	–	7	19	55	8	110	43	59	–

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1879.—FEMALES.

Class.	CAUSES OF DEATH.	SCOTLAND.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty	Inverness	Nairn	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.
	All Causes	37051	235	323	317	223	687	810	69	366	555	2306	282	2925	1246	1555	74
	Specified Causes . .	36450	211	309	311	206	620	760	66	358	550	2273	271	2905	1221	1525	74
	(CLASSES.)																
I.	ZYMOTIC DISEASES	5714	20	41	43	24	76	64	5	43	96	358	35	421	141	248	8
II.	CONSTITUTIONAL ,,	7785	53	57	58	30	95	124	10	55	97	435	58	623	227	284	18
III.	LOCAL ,,	16500	53	117	126	77	242	328	25	167	265	1070	118	1371	572	685	39
IV.	DEVELOPMENTAL ,,	5824	83	92	77	72	198	229	25	83	78	371	55	424	255	288	8
V.	VIOLENT DEATHS . .	627	2	2	7	3	9	15	1	10	14	39	5	66	26	20	1
	(ORDERS.)																
I.	1. MIASMATIC DISEASES .	5431	20	41	41	22	76	62	5	41	92	337	34	401	136	234	8
	2. ENTHETIC ,, . . .	108	–	–	2	–	–	1	–	–	2	9	1	10	2	1	–
	3. DIETIC ,, . .	158	–	–	–	1	–	1	–	2	2	12	–	9	3	12	–
	4. PARASITIC ,, . .	17	–	–	–	1	–	–	–	–	–	–	–	1	–	1	–
II.	1. DIATHETIC ,, . .	1538	10	24	19	14	32	29	5	12	32	107	23	118	61	69	7
	2. TUBERCULAR ,, . .	6247	43	33	39	16	63	95	5	43	65	328	35	505	166	215	11
III.	1. DISEASES OF NERVOUS SYSTEM . .	3693	14	23	28	12	60	96	5	43	64	246	26	305	141	159	5
	2. ,, OF ORGANS OF CIRCULATION .	2580	5	21	19	10	25	45	4	29	37	175	31	224	123	133	8
	3. ,, OF RESPIRATORY ORGANS . .	7057	18	53	53	35	110	123	9	52	104	418	41	621	200	263	12
	4. ,, OF DIGESTIVE ORGANS	2150	11	13	15	12	37	44	4	35	33	128	13	154	77	82	11
	5. ,, OF URINARY ORGANS	573	3	6	8	4	4	8	1	5	19	64	6	36	20	34	2
	6. ,, OF ORGANS OF GENERATION .	161	1	1	2	3	2	6	2	1	3	10	–	17	5	6	–
	7. ,, OF ORGANS OF LOCOMOTION . .	129	1	–	1	–	2	3	–	1	2	14	–	6	2	3	1
	8. ,, OF INTEGUMENTARY SYSTEM . .	157	–	–	–	1	2	3	–	1	3	15	1	8	4	5	–
IV.	1. DEV. DIS. OF CHILDREN .	1042	1	1	8	2	10	8	2	10	10	75	7	96	23	42	2
	2. ,, OF ADULTS . .	418	4	5	3	–	10	13	–	4	3	21	3	34	16	13	–
	3. ,, OF OLD PEOPLE .	3212	77	79	60	66	171	190	23	60	53	213	42	196	184	186	5
	4. DISEASES OF NUTRITION .	1152	1	7	6	4	7	18	–	9	12	62	3	98	32	47	1

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1879.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	Clackmannan	Stirling.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright	Wigtown.
	All Causes . . .	244	1114	649	766	190	2520	2139	10680	401	3727	290	278	103	230	467	747	382	360
	Specified Causes . .	241	1100	636	719	186	2483	2106	10563	394	3710	284	273	101	229	464	721	376	352
	(CLASSES.)																		
I.	ZYMOTIC DISEASES	40	217	73	71	22	438	390	1720	64	548	37	52	19	37	40	57	22	33
II.	CONSTITUTIONAL ,,	65	181	131	139	53	542	422	2173	77	709	46	25	16	47	89	149	102	68
III.	LOCAL ,,	86	512	292	331	79	1099	945	5079	183	1857	147	139	46	105	262	373	184	179
IV.	DEVELOPMENTAL ,,	39	130	90	125	25	292	251	1086	49	415	41	41	12	28	65	115	44	57
V.	VIOLENT DEATHS .	11	60	50	53	7	112	98	505	21	181	13	16	8	12	8	27	24	15
	(ORDERS.)																		
I.	1. MIASMATIC DISEASES .	35	209	69	64	17	399	369	1611	60	485	35	48	14	30	37	47	20	31
	2. ENTHETIC ,, .	–	4	–	2	–	14	6	51	1	24	–	2	–	1	2	–	1	1
	3. DIETIC ,, .	4	4	4	5	5	22	13	52	3	39	2	2	5	6	1	10	1	–
	4. PARASITIC ,, .	1	–	–	–	–	3	2	6	–	–	–	–	–	–	–	–	–	1
II.	1. DIATHETIC ,, .	9	23	12	27	10	53	44	210	9	112	6	5	6	8	14	27	21	11
	2. TUBERCULAR ,, .	56	158	119	112	43	489	378	1963	68	597	40	20	10	39	75	122	81	57
III.	1. DISEASES OF NERVOUS SYSTEM .	16	100	77	81	20	280	217	1123	43	457	52	38	12	18	64	90	42	40
	2. ,, OF ORGANS OF CIRCULATION	21	81	39	65	18	140	139	563	25	275	34	25	9	24	62	54	47	25
	3. ,, OF RESPIRATORY ORGANS . .	29	221	120	110	24	474	397	2473	71	762	42	42	9	39	77	144	61	85
	4. ,, OF DIGESTIVE ORGANS .	15	81	41	37	10	138	109	624	26	213	9	23	8	17	36	52	21	20
	5. ,, OF URINARY ORGANS . .	3	27	9	34	6	48	58	208	9	103	9	8	4	4	18	30	11	7
	6. ,, OF ORGANS OF GENERATION .	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
	7. ,, OF ORGANS OF LOCOMOTION .	2	–	3	3	1	13	15	56	9	29	1	3	1	2	1	3	2	2
	8. ,, OF INTEGUMENTARY SYSTEM .	–	2	3	1	–	6	10	31	–	17	–	–	3	1	4	–	–	–
IV.	1. DEV. DIS. OF CHILDREN	13	32	27	14	3	91	76	425	13	169	12	12	2	18	26	21	12	15
	2. ,, OF ADULTS .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. ,, OF OLD PEOPLE	11	44	35	95	16	109	92	239	18	118	15	22	6	8	16	62	25	35
	4. DISEASES OF NUTRITION	15	54	28	16	6	92	83	422	18	128	14	7	4	2	23	32	7	7

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1879.—FEMALES. (*Continued.*)

	CAUSES OF DEATH.	Clackmannan	Stirling.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright	Wigtown.
	All Causes . . .	251	1064	703	755	196	2515	2096	10367	389	3866	303	302	117	216	459	743	363	373
	Specified Causes . .	249	1044	694	715	195	2492	2067	10273	376	3848	301	297	114	214	455	730	358	368
	(CLASSES.)																		
I.	ZYMOTIC DISEASES	38	242	109	81	29	429	366	1813	66	569	33	45	27	41	55	74	31	43
II.	CONSTITUTIONAL ,,	68	193	159	146	43	622	495	2361	79	813	51	38	20	57	97	162	79	78
III.	LOCAL ,,	98	421	298	291	88	1043	872	4692	166	1898	149	161	47	90	231	358	181	161
IV.	DEVELOPMENTAL ,,	38	169	115	177	32	365	292	1265	59	502	63	45	16	25	65	126	53	79
V.	VIOLENT DEATHS .	7	19	13	20	3	33	42	142	6	66	5	8	4	1	7	10	14	7
	(ORDERS.)																		
I.	1. MIASMASTIC DISEASES	38	236	104	79	24	412	357	1721	65	520	30	44	22	36	50	70	31	42
	2. ENTHETIC ,, .	–	2	1	–	–	8	4	44	1	15	–	–	–	2	2	1	–	–
	3. DIETIC ,, .	–	3	4	2	5	7	3	45	–	30	3	1	5	3	2	2	–	1
	4. PARASITIC ,, .	–	1	–	–	–	2	2	3	–	4	–	–	–	–	1	1	–	–
II.	1. DIATHETIC ,, .	11	37	27	45	8	69	87	338	16	188	19	12	5	19	20	39	16	20
	2. TUBERCULAR ,, .	57	156	132	101	35	553	408	2023	63	625	32	26	15	38	77	123	63	58
III.	1. DISEASES OF NERVOUS SYSTEM . .	31	113	54	67	23	233	184	963	30	444	37	42	13	24	61	78	34	35
	2. ,, OF ORGANS OF CIRCULATION	16	71	44	44	16	135	164	548	29	339	32	45	3	13	63	62	46	21
	3. ,, OF RESPIRATORY ORGANS .	39	154	138	124	24	478	322	2319	73	766	66	47	20	37	63	143	64	68
	4. ,, OF DIGESTIVE ORGANS .	8	58	47	41	18	148	142	595	23	222	7	17	5	10	35	53	27	25
	5. ,, OF URINARY ORGANS . .	3	14	8	6	4	27	33	145	6	61	4	7	4	2	6	13	6	4
	6. ,, OF ORGANS OF GENERATION .	1	4	4	4	–	10	5	42	2	16	1	1	2	2	–	3	1	4
	7. ,, OF ORGANS OF LOCOMOTION .	–	2	1	–	2	5	11	39	1	21	1	–	–	2	2	2	1	3
	8. ,, OF INTEGUMENTARY SYSTEM	–	5	2	5	1	7	11	41	2	29	1	2	–	–	1	4	2	1
IV.	1. DEV. DIS. OF CHILDREN	3	24	22	10	3	76	55	338	12	128	10	3	2	6	13	18	5	17
	2. ,, OF ADULTS .	6	13	13	11	1	24	15	121	7	41	2	5	4	3	8	7	3	5
	3. ,, OF OLD PEOPLE	14	80	51	140	25	158	156	472	25	214	35	30	8	12	26	76	39	46
	4. DISEASES OF NUTRITION	15	52	29	16	3	107	66	334	15	119	16	7	2	4	18	25	6	11

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1879.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	SCOTLAND.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.
V.	1. ACCIDENT OR NEGLIGENCE .	1643	10	11	16	10	24	32	1	12	26	112	19	99	58	72	2
	*																
	3. HOMICIDE . . .	7	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
	4. SUICIDE	123	–	1	–	–	1	1	–	1	5	10	–	18	5	5	–
	5. EXECUTION	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	SUDDEN DEATHS, CAUSE UNASCERTAINED	54	–	–	–	–	1	–	–	1	–	3	–	2	2	4	–
	CAUSES NOT SPECIFIED . . .	607	29	10	5	17	71	51	2	6	6	30	7	11	23	31	–
I.	ORDER 1.																
	1. Small-pox . . .	7	–	–	–	–	–	2	–	–	–	–	–	2	–	–	–
	2. Measles	402	–	–	–	–	–	2	–	–	1	56	1	17	6	9	–
	3. Scarlatina . . .	844	3	9	8	1	5	2	1	12	26	30	15	28	12	35	4
	4. Diphtheria . . .	419	2	7	5	–	5	6	–	3	21	33	6	28	8	6	1
	5. Quinsy	17	–	–	–	–	–	1	1	–	–	1	–	–	1	1	–
	6. Croup	370	–	2	9	–	16	12	–	3	7	17	2	14	6	16	1
	7. Hooping-cough . .	1104	–	5	3	–	3	7	2	5	6	48	1	151	23	79	–
	8. Typhus Fever . . .	111	–	–	1	–	6	1	–	2	–	5	1	15	2	1	–
	8. Enteric or Typhoid Fever	491	2	3	7	4	3	4	–	7	9	31	8	19	15	35	1
	8. Relapsing Fever . .	4	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	8. Simple Continued Fever .	68	–	1	–	–	2	3	–	1	1	1	–	2	2	2	2
	9. Erysipelas . . .	146	–	3	2	1	3	3	–	3	4	12	2	6	5	6	–
	10. Puerperal Fever (Metria) .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. Carbuncle . . .	12	–	–	–	–	–	–	–	–	–	1	–	1	2	1	–
	12. Influenza	57	–	2	–	–	4	–	–	–	2	5	2	3	1	6	–
	13. Dysentery . . .	72	–	–	–	–	1	–	–	–	2	8	–	4	4	1	–
	14. Diarrhœa . . .	636	2	6	4	2	6	7	–	4	5	46	2	66	16	20	–
	15. Cholera	50	–	–	–	–	1	1	–	1	1	4	–	1	1	1	–
	16. Ague	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	17. Remittent Fever . .	35	–	1	–	–	–	–	–	1	–	2	1	1	1	3	–
	18. Rheumatism . . .	164	2	3	5	3	4	11	–	4	–	12	2	10	4	6	–
	19. Other *Miasmatic* Diseases	4	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–
	ORDER 2.																
	1. Syphilis	121	–	–	1	1	–	1	–	–	–	8	–	12	–	2	–
	2. Stricture of Urethra . .	20	–	–	–	–	–	–	–	2	–	–	–	3	2	–	–
	3. Hydrophobia . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Glanders	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.																
	1. Privation	7	–	–	–	–	–	–		–	–	–	–	–	–	1	–
	2. Want of Breast Milk .	57	–	–	–	–	–	–	–	–	–	4	1	2	1	2	–
	3. Purpura and Scurvy . .	29	1	1	–	–	–	1	–	–	–	3	–	3	–	–	–
	4. Alcoholism { *a* Del. Tremens .	35	1	–	–	–	–	–	1	–	–	2	–	4	2	2	–
	4. Alcoholism { *b* Intemperance .	104	–	1	–	–	–	–	–	–	–	6	–	6	7	2	–
	ORDER 4.																
	1. Thrush . . .	16	–	–	–	–	–	–	–	–	–	4	–	2	1	–	–
	2. Worms, etc. . .	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	ORDER 1.																
	1. Gout	10	2	–	1	–	–	–	–	–	1	1	–	1	–	–	–
	2. Dropsy	179	3	–	1	3	5	3	–	2	3	3	1	10	7	5	–
	3. Cancer . .	663	3	3	14	5	13	18	2	11	16	44	8	53	27	24	3
	4. Cancrum Oris (Noma) .	5	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	5. Mortification . . .	78	1	–	2	–	1	1	–	–	1	8	2	7	2	5	1

* Order 2, comprising Violent Deaths in Battle, is omitted as in applicable to the civil population.

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1879. FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	SCOTLAND.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.
V.	1. ACCIDENT OR NEGLIGENCE .	565	2	2	6	3	9	14	–	10	10	34	5	58	21	19	1
	*																
	3. HOMICIDE . .	7	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	4. SUICIDE	55	–	–	1	–	–	1	–	–	4	5	–	8	5	1	–
	5. EXECUTION	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	SUDDEN DEATHS, CAUSE UNASCERTAINED	52	–	–	–	–	3	–	–	–	–	2	–	3	2	4	–
	CAUSES NOT SPECIFIED . . .	549	24	14	6	17	64	50	3	8	5	31	11	17	23	26	–
I.	ORDER 1.																
	1. Small-pox	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Measles	367	–	–	–	–	–	1	–	1	–	36	–	20	10	5	–
	3. Scarlatina	748	3	2	7	2	3	2	–	5	26	33	10	19	6	39	1
	4. Diphtheria	443	3	11	5	1	2	12	–	4	19	48	4	21	6	10	4
	5. Quinsy	13	–	–	–	–	–	–	–	–	–	3	–	1	–	–	–
	6. Croup	358	–	1	4	–	23	19	–	4	6	18	1	14	9	18	1
	7. Hooping-cough	1379	1	4	2	–	3	2	1	6	10	66	1	155	48	89	–
	8. Typhus Fever	99	–	–	–	–	10	–	–	–	–	7	1	11	–	–	–
	8. Enteric or Typhoid Fever .	522	3	5	10	9	3	3	2	10	5	24	4	35	12	26	1
	8. Relapsing Fever . . .	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	8. Simple Continued Fever .	65	–	1	–	–	–	2	–	1	–	–	2	4	–	1	–
	9. Erysipelas	119	2	–	1	–	3	–	–	1	4	7	–	7	4	6	–
	10. Puerperal Fever (Metria) .	184	2	1	2	–	7	3	–	3	–	16	1	8	5	6	–
	11. Carbuncle	6	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–
	12. Influenza	66	–	6	–	1	2	–	–	–	2	4	1	5	1	2	–
	13. Dysentery	72	4	1	–	1	1	2	–	–	1	7	–	4	5	–	–
	14. Diarrhœa	689	1	6	2	4	9	4	2	3	12	51	6	80	23	22	1
	15. Cholera	42	–	–	1	1	–	–	–	–	3	–	–	1	1	–	–
	16. Ague	3	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	17. Remittent Fever . .	31	–	–	–	–	1	–	–	1	1	–	–	2	–	3	–
	18. Rheumatism	216	1	2	7	3	9	12	–	2	3	12	3	14	6	7	–
	19. Other *Miasmatic* Diseases	7	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–
	ORDER 2.																
	1. Syphilis	104	–	–	2	–	–	1	–	–	2	9	1	10	2	–	–
	2. Stricture of Urethra . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Hydrophobia	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
	4. Glanders	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.																
	1. Privation	6	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–
	2. Want of Breast Milk . .	43	–	–	–	–	–	–	–	1	–	4	–	1	–	2	–
	3. Purpura and Scurvy . .	12	–	–	–	–	–	–	–	–	1	3	–	–	–	2	–
	4. Alcoholism *a* Del. Tremens	7	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
	4. Alcoholism *b* Intemperance	90	–	–	–	1	–	1	–	1	1	5	–	7	2	7	–
	ORDER 4.																
	1. Thrush	9	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–
	2. Worms, etc.	8	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
II.	ORDER 1.																
	1. Gout	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Dropsy	276	8	7	3	1	12	12	–	1	1	9	3	17	10	12	–
	3. Cancer	1167	2	15	16	11	16	17	4	9	30	93	19	97	51	55	6
	4. Cancrum Oris (Noma) . .	3	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1
	5. Mortification	90	–	2	–	2	4	–	1	2	1	4	1	4	–	2	–

* See note on opposite page.

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1879.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	Clackmannan.	Stirling.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
V.	1. ACCIDENT OR NEGLIGENCE	9	57	47	52	7	104	91	485	17	166	8	13	5	12	7	24	21	14
	*																		
	3. HOMICIDE	–	–	–	–	–	–	–	2	–	1	–	–	3	–	–	–	–	–
	4. SUICIDE	2	3	3	1	–	8	7	18	4	14	5	3	–	–	1	3	3	1
	5. EXECUTION	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	SUDDEN DEATHS, CAUSE UNASCERTAINED	–	–	1	–	–	2	1	32	–	3	–	–	–	–	–	2	–	–
	CAUSES NOT SPECIFIED	3	14	12	47	4	35	32	85	7	14	6	5	2	1	3	24	6	8
I.	ORDER 1.																		
	1. Small-pox	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–
	2. Measles	1	30	2	7	–	49	62	137	7	13	–	–	–	–	–	1	1	–
	3. Scarlatina	1	34	11	1	6	65	37	355	6	77	6	27	3	10	5	5	–	4
	4. Diphtheria	2	13	6	9	–	42	20	131	7	32	3	4	1	3	4	1	4	6
	5. Quinsy	1	–	–	–	–	1	–	6	–	3	–	–	–	–	1	–	–	–
	6. Croup	5	17	7	8	1	34	29	96	7	35	5	2	2	7	2	4	3	1
	7. Hooping-cough	18	42	17	10	3	69	92	394	6	95	3	1	2	5	2	6	3	3
	8. Typhus Fever	–	3	–	4	–	21	2	33	1	10	–	1	–	1	–	1	–	–
	8. Enteric or Typhoid Fever	4	14	4	6	1	30	36	127	7	70	10	6	2	–	12	9	3	2
	8. Relapsing Fever	–	–	–	–	–	2	–	1	–	–	–	–	–	–	–	–	–	–
	8. Simple Continued Fever	1	8	4	1	1	8	6	13	–	4	–	–	–	–	1	2	–	2
	9. Erysipelas	1	7	1	3	1	8	7	38	1	16	2	3	1	–	2	2	3	–
	10. Puerperal Fever (Metria)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. Carbuncle	–	–	–	1	–	1	–	3	–	1	–	–	–	–	–	–	–	1
	12. Influenza	–	7	1	2	–	3	1	7	–	4	1	1	–	–	–	–	–	5
	13. Dysentery	–	4	2	3	–	4	12	18	1	5	1	–	–	–	1	–	–	1
	14. Diarrhœa	–	17	9	4	3	51	45	201	14	79	2	1	2	3	4	10	2	3
	15. Cholera	–	2	2	–	–	2	5	16	3	6	1	1	–	–	1	–	–	–
	16. Ague	–	–	–	–	–	1	–	–	–	2	–	–	–	–	–	–	–	–
	17. Remittent Fever	–	7	1	2	–	2	2	8	–	3	–	–	–	–	–	–	–	–
	18. Rheumatism	1	4	2	3	1	6	13	27	–	25	1	1	1	1	2	6	1	3
	19. Other *Miasmatic* Diseases	–	–	–		–	–	–	–	–	2	–	–	–	–	–	–	–	–
	ORDER 2.																		
	1. Syphilis	–	4	–	1	–	12	5	48	1	19	–	2	–	1	1	–	1	1
	2. Stricture of Urethra	–	–	–	1	–	2	1	3	–	5	–	–	–	–	1	–	–	–
	3. Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Glanders	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.																		
	1. Privation	1	–	–	–	–	–	1	2	–	2	–	–	–	–	–	–	–	–
	2. Want of Breast Milk	–	3	2	2	1	1	2	13	–	9	1	1	4	4	–	4	–	–
	3. Purpura and Scurvy	–	–	1	–	1	2	2	10	–	3	–	–	–	–	–	–	1	–
	4. Alcoholism *a* Del. Tremens	2	1	–	–	–	8	2	5	1	3	–	–	–	1	–	–	–	–
	4. Alcoholism *b* Intemperance	1		1	3	3	11	6	22	2	22	1	1	1	1	1	6	–	–
	ORDER 4.																		
	1. Thrush	1	–	–	–	–	2	–	6	–	–	–	–	–	–	–	–	–	
	2. Worms, etc.	–	–	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–	1
II.	ORDER 1.																		
	1. Gout	–	–	–	1	–	–	–	1	–	2	–	–	–	–	–	–	–	–
	2. Dropsy	3	3	2	5	–	14	8	68	2	15	1	–	–	1	3	4	3	1
	3. Cancer	6	16	8	20	10	34	28	130	6	82	4	4	6	6	11	23	16	9
	4. Cancrum Oris (Noma)	–	–	–	–	–	1	1	2	–	–	–	–	–	–	–	–	–	–
	5. Mortification	–	4	2	1	–	4	7	9	1	13	1	1	–	1	–	–	2	1

* See page 52, note *.

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1879.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	Clackmannan.	Stirling.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
V.	1. ACCIDENT OR NEGLIGENCE	6	17	13	18	3	31	37	135	5	58	3	7	2	1	6	10	12	7
	*																		
	3. HOMICIDE	–	–	–	1	–	–	–	1	–	2	–	–	1	–	–	–	1	–
	4. SUICIDE	1	2	–	1	–	2	5	6	1	6	2	1	1	–	1	–	1	–
	5 EXECUTION	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	SUDDEN DEATHS, CAUSE UNASCERTAINED	–	2	1	–	–	–	–	33	1	–	–	–	–	–	–	–	1	–
	CAUSES NOT SPECIFIED	2	18	8	40	1	23	29	61	12	18	2	5	3	2	4	13	4	5
I.	ORDER 1.																		
	1. Small-pox	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	2. Measles	–	28	8	4	1	45	42	143	5	13	–	–	–	–	–	5	–	–
	3. Scarlatina	1	41	9	–	2	61	34	317	2	68	4	17	4	11	7	7	3	2
	4. Diphtheria	2	15	11	8	–	35	26	119	6	31	1	3	1	5	7	8	3	12
	5. Quinsy	–	–	–	2	–	2	–	5	–	–	–	–	–	–	–	–	–	–
	6. Croup	6	7	9	7	1	17	19	110	–	32	5	8	–	4	1	9	3	2
	7. Hooping-cough	15	62	21	13	8	102	89	508	11	131	1	–	2	7	–	12	2	7
	8. Typhus Fever	–	2	–	2	–	12	2	32	–	18	–	–	–	–	1	–	1	–
	8. Enteric or Typhod Fever	6	26	8	7	7	39	38	119	15	54	10	6	2	2	15	7	7	2
	8. Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Simple Continued Fever	–	7	5	1	–	3	10	15	–	4	–	1	–	1	2	3	1	1
	9. Erysipelas	1	3	3	3	–	6	7	41	1	10	–	1	4	1	3	–	–	–
	10. Puerperal Fever (Metria)	2	5	7	1	3	11	13	42	4	19	2	2	4	1	5	7	–	2
	11. Carbuncle	–	–	–	–	–	1	–	2	–	1	–	–	–	–	–	–	–	–
	12. Influenza	–	6	3	1	–	2	7	11	1	5	–	2	–	–	–	–	–	4
	13. Dysentery	–	2	2	–	–	4	9	11	2	6	1	–	–	–	4	3	2	–
	14. Diarrhœa	3	24	11	20	1	52	38	182	13	87	4	2	4	4	2	2	5	9
	15. Cholera	–	1	1	–	–	2	2	18	–	10	–	–	–	–	–	–	1	–
	16. Ague	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	17. Remittent Fever	–	4	1	1	–	4	3	3	–	4	–	1	–	–	–	1	–	1
	18. Rheumatism	2	2	5	8	1	14	18	41	4	24	2	1	1	–	3	6	3	–
	19. Other *Miasmatic* Diseases	–	–	–	–	–	–	–	2	1	2	–	–	–	–	–	–	–	–
	ORDER 2.																		
	1. Syphilis	–	2	1	–	–	8	4	42	1	14	–	–	–	2	2	1	–	–
	2. Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Hydrophobia	–	–	–	–	–	–	–	2	–	1	–	–	–	–	–	–	–	–
	4. Glanders	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.																		
	1. Privation	–	–	–	–	–	–	–	3	–	1	–	–	–	–	–	–	–	–
	2. Want of Breast Milk	–	2	2	–	–	–	2	9	–	11	–	1	4	3	1	–	–	–
	3. Purpura and Scurvy	–	–	–	–	–	2	–	2	–	1	–	–	–	–	1	–	–	–
	4. Alcoholism *a* Del. Tremens	–	1	–	–	–	–	–	3	–	1	1	–	–	–	–	–	–	–
	4. Alcoholism *b* Intemperance	–	–	2	2	5	5	1	28	–	16	2	–	1	–	–	2	–	1
	ORDER 4.																		
	1. Thrush	–	1	–	–	–	1	–	1	–	3	–	–	–	–	–	1	–	–
	2. Worms, etc.	–	–	–	–	–	1	2	2	–	1	–	–	–	–	1	–	–	–
II.	ORDER 1.																		
	1. Gout	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	2. Dropsy	4	8	4	10	1	15	13	80	–	21	1	2	1	4	3	5	2	6
	3. Cancer	6	28	19	29	7	52	69	232	15	152	18	10	4	13	14	31	14	13
	4. Cancrum Oris (Noma)	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	5. Mortification	1	–	4	6	–	2	4	26	–	15	–	–	–	2	3	3	–	1

* See page 52, note *.

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1879.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	SCOTLAND.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.
	ORDER 2.																
	1. Scrofula	378	2	3	1	1	2	2	–	5	2	27	1	20	8	11	–
	2. Tabes Mesenterica	573	1	3	4	1	1	2	1	1	1	18	1	25	10	12	–
	3. Phthisis	3847	34	22	35	15	66	75	7	44	38	211	24	264	99	136	6
	4. Hydrocephalus	1053	1	2	8	1	4	2	–	3	7	48	7	49	20	29	1
III.	ORDER 1.																
	1. Cephalitis	608	2	5	3	1	7	6	–	4	9	35	5	49	23	19	–
	2. Apoplexy	969	3	5	6	6	10	6	5	13	13	54	11	66	39	38	2
	3. Paralysis	1054	8	9	13	7	24	19	1	18	9	75	7	77	57	55	1
	4. Insanity	66	1	–	1	–	–	21	–	–	1	4	–	2	2	1	–
	5. Chorea	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Epilepsy	151	1	1	1	1	7	5	–	4	4	11	–	9	7	4	–
	7. Convulsions	592	–	3	4	1	4	15	–	6	6	48	1	56	7	21	1
	8. *Brain Disease, etc.*	596	2	–	3	1	6	8	–	11	10	46	8	38	26	22	1
	ORDER 2.																
	1. Pericarditis	61	–	1	–	–	–	1	–	–	1	7	1	5	4	4	–
	2. Aneurism	77	–	–	–	–	–	3	1	–	1	8	2	6	2	2	1
	3. *Heart Disease, etc.*	2339	8	6	24	7	32	41	2	33	41	170	25	167	112	107	6
	ORDER 3.																
	1. Laryngitis	115	–	1	1	–	1	1	–	1	4	7	2	9	4	3	–
	2. Bronchitis	4377	14	23	29	15	61	72	11	41	60	305	28	373	128	153	9
	3. Pleurisy	187	1	1	2	–	6	12	–	–	1	8	–	9	6	5	–
	4. Pneumonia	1730	6	5	13	4	15	24	3	12	19	78	11	133	45	59	6
	5. Asthma	182	2	5	3	5	24	7	–	2	2	7	1	9	4	10	–
	6. *Lung Disease, etc.*	665	–	3	–	–	4	13	2	7	5	32	1	47	26	13	2
	ORDER 4.																
	1. Gastritis	95	–	2	–	1	1	1	1	1	1	2	1	7	1	2	–
	2. Enteritis	427	–	2	2	–	7	8	–	5	4	22	3	32	13	14	–
	3. Peritonitis	208	1	1	4	–	2	3	–	1	4	16	1	11	13	7	–
	4. Ascites	27	–	–	–	1	1	1	–	–	–	1	–	2	1	–	–
	5. Ulceration of Intestines	110	–	2	1	3	–	1	–	2	4	9	4	8	4	2	–
	6. Hernia	56	–	–	–	–	–	4	–	–	–	5	1	4	5	2	–
	7. Ileus	144	1	2	1	3	2	5	1	5	3	13	2	11	4	5	–
	8. Intussusception	34	–	–	–	–	1	1	–	–	1	4	1	4	1	–	–
	9. Stricture of Intestines	23	–	–	–	–	–	–	–	–	1	1	–	–	1	1	–
	10. Fistula	10	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–
	11. *Stomach Disease, etc.*	320	2	1	4	2	13	5	1	4	5	20	–	19	12	9	–
	12. *Pancreas Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Hepatitis	85	–	–	–	–	–	2	–	–	1	2	–	4	3	4	1
	14. Jaundice	115	1	2	1	1	1	2	–	1	4	10	2	8	7	5	–
	15. *Liver Disease, etc*	416	–	6	4	–	3	8	1	1	5	18	4	21	15	16	1
	16. *Spleen Disease, etc.*	23	1	–	1	–	–	–	–	–	1	2	–	2	1	1	–
	ORDER 5.																
	1. Nephritis	109	–	1	2	–	3	2	–	1	–	8	1	5	2	5	–
	2. Ischuria	49	2	–	1	–	–	2	–	1	2	6	–	4	2	4	–
	3. Bright's Disease (Nephria)	237	1	3	4	–	1	4	–	1	3	14	2	18	11	12	1
	4. Diabetes	79	–	2	–	–	3	2	–	1	–	8	1	2	3	3	–
	5. Calculus (Stone)	37	3	1	4	2	4	2	–	–	1	3	–	2	2	1	1
	6. Cystitis	140	1	1	4	3	1	3	–	5	3	18	2	7	3	8	–
	7. *Kidney Disease, etc.*	316	3	–	2	3	9	5	–	8	4	46	4	20	15	13	–
	ORDER 6.																
	1. Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. *Uterus Disease, etc.*	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
	ORDER 7.																
	1. Synovitis (Arthritis)	27	–	–	–	–	1	–	–	1	–	2	–	1	1	–	–
	2. *Joint Disease, etc.*	167	–	–	2	1	3	4	–	1	3	5	–	13	6	4	–

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1879.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	SCOTLAND.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.
	ORDER 2.																
	1. Scrofula	301	5	3	3	1	3	2	–	1	3	16	1	14	5	10	1
	2. Tabes Mesenterica	516	2	–	2	–	3	2	1	2	1	22	2	29	10	20	–
	3. Phthisis	4489	33	24	26	14	55	84	4	36	54	234	28	398	130	146	9
	4. Hydrocephalus	941	3	6	8	1	2	7	–	4	7	56	4	64	21	39	1
III.	ORDER 1.																
	1. Cephalitis	448	1	3	5	–	6	7	–	3	6	32	3	31	12	20	–
	2. Apoplexy	997	5	9	8	5	14	16	–	7	18	66	4	84	37	43	2
	3. Paralysis	1091	5	8	13	6	30	23	2	23	14	69	4	91	61	54	2
	4. Insanity	84	–	–	–	–	1	25	–	–	2	3	–	3	3	2	1
	5. Chorea	9	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–
	6. Epilepsy	125	–	2	1	1	1	5	–	–	3	1	2	13	2	7	–
	7. Convulsions	455	2	–	–	–	2	10	1	4	10	33	5	54	5	13	–
	8. *Brain Disease, etc.*	484	1	1	1	–	6	10	2	6	11	40	8	29	21	20	–
	ORDER 2.																
	1. Pericarditis	57	–	4	–	–	–	1	–	–	–	4	1	3	1	1	1
	2. Aneurism	36	–	–	–	–	–	–	–	–	–	5	2	–	2	1	–
	3. *Heart Disease, etc.*	2487	5	17	19	10	25	44	4	29	37	166	28	221	120	131	7
	ORDER 3.																
	1. Laryngitis	82	–	–	–	–	–	2	–	1	1	4	1	3	6	4	–
	2. Bronchitis	4808	10	38	40	21	75	74	5	39	70	310	25	449	139	194	8
	3. Pleurisy	120	–	4	–	–	1	11	–	1	2	1	1	10	1	2	–
	4. Pneumonia	1337	3	6	9	7	12	11	3	7	23	74	8	117	34	51	4
	5. Asthma	171	5	4	–	5	16	17	–	1	3	9	1	11	7	6	–
	6. *Lung Disease, etc.*	539	–	1	4	2	6	8	1	3	5	20	5	31	13	6	–
	ORDER 4.																
	1. Gastritis	144	–	–	1	1	3	7	–	3	3	2	–	10	2	6	1
	2. Enteritis	386	2	2	1	–	5	8	2	3	8	12	3	19	17	11	–
	3. Peritonitis	262	–	–	2	1	4	5	–	9	3	18	–	23	9	8	1
	4. Ascites	39	–	1	–	1	1	2	–	–	–	3	–	2	–	1	–
	5. Ulceration of Intestines	133	1	3	1	–	4	1	–	5	3	7	1	13	6	4	1
	6. Hernia	73	–	–	–	1	4	–	–	–	–	8	3	8	4	2	–
	7. Ileus	144	–	1	1	3	3	5	–	1	4	8	2	14	3	5	–
	8. Intussusception	19	–	–	–	–	–	–	–	1	1	3	–	1	–	2	–
	9. Stricture of Intestines	9	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–
	10. Fistula	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. *Stomach Disease, etc.*	360	5	3	2	1	10	5	–	5	2	26	–	24	11	14	2
	12. *Pancreas Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Hepatitis	124	1	–	–	–	1	3	2	–	1	6	1	5	6	2	5
	14. Jaundice	88	–	–	1	–	–	4	–	1	1	6	–	9	2	7	–
	15. *Liver Disease, etc.*	341	2	3	5	3	2	4	–	7	5	26	3	25	13	18	1
	16. *Spleen Disease, etc.*	24	–	–	1	1	–	–	–	–	2	3	–	–	3	1	–
	ORDER 5.																
	1. Nephritis	90	–	2	3	–	–	–	–	–	7	7	2	6	6	5	1
	2. Ischuria	11	–	–	–	–	–	1	–	–	–	4	–	–	–	–	–
	3. Bright's Disease (Nephria)	220	1	1	2	3	–	3	1	3	4	17	2	11	5	17	–
	4. Diabetes	59	–	1	–	–	2	2	–	2	3	5	1	5	–	4	1
	5. Calculus (Stone)	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Cystitis	27	–	1	1	–	–	–	–	–	2	2	–	2	3	3	–
	7. *Kidney Disease, etc.*	163	2	1	2	1	2	2	–	–	3	29	1	12	6	5	–
	ORDER 6.																
	1. Ovarian Dropsy	70	1	1	2	3	–	4	–	1	1	6	–	6	2	4	–
	2. *Uterus Disease, etc.*	91	–	–	–	–	2	2	2	–	2	4	–	11	3	2	–
	ORDER 7.																
	1. Synovitis (Arthritis)	15	–	–	–	–	1	1	–	–	–	1	–	–	–	1	–
	2. *Joint Disease, etc.*	114	1	–	1	–	1	2	–	1	2	13	–	6	2	2	1

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1879.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	Clackmannan.	Stirling.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
	ORDER 2.																		
	1. Scrofula	3	11	9	6	2	35	30	128	10	33	1	–	1	2	2	8	2	10
	2. Tabes Mesenterica	3	23	7	3	3	42	43	254	13	55	6	–	3	2	13	11	8	3
	3. Phthisis	30	89	68	94	29	304	223	1205	22	400	28	16	5	30	49	83	57	39
	4. Hydrocephalus	20	35	35	9	9	108	82	376	23	109	5	4	1	5	11	20	14	5
III.	ORDER 1.																		
	1. Cephalitis	1	17	6	9	–	43	33	215	7	64	11	6	1	6	5	9	6	1
	2. Apoplexy	3	22	19	23	6	68	64	270	9	109	11	15	4	4	17	26	9	13
	3. Paralysis	5	28	22	29	5	70	41	256	6	110	11	9	5	5	19	28	14	11
	4. Insanity	–	–	2	–	–	5	2	6	4	5	–	1	–	–	2	5	1	–
	5. Chorea	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
	6. Epilepsy	–	6	7	2	–	8	7	28	2	23	3	1	–	–	4	2	3	–
	7. Convulsions	4	17	6	7	2	43	26	190	6	75	9	3	–	–	8	11	4	8
	8. *Brain Disease, etc.*	3	10	15	11	7	42	44	157	9	71	7	3	2	3	9	9	5	7
	ORDER 2.																		
	1. Pericarditis	–	–	1	–	–	4	2	22	1	4	–	–	–	–	1	–	1	–
	2. Aneurism	2	2	–	2	–	4	4	15	–	14	1	1	–	1	4	–	–	–
	3. *Heart Disease, etc.*	19	79	38	63	18	132	133	526	24	257	33	24	9	23	57	54	46	23
	ORDER 3.																		
	1. Laryngitis	1	3	–	–	–	13	7	34	1	12	2	–	1	1	–	3	2	1
	2. Bronchitis	20	121	74	57	10	289	227	1529	50	419	16	15	5	34	45	70	29	45
	3. Pleurisy	–	5	6	2	1	12	6	49	1	24	3	3	1	–	9	9	4	1
	4. Pneumonia	6	58	24	35	12	131	97	547	10	232	17	17	–	3	18	51	20	19
	5. Asthma	–	15	3	4	–	7	12	44	2	6	1	4	–	–	–	2	1	–
	6. *Lung Disease, etc.*	2	19	13	12	1	22	48	270	7	69	3	3	2	1	5	9	5	19
	ORDER 4.																		
	1. Gastritis	–	2	4	2	1	5	6	39	–	8	–	1	–	1	1	4	–	–
	2. Enteritis	1	17	7	6	2	32	28	150	12	29	5	1	–	3	9	9	3	1
	3. Peritonitis	3	7	5	1	–	9	9	62	1	28	1	2	1	5	2	6	1	1
	4. Ascites	–	1	2	–	–	4	1	8	–	4	–	–	–	–	–	–	–	–
	5. Ulceration of Intestines	1	3	2	1	–	4	8	27	1	8	–	1	1	2	6	3	1	1
	6. Hernia	–	4	1	–	–	3	1	16	–	6	–	1	–	2	–	–	1	–
	7. Ileus	2	5	–	7	–	8	5	32	–	13	–	2	2	–	2	5	–	3
	8. Intussusception	–	1	–	–	–	2	–	9	–	5	–	–	1	–	–	–	3	–
	9. Stricture of Intestines	–	1	1	1	–	3	2	6	–	1	–	3	–	–	–	–	1	–
	10. Fistula	1	–	–	–	–	1	1	2	–	3	–	–	–	–	–	–	–	–
	11. *Stomach Disease, etc.*	3	10	8	4	2	18	18	92	4	39	–	4	–	1	2	10	4	4
	12. *Pancreas Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Hepatitis	–	3	1	5	–	6	8	30	–	8	–	1	1	–	2	–	1	2
	14. Jaundice	1	5	3	2	1	9	6	19	1	10	2	1	–	–	2	3	2	3
	15. *Liver Disease, etc.*	3	22	6	8	4	32	15	125	7	49	1	6	2	3	10	11	4	5
	16. *Spleen Disease, etc.*	–	–	1	–	–	2	1	7	–	2	–	–	–	–	–	1	–	–
	ORDER 5.																		
	1. Nephritis	–	7	–	2	–	10	6	31	1	16	1	1	–	–	1	3	–	–
	2. Ischuria	–	–	–	7	1	2	3	5	2	3	–	–	1	–	1	–	–	–
	3. Bright's Disease (Nephria)	1	5	3	10	3	10	16	68	1	22	1	2	1	2	3	7	5	2
	4. Diabetes	1	4	1	–	–	2	6	15	1	9	2	2	1	2	4	3	–	1
	5. Calculus (Stone)	–	1	–	1	–	1	2	4	–	2	–	–	–	–	–	–	–	–
	6. Cystitis	–	2	2	3	1	7	5	22	2	18	1	2	–	–	4	9	2	1
	7. *Kidney Disease, etc.*	1	8	3	11	1	16	20	63	2	33	4	1	1	–	5	8	4	3
	ORDER 6.																		
	1. Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. *Uterus Disease, etc.*	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
	ORDER 7.																		
	1. Synovitis (Arthritis)	–	–	–	–	1	1	5	7	–	4	1	–	–	–	–	1	–	1
	2. *Joint Disease, etc.*	2	–	3	3	–	12	10	49	9	25	–	3	1	2	1	2	2	1

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1879.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	Clackmannan.	Stirling.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
	ORDER 2.																		
	1. Scrofula	2	7	9	4	2	22	28	91	6	30	4	–	–	1	5	9	1	12
	2. Tabes Mesenterica	4	9	14	4	2	50	34	209	10	58	2	4	–	2	8	7	3	–
	3. Phthisis	39	114	84	86	23	391	278	1402	34	424	25	18	14	31	59	98	52	42
	4. Hydrocephalus	12	26	25	7	8	90	68	321	13	113	1	4	1	4	5	9	7	4
III.	ORDER 1.																		
	1. Cephalitis	2	11	3	8	1	32	20	159	2	43	4	1	2	6	10	9	4	2
	2. Apoplexy	8	33	16	18	9	69	45	255	8	122	6	19	4	7	14	23	9	14
	3. Paralysis	9	31	17	25	8	61	52	246	4	134	18	13	5	4	15	25	9	10
	4. Insanity	–	4	2	4	1	3	1	10	2	11	–	–	–	–	5	–	–	1
	5. Chorea	–	–	1	–	–	2	–	3	–	1	–	–	–	–	–	–	–	–
	6. Epilepsy	–	6	2	6	–	4	8	28	–	21	–	1	–	2	4	–	4	1
	7. Convulsions	6	20	1	4	1	26	18	150	3	48	5	4	–	2	8	10	4	6
	8. *Brain Disease, etc.*	6	8	12	2	3	36	40	112	11	64	4	4	2	3	5	11	4	1
	ORDER 2.																		
	1. Pericarditis	4	3	1	–	–	1	3	15	1	10	–	–	–	–	1	2	–	–
	2. Aneurism	–	1	1	–	–	1	4	3	–	12	–	1	–	–	2	–	–	1
	3. *Heart Disease, etc.*	12	67	42	44	16	133	157	530	28	317	32	44	3	13	60	60	46	20
	ORDER 3.																		
	1. Laryngitis	–	–	1	–	–	8	8	20	1	8	2	4	1	2	–	4	1	–
	2. Bronchitis	29	102	100	86	14	331	212	1545	51	520	36	24	10	23	46	99	37	46
	3. Pleurisy	–	5	4	2	–	6	3	37	1	16	1	1	1	1	–	2	2	4
	4. Pneumonia	6	34	18	25	7	98	66	435	12	144	25	10	2	9	17	31	17	12
	5. Asthma	3	5	2	6	–	7	3	35	1	14	2	2	1	–	–	1	3	1
	6. *Lung Disease, etc.*	1	8	13	5	3	28	30	247	7	64	–	6	5	2	–	6	4	5
	ORDER 4.																		
	1. Gastritis	1	3	6	–	–	6	10	52	–	14	1	1	1	–	4	3	2	1
	2. Enteritis	3	7	4	9	4	32	30	138	13	24	–	–	–	3	12	6	3	5
	3. Peritonitis	–	10	1	2	5	18	28	63	–	31	2	5	–	1	2	8	3	–
	4. Ascites	–	1	1	–	–	6	6	9	–	2	–	–	–	–	1	–	–	2
	5. Ulceration of Intestines	–	2	4	3	1	10	8	27	2	13	–	2	–	2	4	3	1	1
	6. Hernia	–	1	2	1	–	8	1	15	1	7	1	–	1	–	3	–	–	2
	7. Ileus	1	7	1	3	1	5	10	33	1	21	–	2	–	–	1	5	1	2
	8. Intussusception	–	1	–	–	–	1	–	5	–	3	–	–	–	–	–	1	–	–
	9. Stricture of Intestines	–	–	–	1	–	–	–	3	–	1	–	–	–	–	–	1	–	–
	10. Fistula	–	–	–	–	–	2	–	1	–	1	–	–	–	–	–	–	–	–
	11. *Stomach Disease, etc.*	1	11	17	4	2	18	18	98	2	47	1	4	1	1	3	9	7	6
	12. *Pancreas Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Hepatitis	–	4	5	3	2	9	10	37	–	13	–	–	–	–	1	3	4	–
	14. Jaundice	1	1	–	3	–	3	6	21	2	10	–	2	1	1	2	3	–	1
	15. *Liver Disease, etc.*	1	9	6	12	3	30	14	92	2	28	1	1	1	2	2	11	4	5
	16. *Spleen Disease, etc.*	–	1	–	–	–	–	1	1	–	7	1	–	–	–	–	–	2	–
	ORDER 5.																		
	1. Nephritis	1	5	–	1	–	3	3	23	–	8	1	1	–	–	2	1	1	1
	2. Ischuria	–	1	1	–	–	–	–	2	–	1	–	–	–	–	–	–	1	–
	3. Bright's Disease (Nephria)	2	5	1	3	1	14	16	65	2	25	3	3	1	2	2	2	1	2
	4. Diabetes	–	–	1	–	1	3	5	12	–	5	–	–	–	–	1	4	–	1
	5. Calculus (Stone)	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–
	6. Cystitis	–	–	–	–	–	1	2	4	4	1	–	–	–	–	–	–	1	–
	7. *Kidney Disease, etc.*	–	3	5	2	2	6	5	38	–	21	–	3	3	–	1	6	2	–
	ORDER 6.																		
	1. Ovarian Dropsy	1	3	2	–	–	2	3	11	2	9	1	–	2	2	–	–	1	–
	2. *Uterus Disease, etc.*	–	1	2	4	–	8	2	31	–	7	–	1	–	–	–	3	–	4
	ORDER 7.																		
	1. Synovitis (Arthritis)		1	–	–	1	–	1	4	1	2	–	–	–	–	–	–	–	1
	2. *Joint Disease, etc.*		1	1		1	5	10	35	–	19	1	–	–	2	2	2	1	2

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1879.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	SCOTLAND.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.
	ORDER 8.																
	1. Phlegmon	54	–	2	–	–	–	2	–	1	1	5	–	6	3	1	–
	2. Ulcer	17	–	1	–	–	1	1	–	–	–	–	–	2	1	1	–
	3. *Skin Disease, etc.*	48	–	–	–	–	–	–	–	–	3	–	1	6	2	1	–
IV.	ORDER 1.																
	1. Premature Birth	865	–	–	7	1	7	5	1	4	15	68	6	73	17	31	2
	2. Cyanosis	35	–	–	–	–	–	–	–	–	–	3	–	3	3	–	–
	3. Spina Bifida	31	–	–	–	–	–	–	–	–	–	2	–	2	1	1	–
	4. Other Malformations	115	–	–	–	–	–	–	2	–	4	8	3	8	1	3	–
	5. Teething	305	1	2	2	–	3	4	1	2	6	21	2	30	8	7	–
	ORDER 2.																
	1. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Childbirth (*see* Puerperal Fever)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.																
	1. Old Age	1869	51	43	36	30	106	102	10	21	21	115	21	124	92	123	8
	ORDER 4.																
	1. Atrophy and Debility	1300	2	5	8	2	6	18	–	7	19	55	8	110	43	59	–
V.	ORDER 1. (*Accident or Negligence.*)																
	1. Fractures and Contusions	658	1	1	3	4	5	7	–	3	7	39	7	37	29	30	–
	2. Gunshot Wounds	4	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
	3. Cut, Stab	10	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
	4. Burns and Scalds	163	–	3	3	2	2	1	–	1	5	6	–	7	6	7	–
	5. Poison	19	–	–	–	–	–	1	–	1	–	4	–	1	1	2	–
	6. Drowning	452	9	7	8	2	16	14	–	1	6	33	8	21	15	24	1
	7. Suffocation	168	–	–	1	–	–	1	–	5	5	18	2	23	2	4	–
	8. Otherwise	169	–	–	1	2	1	8	1	–	3	11	2	10	5	4	1
	ORDER 3. (*Homicide.*)																
	1. Murder and Manslaughter	7		–	–	–	–	–	–	–	–	–	–	–	1	–	–
	ORDER 4. (*Suicide.*)																
	1. Gunshot Wounds	10	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–
	2. Cut, Stab	21	–	–	–	–	1	–	–	–	1	–	–	3	1	–	–
	3. Poison	13	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–
	4. Drowning	30	–	–	–	–	–	1	–	–	2	4	–	6	3	1	–
	5. Hanging	43	–	1	–	–	–	–	–	1	1	4	–	5	1	4	–
	6. Otherwise and undefined	6	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–
	ORDER 5. (*Execution.*)																
	1. Hanging	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Sudden Deaths (cause unascertained)	54	–	–	–	–	1	–	–	1	–	3	–	2	2	4	–
	Causes not specified or ill-defined	607	29	10	5	17	71	51	2	6	6	30	7	11	23	31	–

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1879.—FEMALES. (*Continued*).

Class.	CAUSES OF DEATH.	SCOTLAND.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.
	ORDER 8.																
	1. Phlegmon	82	–	–	–	1	1	2	–	–	3	11	–	1	1	2	–
	2. Ulcer	55	–	–	–	–	1	1	–	–	–	3	1	6	2	2	–
	3. *Skin Disease, etc.*	20	–	–	–	–	–	–	–	1	–	1	–	1	1	1	–
IV.	ORDER 1.																
	1. Premature Birth	649	1	–	2	–	2	4	1	4	5	43	4	63	16	26	2
	2. Cyanosis	30	–	–	–	–	1	–	–	–	–	4	–	1	1	2	–
	3. Spina Bifida	36	–	–	1	–	–	–	–	–	–	3	–	5	1	2	–
	4. Other Malformations	58	–	–	1	–	3	2	–	–	2	6	1	5	1	–	–
	5. Teething	269	–	1	4	2	4	2	1	6	3	19	2	22	4	12	–
	ORDER 2.																
	1. Paramenia	21	–	1	–	–	1	–	–	–	–	1	1	3	4	–	–
	2. Childbirth (*see* Puerperal Fever)	397	4	4	3	–	9	13	–	4	3	20	2	31	12	13	–
	ORDER 3.																
	1. Old Age	3212	77	79	60	66	171	190	23	60	53	213	42	196	184	186	5
	ORDER 4.																
	1. Atrophy and Debility	1152	1	7	6	4	7	18	–	9	12	62	3	98	32	47	1
V.	ORDER 1. (*Accident or Negligence.*)																
	1. Fractures and Contusions	171	1	–	2	–	3	5	–	1	–	10	–	14	8	5	1
	2. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Cut, Stab	5	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–
	4. Burns and Scalds	132	–	1	–	–	2	4	–	3	3	4	3	11	2	8	–
	5. Poison	10	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–
	6. Drowning	81	–	1	1	1	2	1	–	2	1	4	1	6	2	3	–
	7. Suffocation	111	–	–	2	1	1	–	–	4	4	10	1	20	4	2	–
	8. Otherwise	55	1	–	–	1	1	4	–	–	–	6	–	7	4	1	–
	ORDER 3. (*Homicide.*)																
	1. Murder and Manslaughter	7	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	ORDER 4. (*Suicide.*)																
	1. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cut, Stab	10	–	–	–	–	–	–	–	–	1	1	–	2	1	1	–
	3. Poison	8	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–
	4. Drowning	19	–	–	1	–	–	1	–	–	2	1	–	1	1	–	–
	5. Hanging	14	–	–	–	–	–	–	–	–	–	1	–	3	2	–	–
	6. Otherwise and undefined	4	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–
	ORDER 5. (*Execution.*)																
	1. Hanging	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–
	Sudden Deaths (cause unascertained)	52	–	–	–	–	3	–	–	–	–	2	–	3	2	4	–
	Causes not specified or ill-defined	549	24	14	6	17	64	50	3	8	5	31	11	17	23	26	–

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1879.—MALES. (*Continued*).

Class.	CAUSES OF DEATH.	Clackmannan.	Stirling.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
	ORDER 8.																		
	1. Phlegmon	–	1	–	1	–	1	5	13	–	10	–	–	1	–	1	–	–	–
	2. Ulcer	–	–	1	–	–	1	1	4	–	2	–	–	–	–	1	–	–	–
	3. *Skin Disease, etc.*	–	1	2	–	–	4	4	14	–	5	–	–	2	1	2	–	–	–
IV.	ORDER 1.																		
	1. Premature Birth	11	13	14	7	3	46	42	286	9	111	9	7	2	16	18	16	9	9
	2. Cyanosis	–	2	–	–	–	3	4	8	–	3	–	2	–	1	–	1	1	1
	3. Spina Bifida	–	1	–	–	–	3	2	12	–	5	–	–	–	–	1	–	–	1
	4. Other Malformations	–	3	1	1	–	5	11	30	1	24	2	–	–	1	3	2	2	–
	5. Teething	2	13	12	6	–	34	17	89	3	26	1	3	–	–	4	2	–	4
	ORDER 2.																		
	1. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Childbirth (*see* Puerperal Fever)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.																		
	1. Old Age	11	44	35	95	16	109	92	239	18	118	15	22	6	8	16	62	25	35
	ORDER 4.																		
	1. Atrophy and Debility	15	54	28	16	6	92	83	422	18	128	14	7	4	2	23	32	7	7
V.	ORDER 1. (*Accident or Negligence.*)																		
	1. Fractures and Contusions	5	22	9	11	–	47	47	218	9	79	2	4	2	11	1	9	6	3
	2. Gunshot Wounds	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	3. Cut, Stab	–	2	–	–	–	2	–	5	–	–	–	–	–	–	–	–	–	–
	4. Burns and Scalds	1	8	2	3	1	12	5	66	2	13	–	2	1	–	–	–	1	3
	5. Poison	–	–	–	–	–	–	–	6	–	3	–	–	–	–	–	–	–	–
	6. Drowning	1	16	23	31	4	31	20	97	2	22	4	4	1	–	4	8	12	7
	7. Suffocation	1	4	5	2	1	4	5	51	1	24	1	1	1	–	1	2	2	1
	8. Otherwise	1	5	7	5	1	8	13	42	3	25	1	2	–	1	1	5	–	–
	ORDER 3. (*Homicide.*)																		
	1. Murder and Manslaughter	–	–	–	–	–	–	–	2	–	1	–	–	3	–	–	–	–	–
	ORDER 4. (*Suicide.*)																		
	1. Gunshot Wounds	–	–	–	–	–	–	–	3	1	3	1	–	–	–	–	–	–	–
	2. Cut, Stab	–	1	–	–	–	3	1	5	–	2	–	1	–	–	–	1	1	–
	3. Poison	–	1	1	–	–	2	–	1	–	5	–	–	–	–	–	–	–	–
	4. Drowning	1	–	1	1	–	–	–	4	–	2	1	1	–	–	1	–	–	–
	5. Hanging	1	–	1	–	–	3	6	3	–	1	3	1	–	–	–	2	2	1
	6. Otherwise and undefined	–	1	–	–	–	–	–	2	–	1	–	–	–	–	–	–	–	–
	ORDER 5. (*Execution.*)																		
	1. Hanging	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Sudden Deaths (cause unascertained)	–	–	1	–	–	2	1	32	–	3	–	–	–	–	–	2	–	–
	Causes not specified or ill-defined	3	14	12	47	4	35	32	85	7	14	6	5	2	1	3	24	6	8

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1879.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	Clackmannan.	Stirling.	Dumbarton	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
	ORDER 8.																		
	1. Phlegmon	–	3	–	–	–	3	8	20	1	19	1	2	–	–	–	2	1	–
	2. Ulcer	–	1	–	5	1	4	2	14	1	8	–	–	–	–	–	1	1	1
	3. *Skin Disease, etc.*	–	1	2	–	–	–	1	7	–	2	–	–	–	–	1	1	–	–
IV.	ORDER 1.																		
	1. Premature Birth	3	12	12	4	3	41	32	226	7	87	2	3	1	6	11	13	3	10
	2. Cyanosis	–	–	1	1	–	3	1	9	1	4	1	–	–	–	–	–	–	–
	3. Spina Bifida	–	1	–	–	–	1	5	11	2	1	–	–	–	–	1	1	1	–
	4. Other Malformations	–	1	2	–	–	3	2	14	1	9	2	–	–	–	1	1	–	1
	5. Teething	–	10	7	5	–	28	15	78	1	27	5	–	1	–	–	3	1	6
	ORDER 2.																		
	1. Paramenia	–	2	1	–	–	2	1	2	–	–	–	–	–	1	–	–	–	1
	2. Childbirth (*see* Puerperal Fever)	6	11	12	11	1	22	14	119	7	41	2	5	4	2	8	7	3	4
	ORDER 3.																		
	1. Old Age	14	80	51	140	25	158	156	472	25	214	35	30	8	12	26	76	39	46
	ORDER 4.																		
	1. Atrophy and Debility	15	52	29	16	3	107	66	334	15	119	16	7	2	4	18	25	6	11
V.	ORDER 1. (*Accident or Negligence.*)																		
	1. Fractures and Contusions	3	6	3	3	1	12	16	41	2	22	1	1	–	–	2	4	4	–
	2. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Cut, Stab	–	–	–	–	–	–	–	2	–	1	–	–	–	–	–	–	–	–
	4. Burns and Scalds	1	3	3	2	2	6	9	31	1	16	1	2	1	1	2	3	3	4
	5. Poison	–	–	–	–	–	–	–	6	–	1	–	–	–	–	–	–	–	1
	6. Drowning	1	5	5	10	–	5	7	17	–	1	1	–	–	–	–	–	4	–
	7. Suffocation	1	2	1	1	–	3	3	29	1	14	–	2	1	–	1	1	1	1
	8. Otherwise	–	1	1	2	–	5	2	9	1	3	–	2	–	–	1	2	–	1
	ORDER 3. (*Homicide.*)																		
	1. Murder and Manslaughter	–	–	–	1	–	–	–	1	–	2	–	–	1	–	–	–	1	–
	ORDER 4. (*Suicide.*)																		
	1. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cut, Stab	–	1	–	–	–	1	–	–	–	1	–	–	1	–	–	–	–	–
	3. Poison	–	–	–	–	–	–	1	2	1	–	1	–	–	–	–	–	–	–
	4. Drowning	1	1	–	–	–	–	3	3	–	1	1	–	–	–	1	–	1	–
	5. Hanging	–	–	–	1	–	1	1	1	–	3	–	1	–	–	–	–	–	–
	6. Otherwise and undefined	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	ORDER 5. (*Execution.*)																		
	1. Hanging	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Sudden Deaths (cause unascertained)	–	2	1	–	–	–	–	33	1	–	–	–	–	–	–	–	1	–
	Causes not specified or ill-defined	2	18	8	40	1	23	29	61	12	18	2	5	3	2	4	13	4	

CAUSES of DEATH in the PRINCIPAL TOWNS of SCOTLAND during the YEAR 1879.—MALES.

Class.	CAUSES OF DEATH.	Total Principal Towns.	Glasgow	Edinburgh.	Dundee.	Aberdeen.	Greenock.	Paisley.	Leith.	Perth.
	All Causes	13397	6245	2145	1495	1038	848	733	586	307
	Specified Causes . . .	13290	6179	2137	1491	1030	835	727	585	306
	(CLASSES.)									
I.	ZYMOTIC DISEASES	2005	898	310	230	157	115	143	100	52
II.	CONSTITUTIONAL ,,	2678	1351	441	249	176	180	142	98	41
III.	LOCAL ,,	6616	3097	1068	747	537	405	306	291	165
IV.	DEVELOPMENTAL ,,	1388	551	225	200	110	95	105	67	35
V.	VIOLENT DEATHS . . .	603	282	93	65	50	40	31	29	13
	(ORDERS.)									
I.	1. MIASMATIC DISEASES . .	1812	826	271	208	139	99	128	92	49
	2. ENTHETIC ,, ...	84	37	15	10	6	8	4	3	1
	3. DIETIC ,, ...	100	34	24	10	8	7	10	5	2
	4. PARASITIC ,, ...	9	1	–	2	4	1	1	–	–
II.	1. DIATHETIC ,, ...	287	109	76	31	25	18	13	9	6
	2. TUBERCULAR ,, ...	2391	1242	365	218	151	162	129	89	35
III.	1. DISEASES of NERVOUS SYSTEM	1550	661	253	188	151	103	80	65	49
	2. ,, OF ORGANS OF CIRCULATION	800	336	169	74	77	46	34	39	25
	3. ,, OF RESPIRATORY ORGANS	3143	1599	442	373	205	186	129	140	69
	4. ,, OF DIGESTIVE ORGANS	673	324	106	68	53	47	41	25	9
	5. ,, OF URINARY ORGANS .	337	132	70	30	47	15	18	14	11
	6. ,, OF ORGANS OF GENERATION	1	–	–	–	–	–	–	1	–
	7. ,, OF ORGANS OF LOCOMOTION	71	31	18	7	2	6	2	3	2
	8. ,, OF INTEGUMENTARY SYSTEM . . .	41	14	10	7	2	2	2	4	–
IV.	1. DEV. DIS. OF CHILDREN . .	576	241	105	77	53	36	26	33	5
	2. ,, OF ADULTS . .	–	–	–	–	–	–	–	–	–
	3. ,, OF OLD PEOPLE .	335	96	55	45	36	24	52	13	14
	4. DISEASES OF NUTRITION . .	477	214	65	78	21	35	27	21	16

CAUSES of DEATH in the PRINCIPAL TOWNS of SCOTLAND during the YEAR 1879.—FEMALES.

Class.	CAUSES OF DEATH.	Total Principal Towns.	Glasgow.	Edinburgh.	Dundee.	Aberdeen.	Greenock.	Paisley.	Leith.	Perth.
	All Causes . . .	13747	6253	2287	1683	1089	749	764	572	350
	Specified Causes . . .	13658	6190	2280	1673	1086	748	763	571	347
	(CLASSES.)									
I.	ZYMOTIC DISEASES	2181	994	340	244	173	118	139	107	66
II.	CONSTITUTIONAL ,,	3104	1483	480	366	224	174	189	120	68
III.	LOCAL ,,	6477	2971	1158	776	522	342	305	255	148
IV.	DEVELOPMENTAL ,,	1661	646	254	246	150	101	122	82	60
V.	VIOLENT DEATHS . .	235	96	48	41	17	13	8	7	5
	(ORDERS.)									
I.	1. MIASMATIC DISEASES . .	2022	926	303	228	155	110	136	102	62
	2. ENTHETIC ,, . .	70	35	9	9	8	4	1	2	2
	3. DIETIC ,, . .	82	31	24	7	10	4	1	3	2
	4. PARASITIC ,, . .	7	2	4	–	–	–	1	–	–
II.	1. DIATHETIC ,, . .	496	190	113	51	57	19	18	29	19
	2. TUBERCULAR ,, . .	2608	1293	367	315	167	155	171	91	49
III.	1. DISEASES of NERVOUS SYSTEM .	1312	537	267	146	108	83	70	66	35
	2. ,, OF ORGANS OF CIRCULATION	930	350	232	118	85	50	41	26	28
	3. ,, OF RESPIRATORY ORGANS	3144	1583	455	401	232	148	146	118	61
	4. ,, OF DIGESTIVE ORGANS	712	336	129	73	49	40	39	26	20
	5. ,, OF URINARY ORGANS .	211	101	34	17	32	10	5	9	3
	6. ,, OF ORGANS OF GENERATION	55	18	10	13	6	3	1	3	1
	7. ,, OF ORGANS OF LOCOMOTION	52	23	13	3	7	3	1	2	–
	8. ,, OF INTEGUMENTARY SYSTEM . . .	61	23	18	5	3	5	2	5	–
IV.	1. DEV. DIS. OF CHILDREN . .	476	214	80	55	42	32	22	23	8
	2. ,, OF ADULTS . . .	160	71	23	23	15	5	10	10	3
	3. ,, OF OLD PEOPLE .	602	191	99	95	69	29	60	24	35
	4. DISEASES OF NUTRITION . .	423	170	52	73	24	35	30	25	14

CAUSES of DEATH in the PRINCIPAL TOWNS of SCOTLAND during the YEAR 1879.—MALES (*Contd.*

Class	CAUSES OF DEATH.	Total Principal Towns.	Glasgow.	Edinburgh.	Dundee.	Aberdeen.	Greenock.	Paisley.	Leith.	Perth.
V.	1. ACCIDENT OR NEGLIGENCE .	564	270	85	58	48	38	27	27	11
	*									
	3. HOMICIDE	3	1	1	–	–	–	–	–	1
	4. SUICIDE	36	11	7	7	2	2	4	2	1
	5. EXECUTION	–	–	–	–	–	–	–	–	–
	SUDDEN DEATHS, CAUSE UNASCERTAINED	33	26	3	-	3	–	1	–	–
	CAUSES NOT SPECIFIED.	74	40	5	4	5	13	5	1	1
I.	ORDER I.									
	1. Small-pox	3	–	3	–	–	–	–	–	–
	2. Measles	157	78	11	–	28	7	27	–	6
	3. Scarlatina	243	123	48	15	15	2	29	10	1
	4. Diphtheria	140	73	17	9	14	13	5	8	1
	5. Quinsy	4	3	-	–	–	–	–	1	–
	6. Croup	128	60	12	10	8	11	11	13	3
	7. Hooping-cough . . .	487	229	59	89	26	25	16	26	17
	8. Typhus Fever . . .	66	25	6	12	1	12	6	3	1
	8. Enteric or Typhoid Fever .	138	62	36	8	11	5	6	6	4
	8. Relapsing Fever . . .	2	–	–	–	–	–	2	–	–
	8. Simple Continued Fever .	16	6	2	1	–	1	3	2	1
	9. Erysipelas	51	24	6	4	5	2	2	6	2
	10. Puerperal Fever (Metria) .	–	–	–	–	–	–	–	–	–
	11. Carbuncle	6	1	1	1	1	–	1	–	1
	12. Influenza	13	6	3	–	1	3	–	–	–
	13. Dysentery	24	10	4	2	2	–	4	–	2
	14. Diarrhœa	259	101	43	49	18	15	13	13	7
	15. Cholera	17	8	3	1	2	1	–	1	1
	16. Ague	2	–	1	–	–	1	–	–	–
	17. Remittent Fever . . .	10	5	1	1	1	–	1	1	–
	18. Rheumatism	43	12	14	6	6	1	2	2	–
	19. Other *Miasmatic* Diseases .	3	–	1	–	–	–	–	–	2
	ORDER 2.									
	1. Syphilis	72	34	11	8	6	7	3	3	–
	2. Stricture of Urethra . .	12	3	4	2	–	1	1	-	1
	3. Hydrophobia	–	–	–	–	–	–	–	–	–
	4. Glanders	-	–	–	–	–	–	–	–	–
	ORDER 3.									
	1. Privation . . .	2	1	1	–	–	–	–	–	–
	2. Want of Breast Milk . .	11	2	3	1	2	–	1	2	–
	3. Purpura and Scurvy . .	16	9	2	3	–	2	–	–	-
	4. Alcoholism *a* Del. Tremens .	18	4	3	3	1	4	3	–	–
	4. Alcoholism *b* Intemperance .	53	18	15	3	5	1	6	3	2
	ORDER 4.									
	1. Thrush	8	1	–	2	4	–	1	–	–
	2. Worms, etc.	1	–	–	–	-	1	–	–	–
II.	ORDER 1.									
	1. Gout	2	–	2	–	–	–	–	–	–
	2. Dropsy	57	31	7	5	1	5	4	3	1
	3. Cancer	201	70	61	23	19	11	7	6	4
	4. Cancrum Oris (Noma) . .	3	2	–	–	–	–	1	–	–
	5. Mortification	24	6	6	3	5	2	1	–	1

* See page 52, note

CAUSES of DEATH in the PRINCIPAL TOWNS of SCOTLAND during the YEAR 1879.—FEMALES. (*Contd.*)

Class.	CAUSES OF DEATH.	Total Principal Towns.	Glasgow.	Edinburgh.	Dundee.	Aberdeen.	Greenock.	Paisley.	Leith.	Perth.
V.	1. ACCIDENT OR NEGLIGENCE	215	92	41	36	16	11	8	7	4
	*									
	3. HOMICIDE	2	–	2	–	–	–	–	–	–
	4. SUICIDE	18	4	5	5	1	2	–	–	1
	5. EXECUTION	–	–	–	–	–	–	–	–	–
	SUDDEN DEATHS, CAUSE UNASCERTAINED	35	30	–	3	1	–	–	–	1
	CAUSES NOT SPECIFIED	54	33	7	7	2	1	1	1	2
I.	ORDER 1.									
	1. Small-pox	1	–	1	–	–	–	–	–	–
	2. Measles	152	81	10	1	20	10	22	–	8
	3. Scarlatina	234	127	44	15	8	2	29	7	2
	4. Diphtheria	140	59	16	10	23	12	9	8	3
	5. Quinsy	5	2	–	1	1	1	–	–	–
	6. Croup	124	66	11	8	8	9	5	13	4
	7. Hooping-cough	632	286	86	99	32	42	24	28	35
	8. Typhus Fever	67	30	16	7	4	4	4	2	–
	8. Enteric or Typhoid Fever	148	74	21	10	13	6	12	11	1
	8. Relapsing Fever	1	–	–	–	1	–	–	–	–
	8. Simple Continued Fever	16	8	3	1	–	1	2	1	–
	9. Erysipelas	41	23	6	3	4	–	1	2	2
	10. Puerperal Fever (Metria)	59	23	14	5	6	5	3	3	–
	11. Carbuncle	2	1	–	–	1	–	–	–	–
	12. Influenza	14	7	3	3	1	–	–	–	–
	13. Dysentery	13	5	3	1	1	–	2	1	–
	14. Diarrhœa	284	98	44	59	25	12	19	20	7
	15. Cholera	20	11	7	1	–	–	1	–	–
	16. Ague	–	–	–	–	–	–	–	–	–
	17. Remittent Fever	7	3	–	–	–	–	2	2	–
	18. Rheumatism	57	20	17	4	6	6	1	3	–
	19. Other *Miasmatic* Diseases	5	2	1	–	1	–	–	1	–
	ORDER 2.									
	1. Syphilis	68	34	8	9	8	4	1	2	2
	2. Stricture of Urethra	–	–	–	–	–	–	–	–	–
	3. Hydrophobia	2	1	1	–	–	–	–	–	–
	4. Glanders	–	–	–	–	–	–	–	–	–
	ORDER 3.									
	1. Privation	3	2	1	–	–	–	–	–	–
	2. Want of Breast Milk	18	4	9	1	3	–	–	1	–
	3. Purpura and Scurvy	5	1	1	–	2	1	–	–	–
	4. Alcoholism *a* Del. Tremens	4	3	1	–	–	–	–	–	–
	4. Alcoholism *b* Intemperance	52	21	12	6	5	3	1	2	2
	ORDER 4.									
	1. Thrush	4	–	3	–	–	–	1	–	–
	2. Worms, etc.	3	2	1	–	–	–	–	–	–
II.	ORDER 1.									
	1. Gout	–	–	–	–	–	–	–	–	–
	2. Dropsy	84	40	9	9	7	5	4	7	3
	3. Cancer	388	136	99	41	48	14	13	21	16
	4. Cancrum Oris (Noma)	1	–	–	–	1	–	–	–	
	5. Mortification	23	14	5	1	1	–	1	1	–

* See page, 52 note

CAUSES of DEATH in the PRINCIPAL TOWNS of SCOTLAND during the YEAR 1879.—MALES. (*Continued*).

Class.	CAUSES OF DEATH.	Total Principal Towns.	Glasgow.	Edinburgh.	Dundee.	Aberdeen.	Greenock.	Paisley.	Leith.	Perth.
	ORDER 2.									
	1. Scrofula	151	74	18	16	9	17	12	4	1
	2. Tabes Mesenterica	242	154	34	17	8	10	9	4	6
	3. Phthisis	1569	787	244	160	104	107	78	65	24
	4. Hydrocephalus	429	227	69	25	30	28	30	16	4
III.	ORDER 1.									
	1. Cephalitis	276	132	46	36	19	23	4	7	9
	2. Apoplexy	349	153	66	40	27	16	23	11	13
	3. Paralysis	366	153	43	44	36	29	24	24	13
	4. Insanity	10	1	1	1	1	3	2	–	–
	5. Chorea	2	1	–	–	–	–	1	–	–
	6. Epilepsy	43	16	6	7	6	3	3	1	1
	7. Convulsions	279	104	49	42	34	13	15	18	4
	8. *Brain Disease, etc.*	225	101	42	18	28	16	8	4	8
	ORDER 2.									
	1. Pericarditis	26	16	3	1	4	–	2	–	–
	2. Aneurism	32	11	10	1	4	3	1	2	–
	3. *Heart Disease, etc.*	742	309	156	72	69	43	31	37	25
	ORDER 3.									
	1. Laryngitis	48	27	8	5	3	2	1	2	–
	2. Bronchitis	1971	1011	219	247	147	109	101	91	46
	3 Pleurisy	56	24	19	2	5	1	3	1	1
	4. Pneumonia	782	364	150	94	37	62	21	39	15
	5. Asthma	34	17	3	7	3	1	2	–	1
	6. *Lung Disease, etc.*	252	156	43	18	10	11	1	7	6
	ORDER 4.									
	1. Gastritis	34	24	2	5	1	1	1	–	–
	2. Enteritis	151	75	16	21	9	9	12	6	3
	3. Peritonitis	76	37	16	5	8	6	1	3	–
	4. Ascites	6	2	2	–	–	2	–	–	–
	5. Ulceration of Intestines	23	10	3	2	3	–	4	1	–
	6. Hernia	19	8	5	1	2	2	–	–	1
	7. Ileus	40	20	7	6	4	–	1	1	1
	8. Intussusception	9	5	–	2	1	–	–	1	–
	9. Stricture of Intestines	6	2	1	–	1	2	–	–	–
	10. Fistula	6	–	3	1	1	–	1	–	–
	11. *Stomach Disease, etc.*	110	49	16	10	13	8	5	7	2
	12. *Pancreas Disease, etc.*	–	–	–	–	–	–	–	–	–
	13. Hepatitis	25	15	4	1	–	1	3	1	–
	14. Jaundice	24	7	5	2	1	4	4	1	–
	15. *Liver Disease, etc.*	135	67	24	11	8	11	8	4	2
	16. *Spleen Disease, etc.*	9	3	2	1	1	1	1	–	–
	ORDER 5.									
	1. Nephritis	55	23	10	4	4	4	6	4	–
	2. Ischuria	8	3	2	1	1	–	1	–	–
	3. Bright's Disease (Nephria)	95	44	16	12	9	3	5	2	4
	4. Diabetes	21	6	7	–	4	1	1	1	1
	5. Calculus (Stone)	8	2	2	1	2	–	1	–	–
	6. Cystitis	43	10	11	4	10	1	2	4	1
	7. *Kidney Disease, etc.*	107	44	22	8	17	6	2	3	5
	ORDER 6.									
	1. Ovarian Dropsy	–	–	–	–	–	–	–	–	–
	2. *Uterus Disease, etc.*	1	–	–	–	–	–	–	1	–
	ORDER 7.									
	1. Synovitis (Arthritis)	5	2	2	–	–	1	–	–	–
	2. *Joint Disease, tc.*	66	29	16	7	2	5	2	3	2

CAUSES of DEATH in the PRINCIPAL TOWNS of SCOTLAND during the YEAR 1879.—FEMALES. (*Contd.*)

Class.	CAUSES OF DEATH.	Total Principal Towns	Glasgow.	Edinburgh.	Dundee.	Aberdeen.	Greenock.	Paisley.	Leith.	Perth.
	ORDER 2.									
	1. Scrofula	111	61	18	6	7	9	7	2	1
	2. Tabes Mesenterica	228	140	28	18	8	11	9	10	4
	3. Phthisis	1839	884	251	258	117	114	120	56	39
	4. Hydrocephalus	430	208	70	33	35	21	35	23	5
III.	ORDER 1.									
	1. Cephalitis	186	90	30	14	19	17	6	7	3
	2. Apoplexy	355	147	76	38	26	21	23	20	4
	3. Paralysis	342	123	72	46	22	20	19	22	18
	4. Insanity	13	4	4	1	2	–	–	–	2
	5. Chorea	4	1	1	–	–	2	–	–	–
	6. Epilepsy	34	15	11	3	–	2	1	2	–
	7. Convulsions	181	77	29	29	17	7	10	12	–
	8. *Brain Disease, etc.*	197	80	44	15	22	14	11	3	8
	ORDER 2.									
	1. Pericarditis	20	10	5	1	3	–	1	–	–
	2. Aneurism	16	2	7	–	4	1	–	1	1
	3. *Heart Disease, etc.*	894	338	220	117	78	49	40	25	27
	ORDER 3.									
	1. Laryngitis	27	14	4	2	2	1	3	–	1
	2. Bronchitis	2205	1102	300	291	176	95	107	91	43
	3. Pleurisy	40	21	10	3	–	2	1	2	1
	4. Pneumonia	599	287	95	87	38	39	27	16	10
	5. Asthma	45	15	9	4	6	4	2	3	2
	6. *Lung Disease, etc.*	228	144	37	14	10	7	6	6	4
	ORDER 4.									
	1. Gastritis	44	31	3	7	–	2	–	1	–
	2. Enteritis	127	78	12	10	6	6	10	2	3
	3. Peritonitis	99	37	25	12	12	7	3	1	2
	4. Ascites	9	5	–	1	1	1	–	1	–
	5. Ulceration of Intestines	34	13	6	4	4	2	4	–	1
	6. Hernia	26	9	5	4	1	2	2	2	1
	7. Ileus	48	22	15	4	2	–	2	2	1
	8. Intussusception	8	3	2	1	1	–	–	1	–
	9. Stricture of Intestines	4	3	1	–	–	–	–	–	–
	10. Fistula	3	1	1	–	–	1	–	–	–
	11. *Stomach Disease, etc.*	128	53	27	15	9	6	4	7	7
	12. *Pancreas Disease, etc.*	–	–	–	–	–	–	–	–	–
	13. Hepatitis	39	19	6	3	2	–	6	2	1
	14. Jaundice	22	10	4	2	2	–	2	1	1
	15. *Liver Disease, etc.*	112	52	18	10	7	13	6	5	1
	16. *Spleen Disease, etc.*	9	–	4	–	2	–	–	1	2
	ORDER 5.									
	1. Nephritis	32	15	2	5	4	–	2	2	2
	2. Ischuria	3	–	1	–	2	–	–	–	–
	3. Bright's Disease (Nephria)	85	43	16	6	8	5	3	3	1
	4. Diabetes	17	10	3	2	1	1	–	–	–
	5. Calculus (Stone)	1	1	–	–	–	–	–	–	–
	6. Cystitis	4	3	–	–	1	–	–	–	–
	7. *Kidney Disease, etc.*	69	29	12	4	16	4	–	4	–
	ORDER 6.									
	1. Ovarian Dropsy	22	5	7	5	4	1	–	–	–
	2. *Uterus Disease, etc.*	33	13	3	8	2	2	1	3	1
	ORDER 7.									
	1. Synovitis (Arthritis)	4	3	1	–	–	–	–	–	–
	2. *Joint Disease, etc.*	48	20	12	3	7	3	1	2	–

CAUSES of DEATH in the PRINCIPAL TOWNS of SCOTLAND during the YEAR 1879.—MALES. (*Contd.*)

Class.	CAUSES OF DEATH.	Total Principal Towns	Glasgow.	Edinburgh.	Dundee.	Aberdeen.	Greenock.	Paisley.	Leith.	Perth.
	ORDER 8.									
	1. Phlegmon	20	5	5	3	2	–	1	4	–
	2. Ulcer	4	2	–	1	–	1	–	–	–
	3. *Skin Disease, etc.*	17	7	5	3	–	1	1	–	–
IV.	ORDER 1.									
	1. Premature Birth	364	157	72	47	34	18	14	20	2
	2. Cyanosis	10	5	3	–	1	1	–	–	–
	3. Spina Bifida	13	6	1	2	1	1	–	2	–
	4. Other Malformations	48	17	14	7	5	1	–	4	–
	5. Teething	141	56	15	21	12	15	12	7	3
	ORDER 2.									
	1. Paramenia	–	–	–	–	–	–	–	–	–
	2. Childbirth (*see* Puerperal Fever)	–	–	–	–	–	–	–	–	–
	ORDER 3.									
	1. Old Age	335	96	55	45	36	24	52	13	14
	ORDER 4.									
	1. Atrophy and Debility	477	214	65	78	21	35	27	21	16
V.	ORDER 1. (*Accident or Negligence.*)									
	1. Fractures and Contusions	251	125	49	19	12	20	11	10	5
	2. Gunshot Wounds	–	–	–	–	–	–	–	–	–
	3. Cut, Stab	5	4	–	–	–	–	1	–	–
	4. Burns and Scalds	45	17	11	4	2	4	4	1	2
	5. Poison	11	5	1	1	3	–	–	–	1
	6. Drowning	110	53	2	11	15	12	5	9	3
	7. Suffocation	80	33	14	18	9	–	2	4	–
	8. Otherwise	62	33	8	5	7	2	4	3	–
	ORDER 3. (*Homicide.*)									
	1. Murder and Manslaughter	3	1	1	–	–	–	–	–	1
	ORDER 4. (*Suicide.*)									
	1. Gunshot Wounds	4	2	1	–	–	–	–	–	–
	2. Cut, Stab	12	5	1	3	–	1	1	1	–
	3. Poison	7	–	4	–	1	1	1	–	–
	4. Drowning	7	2	–	3	1	–	–	–	1
	5. Hanging	5	1	1	1	–	–	2	–	–
	6. Otherwise and undefined	1	1	–	–	–	–	–	–	–
	ORDER 5. (*Execution.*)									
	1. Hanging	–	–	–	–	–	–	–	–	–
	Sudden Deaths (cause unascertained)	33	26	3	–	3	–	1	–	–
	Causes not specified or ill-defined	74	40	5	4	5	13	5	1	1

CAUSES of DEATH in the PRINCIPAL TOWNS of SCOTLAND during the YEAR 1879.—FEMALES. (*Contd.*)

Class.	CAUSES OF DEATH.	Total Principal Towns.	Glasgow.	Edinburgh.	Dundee.	Aberdeen.	Greenock.	Paisley.	Leith.	Perth.
IV.	ORDER 8.									
	1. Phlegmon	33	10	12	1	3	2	1	4	–
	2. Ulcer	24	11	4	4	–	3	1	1	–
	3. *Skin Disease, etc.*	4	2	2	–	–	–	–	–	–
	ORDER 1.									
	1. Premature Birth	302	142	57	34	23	16	9	16	5
	2. Cyanosis	10	1	3	–	3	2	1	–	–
	3. Spina Bifida	11	5	1	2	3	–	–	–	–
	4. Other Malformations	27	10	2	5	4	1	1	3	1
	5. Teething	126	56	17	14	9	13	11	4	2
	ORDER 2.									
	1. Paramenia	6	2	–	2	–	1	1	–	–
	2. Childbirth (*see* Puerperal Fever)	154	69	23	21	15	4	9	10	3
	ORDER 3.									
	1. Old Age	602	191	99	95	69	29	60	24	35
	ORDER 4.									
	1. Atrophy and Debility	423	170	52	73	24	35	30	25	14
V.	ORDER 1. (*Accident or Negligence.*)									
	1. Fractures and Contusions	71	27	18	9	7	5	3	1	1
	2. Gunshot Wounds	–	–	–	–	–	–	–	–	–
	3. Cut, Stab	2	1	1	–	–	–	–	–	–
	4. Burns and Scalds	43	20	9	6	–	2	2	3	1
	5. Poison	7	6	1	–	–	–	–	–	–
	6. Drowning	13	7	1	1	2	1	1	–	–
	7. Suffocation	63	23	10	17	6	2	1	3	1
	8. Otherwise	16	8	1	3	1	1	1	–	1
	ORDER 3. (*Homicide.*)									
	1. Murder and Manslaughter	2	–	2	–	–	–	–	–	–
	ORDER 4. (*Suicide.*)									
	1. Gunshot Wounds	–	–	–	–	–	–	–	–	–
	2. Cut, Stab	4	–	1	1	1	1	–	–	–
	3. Poison	4	2	–	2	–	–	–	–	–
	4. Drowning	1	1	–	–	–	–	–	–	–
	5. Hanging	8	1	3	2	–	1	–	–	1
	6. Otherwise and undefined	1	–	1	–	–	–	–	–	–
	ORDER 5. (*Execution*).									
	1. Hanging	–	–	–	–	–	–	–	–	–
Sudden Deaths (cause unascertained)		35	30	–	3	1	–	–	–	1
Causes not specified or ill-defined		54	33	7	7	2	1	1	1	2

CAUSES of DEATH in the LARGE TOWNS of SCOTLAND during the YEAR 1879.—MALES.

Class.	CAUSES OF DEATH.	Total Large Towns.	Inverness.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Kirkcaldy.	Stirling.	Dumbarton.	Ayr.	Kilmarnock.	Barony.	Glasgow (Landward)	Govan.	Hamilton.	Airdrie.	Coatbridge.	Hawick.	Dumfries.
	All Causes . . .	4682	226	244	143	157	202	127	171	115	246	259	264	461	948	278	145	271	174	251
	Specified Causes . .	4647	224	243	143	157	199	125	171	114	241	259	261	459	945	275	145	269	173	244
	(CLASSES.)																			
I.	ZYMOTIC DISEASES	780	21	57	28	22	33	18	28	9	28	56	61	67	163	70	22	67	17	13
II.	CONSTITUTIONAL ,,	944	31	52	23	20	37	21	38	27	52	61	50	105	205	37	25	65	37	58
III.	LOCAL ,,	2189	127	104	64	91	82	63	73	57	116	112	116	212	451	127	68	93	89	144
IV.	DEVELOPMENTAL ,,	559	32	24	22	18	38	19	19	11	36	25	23	66	96	28	23	30	29	20
V.	VIOLENT DEATHS .	175	13	6	6	6	9	4	13	10	9	5	11	9	30	13	7	14	1	9
	(ORDERS.)																			
I.	1. MIASMATIC DISEASES .	744	20	54	25	21	29	17	28	9	27	54	60	63	155	67	22	67	15	11
	2. ENTHETIC ,, .	16	–	2	1	1	1	1	–	–	1	1	–	2	4	1	–	–	1	–
	3. DIETIC ,, .	15	1	1	2	–	3	–	–	–	–	1	1	1	1	1	–	–	1	2
	4. PARASITIC ,, .	5	–	–	–	–	–	–	–	–	–	–	–	1	3	1	–	–	–	–
II.	1. DIATHETIC ,, .	112	8	15	5	4	4	1	6	1	3	3	4	8	17	5	1	14	3	10
	2. TUBERCULAR ,, .	832	23	37	18	16	33	20	32	26	49	58	46	97	188	32	24	51	34	48
III.	1. DISEASES OF NERVOUS SYSTEM .	547	41	28	16	17	23	14	14	14	29	27	27	48	124	33	18	22	21	31
	2. ,, OF ORGANS OF CIRCULATION .	326	25	17	14	19	14	12	26	8	14	20	16	18	54	24	4	5	17	19
	3. ,, OF RESPIRATORY ORGANS . .	916	35	42	26	36	32	24	20	25	49	43	48	119	198	41	28	45	32	73
	4. ,, OF DIGESTIVE ORGANS, .	261	19	11	3	11	7	5	10	6	11	10	14	19	56	18	15	15	15	16
	5. ,, OF URINARY ORGANS . .	95	5	3	2	6	6	5	3	4	9	9	5	2	14	7	3	4	3	5
	6. ,, OF ORGANS OF GENERATION .	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	7. ,, OF ORGANS OF LOCOMOTION .	25	1	–	3	2	–	2	–	–	2	3	2	4	3	2	–	1	–	–
	8. ,, OF INTEGUMENTARY SYSTEM	18	1	3	–	–	–	1	–	–	2	–	4	1	2	2	–	1	1	–
IV.	1 DEV DIS. OF CHILDREN	191	7	13	7	7	4	6	7	6	3	10	12	21	45	6	9	13	12	3
	2 OF ADULTS .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. OF OLD PEOPLE	183	20	5	15	7	14	10	4	4	14	6	3	25	21	13	4	5	4	9
	4. DISEASES OF NUTRITION	185	5	6	–	4	20	3	8	1	19	9	8	20	30	9	10	12	13	8

CAUSES of DEATH in the LARGE TOWNS of SCOTLAND during the YEAR 1879.—FEMALES.

Class.	CAUSES OF DEATH.	Total Large Towns.	Inverness.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Kirkcaldy.	Stirling.	Dumbarton.	Ayr.	Kilmarnock	Barony.	Glasgow. (Landward).	Govan.	Hamilton.	Airdrie.	Coatbridge.	Hawick.	Dumfries.
	All Causes . . .	4751	223	276	158	214	229	144	161	133	245	267	281	423	937	245	150	218	182	265
	Specified Causes . .	4721	222	276	157	213	227	143	160	132	242	267	280	421	934	240	150	216	181	260
	(CLASSES.)																			
I.	ZYMOTIC DISEASES	805	18	44	37	27	37	17	34	17	21	59	56	71	181	60	23	61	23	19
II.	CONSTITUTIONAL ,,	1054	39	58	37	48	39	40	36	34	60	56	74	84	211	46	33	49	48	62
III.	LOCAL ,,	2118	123	140	55	111	103	67	60	60	117	121	108	175	426	84	66	77	85	140
IV.	DEVELOPMENTAL ,,	684	40	27	28	24	44	19	28	19	43	25	36	87	107	47	28	26	23	33
V.	VIOLENT DEATHS .	60	2	7	–	3	4	–	2	2	1	6	6	4	9	3	–	3	2	6
	(ORDERS.)																			
I.	1. MIASMATIC DISEASES	771	16	44	34	27	32	17	34	16	20	58	51	67	176	58	21	61	22	17
	2. ENTHETIC ,, .	9	1	–	1	–	–	–	–	–	1	–	1	3	–	1	1	–	–	–
	3. DIETIC ,, .	21	1	–	1	–	5	–	–	1	–	1	4	1	4	1	1	–	–	1
	4. PARASITIC ,, .	4	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1
II.	1. DIATHETIC ,, .	186	9	10	8	10	10	8	6	4	11	8	12	16	35	5	5	9	8	12
	2. TUBERCULAR ,, .	868	30	48	29	38	29	32	30	30	49	48	62	68	176	41	28	40	40	50
III.	1. DISEASES OF NERVOUS SYSTEM .	556	51	47	9	22	25	9	20	14	30	31	28	38	111	25	23	25	19	29
	2. ,, OF ORGANS OF CIRCULATION	305	25	16	20	27	18	12	17	4	21	18	14	22	35	10	6	3	18	19
	3. ,, OF RESPIRATORY ORGANS .	892	29	55	19	43	36	38	12	33	46	55	40	78	211	39	19	41	34	64
	4. ,, OF DIGESTIVE ORGANS .	251	6	18	6	13	14	4	8	7	13	12	21	23	48	6	13	6	12	21
	5. ,, OF URINARY ORGANS .	54	5	2	–	3	8	3	3	1	3	3	2	3	12	–	1	–	1	4
	6. ,, OF ORGANS OF GENERATION	21	4	1	–	1	1	–	–	1	–	–	1	6	4	1	–	1	–	–
	7. ,, OF ORGANS OF LOCOMOTION	15	–	1	–	1	–	1	–	–	1	1	1	3	1	1	2	1	–	1
	8. ,, OF INTEGUMENTARY SYSTEM	24	3	–	1	1	1	–	–	–	3	1	1	2	4	2	2	–	1	2
IV.	1. DEV. DIS. OF CHILDREN	118	5	13	6	4	4	4	5	1	3	7	8	4	26	7	5	7	6	3
	2. ,, OF ADULTS .	51	–	–	2	1	–	4	5	2	1	1	2	5	14	3	3	3	2	3
	3. ,, OF OLD PEOPLE	360	32	8	18	17	30	9	12	14	30	12	12	57	39	26	8	10	6	20
	4. DISEASES OF NUTRITION	155	3	6	2	2	10	2	6	2	9	5	14	21	28	11	12	6	9	7

CAUSES of DEATH in the LARGE TOWNS of SCOTLAND during the YEAR 1879.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	Total Large Towns.	Inverness.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Kirkcaldy.	Stirling.	Dumbarton.	Ayr.	Kilmarnock.	Barony.	Glasgow (Landward).	Govan.	Hamilton.	Airdrie.	Coatbridge.	Hawick.	Dumfries.
V.	1. ACCIDENT OR NEGLIGENCE. . . .	161	12	6	5	4	9	4	12	8	8	5	11	8	29	11	6	14	1	8
	*																			
	3. HOMICIDE . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. SUICIDE . . .	14	1	–	1	2	–	–	1	2	1	–	–	1	1	2	1	–	–	1
	5. EXECUTION . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	SUDDEN DEATHS, CAUSE UNASCERTAINED	4	–	1	–	–	–	2	–	–	–	–	–	–	–	–	–	1	–	–
	CAUSES NOT SPECIFIED . .	31	2	–	–	–	3	–	–	1	5	–	3	2	3	3	–	1	1	7
1.	ORDER 1.																			
	1. Small-pox . .	3	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Measles . . .	74	–	9	–	6	1	–	1	–	3	6	11	2	33	–	–	1	–	1
	3. Scarlatina . .	161	–	2	1	5	2	4	5	–	4	11	8	17	23	31	10	36	2	–
	4. Diphtheria . .	51	3	5	3	4	–	1	1	2	1	2	8	3	13	–	2	1	2	–
	5. Quinsy . . .	2	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	6. Croup . . .	46	3	–	1	–	1	–	5	1	3	6	4	6	8	1	2	2	–	3
	7. Hooping-cough .	182	3	26	13	–	10	12	2	3	5	8	17	19	35	13	4	12	–	–
	8. Typhus Fever. .	10	–	3	–	–	–	–	1	–	–	–	–	–	4	2	–	–	–	–
	8. Enteric or Typhoid Fever, . . .	54	3	1	1	1	3	–	3	1	2	5	–	1	10	3	1	8	9	2
	8. Relapsing Fever .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Simple Continued Fever . . .	9	–	–	1	–	–	–	2	–	2	1	–	–	–	1	1	–	1	–
	9. Erysipelas . .	18	–	1	–	–	2	–	1	1	2	–	3	1	2	2	1	1	–	1
	10. Puerperal Fever (Metria) . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. Carbuncle . .	2	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
	12. Influenza . .	6	–	–	1	2	2	–	1	–	–	–	–	–	–	–	–	–	–	–
	13. Dysentery . .	13	–	–	2	–	–	–	1	–	1	3	1	2	2	–	–	–	1	–
	14. Diarrhœa . .	88	4	4	2	2	7	–	5	1	1	8	3	10	19	13	–	5	–	4
	15. Cholera . . .	9	1	–	–	–	–	–	–	–	2	1	4	–	1	–	–	–	–	–
	16. Ague . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	17. Remittent Fever .	2	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
	18. Rheumatism . .	14	1	1	–	1	1	–	–	–	1	2	1	1	3	–	1	1	–	–
	19. Other *Miasmatic* Dis.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 2.																			
	1. Syphilis . . .	15	–	1	1	1	1	1	–	–	1	1	–	2	4	1	–	–	1	–
	2. Stricture of Urethra .	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Hydrophobia . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Glanders . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.																			
	1. Privation . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Want of Breast Milk .	7	–	–	1	–	2	–	–	–	–	–	1	–	1	1	–	–	–	1
	3. Purpura and Scurvy .	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Alcoholism { *a* Del. Tremens	2	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
	4. Alcoholism { *b* Intemperance	5	–	1	1	–	–	–	–	–	–	1	–	–	–	–	–	–	1	1
	ORDER 4.																			
	1. Thrush . . .	5	–	–	–	–	–	–	–	–	–	–	–	1	3	1	–	–	–	–
	2. Worms, etc. . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	ORDER 1.																			
	1. Gout	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	2. Dropsy . . .	29	–	4	–	–	–	–	1	–	–	1	2	1	5	4	1	8	1	1
	3. Cancer . . .	75	7	9	5	3	3	1	5	1	3	2	2	6	11	–	–	6	2	9
	4. Cancrum Oris (Noma).	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5 Mortification . .	7	1	2	–	1	1	–	–	–	–	–	–	1	1	–	–	–	–	–

* See page 52, note.

CAUSES of DEATH in the LARGE TOWNS of SCOTLAND during the YEAR 1879.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	Total Large Towns.	Inverness.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Kirkcaldy.	Stirling.	Dumbarton.	Ayr.	Kilmarnock	Barony.	Glasgow (Landward).	Govan.	Hamilton.	Airdrie.	Coatbridge.	Hawick.	Dumfries.
V.	1. ACCIDENT OR NEGLIGENCE	54	1	7	–	2	3	–	2	2	1	5	5	4	9	3	–	2	2	6
	*																			
	3. HOMICIDE	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	4. SUICIDE	5	1	–	–	1	1	–	–	–	–	1	–	–	–	–	–	1	–	–
	5. EXECUTION	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	SUDDEN DEATHS, CAUSE UNASCERTAINED	3	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	1
	CAUSES NOT SPECIFIED	27	1	–	1	1	2	–	1	1	3	–	1	2	2	5	–	2	1	4
I.	ORDER 1.																			
	1. Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Measles	74	–	8	1	8	–	–	–	–	2	3	5	10	32	–	–	3	–	2
	3. Scarlatina	107	–	2	–	–	1	3	5	–	2	8	3	2	16	28	9	25	3	–
	4. Diphtheria	55	7	1	2	2	–	1	5	1	1	–	9	1	15	2	2	2	4	–
	5. Quinsy	2	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
	6. Croup	48	4	1	2	2	6	–	2	2	2	2	4	2	8	3	1	2	1	4
	7. Hooping-cough	231	1	13	19	2	11	10	3	3	3	19	21	32	55	14	7	14	–	4
	8. Typhus Fever	9	–	4	–	–	–	–	–	–	–	2	–	–	2	–	–	–	–	1
	8. Enteric or Typhoid Fever	59	1	5	2	4	2	1	6	2	2	5	1	2	10	2	1	6	5	2
	8. Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Simple Continued Fever	9	–	–	1	–	–	–	–	1	2	2	–	–	1	–	–	–	2	–
	9. Erysipelas	18	–	2	–	–	1	–	1	–	–	2	–	3	8	–	–	1	–	–
	10. Puerperal Fever (Metria)	24	1	–	1	–	3	–	1	–	2	2	2	2	2	3	–	1	2	2
	11. Carbuncle	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	12. Influenza	6	–	–	1	1	2	–	–	–	–	–	1	–	1	–	–	–	–	–
	13. Dysentery	11	–	–	1	–	–	–	–	1	–	3	1	1	1	–	–	–	3	–
	14. Diarrhœa	81	–	6	3	4	4	1	7	5	2	8	2	6	20	4	1	6	1	1
	15. Cholera	3	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	1	–	–
	16. Ague	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	17. Remittent Fever	5	–	–	1	–	–	–	2	–	–	2	–	–	–	–	–	–	–	–
	18. Rheumatism	27	2	2	–	4	2	1	1	–	2	–	1	6	3	1	–	–	1	1
	19. Other *Miasmatic* Dis.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 2.																			
	1. Syphilis	9	1	–	1	–	–	–	–	–	1	–	1	3	–	1	1	–	–	–
	2. Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Glanders	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.																			
	1. Privation	2	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
	2. Want of Breast Milk	5	–	–	–	–	2	–	–	–	–	–	2	–	–	1	–	–	–	–
	3. Purpura and Scurvy	2	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
	4. Alcoholism *a* Del. Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Alcoholism *b* Intemperance	12	1	–	1	–	1	–	–	1	–	1	1	1	3	–	1	–	–	1
	ORDER 4.																			
	1. Thrush	3	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1
	2. Worms, etc.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
II.	ORDER 1.																			
	1. Gout	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	2. Dropsy	33	1	2	1	–	1	2	1	–	2	–	3	3	5	1	4	5	1	1
	3. Cancer	136	8	8	6	9	9	6	4	2	9	8	7	9	26	3	1	4	6	11
	4. Cancrum Oris (Noma)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Mortification	16	–	–	1	1	–	–	–	2	–	–	2	4	4	1	–	–	1	–

* See page 52, note.

CAUSES of DEATH in the LARGE TOWNS of SCOTLAND during the YEAR 1879.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	Total Large Towns.	Inverness.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Kirkcaldy.	Stirling.	Dumbarton.	Ayr.	Kilmarnock.	Barony.	Glasgow (Landward).	Govan.	Hamilton.	Airdrie.	Coatbridge.	Hawick.	Dumfries.
	ORDER 2.																			
	1. Scrofula	52	1	2	1	–	4	–	1	2	2	3	1	14	10	6	1	2	–	2
	2. Tabes Mesenterica	104	–	1	–	1	1	3	5	–	9	4	5	16	29	7	2	4	10	7
	3. Phthisis	497	21	25	13	14	22	17	19	13	29	35	26	51	97	12	16	37	18	32
	4. Hydrocephalus	179	1	9	4	1	6	–	7	11	9	16	14	16	52	7	5	8	6	7
III.	ORDER 1.																			
	1. Cephalitis	82	3	6	2	1	3	3	1	–	2	4	6	8	32	2	2	2	2	3
	2. Apoplexy	131	3	4	5	4	6	3	3	3	8	7	6	9	29	10	2	13	5	11
	3. Paralysis	141	4	8	3	4	7	2	7	5	8	5	8	16	28	7	9	2	8	10
	4. Insanity	27	20	–	–	–	–	–	–	–	–	–	–	–	4	–	–	–	–	3
	5. Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Epilepsy	14	3	–	–	–	–	–	–	–	4	–	1	1	4	–	1	–	–	–
	7. Convulsions	80	4	4	2	4	3	3	3	3	3	5	3	5	18	7	3	3	4	3
	8. *Brain Disease, etc.*	72	4	6	4	4	4	3	–	3	4	6	3	9	9	7	1	2	2	1
	ORDER 2.																			
	1. Pericarditis	8	–	–	1	1	–	1	–	–	–	1	2	–	1	–	–	1	–	–
	2. Aneurism	11	3	2	–	1	–	–	1	–	–	–	1	–	2	–	–	–	1	–
	3. *Heart Disease, etc.*	307	22	15	13	17	14	11	25	8	14	19	13	18	51	24	4	4	16	19
	ORDER 3.																			
	1. Laryngitis	9	–	1	–	–	1	1	–	–	–	–	1	1	2	–	1	–	–	1
	2. Bronchitis	537	22	28	17	20	14	13	10	13	26	32	32	71	110	25	14	26	24	40
	3. Pleurisy	37	1	–	2	2	3	1	1	2	1	1	1	5	8	3	1	–	3	2
	4. Pneumonia	210	9	6	2	9	10	8	4	7	16	6	9	36	40	7	3	7	4	27
	5. Asthma	18	–	1	–	–	2	1	–	1	–	1	–	1	1	2	4	4	–	–
	6. *Lung Disease, etc.*	105	3	6	5	5	2	–	5	2	6	3	5	5	37	4	5	8	1	3
	ORDER 4.																			
	1. Gastritis	9	–	–	–	–	–	–	–	–	1	–	2	–	–	–	4	2	–	–
	2. Enteritis	50	4	4	–	2	1	1	1	–	3	5	4	5	12	3	–	–	5	–
	3. Peritonitis	24	1	2	–	2	–	1	3	2	–	–	–	1	3	1	1	3	–	4
	4. Ascites	6	–	–	–	1	–	–	–	2	–	–	–	1	1	1	–	–	–	–
	5. Ulceration of Intestines	16	–	–	–	2	–	–	1	–	–	1	1	–	1	3	1	2	3	1
	6. Hernia	10	2	–	–	–	1	–	–	–	–	1	–	1	1	2	1	–	–	1
	7. Ileus	12	1	–	–	–	–	1	1	–	–	–	1	1	3	–	–	3	1	–
	8. Intussusception	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	9. Stricture of Intestines	3	–	–	–	–	–	–	–	–	1	–	–	–	2	–	–	–	–	–
	10. Fistula	2	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
	11. *Stomach Disease, etc.*	39	4	2	–	1	1	–	1	1	2	–	1	1	11	3	6	–	–	5
	12. *Pancreas Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Hepatitis	14	–	–	1	1	–	–	–	–	–	1	1	2	5	–	2	–	1	–
	14. Jaundice	11	1	1	1	–	–	–	–	–	1	–	2	–	1	–	–	1	1	2
	15. *Liver Disease, etc.*	61	5	2	1	2	4	2	3	1	1	2	2	7	14	4	–	4	4	3
	16. *Spleen Disease, etc.*	3	–	–	–	–	–	–	–	–	1	–	–	–	1	1	–	–	–	–
	ORDER 5.																			
	1. Nephritis	11	–	1	–	–	1	–	1	–	2	1	–	–	2	1	1	1	–	–
	2. Ischuria	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Bright's Disease (Nephria)	34	2	–	1	1	3	1	–	2	4	4	1	1	6	3	–	1	1	3
	4. Diabetes	9	–	–	–	–	–	–	1	–	2	1	1	–	2	1	–	–	1	–
	5. Calculus (Stone)	3	–	–	–	1	–	1	–	–	–	–	1	–	–	–	–	–	–	–
	6. Cystitis	11	1	–	–	–	1	–	–	1	–	–	–	1	4	1	1	–	–	1
	7. *Kidney Disease, etc.*	26	2	2	–	4	1	3	1	1	1	3	2	–	–	1	1	2	1	1
	ORDER 6.																			
	1. Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. *Uterus Disease, etc.*	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	ORDER 7.																			
	1. Synovitis (Arthritis)	4	–	–	–	–	–	–	–	–	–	2	–	1	1	–	–	–	–	–
	2. *Joint Disease, etc.*	21	1	–	3	2	–	2	–	–	2	1	2	3	2	2	–	1	–	–

CAUSES of DEATH in the LARGE TOWNS of SCOTLAND during the YEAR 1879.—FEMALES. (*Continued*).

Class.	CAUSES OF DEATH.	Total Large Towns.	Inverness.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Kirkcaldy.	Stirling.	Dumbarton.	Ayr.	Kilmarnock	Barony.	Glasgow (Landward).	Govan.	Hamilton.	Airdrie.	Coatbridge.	Hawick.	Dumfries.
	ORDER 2.																			
	1. Scrofula	34	1	3	–	–	–	1	3	–	8	2	2	5	4	–	–	–	2	3
	2. Tabes Mesenterica	69	–	–	1	3	2	2	1	2	4	8	6	6	18	5	2	2	4	3
	3. Phthisis	625	25	38	23	30	23	24	21	23	25	31	43	48	117	26	25	34	30	39
	4. Hydrocephalus	140	4	7	5	5	4	5	5	5	12	7	11	9	37	10	1	4	4	5
III.	ORDER 1.																			
	1. Cephalitis	73	2	4	1	1	5	4	3	1	–	5	8	5	20	–	2	3	4	5
	2. Apoplexy	150	9	15	4	10	6	1	7	6	5	9	9	10	26	10	4	6	2	11
	3. Paralysis	155	7	16	1	2	11	1	4	4	17	4	4	11	33	8	13	7	5	7
	4. Insanity	32	24	1	–	1	–	–	–	–	1	–	–	–	5	–	–	–	–	–
	5. Chorea	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	6. Epilepsy	16	1	1	1	2	–	–	2	–	1	–	1	2	2	–	1	–	1	1
	7. Convulsions	72	5	5	2	2	3	–	2	1	2	1	2	7	19	6	1	6	5	3
	8. *Brain Disease, etc.*	57	3	5	–	4	–	3	2	1	4	12	4	3	6	1	2	3	2	2
	ORDER 2.																			
	1. Pericarditis	6	–	–	–	–	1	–	–	–	–	2	–	1	1	–	–	–	1	–
	2. Aneurism	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
	3. *Heart Disease, etc.*	298	25	16	20	27	17	12	17	4	21	16	14	21	34	10	6	3	16	19
	ORDER 3.																			
	1. Laryngitis	11	1	–	–	–	–	1	–	–	3	–	–	1	1	–	–	2	–	2
	2. Bronchitis	580	23	42	15	33	25	20	8	22	29	40	24	46	113	27	16	23	26	48
	3. Pleurisy	14	1	–	–	3	1	–	1	2	–	–	–	–	1	1	–	2	–	2
	4. Pneumonia	173	3	3	2	4	7	15	1	8	9	9	9	22	50	3	–	10	8	10
	5. Asthma	20	1	2	–	–	3	1	–	1	–	–	–	–	9	1	2	–	–	–
	6. *Lung Disease, etc.*	94	–	8	2	3	–	1	2	–	5	6	7	9	37	7	1	4	–	2
	ORDER 4.																			
	1. Gastritis	23	–	–	–	–	3	–	1	–	–	1	3	5	1	–	5	2	1	1
	2. Enteritis	36	2	2	–	1	–	–	–	1	–	6	3	1	12	–	1	–	6	1
	3. Peritonitis	34	1	2	1	4	1	1	2	–	4	2	2	1	6	3	–	–	–	4
	4. Ascites	2	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
	5. Ulceration of Intestines	11	–	2	1	–	1	–	–	–	–	1	1	1	2	–	–	–	2	–
	6. Hernia	5	–	1	2	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–
	7. Ileus	21	1	2	–	2	–	2	1	–	2	1	3	5	1	–	–	–	–	1
	8. Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	9. Stricture of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
	10. Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. *Stomach Disease, etc.*	40	–	–	–	1	4	–	–	3	2	–	–	3	10	2	5	–	1	9
	12. *Pancreas Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Hepatitis	20	–	1	–	–	1	–	1	–	1	–	4	2	7	1	–	2	–	–
	14. Jaundice	10	–	4	–	1	–	–	–	–	–	–	1	1	1	–	–	–	1	1
	15. *Liver Disease, etc.*	46	2	4	2	4	3	1	3	2	2	1	4	4	7	–	2	2	–	3
	16 *Spleen Disease, etc.*	2	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
	ORDER 5.																			
	1. Nephritis	7	–	–	–	–	2	–	1	–	1	–	–	–	3	–	–	–	–	–
	2. Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Bright's Disease (Nephria)	25	3	–	–	1	4	1	1	–	1	2	2	2	7	–	–	–	1	–
	4. Diabetes	3	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1
	5. Calculus (Stone)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Cystitis	2	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. *Kidney Disease, etc.*	17	1	2	–	1	1	2	1	1	1	–	–	1	2	–	1	–	–	3
	ORDER 6.																			
	1. Ovarian Dropsy	8	3	–	–	–	1	–	–	–	–	–	–	2	1	1	–	–	–	–
	2. *Uterus Disease, etc.*	13	1	1	–	1	–	–	–	1	–	–	1	4	3	–	–	1	–	–
	ORDER 7.																			
	1. Synovitis (Arthritis)	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	2. *Joint Disease, etc.*	14	–	1	–	1	–	1	–	–	1	1	1	3	–	1	2	1	–	1

CAUSES of DEATH in the LARGE TOWNS of SCOTLAND during the YEAR 1879.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	Total Large Towns.	Inverness.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Kirkcaldy.	Stirling.	Dumbarton.	Ayr.	Kilmarnock.	Barony.	Glasgow (Landward).	Govan.	Hamilton.	Airdrie.	Coatbridge.	Hawick.	Dumfries.
	ORDER 8.																			
	1. Phlegmon	11	1	2	–	–	–	1	–	–	1	–	4	1	–	–	–	1	–	–
	2. Ulcer	2	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–
	3. *Skin Disease, etc.*	5	–	1	–	–	–	–	–	–	–	–	–	–	2	1	–	–	1	–
IV.	ORDER 1.																			
	1. Premature Birth	133	4	10	6	5	3	4	5	5	–	6	7	13	33	6	6	10	7	3
	2. Cyanosis	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–
	3. Spina Bifida	4	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	1	–
	4. Other Malformations	10	–	–	–	–	–	–	–	–	1	1	1	1	2	–	2	–	2	–
	5. Teething	42	3	3	1	2	1	2	2	1	2	3	4	5	8	–	–	3	2	–
	ORDER 2.																			
	1. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Childbirth (*see* Puerperal Fever)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.																			
	1. Old Age	183	20	5	15	7	14	10	4	4	14	6	3	25	21	13	4	5	4	9
	ORDER 4.																			
	1. Atrophy and Debility	185	5	6	–	4	20	3	8	1	19	9	8	20	30	9	10	12	13	8
V.	ORDER 1. (*Accident or Negligence.*																			
	1. Fractures and Contusions	58	5	4	1	2	2	–	7	2	2	3	–	3	5	6	4	9	–	3
	2. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Cut, Stab	2	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–
	4. Burns and Scalds	18	–	1	–	1	1	1	2	1	1	2	1	–	3	2	–	2	–	–
	5. Poison	3	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	1	–	–
	6. Drowning	48	4	–	–	1	1	2	–	5	2	–	8	3	16	1	–	2	–	3
	7. Suffocation	18	1	1	2	–	2	1	1	–	2	–	1	1	2	1	2	–	–	1
	8. Otherwise	14	2	–	2	–	1	–	1	–	1	–	1	1	2	1	–	–	1	1
	ORDER 3. (*Homicide.*)																			
	1. Murder and Manslaughter	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4. (*Suicide.*)																			
	1. Gunshot Wounds	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	2. Cut, Stab	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
	3. Poison	3	–	–	–	1	–	–	1	1	–	–	–	–	–	–	–	–	–	–
	4. Drowning	4	1	–	–	1	–	–	–	–	–	–	–	1	–	1	–	–	–	–
	5. Hanging	4	–	–	1	–	–	–	–	1	1	–	–	–	–	–	1	–	–	–
	6. Otherwise and undefined	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	ORDER 5. (*Execution.*)																			
	1. Hanging	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Sudden Deaths (cause unascertained)	4	–	1	–	–	–	2	–	–	–	–	–	–	–	–	–	1	–	–
	Causes not specified or ill-defined	31	2	–	–	–	3	–	–	1	5	–	3	2	3	3	–	1	1	7

CAUSES of DEATH in the LARGE TOWNS of SCOTLAND during the YEAR 1879.—FEMALES. (*Continued.*

Class.	CAUSES OF DEATH.	Total Large Towns.	Inverness.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Kirkcaldy.	Stirling.	Dumbarton.	Ayr.	Kilmarnock	Barony.	Glasgow (Landward).	Govan.	Hamilton.	Airdrie.	Coatbridge.	Hawick.	Dumfries.
	ORDER 8																			
	1 Phlegmon	13	2	–	–	–	–	–	–	–	3	1	1	1	2	1	1	–	–	1
	2. Ulcer	6	1	–	1	1	–	–	–	–	–	–	–	–	1	1	1	–	–	–
	3. *Skin Disease, etc.*	5	–	–	–	–	1	–	–	–	–	–	–	1	1	–	–	–	1	1
IV.	ORDER 1.																			
	1. Premature Birth	79	3	10	6	3	–	2	5	1	2	4	2	3	17	5	3	6	5	2
	2. Cyanosis	4	–	1	–	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–
	3. Spina Bifida	7	–	1	–	–	–	1	–	–	–	–	1	–	2	–	–	–	1	1
	4. Other Malformations	3	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	5. Teething	25	–	1	–	1	4	1	–	–	1	3	5	1	5	2	–	1	–	–
	ORDER 2.																			
	1. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Childbirth (*see* Puerperal Fever)	51	–	–	2	1	–	4	5	2	1	1	2	5	14	3	3	3	2	3
	ORDER 3.																			
	1. Old Age	360	32	8	18	17	30	9	12	14	30	12	12	57	39	26	8	10	6	20
	ORDER 4.																			
	1. Atrophy and Debility	155	3	6	2	2	10	2	6	2	9	5	14	21	28	11	12	6	9	7
V.	ORDER 1. (*Accident or Negligence.*)																			
	1. Fractures and Contusions	17	1	2	–	–	–	–	1	1	1	3	–	3	1	1	–	–	1	2
	2. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Cut, Stab	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	4. Burns and Scalds	14	–	1	–	1	2	–	–	–	–	1	1	–	3	1	–	–	1	3
	5. Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Drowning	8	–	1	–	–	–	–	–	–	–	1	2	–	1	1	–	2	–	–
	7. Suffocation	10	–	2	–	1	–	–	1	1	–	–	1	1	3	–	–	–	–	–
	8. Otherwise	4	–	1	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	1
	ORDER 3. (*Homicide.*)																			
	1. Murder and Manslaughter	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	ORDER 4. (*Suicide.*)																			
	1. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cut, Stab	2	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Poison	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	4. Drowning	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
	5. Hanging	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Otherwise and undefined	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 5. (*Execution.*)																			
	1. Hanging	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Sudden Deaths (cause unascertained	3	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	1
	Causes not specified or ill-defined	27	1	–	1	1	2	–	1	1	3	–	1	2	2	5	–	2	1	4

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1879.—MALES.

Class.	CAUSES OF DEATH.	Total Small Towns.	Shetland.	Orkney.	Caithness.	Ross and Cromarty.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Clackmannan.	Stirling.
	All Causes	8217	43	53	151	99	41	159	218	342	48	263	238	531	207	543
	Specified Causes . . .	8103	41	53	150	96	39	159	217	335	48	262	233	517	205	535
	(CLASSES).															
I.	ZYMOTIC DISEASES	1384	4	11	21	17	3	23	34	58	8	27	24	99	36	109
II.	CONSTITUTIONAL ,,	1554	12	6	36	13	6	31	37	51	15	39	48	79	59	76
III.	LOCAL ,,	3729	19	27	67	52	23	84	108	150	14	141	119	239	69	256
IV.	DEVELOPMENTAL ,,	1010	5	6	21	6	7	17	22	49	4	39	32	71	31	66
V.	VIOLENT DEATHS . .	426	1	3	5	8	–	4	16	27	7	16	10	29	10	28
	(ORDERS).															
I.	1. MIASMATIC DISEASES . .	1302	3	11	20	17	2	23	34	55	8	25	22	97	31	105
	2. ENTHETIC ,, .	20	–	–	1	–	–	–	–	1	–	1	–	–	–	1
	3. DIETIC ,, . .	60	1	–	–	–	1	–	–	2	–	1	2	2	4	3
	4. PARASITIC ,, . .	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–
II.	1. DIATHETIC ,, . .	207	–	–	7	1	–	5	9	5	2	9	7	13	8	10
	2. TUBERCULAR ,, . .	1347	12	6	29	12	6	26	28	46	13	30	41	66	51	66
III.	1. DISEASES OF NERVOUS SYSTEM . .	882	6	9	15	11	5	29	26	26	6	24	23	63	10	52
	2. ,, OF ORGANS OF CIRCULATION . .	603	4	3	15	8	2	14	19	26	5	32	22	42	18	31
	3. ,, OF RESPIRATORY ORGANS . .	1473	6	8	23	27	13	28	41	69	1	56	39	90	25	118
	4. ,, OF DIGESTIVE ORGANS	508	1	3	8	4	3	8	14	19	1	19	25	26	11	41
	5. ,, OF URINARY ORGANS	198	2	3	5	–	–	5	4	9	1	9	6	17	3	13
	6. ,, OF ORGANS OF GENERATION .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. ,, OF ORGANS OF LOCOMOTION . .	36	–	–	1	1	–	–	2	–	–	1	1	–	2	–
	8. ,, OF INTEGUMENTARY SYSTEM . .	29	–	1	–	1	–	–	2	1	–	–	3	1	–	1
IV.	1. DEV. DIS. OF CHILDREN .	313	–	1	5	–	2	6	12	21	2	9	8	15	9	16
	2. ,, OF ADULTS . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. ,, OF OLD PEOPLE .	374	4	4	12	6	5	7	4	17	1	23	16	39	8	25
	4. DISEASES OF NUTRITION .	323	1	1	4	–	–	4	6	11	1	7	8	17	14	25

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1879.—FEMALES.

Class.	CAUSES OF DEATH.	Total Small Towns.	Shetland.	Orkney.	Caithness.	Ross and Cromarty.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Clackmannan.	Stirling.
	All Causes	8345	62	41	164	95	45	163	250	330	50	319	242	612	204	519
	Specified Causes . . .	8238	61	41	162	94	43	158	249	321	50	314	238	605	202	510
	(CLASSES.)															
I.	ZYMOTIC DISEASES	1371	11	6	25	15	4	25	44	62	3	34	29	101	27	114
II.	CONSTITUTIONAL ,,	1779	15	8	33	15	8	18	45	46	13	56	56	107	58	88
III.	LOCAL ,,	3613	21	18	73	41	13	75	123	140	23	165	114	278	77	221
IV.	DEVELOPMENTAL ,,	1332	14	9	30	22	17	35	30	70	10	54	33	112	33	80
V.	VIOLENT DEATHS . .	143	–	–	1	1	1	5	7	3	1	5	6	7	7	7
	(ORDERS.)															
I.	1. MIASMATIC DISEASES . .	1327	11	6	25	15	4	24	41	61	3	33	29	98	27	109
	2. ENTHETIC ,, . .	12	–	–	–	–	–	–	1	–	–	–	–	1	–	2
	3. DIETIC ,, . .	28	–	–	–	–	–	1	2	1	–	1	–	2	–	2
	4. PARASITIC ,, . .	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1
II.	1. DIATHETIC ,, . .	375	2	2	5	9	5	4	18	10	7	20	8	22	10	14
	2. TUBERCULAR ,, . .	1404	13	6	28	6	3	14	27	36	6	36	48	85	48	74
III.	1. DISEASES OF NERVOUS SYSTEM . .	813	7	4	15	12	4	19	29	36	5	36	25	65	24	50
	2. ,, OF ORGANS OF CIRCULATION . .	633	1	5	11	8	1	14	16	27	5	26	33	56	13	33
	3. ,, OF RESPIRATORY ORGANS . .	1370	7	5	33	15	4	19	44	46	8	67	27	101	30	96
	4. ,, OF DIGESTIVE ORGANS	554	3	1	8	6	2	18	20	21	2	23	21	36	6	28
	5. ,, OF URINARY ORGANS	146	3	2	4	–	–	3	9	5	3	10	3	12	3	9
	6. ,, OF ORGANS OF GENERATION .	39	–	1	1	–	2	1	2	–	–	1	3	4	1	1
	7. ,, OF ORGANS OF LOCOMOTION . .	30	–	–	1	–	–	1	2	2	–	1	–	1	–	1
	8. ,, OF INTEGUMENTARY SYSTEM . .	28	–	–	–	–	–	–	1	3	–	1	2	3	–	3
IV.	1. DEV. DIS. OF CHILDREN .	234	–	1	3	2	1	3	5	18	3	6	2	16	3	12
	2. ,, OF ADULTS . .	94	2	–	2	4	–	1	2	3	1	3	5	6	5	5
	3. ,, OF OLD PEOPLE .	712	11	8	19	16	16	26	16	36	6	34	20	71	11	34
	4. DISEASES OF NUTRITION .	292	1	–	6	–	–	5	7	13	–	11	6	19	14	29

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1879.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
	All Causes	376	222	102	740	1070	1307	241	328	134	52	36	206	107	104	136	120
	Specified Causes . . .	370	219	100	729	1057	1293	236	326	130	51	34	205	107	103	135	118
	(CLASSES.)																
I.	ZYMOTIC DISEASES	54	34	10	155	207	255	39	47	22	11	8	36	8	8	7	9
II.	CONSTITUTIONAL ,,	75	42	38	173	193	225	46	73	27	1	4	43	19	22	43	22
III	LOCAL ,,	172	109	38	294	491	572	111	145	57	29	12	88	64	50	70	59
IV.	DEVELOPMENTAL ,,	48	23	11	75	116	170	28	45	17	6	5	26	11	17	12	24
V.	VIOLENT DEATHS . .	21	11	3	32	50	71	12	16	7	4	5	12	5	6	3	4
	(ORDERS.)																
I.	1. MIASMATIC DISEASES .	50	29	9	147	197	242	38	43	21	11	7	30	7	4	6	8
	2. ENTHETIC ,, . .	–	1	–	2	2	5	–	2	–	–	–	1	1	–	1	1
	3 DIETIC ,, . .	4	4	1	5	8	8	1	2	1	–	1	5	–	4	–	–
	4. PARASITIC ,, . .	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
II.	1. DIATHETIC ,, . .	8	9	8	16	23	35	4	6	3	–	1	5	2	3	4	4
	2. TUBERCULAR ,, . .	67	33	30	157	170	190	42	67	24	1	3	38	17	19	39	18
III.	1. DISEASES OF NERVOUS SYSTEM . .	52	24	11	77	121	118	27	39	23	9	4	15	14	14	17	12
	2. ,, OF ORGANS OF CIRCULATION . .	20	15	10	42	73	78	15	22	11	4	3	17	16	8	20	8
	3. ,, OF RESPIRATORY ORGANS . .	67	43	14	125	197	239	43	53	16	11	–	37	18	18	19	29
	4. ,, OF DIGESTIVE ORGANS	26	13	1	34	60	100	14	27	2	2	2	13	8	8	9	6
	5. ,, OF URINARY ORGANS	4	13	2	9	29	25	6	4	4	2	1	4	7	2	5	4
	6. ,, OF ORGANS OF GENERATION .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. ,, OF ORGANS OF LOCOMOTION . .	1	1	–	5	5	7	6	–	1	1	–	1	–	–	–	–
	8. ,, OF INTEGUMENTARY SYSTEM . .	2	–	–	2	6	5	–	–	–	–	2	1	1	–	–	–
IV.	1. DEV. DIS. OF CHILDREN .	12	6	1	25	45	54	8	11	5	4	1	18	5	2	4	6
	2. ,, OF ADULTS .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. ,, OF OLD PEOPLE .	19	10	5	25	32	47	8	12	6	–	4	7	2	9	5	12
	4. DISEASES OF NUTRITION .	17	7	5	25	39	69	12	22	6	2	–	1	4	6	3	6

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1879.—FEMALES. (*Continued*).

Class.	CAUSES OF DEATH.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
	All Causes	422	267	107	773	1076	1164	243	353	141	45	33	195	105	101	113	111
	Specified Causes . . .	417	260	107	760	1068	1155	234	350	140	45	33	193	105	101	112	110
	(CLASSES.)																
I.	ZYMOTIC DISEASES	67	32	18	148	187	249	30	40	16	7	5	39	10	8	5	10
II.	CONSTITUTIONAL ,,	103	50	28	209	260	248	52	81	34	7	6	53	17	20	21	24
III.	LOCAL ,,	176	116	49	291	443	476	112	176	55	25	15	79	58	46	64	50
IV.	DEVELOPMENTAL ,,	63	54	10	106	153	170	36	45	32	4	4	21	17	27	17	24
V.	VIOLENT DEATHS . .	8	8	2	6	25	12	4	8	3	2	3	1	3	–	5	2
	(ORDERS.)																
I.	1. MIASMATIC DISEASES . .	64	30	15	143	182	245	29	40	16	7	4	34	9	8	5	10
	2. ENTHETIC ,, . .	–	–	–	2	2	1	1	–	–	–	–	2	–	–	–	–
	3. DIETIC ,, . .	3	2	3	2	1	3	–	–	–	–	1	3	1	–	–	–
	4. PARASITIC ,, . .	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–
II.	1. DIATHETIC ,, . .	21	13	6	24	46	48	10	17	10	1	1	15	7	7	3	10
	2. TUBERCULAR ,, . .	82	37	22	185	214	200	42	64	24	6	5	38	10	13	18	14
III.	1. DISEASES OF NERVOUS SYSTEM . .	35	26	8	56	89	100	20	45	15	7	3	20	18	16	11	13
	2. ,, OF ORGANS OF CIRCULATION . .	30	19	11	30	92	68	15	34	10	7	1	12	16	9	24	6
	3. ,, OF RESPIRATORY ORGANS . .	75	50	16	141	149	190	54	55	26	9	7	33	11	15	17	20
	4. ,, OF DIGESTIVE ORGANS	28	14	11	51	78	83	14	34	1	1	3	8	8	6	9	10
	5. ,, OF URINARY ORGANS	5	2	2	9	21	21	5	5	2	–	1	2	3	–	2	–
	6. ,, OF ORGANS OF GENERATION .	2	2	–	4	4	5	2	–	1	–	–	2	–	–	–	–
	7. ,, OF ORGANS OF LOCOMOTION . .	–	–	1	–	5	7	1	2	–	–		2	2	–	–	1
	8. ,, OF INTEGUMENTARY SYSTEM .	1	3	–	–	5	2	1	1	–	1	–	–	–	–	1	–
IV.	1. DEV. DIS. OF CHILDREN .	13	3	1	17	34	47	9	9	6	1	–	5	2	7	3	2
	2. ,, OF ADULTS .	4	3	–	6	11	11	5	4	–	1	2	3	3	–	–	2
	3. ,, OF OLD PEOPLE	27	38	7	52	77	77	16	18	21	–	2	9	8	11	11	14
	4. DISEASES OF NUTRITION .	19	10	2	31	31	35	6	14	5	2	–	4	4	9	3	6

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1879.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	Total Small Towns.	Shetland.	Orkney.	Caithness.	Ross and Cromarty.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Clackmannan.	Stirling.
V.	1. ACCIDENT OR NEGLIGENCE .	388	1	3	5	7	–	4	12	25	7	11	9	27	8	26
	*															
	3. HOMICIDE	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. SUICIDE	35	–	–	–	1	–	–	4	2	–	5	1	2	2	2
	5. EXECUTION . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	SUDDEN DEATHS, CAUSE UNASCERTAINED	7	–	–	–	–	–	–	–	–	–	–	1	1	–	–
	CAUSES NOT SPECIFIED . . .	107	2	–	1	3	2	–	1	7	–	1	4	13	2	8
I.	ORDER 1.															
	1. Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Measles	106	–	–	–	–	–	–	–	13	1	2	–	6	1	17
	3. Scarlatina	237	1	1	5	2	–	6	8	7	2	2	5	16	1	19
	4. Diphtheria . . .	101	1	–	1	–	–	1	7	2	–	1	–	3	2	8
	5. Quinsy	4	–	–	–	–	–	–	–	–	–	–	–	–	1	–
	6. Croup	105	–	–	6	6	–	3	3	2	–	1	2	9	3	6
	7. Hooping-cough . . .	257	–	3	1	2	2	4	1	9	–	7	2	31	18	14
	8. Typhus Fever . . .	20	–	–	1	2	–	2	–	–	1	–	–	–	–	1
	8. Enteric or Typhoid Fever	152	–	1	4	–	–	3	6	5	1	6	4	14	3	6
	8. Relapsing Fever . .	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Simple Continued Fever .	25	–	–	–	1	–	1	–	1	–	–	–	2	1	4
	9. Erysipelas	34	–	1	–	–	–	–	3	2	1	–	1	1	–	5
	10. Puerperal Fever (Metria) .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. Carbuncle . . .	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	12. Influenza	9	–	–	–	–	–	–	–	–	1	–	1	–	–	5
	13. Dysentery . . .	21	–	–	–	1	–	–	2	3	–	–	1	–	–	2
	14. Diarrhœa	161	1	3	2	2	–	–	3	11	1	4	4	10	–	9
	15. Cholera	14	–	–	–	–	–	1	1	–	–	–	–	1	–	2
	16. Ague	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	17. Remittent Fever . .	11	–	–	–	–	–	–	–	–	–	–	–	3	–	5
	18. Rheumatism . . .	40	–	2	–	1	–	2	–	–	–	2	1	1	1	2
	19. Other *Miasmatic* Diseases	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 2.															
	1. Syphilis	18	–	–	1	–	–	–		1	–	1	–	–	–	1
	2. Stricture of Urethra . .	2	–	–	–	–	–	–		–	–	–	–	–	–	–
	3. Hydrophobia . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Glanders	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.															
	1. Privation	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–
	2. Want of Breast Milk . .	16	–	–	–	–	–	–	–	–	–	–	1	–	–	2
	3. Purpura and Scurvy .	3	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	4. Alcoholism *a* Del. Tremens	12	1	–	–	–	1	–	–	1	–	1	1	1	2	1
	4. Alcoholism *b* Intemperance .	26	–	–	–	–	–	–	–	–	–	–	–	1	1	–
	ORDER 4.															
	1. Thrush	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–
	2. Worms, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	ORDER 1.															
	1. Gout	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	2. Dropsy	47	–	–	1	1	–	1	3	2	1	–	2	2	2	2
	3. Cancer	139	–	–	5	–	–	4	5	3	1	8	5	7	6	6
	4. Cancrum Oris (Noma) . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Mortification . . .	20	–	–	1	–	–	–	1	–	–	–	–	4	–	2

* See page 52, note *.

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1879.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	Total Small Towns.	Shetland.	Orkney.	Caithness.	Ross and Cromarty.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Clackmannan.	Stirling.
V.	1. ACCIDENT OR NEGLIGENCE	125	–	–	1	1	–	5	5	2	1	4	6	7	6	5
	*															
	3. HOMICIDE	3	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	4. SUICIDE	15	–	–	–	–	–	–	2	1	–	1	–	–	1	2
	5. EXECUTION	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	SUDDEN DEATHS, CAUSE UNASCERTAINED	4	–	–	–	–	–	–	–	–	–	–	–	1	–	2
	CAUSES NOT SPECIFIED	103	1	–	2	1	2	5	1	9	–	5	4	6	2	7
I.	ORDER 1.															
	1. Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Measles	86	–	–	–	–	–	1	–	11	–	2	2	2	–	16
	3. Scarlatina	244	3	1	7	1	–	2	9	10	–	2	1	26	1	21
	4. Diphtheria	100	1	1	1	–	–	2	12	4	–	2	–	4	2	3
	5. Quinsy	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Croup	77	–	–	4	6	–	1	3	3	–	1	1	6	3	3
	7. Hooping-cough	295	–	2	2	–	1	6	5	15	–	9	5	32	12	31
	8. Typhus Fever	6	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	8. Enteric or Typhoid Fever	140	1	–	5	–	2	8	3	1	–	3	6	11	4	8
	8. Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Simple Continued Fever	25	–	1	–	–	–	1	–	–	1	2	–	1	–	4
	9. Erysipelas	33	–	–	–	2	–	1	1	1	–	–	–	4	1	1
	10. Puerperal Fever (Metria)	43	2	–	1	–	–	1	–	3	–	–	2	2	2	4
	11. Carbuncle	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	12. Influenza	18	–	–	–	1	–	–	–	–	–	–	1	–	–	3
	13. Dysentery	17	3	–	–	–	–	–	1	1	–	–	2	–	–	2
	14. Diarrhœa	160	–	1	1	2	1	1	3	10	–	8	5	8	1	9
	15. Cholera	9	–	–	–	–	–	–	2	–	–	–	–	–	–	1
	16. Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	17. Remittent Fever	10	–	–	–	–	–	–	–	–	–	1	–	–	–	2
	18. Rheumatism	60	1	–	4	2	–	–	2	2	2	3	4	2	1	1
	19. Other *Miasmatic* Diseases	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 2.															
	1. Syphilis	11	–	–	–	–	–	–	1	–	–	–	–	–	–	2
	2. Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Hydrophobia	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–
	4. Glanders	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.															
	1. Privation	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	2. Want of Breast Milk	9	–	–	–	–	–	–	–	–	–	–	–	–	–	1
	3. Purpura and Scurvy	4	–	–	–	–	–	–	1	1	–	–	–	–	–	–
	4. Alcoholism *a* Del. Tremens	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1
	4. Alcoholism *b* Intemperance	13	–	–	–	–	–	1	1	–	–	–	–	2	–	–
	ORDER 4.															
	1. Thrush	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1
	2. Worms, etc.	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	ORDER 1.															
	1. Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Dropsy	61	1	–	–	3	–	1	–	1	2	2	–	4	3	2
	3. Cancer	290	1	2	5	2	4	3	17	9	4	17	8	17	6	12
	4. Cancrum Oris (Noma)	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Mortification	23	–	–	–	4	1	–	1	–	1	1	–	1	1	–

See page 52, note. *

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1879.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
V.	1. ACCIDENT OR NEGLIGENCE	20	11	3	30	47	70	9	15	4	3	2	12	5	6	3	3
	*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. HOMICIDE	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–
	4. SUICIDE	1	–	–	2	3	1	3	1	3	1	–	–	–	–	–	1
	5. EXECUTION	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	SUDDEN DEATHS, CAUSE UNASCERTAINED	–	–	–	1	1	3	–	–	–	–	–	–	–	–	–	–
	CAUSES NOT SPECIFIED	6	3	2	10	12	11	5	2	4	1	2	1	–	1	1	2
I.	ORDER 1.																
	1. Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Measles	1	1	–	13	39	9	3	–	–	–	–	–	–	–	–	–
	3. Scarlatina	7	1	–	30	13	81	4	5	2	6	–	10	2	1	–	–
	4. Diphtheria	4	7	–	23	11	15	4	3	3	–	1	3	–	–	1	–
	5. Quinsy	–	–	–	–	–	2	–	1	–	–	–	–	–	–	–	–
	6. Croup	6	2	1	7	14	11	4	3	5	–	1	7	1	–	1	1
	7. Hooping-cough	12	4	2	28	57	41	5	2	3	–	1	5	–	–	2	1
	8. Typhus Fever	–	3	–	2	2	2	1	–	–	1	–	1	–	1	–	–
	8. Enteric or Typhoid Fever	3	3	1	15	20	29	3	12	5	3	–	–	1	2	1	1
	8. Relapsing Fever	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	8. Simple Continued Fever	4	–	1	3	2	3	–	–	–	–	–	–	–	–	–	2
	9. Erysipelas	–	2	1	4	4	2	1	3	1	1	1	–	–	–	–	–
	10. Puerperal Fever (Metria)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. Carbuncle	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	12. Influenza	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Dysentery	1	1	–	–	6	3	1	–	–	–	–	–	–	–	–	–
	14. Diarrhœa	7	3	2	20	23	34	11	4	–	–	2	3	1	–	–	1
	15. Cholera	1	–	–	–	–	3	1	2	1	–	–	–	1	–	–	–
	16. Ague	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	17. Remittent Fever	1	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
	18. Rheumatism	2	–	1	2	5	5	–	6	1	–	1	1	1	–	1	2
	19. Other *Miasmatic* Diseases	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	ORDER 2.																
	1. Syphilis	–	1	–	2	1	5	–	2	–	–	–	1	–	–	1	1
	2. Stricture of Urethra	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
	3. Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Glanders	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.																
	1. Privation	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
	2. Want of Breast Milk	2	2	1	–	1	4	–	–	–	–	–	3	–	–	–	–
	3. Purpura and Scurvy	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	4. Alcoholism *a* Del. Tremens	–	–	–	1	1	–	–	–	–	–	–	1	–	–	–	–
	4. Alcoholism *b* Intemperance	1	2	–	4	4	3	1	2	1	–	1	1	–	4	–	–
	ORDER 4.																
	1. Thrush	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	2. Worms, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	ORDER 1.																
	1 Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2 Dropsy	1	1	–	3	6	11	1	3	1	–	–	1	1	1	–	–
	3 Cancer	5	7	8	12	13	24	3	3	1	–	1	3	1	2	2	4
	4 Cancrum Oris (Noma)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5 Mortification	2	1	–	1	4	–	–	–	1	–	–	1	–	–	2	–

* See page 52, note *.

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1879.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
V.	1. ACCIDENT OR NEGLIGENCE	8	6	2	6	23	11	3	7	2	2	1	1	3	–	5	2
	*																
	3. HOMICIDE	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	4. SUICIDE	–	1	–	–	2	1	1	1	1	–	1	–	–	–	–	–
	5. EXECUTION	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	SUDDEN DEATHS, CAUSE UNASCERTAINED	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	CAUSES NOT SPECIFIED	5	7	–	13	8	8	9	3	1	–	–	2	–	–	1	1
I.	ORDER 1.																
	1. Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Measles	4	2	1	11	22	10	1	1	–	–	–	–	–	–	–	–
	3. Scarlatina	4	–	–	27	14	84	1	7	3	4	–	11	4	1	–	–
	4. Diphtheria	9	2	–	13	21	14	2	1	–	–	–	5	–	1	–	–
	5. Quinsy	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
	6. Croup	5	1	1	2	12	16	–	1	4	–	–	3	–	–	–	1
	7. Hooping-cough	16	4	5	36	47	49	2	6	–	–	–	7	–	–	2	1
	8. Typhus Fever	–	1	–	4	–	–	–	–	–	–	–	–	–	–	–	–
	8. Enteric or Typhoid Fever	3	–	5	16	17	15	3	10	6	1	2	2	5	2	1	–
	8. Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Simple Continued Fever	2	–	–	–	6	4	–	–	–	–	–	1	–	1	–	1
	9. Erysipelas	3	2	–	4	4	4	1	2	–	–	1	1	–	–	–	–
	10. Puerperal Fever (Metria)	2	1	2	3	6	6	2	1	–	–	–	1	–	2	–	–
	11. Carbuncle	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	12. Influenza	3	1	–	1	3	2	1	1	–	1	–	–	–	–	–	–
	13. Dysentery	1	–	–	1	2	1	2	–	1	–	–	–	–	–	–	–
	14. Diarrhœa	6	12	–	16	16	30	11	7	1	1	–	3	–	–	1	6
	15. Cholera	–	–	–	1	–	4	–	1	–	–	–	–	–	–	–	–
	16. Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	17. Remittent Fever	1	–	–	2	–	–	–	2	–	–	–	–	–	1	–	1
	18. Rheumatism	5	4	1	4	12	5	2	–	1	–	1	–	–	–	1	–
	19. Other *Miasmatic* Diseases	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	ORDER 2.																
	1. Syphilis	–	–	–	2	2	1	1	–	–	–	–	2	–	–	–	–
	2. Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Glanders	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.																
	1. Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Want of Breast Milk	2	–	–	–	1	2	–	–	–	–	–	3	–	–	–	–
	3. Purpura and Scurvy	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–
	4. Alcoholism *a* Del. Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Alcoholism *b* Intemperance	1	2	3	1	–	1	–	–	–	–	1	–	–	–	–	–
	ORDER 4.																
	1. Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Worms, etc.	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–
II.	ORDER 1.																
	1. Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Dropsy	4	1	–	4	9	14	–	2	–	–	–	3	–	1	–	4
	3. Cancer	16	9	6	19	34	33	10	14	10	1	1	10	6	6	3	5
	4. Cancrum Oris (Noma)	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	5. Mortification	1	3	–	1	2	1	–	1	–	–	–	2	1	–	–	1

* See page 52, note*.

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1879.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	Total Small Towns.	Shetland.	Orkney.	Caithness.	Ross and Cromarty.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Clackmannan.	Stirling.
	ORDER 2.															
	1. Scrofula	84	–	–	–	–	–	3	1	7	–	–	1	2	3	6
	2. Tabes Mesenterica	147	1	–	4	–	1	1	1	4	1	6	1	5	3	7
	3. Phthisis	843	10	5	18	11	5	20	21	29	8	20	29	47	28	40
	4. Hydrocephalus	273	1	1	7	1	–	2	5	6	4	4	10	12	17	13
III.	ORDER 1.															
	1. Cephalitis	117	1	–	1	1	–	–	6	3	1	1	3	6	1	12
	2. Apoplexy	218	1	2	4	1	5	5	6	2	1	10	4	17	2	8
	3. Paralysis	233	3	4	6	5	–	12	5	12	2	6	11	24	4	14
	4. Insanity	8	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Epilepsy	40	–	–	1	3	–	2	1	–	–	1	–	2	–	3
	7. Convulsions	131	–	3	3	–	–	5	4	8	1	1	1	8	–	9
	8. *Brain Disease, etc.*	135	–	–	–	1	–	5	4	1	1	5	4	6	3	6
	ORDER 2.															
	1. Pericarditis	12	–	–	–	–	–	–	–	1	–	–	2	1	–	–
	2. Aneurism	14	–	–	–	–	1	–	–	–	1	1	1	1	2	–
	3. *Heart Disease, etc.*	577	4	3	15	8	1	14	19	25	4	31	19	40	16	31
	ORDER 3.															
	1. Laryngitis	25	–	–	–	–	–	–	1	1	–	1	1	–	1	2
	2. Bronchitis	911	4	6	17	16	9	15	32	50	–	38	29	62	17	76
	3. Pleurisy	35	–	–	–	2	–	–	–	–	–	2	1	1	–	3
	4. Pneumonia	317	1	–	5	5	2	6	6	9	1	10	6	18	5	26
	5. Asthma	44	1	1	1	2	–	–	1	2	–	1	–	4	–	5
	6. *Lung Disease, etc.*	141	–	1	–	2	2	7	1	7	–	4	2	5	2	6
	ORDER 4.															
	1. Gastritis	23	–	–	–	–	–	–	–	1	–	1	–	–	–	2
	2. Enteritis	104	–	–	2	1	–	1	2	3	–	2	3	7	–	6
	3. Peritonitis	43	1	–	2	–	–	–	1	–	–	1	3	4	2	3
	4. Ascites	7	–	–	–	–	–	–	–	–	–	1	1	–	–	–
	5. Ulceration of Intestines	33	–	–	1	–	–	2	1	–	–	2	3	1	–	2
	6. Hernia	11	–	–	–	–	–	–	–	–	1	1	1	1	–	2
	7. Ileus	34	–	–	–	1	1	1	1	3	–	2	–	3	1	4
	8. Intussusception	7	–	–	–	1	–	–	1	–	–	–	–	–	–	1
	9. Stricture of Intestines	6	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	10. Fistula	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–
	11. *Stomach Disease, etc.*	85	–	–	2	1	1	3	1	4	–	4	3	4	3	8
	12. *Pancreas Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Hepatitis	15	–	–	–	–	–	–	1	–	–	1	1	–	–	–
	14. Jaundice	39	–	1	–	–	–	–	1	4	–	3	4	1	1	4
	15. *Liver Disease, etc.*	94	–	2	1	–	1	1	4	3	–	1	4	4	3	9
	16. *Spleen Disease, etc.*	6	–	–	–	–	–	–	1	1	–	–	1	1	–	–
	ORDER 5.															
	1. Nephritis	14	–	–	–	–	–	1	–	1	–	–	–	2	–	6
	2. Ischuria	13	–	–	–	–	–	–	–	1	–	–	1	3	–	–
	3. Bright's Disease (Nephria)	46	1	1	1	–	–	–	1	1	–	1	4	1	1	–
	4. Diabetes	23	–	2	–	–	–	–	–	–	–	2	–	2	1	2
	5. Calculus (Stone)	4	1	–	1	–	–	–	–	–	–	–	–	–	–	–
	6. Cystitis	27	–	–	3	–	–	–	1	–	–	2	–	3	–	2
	7. *Kidney Disease, etc.*	71	–	–	–	–	–	4	2	6	1	4	1	6	1	3
	ORDER 6.															
	1. Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. *Uterus Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 7.															
	1. Synovitis (Arthritis)	3	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	2. *Joint Diseases, etc.*	33	–	–	1	–	–	–	2	–	–	1	1	–	2	–

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1879.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	Total Small Towns.	Shetland.	Orkney.	Caithness.	Ross and Cromarty	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Clackmannan.	Stirling.
	ORDER 2.															
	1. Scrofula	76	–	–	2	–	–	–	1	2	–	3	2	5	2	2
	2. Tabes Mesenterica	133	–	–	2	–	1	–	–	5	–	5	3	9	2	4
	3. Phthisis	978	12	4	18	6	2	11	22	23	6	21	37	52	33	53
	4. Hydrocephalus	217	1	2	6	–	–	3	4	6	–	7	6	19	11	15
III.	ORDER 1.															
	1. Cephalitis	91	–	–	3	3	–	–	2	3	–	8	3	8	1	3
	2. Apoplexy	217	5	3	7	–	–	2	7	9	–	8	6	21	7	11
	3. Paralysis	242	2	–	5	7	1	12	7	10	1	9	11	14	8	18
	4. Insanity	9	–	–	–	–	–	–	–	–	–	–	–	2	–	–
	5. Chorea	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Epilepsy	30	–	–	–	–	–	–	1	–	–	4	–	2	–	1
	7. Convulsions	115	–	–	–	1	1	2	9	8	2	6	1	7	4	13
	8. *Brain Disease, etc.*	108	–	1	–	1	2	3	3	6	2	1	4	11	4	4
	ORDER 2.															
	1. Pericarditis	15	–	–	–	–	–	–	–	1	–	1	–	–	4	3
	2. Aneurism	9	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	3. *Heart Disease, etc.*	609	1	5	11	8	1	14	16	26	5	25	32	56	9	30
	ORDER 3.															
	1. Laryngitis	16	–	–	–	–	–	–	1	–	–	1	–	3	–	–
	2. Bronchitis	944	5	4	23	9	3	13	27	36	7	43	19	77	20	69
	3. Pleurisy	26	–	–	–	–	–	1	1	–	1	2	–	1	–	4
	4. Pneumonia	259	–	–	7	3	1	4	12	6	–	15	4	18	6	19
	5. Asthma	29	2	1	–	1	–	–	–	–	–	3	1	1	3	1
	6. *Lung Disease, etc.*	96	–	–	3	2	–	1	3	4	–	3	3	1	1	3
	ORDER 4.															
	1. Gastritis	36	–	–	1	3	–	1	2	–	–	2	–	1	1	2
	2. Enteritis	110	–	–	1	1	2	1	5	2	–	1	4	7	3	1
	3. Peritonitis	57	–	–	1	–	–	5	1	–	–	3	4	3	–	5
	4. Ascites	12	–	–	–	1	–	–	–	–	–	–	–	1	–	–
	5. Ulceration of Intestines	39	–	–	1	–	–	–	2	1	–	2	2	2	–	1
	6. Hernia	17	–	–	–	–	–	–	–	1	–	1	2	1	–	–
	7. Ileus	38	–	–	1	–	–	1	3	2	1	3	1	3	1	4
	8. Intussusception	3	–	–	–	–	–	1	1	–	–	–	–	–	–	–
	9. Stricture of Intestines	2	–	–	–	–	–	–	–	–	–	1	–	1	–	–
	10. Fistula	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. *Stomach Disease, etc.*	94	2	–	–	–	–	4	2	4	–	5	2	6	–	8
	12. *Pancreas Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Hepatitis	26	1	–	–	1	–	–	1	2	–	–	1	–	–	2
	14. Jaundice	21	–	–	1	–	–	–	–	1	–	1	1	3	–	1
	15. *Liver Disease, etc.*	92	–	1	1	–	–	5	2	8	1	4	3	8	1	3
	16. *Spleen Disease, etc.*	6	–	–	1	–	–	–	1	–	–	–	1	–	–	1
	ORDER 5.															
	1. Nephritis	24	–	1	2	–	–	–	3	–	1	–	1	1	1	3
	2. Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Bright's Disease (Nephria)	59	1	–	1	–	–	1	3	2	2	3	1	6	2	4
	4. Diabetes	18	–	–	–	–	–	2	1	1	–	3	–	2	–	–
	5. Calculus (Stone)	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Cystitis	11	–	–	1	–	–	–	1	1	–	–	–	1	–	–
	7. *Kidney Disease, etc.*	33	2	1	–	–	–	–	1	1	–	4	1	2	–	2
	ORDER 6.															
	1. Ovarian Dropsy	19	–	1	1	–	–	1	1	–	–	1	2	2	1	–
	2. *Uterus Disease, etc.*	20	–	–	–	–	2	–	1	–	–	–	1	2	–	1
	ORDER 7.															
	1. Synovitis (Arthritis)	2	–		–	–	–	–	–	–	–	–	–	–	–	1
	2. *Joint Disease, etc.*	28	–	–	1	–	–	1	2	2	–	1	–	1	–	–

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1879.—MALES. (*Continued*).

Class.	CAUSES OF DEATH.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
	ORDER 2.																
	1. Scrofula	5	4	2	5	16	13	5	3	1	–	–	2	1	1	–	3
	2. Tabes Mesenterica	4	2	2	22	18	29	10	13	3	–	1	2	–	1	4	1
	3. Phthisis	40	21	20	95	97	115	10	36	19	1	2	29	13	13	27	14
	4. Hydrocephalus	18	6	6	35	39	33	17	15	1	–	–	5	3	4	8	–
III.	ORDER 1.																
	1. Cephalitis	3	3	–	15	20	19	4	2	5	1	–	5	1	2	1	–
	2 Apoplexy	10	10	5	21	35	29	7	14	3	2	–	3	2	3	3	3
	3. Paralysis	17	5	2	13	19	23	3	11	5	3	2	4	6	4	5	3
	4. Insanity	2	–	–	–	1	1	3	–	–	–	–	–	–	–	–	–
	5. Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Epilepsy	7	–	–	1	2	3	2	6	2	–	–	–	1	–	3	–
	7. Convulsions	2	3	–	14	16	32	3	1	6	2	–	–	1	4	2	2
	8. *Brain Disease, etc.*	11	3	4	13	28	11	5	5	2	1	2	3	3	1	3	4
	ORDER 2.																
	1. Pericarditis	1	–	–	1	1	2	1	–	–	–	–	–	1	–	–	1
	2. Aneurism	–	–	–	–	3	1	–	1	1	–	–	–	1	–	–	–
	3. *Heart Disease, etc.*	19	15	10	41	69	75	14	21	10	4	3	17	14	8	20	7
	ORDER 3.																
	1. Laryngitis	–	–	–	7	3	2	1	2	–	–	–	1	–	1	1	–
	2. Bronchitis	47	20	4	62	109	151	31	34	9	4	–	33	7	10	7	12
	3. Pleurisy	–	1	1	7	2	3	1	3	2	2	–	–	3	–	1	–
	4. Pneumonia	12	18	8	37	41	50	6	8	4	2	–	3	7	5	8	8
	5. Asthma	–	1	–	4	9	8	1	1	–	2	–	–	–	–	–	–
	6. *Lung Disease, etc.*	8	3	1	8	33	25	3	5	1	1	–	–	1	2	2	9
	ORDER 4.																
	1. Gastritis	3	1	–	3	3	7	–	–	–	–	–	1	–	1	–	–
	2. Enteritis	5	3	–	7	15	32	6	2	1	–	–	2	–	2	2	–
	3. Peritonitis	3	–	–	1	4	7	1	3	1	–	–	4	1	1	–	–
	4. Ascites	–	–	–	2	1	2	–	–	–	–	–	–	–	–	–	–
	5. Ulceration of Intestines	2	1	–	–	7	6	1	1	–	1	–	1	1	–	–	–
	6. Hernia	1	–	–	1	–	2	–	–	–	–	–	1	–	–	–	–
	7. Ileus	–	2	–	5	2	3	–	2	–	–	–	–	–	2	–	1
	8. Intussusception	–	–	–	–	–	–	–	2	–	–	1	–	–	–	1	–
	9. Stricture of Intestines	1	–	–	1	–	2	–	–	–	–	–	–	–	–	1	–
	10. Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. *Stomach Disease, etc.*	7	1	–	4	12	14	1	4	–	1	–	1	2	–	3	1
	12. *Pancreas Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Hepatitis	–	1	–	1	5	3	–	–	–	–	–	–	1	–	1	–
	14. Jaundice	2	–	–	–	4	6	1	1	–	–	–	–	1	2	1	2
	15. *Liver Disease, etc.*	2	4	1	9	7	14	4	12	–	–	1	3	2	–	–	2
	16. *Spleen Disease, etc.*	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–
	ORDER 5.																
	1. Nephritis	–	–	–	–	2	1	–	–	–	–	–	–	1	–	–	–
	2. Ischuria	–	3	–	1	2	–	2	–	–	–	–	–	–	–	–	–
	3. Bright's Disease (Nephria)	1	3	2	2	5	9	–	1	1	1	–	2	2	1	2	2
	4. Diabetes	1	–	–	–	2	2	1	1	1	1	1	2	1	–	–	1
	5. Calculus (Stone)	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
	6. Cystitis	1	–	–	3	4	4	1	–	1	–	–	–	1	–	1	–
	7. *Kidney Disease, etc.*	1	7	–	3	13	8	2	2	1	–	–	–	2	1	2	1
	ORDER 6.																
	1. Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. *Uterus Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 7.																
	1. Synovitis (Arthritis)	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
	2. *Joint Disease, etc.*	1	1	–	5	4	7	6	–	–	1	–	–	–	–	–	–

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1879.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
	ORDER 2.																
	1. Scrofula	6	1	2	4	12	15	5	6	2	–	–	1	–	2	–	1
	2. Tabes Mesenterica	11	1	1	28	14	18	8	15	2	1	–	2	1	–	–	–
	3. Phthisis	50	32	12	126	156	143	19	35	19	4	5	31	9	9	16	12
	4. Hydrocephalus	15	3	7	27	32	24	10	8	1	1	–	4	–	2	2	1
III.	ORDER 1.																
	1. Cephalitis	1	1	1		12	20	–	2	1	–	–	5	4	1	1	1
	2. Apoplexy	9	11	4	19	26	20	3	11	2	4	–	5	6	3	3	5
	3. Paralysis	12	7	3	16	19	20	4	23	8	2	2	3	5	4	3	6
	4. Insanity	2	1	–	1	–	1	2	–	–	–	–	–	–	–	–	–
	5. Chorea	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	6. Epilepsy	2	3	–	–	6	5	–	2	–	–	–	2	–	–	1	1
	7. Convulsions	–	1	–	5	9	25	2	4	4	1	–	2	2	4	2	–
	8. *Brain Disease, etc.*	9	2	–	8	17	8	9	3	–	–	1	3	1	4	1	–
	ORDER 2.																
	1. Pericarditis	–	–	–	–	–	3	–	1	–	–	–	–	–	2	–	–
	2. Aneurism	1	–	–	–	4	1	–	1	–	–	–	–	1	–	–	–
	3. *Heart Disease, etc.*	29	19	11	30	88	64	15	32	10	7	1	12	15	7	24	6
	ORDER 3.																
	1. Laryngitis	–	–	–	3	3	2	1	–	–	–	–	2	–	–	–	–
	2. Bronchitis	56	36	8	102	97	121	38	42	18	6	6	22	8	9	9	11
	3. Pleurisy	2	1	–	2	2	7	1	–	–	–	–	1	–	–	–	–
	4. Pneumonia	7	10	7	24	30	34	7	7	7	1	1	6	3	6	7	7
	5. Asthma	–	3	–	1	2	5	1	1	1	1	–	–	–	–	1	–
	6. *Lung Disease, etc.*	10	–	1	9	15	21	6	5	–	1	–	2	–	–	–	2
	ORDER 4.																
	1. Gastritis	4	–	–	2	7	3	–	4	–	–	–	–	2	–	–	1
	2. Enteritis	2	2	2	13	17	24	10	3	–	–	–	3	2	–	2	2
	3. Peritonitis	1	1	4	5	13	5	–	3	–	–	–	1	–	1	1	–
	4. Ascites	–	–	–	3	4	3	–	–	–	–	–	–	–	–	–	–
	5. Ulceration of Intestines	3	2	1	1	5	8	1	4	–	–	–	1	1	–	1	–
	6. Hernia	2	1	–	4	–	3	1	–	–	–	–	–	1	–	–	–
	7. Ileus	1	1	1	3	4	1	–	4	–	–	–	–	–	2	–	1
	8. Intussusception	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	9. Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	10. Fistula	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	11. *Stomach Disease, etc.*	11	1	1	6	12	15	1	8	–	–	1	1	1	1	–	2
	12. *Pancreas Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Hepatitis	2	1	1	2	5	2	–	3	–	–	–	–	–	–	2	–
	14. Jaundice	–	–	–	–	4	4	–	–	–	1	1	1	–	1	–	1
	15. *Liver Disease, etc.*	2	5	1	11	7	14	1	4	1	–	1	1	1	1	2	3
	16. *Spleen Disease, etc.*	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–
	ORDER 5.																
	1. Nephritis	–	–	–	1	2	4	–	–	1	–	–	–	2	–	1	–
	2. Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Bright's Disease (Nephria)	1	1	–	5	9	9	2	2	1	–	–	2	–	–	1	–
	4. Diabetes	1	–	1	1	3	2	–	–	–	–	–	–	1	–	–	–
	5. Calculus (Stone)	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	6. Cystitis	–	–	–	1	2	1	3	–	–	–	–	–	–	–	–	–
	7. *Kidney Disease, etc.*	3	1	1	1	4	5	–	3	–	–	1	–	–	–	–	–
	ORDER 6.																
	1. Ovarian Dropsy	1	–	–	1	2	–	2	–	1	–	–	2	–	–	–	–
	2. *Uterus Disease, etc.*	1	2	–	3	2	5	–	–	–	–	–	–	–	–	–	–
	ORDER 7.																
	1. Synovitis (Arthritis)	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	2. *Joint Disease, etc.*	–	–	1	–	5	7	–	2	–	–	–	2	2	–	–	1

CAUSES of DEATH in the SMALL TOWNS DITRICTS of the COUNTIES of SCOTLAND during the YEAR 1879.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	Total Small Towns.	Shetland.	Orkney.	Caithness.	Ross and Cromarty.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Clackmannan.	Stirling.
	ORDER 8.															
	1. Phlegmon	8	–	–	–	–	–	–	–	1	–	–	2	–	–	1
	2. Ulcer	4	–	1	–	1	–	–	–	–	–	–	–	–	–	–
	3. *Skin Disease, etc.*	17	–	–	–	–	–	–	2	–	–	–	1	1	–	–
IV.	ORDER 1.															
	1. Premature Birth	197	–	–	4	–	1	4	8	14	1	3	6	11	7	4
	2. Cyanosis	15	–	–	–	–	–	–	–	–	–	3	2	–	–	2
	3. Spina Bifida	9	–	–	–	–	–	–	–	–	–	–	–	–	–	1
	4. Other Malformations	27	–	–	–	–	–	–	4	2	1	1	–	1	–	2
	5. Teething	65	–	1	1	–	1	2	–	5	–	2	–	3	2	7
	ORDER 2.															
	1. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Childbirth (*see* Puerperal Fever)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.															
	1. Old Age	374	4	4	12	6	5	7	4	17	1	23	16	39	8	25
	ORDER 4.															
	1. Atrophy and Debility	323	1	1	4	–	–	4	6	11	1	7	8	17	14	25
V.	ORDER 1. (*Accident or Negligence.*)															
	1. Fractures and Contusions	163	1	–	1	1	–	2	5	10	3	5	3	11	5	7
	2. Gunshot Wounds	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Cut, Stab	2	–	–	–	–	–	–	–	–	–	–	–	1	–	1
	4. Burns and Scalds	32	–	2	2	–	–	–	3	1	–	–	1	–	–	5
	5. Poison	2	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	6. Drowning	126	–	1	2	6	–	–	2	12	3	3	3	13	1	10
	7. Suffocation	22	–	–	–	–	–	1	2	2	–	1	1	–	1	1
	8. Otherwise	39	–	–	–	–	–	–	–	–	1	2	1	2	1	2
	ORDER 3. (*Homicide.*)															
	1. Murder and Manslaughter	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4. (*Suicide*)															
	1. Gunshot Wounds	4	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	2. Cut, Stab	5	–	–	–	1	–	–	1	–	–	–	–	–	–	1
	3. Poison	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	4. Drowning	8	–	–	–	–	–	–	2	2	–	–	–	–	1	–
	5. Hanging	15	–	–	–	–	–	–	1	–	–	2	1	2	1	–
	6. Otherwise and undefined	2	–	–	–	–	–	–	–	–	–	1	–	–	–	1
	ORDER 5. (*Execution.*)															
	1. Hanging	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Sudden Deaths (cause unascertained)	7	–	–	–	–	–	–	–	–	–	–	1	1	–	–
	Causes not specified or ill-defined	107	2	1	1	3	2	–	1	7	–	1	4	13	2	8

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1879.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	Total Small Towns.	Shetland.	Orkney.	Caithness.	Ross and Cromarty	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Clackmannan.	Stirling.
	ORDER 8.															
	1. Phlegmon	10	–	–	–	–	–	–	1	2	–	–	–	1	–	1
	2. Ulcer	11	–	–	–	–	–	–	–	–	–	–	1	2	–	1
	3. *Skin Disease, etc.*	7	–	–	–	–	–	–	–	1	–	1	1	–	–	1
IV.	ORDER 1.															
	1. Premature Birth	140	–	–	–	–	–	2	2	10	2	4	1	13	3	5
	2. Cyanosis	9	–	–	–	–	–	–	–	1	–	–	1	–	–	–
	3. Spina Bifida	12	–	–	1	–	–	–	–	–	–	–	–	–	–	1
	4. Other Malformations	17	–	–	–	2	–	–	1	2	1	–	–	–	–	1
	5. Teething	56	–	1	2	–	1	1	2	5	–	2	–	3	–	5
	ORDER 2.															
	1. Paramenia	9	–	–	–	1	–	–	–	1	1	1	1	–	–	1
	2. Childbirth (*see* Puerperal Fever)	85	2	–	2	3	–	1	2	2	–	2	4	6	5	4
	ORDER 3.															
	1. Old Age	712	11	8	19	16	16	26	16	36	6	34	20	71	11	34
	ORDER 4.															
	1. Atrophy and Debility	292	1	–	6	–	–	5	7	13	–	11	6	19	14	29
V.	ORDER 1. (*Accident or Negligence.*)															
	1. Fractures and Contusions	34	–	–	–	1	–	–	–	–	–	–	–	2	3	2
	2. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Cut, Stab	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Burns and Scalds	33	–	–	–	–	–	1	1	1	1	–	1	3	1	1
	5. Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Drowning	25	–	–	1	–	–	1	1	–	–	2	1	1	1	1
	7. Suffocation	18	–	–	–	–	–	3	3	–	–	–	2	1	1	1
	8. Otherwise	15	–	–	–	–	–	–	–	1	–	2	2	–	–	–
	ORDER 3. (*Homicide.*)															
	1. Murder and Manslaughter	3	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	ORDER 4. (*Suicide.*)															
	1. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cut, Stab	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1
	3. Poison	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Drowning	8	–	–	–	–	–	–	1	–	–	–	–	–	1	1
	5. Hanging	3	–	–	–	–	–	–	–	1	–	1	–	–	–	–
	6. Otherwise and undefined	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	ORDER 5. (*Execution.*)															
	1. Hanging	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Sudden Deaths (cause unascertained)	4	–	–	–	–	–	–	–	–	–	–	–	1	–	2
	Causes not specified or ill-defined	103	1	–	2	1	2	5	1	9	–	5	4	6	2	7

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1879.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
	ORDER 8.																
	1. Phlegmon	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–
	2. Ulcer	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	3. *Skin Disease, etc.*	1	–	–	2	4	2	–	–	–	–	2	1	1	–	–	–
IV.	ORDER 1.																
	1. Premature Birth	6	5	1	14	28	36	4	7	4	1	1	16	4	–	4	3
	2. Cyanosis	–	–	–	2	3	1	–	–	–	1	–	1	–	–	–	–
	3. Spina Bifida	–	–	–	1	2	3	–	2	–	–	–	–	–	–	–	–
	4. Other Malformations	–	1	–	4	5	2	1	1	1	–	–	1	–	–	–	–
	5. Teething	6	–	–	4	7	12	3	1	–	2	–	–	1	2	–	3
	ORDER 2.																
	1. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Childbirth (*see* Puerperal Fever)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.																
	1. Old Age	19	10	5	25	32	47	8	12	6	–	4	7	2	9	5	12
	ORDER 4.																
	I. Atrophy and Debility	17	7	5	25	39	69	12	22	6	2	–	1	4	6	3	6
V.	ORDER 1. (*Accident or Negligence.*)																
	1. Fractures and Contusions	3	2	–	9	27	41	6	5	1	–	–	11	1	2	1	–
	2. Gunshot Wounds	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	3. Cut, Stab	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Burns and Scalds	–	–	1	4	–	9	–	1	–	–	1	–	–	–	1	1
	5. Poison	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	6. Drowning	10	6	1	14	9	11	1	3	3	2	1	–	3	3	1	2
	7. Suffocation	–	1	–	2	1	6	–	2	–	–	–	–	1	–	–	–
	8. Otherwise	6	2	1	1	9	3	2	3	–	1	–	1	–	1	–	–
	ORDER 3. (*Homicide.*)																
	1. Murder and Manslaughter	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	
	ORDER 4. (*Suicide.*)																
	1. Gunshot Wounds	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–
	2. Cut, Stab	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
	3. Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Drowning	1	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
	5. Hanging	–	–	–	1	2	1	1	–	1	1	–	–	–	–	–	1
	6. Otherwise and undefined	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 5. (*Execution.*)																
	1. Hanging	–	–	–	–	–	–	–	–	–	–	–	–	–		–	
	Sudden Deaths (cause unascertained)	–	–	–	1	1	3	–	–	–	–	–	–	–	–	–	–
	Causes not specified or ill-defined	6	3	2	10	12	11	5	2	4	1	2	1	–	1	1	2

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1879.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
	ORDER 8.																
	1. Phlegmon	–	–	–	–	2	1	–	1	–	1	–	–	–	–	–	–
	2. Ulcer	–	3	–	–	2	–	1	–	–	–	–	–	–	–	1	–
	3. *Skin Disease, etc.*	1	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
IV.	ORDER 1.																
	1. Premature Births	6	2	1	11	21	32	4	5	1	1	–	5	2	4	1	2
	2. Cyanosis	–	1	–	–	–	3	1	1	1	–	–	–	–	–	–	–
	3. Spina Bifida	–	–	–	1	4	2	2	–	–	–	–	–	–	–	1	–
	4. Other Malformations	2	–	–	1	1	3	1	1	1	–	–	–	–	–	–	–
	5. Teething	5	–	–	4	8	7	1	2	3	–	–	–	–	3	1	–
	ORDER 2.																
	1. Paramenia	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	1
	2. Childbirth (*see* Puerperal Fever)	4	3	–	6	10	11	5	4	–	1	2	2	3	–	–	1
	ORDER 3.																
	1. Old Age	27	38	7	52	77	77	16	18	21	–	2	9	8	11	11	14
	ORDER 4.																
	1. Atrophy and Debility	19	10	2	31	31	35	6	14	5	2	–	4	4	9	3	6
V.	ORDER 1. (*Accident or Negligence.*)																
	1. Fractures and Contusions	1	1	1	3	9	5	1	1	–	1	–	–	1	–	2	–
	2. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Cut, Stab	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Burns and Scalds	3	1	1	2	4	2	1	3	1	–	1	1	1	–	1	1
	5. Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Drowning	3	1	–	1	5	3	–	–	1	–	–	–	–	–	2	–
	7. Suffocation	–	1	–	–	3	1	–	1	–	–	–	–	–	–	–	1
	8. Otherwise	1	2	–	–	2	–	1	2	–	1	–	–	1	–	–	–
	ORDER 3. (*Homicide.*)																
	1. Murder and Manslaughter	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	ORDER 4. (*Suicide.*)																
	1. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cut, Stab	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	3. Poison	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	4. Drowning	–	–	–	–	2	1	–	1	1	–	–	–	–	–	–	–
	5. Hanging	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Otherwise and undefined	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 5. (*Execution.*)																
	1. Hanging	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Sudden Deaths (cause unascertained)	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	Causes not specified or ill-defined	5	7	–	13	8	8	9	3	1	–	–	2	–	–	1	1

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the YEAR 1879.—MALES.

Class.	CAUSES OF DEATH.	Total Mainland-Rural.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.	Clackmannan.
	All Causes	8999	174	166	430	208	20	201	278	883	239	282	631	572	65	37
	Specified Causes . . .	8728	170	149	394	199	20	194	273	865	232	275	612	556	65	36
	(CLASSES.)															
I.	ZYMOTIC DISEASES	1140	24	12	28	23	2	25	51	124	36	36	48	87	9	4
II.	CONSTITUTIONAL ,,	1444	30	26	66	28	4	35	32	134	29	46	84	85	11	6
III.	LOCAL ,,	4262	73	68	182	84	6	108	132	449	119	128	341	253	33	17
IV.	DEVELOPMENTAL ,,	1363	32	33	102	56	7	17	43	113	36	47	98	96	10	8
V.	VIOLENT DEATHS . .	519	11	10	16	8	1	9	15	45	12	18	41	35	2	1
	(ORDERS.)															
I.	1. MIASMATIC DISEASES . .	1065	24	11	28	22	2	23	51	118	35	35	40	85	9	4
	2. ENTHETIC ,, . .	21	–	1	–	1	–	2	–	1	–	–	1	–	–	–
	3 DIETIC ,, . .	50	–	–	–	–	–	–	–	5	1	1	6	2	–	–
	4. PARASITIC ,,	4	–	–	–	–	–	–	–	–	–	–	1	–	–	–
II.	1. DIATHETIC ,, . .	300	11	8	16	6	2	8	12	27	9	7	23	16	4	1
	2. TUBERCULAR ,, . .	1144	19	18	50	22	2	27	20	107	20	39	61	69	7	5
III.	1. DISEASES OF NERVOUS SYSTEM . .	986	16	17	43	18	1	27	26	96	26	24	89	60	5	6
	2. ,, OF ORGANS OF CIRCULATION .	704	9	7	21	6	1	19	24	82	23	22	71	45	7	3
	3. ,, OF RESPIRATORY ORGANS . .	1578	25	24	73	37	3	35	50	163	42	47	105	97	17	4
	4. ,, OF DIGESTIVE ORGANS	603	10	11	23	12	1	12	20	54	18	22	47	30	2	4
	5. ,, OF URINARY ORGANS	302	12	8	19	8	–	12	9	47	9	8	21	18	2	–
	6. ,, OF ORGANS OF GENERATION .	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	7. ,, OF ORGANS of LOCOMOTION . .	60	1	1	3	2	–	2	1	5	–	1	4	2	–	–
	8. ,, OF INTEGUMENTARY SYSTEM . .	28	–	–	–	1	–	1	2	2	1	4	3	1	–	–
IV.	1. DEV. DIS. OF CHILDREN .	265	4	1	10	2	2	–	13	28	9	3	17	17	2	4
	2. ,, OF ADULTS . .	–	–	–	–	–	–	–	–		–	–	–	–	–	–
	3. ,, OF OLD PEOPLE .	796	24	30	87	44	5	14	17	62	20	29	62	60	8	3
	4. DISEASES OF NUTRITION .	302	4	2	5	10	–	3	13	23	7	15	19	19	–	1

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the YEAR 1879.—FEMALES.

Class.	CAUSES OF DEATH.	Total Mainland-Rural	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.	Clackmannan.
	All Causes	9040	153	223	471	257	24	203	305	887	232	275	654	570	74	47
	Specified Causes . . .	8802	149	206	438	254	23	200	301	866	221	272	636	550	74	47
	(CLASSES.)															
I.	ZYMOTIC DISEASES	1224	18	24	35	18	1	18	52	123	32	35	46	93	8	11
II.	CONSTITUTIONAL ,,	1648	25	30	66	32	2	37	52	165	45	58	103	98	18	10
III.	LOCAL ,,	3936	53	77	174	97	12	92	142	408	95	124	310	237	39	21
IV.	DEVELOPMENTAL ,,	1825	47	72	158	100	8	48	48	151	45	45	162	113	8	5
V.	VIOLENT DEATHS . .	169	6	3	5	7	–	5	7	19	4	10	15	9	1	–
	(ORDERS.)															
I.	1. MIASMATIC DISEASES . .	1180	16	22	35	18	1	17	51	121	31	35	45	87	8	11
	2. ENTHETIC ,, . .	17	2	–	–	–	–	–	1	1	1	–	–	–	–	–
	3. DIETIC ,, . .	25	–	1		–	–	1	–	1	–	–	1	5	–	–
	4. PARASITIC ,, . .	2	–	1	–	–	–	–	–	–	–	–	–	1	–	–
II.	1. DIATHETIC ,, . .	427	14	14	21	10	–	8	14	40	16	19	34	29	7	1
	2. TUBERCULAR ,, . .	1221	11	16	45	22	2	29	38	125	29	39	69	69	11	9
III.	1. DISEASES OF NERVOUS SYSTEM . .	949	13	12	46	33	1	24	35	102	21	45	81	60	5	7
	2. ,, OF ORGANS OF CIRCULATION . .	664	8	10	15	10	3	15	21	63	26	17	62	47	8	3
	3. ,, OF RESPIRATORY ORGANS . . .	1481	20	35	75	33	5	33	60	140	33	36	112	88	12	9
	4. ,, OF DIGESTIVE ORGANS	576	7	12	29	18	2	17	13	58	11	21	36	28	11	2
	5. ,, OF URINARY ORGANS	152	4	4	4	–	1	2	10	27	3	4	14	11	2	–
	6. ,, OF ORGANS OF GENERATION .	44	1	3	2	1	–	–	1	4	–	1	1	1	–	–
	7. ,, OF ORGANS OF LOCOMOTION .	29	–	–	2	2	–	–	–	5	–	–	2	1	1	–
	8. ,, OF INTEGUMENTARY SYSTEM . .	41	–	1	1	–	–	1	2	9	1	–	2	1	–	–
IV.	1. DEV. DIS. OF CHILDREN .	207	5	2	6	2	1	7	5	15	4	12	13	18	2	–
	2. ,, OF ADULTS . .	94	1	–	5	5	–	3	1	3	2	5	8	3	–	1
	3. ,, OF OLD PEOPLE .	1259	41	66	140	86	7	34	37	108	36	24	129	76	5	3
	4. DISEASES OF NUTRITION .	265	–	4	7	7	–	4	5	25	3	4	12	16	1	1

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the YEAR 1879.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	Stirling.	Dumbarton.	Argyll.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
	All Causes	400	158	366	199	564	761	160	668	156	226	67	24	186	443	195	240
	Specified Causes . . .	394	152	344	192	549	737	158	662	154	222	67	24	184	424	191	234
	(CLASSES.)																
I.	ZYMOTIC DISEASES	80	10	26	25	99	117	25	91	15	41	11	1	15	39	12	24
II.	CONSTITUTIONAL ,,	67	29	65	47	116	110	31	97	19	24	12	4	33	80	48	46
III.	LOCAL ,,	183	63	162	94	226	343	72	353	90	110	34	17	109	209	84	120
IV.	DEVELOPMENTAL ,,	45	31	64	17	74	99	21	78	24	35	7	2	25	80	30	33
V.	VIOLENT DEATHS . .	19	19	27	9	34	68	9	43	6	12	3	–	2	16	17	11
	(ORDERS).																
I.	1. MIASMATIC DISEASES . .	76	10	24	25	91	109	22	79	14	37	7	–	15	35	11	23
	2. ENTHETIC ,, . .	3	–	1	–	2	2	1	4	–	2	–	–	–	–	–	–
	3. DIETIC ,, . .	1	–	1	–	4	6	2	8	1	2	4	1	–	4	1	–
	4. PARASITIC ,, . .	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	1
II.	1. DIATHETIC ,, . .	7	3	13	6	15	17	5	21	3	5	5	3	9	16	15	7
	2. TUBERCULAR ,, . .	60	26	52	41	101	93	26	76	16	19	7	1	24	64	33	39
III.	1. DISEASES OF NERVOUS SYSTEM . .	34	11	43	20	40	72	16	100	29	29	8	3	29	51	19	28
	2. ,, OF ORGANS OF CIRCULATION . .	24	11	39	18	32	28	10	45	23	21	6	7	29	30	24	17
	3. ,, OF RESPIRATORY ORGANS . .	83	28	46	34	108	156	28	127	26	31	9	2	27	69	26	56
	4. ,, OF DIGESTIVE ORGANS	30	9	19	16	28	63	12	55	7	21	6	4	13	32	8	14
	5. ,, OF URINARY ORGANS	11	1	12	6	11	16	3	15	5	6	3	–	8	24	5	3
	6. ,, OF ORGANS OF GENERATION .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7 ,, OF ORGANS OF LOCOMOTION . .	–	2	2	–	5	6	3	8	–	2	1	1	1	3	2	2
	8. ,, OF INTEGUMENTARY SYSTEM . .	1	1	1	–	2	2	–	3	–	–	1	–	2	–	–	–
IV.	1. DEV. DIS. OF CHILDREN .	9	9	6	4	18	24	5	20	7	8	1	–	9	16	8	9
	2. ,, OF ADULTS . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. ,, OF OLD PEOPLE .	15	12	52	8	40	25	10	38	9	22	2	1	10	45	19	23
	4. DISEASES OF NUTRITION .	21	10	6	5	16	50	6	20	8	5	4	1	6	19	3	1

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the YEAR 1879.—FEMALES (*Continued.*)

Class.	CAUSES OF DEATH.	Stirling.	Dumbarton.	Argyll.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
	All Causes	384	148	315	229	508	696	146	654	162	257	84	21	172	424	203	262
	Specified Causes . .	374	145	302	221	490	687	142	647	161	252	81	21	169	415	200	258
	(CLASSES.)																
I.	ZYMOTIC DISEASES	94	25	25	24	99	118	36	82	17	38	22	2	22	51	22	33
II.	CONSTITUTIONAL ,,	69	22	65	50	119	133	27	132	17	31	14	4	32	92	46	54
III.	LOCAL ,,	140	62	124	105	191	309	54	309	94	136	32	11	88	193	96	111
IV.	DEVELOPMENTAL ,,	61	33	82	36	71	118	23	121	31	41	12	4	25	74	28	55
V.	VIOLENT DEATHS . .	10	3	6	6	10	9	8	3	2	6	1	–	2	5	8	5
	(ORDERS.)																
I.	1. MIASMATIC DISEASES . .	93	24	25	23	97	116	36	75	14	37	18	2	19	49	22	32
	2. ENTHETIC ,, . .	–	1	–	1	1	2	–	4	–	–	–	–	2	1	–	–
	3. DIETIC ,, . .	1	–	–	–	1	–	–	3	3	1	4	–	1	1	–	1
	4. PARASITIC ,, . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	1. DIATHETIC ,, . .	17	2	22	8	22	18	6	29	9	11	4	4	5	22	11	10
	2. TUBERCULAR ,, . .	52	20	43	42	97	115	21	103	8	20	10	–	27	70	35	44
III.	1. DISEASES OF NERVOUS SYSTEM . .	43	5	33	24	34	76	10	66	22	35	10	4	24	37	19	22
	2. ,, OF ORGANS OF CIRCULATION . .	21	10	14	14	33	40	14	47	22	38	2	1	29	37	19	15
	3. ,, OF RESPIRATORY ORGANS . . .	46	30	52	43	72	118	19	138	40	38	13	4	18	74	37	48
	4. ,, OF DIGESTIVE ORGANS	22	12	19	18	39	59	9	33	6	16	2	2	15	30	14	15
	5. ,, OF URINARY ORGANS	2	2	3	3	6	5	1	13	2	7	3	–	2	9	4	4
	6. ,, OF ORGANS OF GENERATION .	3	1	2	2	1	6	–	3	–	1	2	–	–	3	1	4
	7. ,, OF ORGANS OF LOCOMOTION . .	1	1	–	1	4	–	–	4	1	–	–	–	–	1	1	2
	8. ,, OF INTEGUMENTARY SYSTEM . .	2	1	1	–	2	5	1	5	1	1	–	–	–	2	1	1
IV.	1. DEV. DIS. OF CHILDREN	7	8	6	5	11	20	3	16	4	2	2	1	5	8	2	15
	2. ,, OF ADULTS . .	3	7	6	3	2	9	2	4	2	4	2	–	3	5	2	3
	3. ,, OF OLD PEOPLE .	34	10	65	17	37	52	9	73	14	30	6	3	12	51	22	32
	4. DISEASES OF NUTRITION .	17	8	5	11	21	37	9	28	11	5	2	–	5	10	2	5

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the YEAR 1879.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	Total Mainland-Rural.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.	Clackmannan.
V.	1. ACCIDENT OR NEGLIGENCE	481	11	10	16	8	1	8	14	39	12	15	38	32	2	1
	*															
	3. HOMICIDE	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. SUICIDE	37	–	–	–	–	–	1	1	6	–	3	3	3	–	–
	5. EXECUTION	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	SUDDEN DEATHS, CAUSE UNASCERTAINED	10	–	–	1	–	–	1	–	–	–	1	1	1	–	–
	CAUSES NOT SPECIFIED	261	4	17	35	9	–	6	5	18	7	6	18	15	–	1
I.	ORDER 1.															
	1. Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Measles	61	–	–	–	–	–	–	1	15	–	–	–	2	–	–
	3. Scarlatina	185	3	1	1	2	1	6	18	8	13	3	6	13	4	–
	4. Diphtheria	118	4	–	5	2	–	2	14	17	6	6	7	2	1	–
	5. Quinsy	7	–	–	–	–	1	–	–	1	–	–	1	1	–	–
	6. Croup	72	3	–	3	4	–	–	4	7	2	2	1	6	1	2
	7. Hooping-cough	175	2	–	1	4	–	1	5	13	1	16	4	26	–	–
	8. Typhus Fever	10	–	–	–	–	–	–	–	4	–	–	1	1	–	–
	8. Enteric or Typhoid Fever	141	3	4	3	–	–	4	3	15	7	2	7	18	1	1
	8. Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Simple Continued Fever	15	–	–	–	2	–	–	1	–	–	–	1	–	2	–
	9. Erysipelas	38	2	1	3	1	–	3	1	5	1	1	2	3	–	1
	10. Puerperal Fever (Metria)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. Carbuncle	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–
	12. Influenza	27	–	–	4	–	–	–	2	4	1	–	–	4	–	–
	13. Dysentery	14	–	–	–	–	–	–	–	3	–	–	1	1	–	–
	14. Diarrhœa	121	2	2	4	2	–	4	2	17	1	5	5	3	–	–
	15. Cholera	10	–	–	1	–	–	–	–	2	–	–	–	–	–	–
	16. Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	17. Remittent Fever	10	–	–	–	–	–	1	–	1	1	–	1	–	–	–
	18. Rheumatism	59	5	3	3	5	–	2	–	6	2	–	3	4	–	–
	19. Other *Miasmatic* Diseases	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 2.															
	1. Syphilis	16	–	1	–	1	–	–	–	1	–	–	–	–	–	–
	2. Stricture of Urethra	5	–	–	–	–	–	2	–	–	–	–	1	–	–	
	3. Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Glanders	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.															
	1. Privation	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–
	2. Want of Breast Milk	23	–	–	–	–	–	–	–	2	1	–	–	–	–	–
	3. Purpura and Scurvy	6	–	–	–	–	–	–	–	2	–	–	–	–	–	–
	4. Alcoholism *a* Del. Tremens	3	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	4. Alcoholism *b* Intemperance	16	–	–	–	–	–	–	–	1	–	1	5	1	–	–
	ORDER 4.															
	1. Thrush	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	2. Worms, etc.	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	ORDER 1.															
	1. Gout	3	1	–	–	–	–	–	1	1	–	–	–	–	–	–
	2. Dropsy	39	–	3	4	1	–	1	–	–	–	1	4	3	–	1
	3. Cancer	231	9	5	12	5	2	7	11	22	7	5	18	13	3	–
	4. Cancrum Oris (Noma)	2	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	5. Mortification	25	1	–	–	–	–	–	–	3	2	1	1	–	1	–

* See page 52, note.

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the YEAR 1879.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	Total Mainland-Rural.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.	Clackmannan.
V.	1. ACCIDENT OR NEGLIGENCE	151	5	3	5	7	–	5	5	16	4	9	11	9	1	–
	*															
	3. HOMICIDE	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. SUICIDE	17	1	–	–	–	–	–	2	3	–	1	4	–	–	–
	5. EXECUTION	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	SUDDEN DEATHS, CAUSE UNASCERTAINED	9	–	–	2	–	–	–	–	1	–	–	1	2	–	–
	CAUSES NOT SPECIFIED	229	4	17	31	3	1	3	4	20	11	3	17	18	–	–
I.	ORDER 1.															
	1. Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Measles	54	–	–	–	–	–	–	–	5	–	–	–	3	–	–
	3. Scarlatina	158	–	2	1	1	–	3	17	15	10	–	3	9	1	–
	4. Diphtheria	128	4	1	1	2	–	2	7	21	4	4	3	5	4	–
	5. Quinsy	2	–	–	–	–	–	–	–	2	–	–	–	–	–	–
	6. Croup	80	–	–	3	5	–	3	3	7	1	–	4	6	1	3
	7. Hooping-cough	214	–	–	3	1	–	–	5	19	1	13	8	36	–	3
	8. Typhus Fever	7	–	–	–	–	–	–	–	3	1	–	–	–	–	–
	8. Enteric or Typhoid Fever	160	5	9	2	1	–	2	2	10	4	11	5	12	1	2
	8. Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Simple Continued Fever	12	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	9. Erysipelas	25	1	–	1	–	–	–	3	2	–	2	2	1	–	–
	10. Puerperal Fever (Metria)	55	1	–	7	1	–	2	–	7	1	2	3	1	–	–
	11. Carbuncle	2	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	12. Influenza	22	–	1	1	–	–	–	2	3	1	–	–	–	–	–
	13. Dysentery	29	–	1	1	2	–	–	–	5	–	2	3	–	–	–
	14. Diarrhœa	151	1	4	7	2	1	2	9	16	6	–	11	9	1	2
	15. Cholera	10	1	1	–	–	–	–	1	–	–	–	1	–	–	–
	16. Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	17. Remittent Fever	9	–	–	1	–	–	1	1	–	–	–	–	3	–	–
	18. Rheumatism	61	3	3	7	3	–	2	1	4	1	1	2	2	–	1
	19. Other *Miasmatic* Diseases	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	ORDER 2.															
	1. Syphilis	16	2	–	–	–	–	–	1	1	1	–	–	–	–	–
	2. Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Hydrophobia	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Glanders	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.															
	1. Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Want of Breast Milk	11	–	–	–	–	–	1	–	1	–	–	–	–	–	–
	3. Purpura and Scurvy	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–
	4. Alcoholism *a* Del. Tremens	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	4. Alcoholism *b* Intemperance	11	–	1	–	–	–	–	–	–	–	–	–	4	–	–
	ORDER 4.															
	1. Thrush	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–
	2. Worms, etc.	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
II.	ORDER 1.															
	1. Gout	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Dropsy	74	3	1	7	5	–	–	1	1	1	3	7	5	–	1
	3. Cancer	326	11	11	14	5	–	6	13	36	15	16	27	23	6	–
	4. Cancrum Oris (Noma)	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–
	5. Mortification	25	–	2	–	–	–	2	–	3	–	–	–	1	–	–

* See page 52, note *

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the YEAR 1879.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	Stirling.	Dumbarton.	Argyll.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
V.	1. ACCIDENT OR NEGLIGENCE	19	19	26	9	31	66	8	39	4	10	3	–	1	14	14	11
	*																
	3. HOMICIDE	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	4. SUICIDE	–	–	1	–	3	1	1	4	2	2	–	–	1	2	3	–
	5. EXECUTION	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	SUDDEN DEATHS, CAUSE UNASCERTAINED	–	1	–	–	–	2	–	–	–	–	–	–	–	2	–	–
	CAUSES NOT SPECIFIED	6	5	22	7	15	22	2	6	2	4	–	–	2	17	4	6
I.	ORDER 1.																
	1. Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Measles	12	1	4	2	14	3	4	2	–	–	–	–	–	1	–	–
	3. Scarlatina	10	4	–	4	9	26	2	14	4	21	3	–	1	4	–	4
	4. Diphtheria	4	–	2	1	6	16	3	4	–	4	–	–	2	1	3	6
	5. Quinsy	–	–	–	1	–	–	–	1	–	–	–	–	1	–	–	–
	6. Croup	6	–	1	5	6	2	3	7	–	2	1	–	1	2	1	–
	7. Hooping-cough	26	2	6	–	22	24	1	8	–	1	1	–	2	6	1	2
	8. Typhus Fever	1	–	1	1	–	–	–	1	–	–	–	–	–	–	–	–
	8. Enteric or Typhoid Fever	5	–	2	4	9	13	4	16	5	3	2	–	2	5	2	1
	8. Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Simple Continued Fever	2	–	1	1	1	2	–	–	–	–	–	–	–	2	–	–
	9. Erysipelas	1	–	–	–	1	2	–	1	1	2	–	–	2	1	3	–
	10. Puerperal Fever (Metria)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
	12. Influenza	1	–	1	–	1	1	–	1	1	1	–	–	–	–	–	5
	13. Dysentery	1	1	2	–	2	–	–	1	1	–	–	–	–	–	–	1
	14. Diarrhœa	3	1	–	3	13	16	3	19	2	1	–	–	3	7	1	2
	15. Cholera	–	1	–	1	2	–	2	–	–	1	–	–	–	–	–	–
	16. Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	17. Remittent Fever	2	–	1	1	–	1	–	1	–	–	–	–	–	–	–	–
	18. Rheumatism	2	–	3	1	5	3	–	3	–	1	–	–	1	6	–	1
	19. Other *Miasmatic* Diseases	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 2.																
	1. Syphilis	3	–	–	–	2	2	1	3	–	2	–	–	–	–	–	–
	2. Stricture of Urethra	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
	3. Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Glanders	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.																
	1. Privation	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	2. Want of Breast Milk	1	–	–	–	1	4	–	4	1	1	4	1	–	3	–	–
	3. Purpura and Scurvy	–	–	–	–	1	1	–	1	–	–	–	–	–	–	1	–
	4. Alcoholism: *a* Del. Tremens	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
	4. Alcoholism: *b* Intemperance	–	–	1	–	1	1	1	2	–	1	–	–	–	1	–	–
	ORDER 4.																
	1. Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Worms, etc.	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	1
II.	ORDER 1.																
	1. Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Dropsy	–	1	2	2	1	5	1	2	–	–	–	–	1	2	3	1
	3. Cancer	5	2	11	4	10	11	3	12	3	4	5	3	8	14	12	5
	4. Cancrum Oris (Noma)	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	5. Mortification	2	–	–	–	3	1	1	7	–	1	–	–	–	–	–	1

* See page 52, note *

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the YEAR 1879.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	Stirling.	Dumbarton.	Argyll.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
V.	1. ACCIDENT OR NEGLIGENCE	10	3	6	6	8	9	2	3	1	5	1	–	1	5	6	5
	*																
	3. HOMICIDE	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
	4. SUICIDE	–	–	–	–	2	–	–	–	1	1	–	–	1	–	1	–
	5. EXECUTION	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	SUDDEN DEATHS, CAUSE UNASCERTAINED	–	1	–	–	–	1	1	–	–	–	–	–	–	–	–	–
	CAUSES NOT SPECIFIED	10	2	13	8	18	8	3	7	1	5	3	–	3	9	3	4
I.	ORDER 1.																
	1. Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Measles	12	4	2	2	15	2	4	2	–	–	–	–	–	3	–	–
	3. Scarlatina	15	5	–	3	10	23	1	10	1	13	4	–	–	6	3	2
	4. Diphtheria	7	1	2	1	4	15	4	6	1	3	1	–	3	7	3	12
	5. Quinsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Croup	2	2	2	1	3	8	–	7	1	8	–	1	–	6	2	1
	7. Hooping-cough	28	2	8	–	20	30	9	11	1	–	2	–	–	8	–	6
	8. Typhus Fever	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	8. Enteric or Typhoid Fever	12	3	3	5	14	8	12	12	4	5	–	–	5	4	5	2
	8. Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Simple Continued Fever	3	2	–	–	–	2	–	–	–	1	–	–	–	2	1	–
	9. Erysipelas	1	–	1	1	1	2	–	–	–	1	3	–	3	–	–	–
	10. Puerperal Fever (Metria)	–	5	–	–	3	3	2	1	2	2	4	–	3	3	–	2
	11. Carbuncle	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	12. Influenza	3	–	–	1	4	–	–	1	–	1	–	–	–	–	–	4
	13. Dysentery	–	–	–	1	4	2	–	2	–	–	–	–	1	3	2	–
	14. Diarrhœa	8	–	4	5	12	15	2	16	3	1	4	1	1	2	3	3
	15. Cholera	–	–	–	–	2	1	–	2	–	–	–	–	–	–	1	–
	16. Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	17. Remittent Fever	–	–	1	–	1	–	–	–	–	1	–	–	–	–	–	–
	18. Rheumatism	–	–	2	3	4	5	2	4	1	1	–	–	2	5	2	–
	19. Other *Miasmatic* Diseases	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 2.																
	1. Syphilis	–	1	–	1	1	1	–	4	–	–	–	–	2	1	–	–
	2. Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Hydrophobia	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	4. Glanders	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.																
	1. Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Want of Breast Milk	1	–	–	–	1	–	–	1	–	1	4	–	1	–	–	–
	3. Purpura and Scurvy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Alcoholism *a* Del. Tremens	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	4. Alcoholism *b* Intemperance	–	–	–	–	–	–	–	2	2	–	–	–	–	1	–	1
	ORDER 4.																
	1. Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Worms, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	ORDER 1.																
	1. Gout	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	2. Dropsy	5	–	8	2	2	5	–	3	1	2	1	1	2	3	2	2
	3. Cancer	12	1	12	6	18	13	5	18	8	9	3	3	2	16	9	8
	4. Cancrum Oris (Noma)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Mortification	–	1	2	–	2	–	–	8	–	–	–	–	1	3	–	–

* See page 52, note *.

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the YEAR 1879.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	Total Mainland-Rural.	Caithness.	Sutherland.	Ross and Cromarty	Inverness	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.	Clackmannan.
	ORDER 2.															
	1. Scrofula	85	1	1	2	–	–	2	1	11	1	1	6	5	–	–
	2. Tabes Mesenterica	74	–	1	1	–	–	–	–	6	–	–	3	3	–	–
	3. Phthisis	818	17	15	44	22	2	24	17	78	16	32	46	50	6	2
	4. Hydrocephalus	167	1	1	3	–	–	1	2	12	3	6	6	11	1	3
III.	ORDER 1.															
	1. Cephalitis	125	2	1	5	2	–	4	3	13	4	3	11	7	–	–
	2. Apoplexy	262	2	6	9	2	–	8	7	25	10	3	22	12	2	1
	3. Paralysis	281	7	7	18	7	1	6	4	27	5	12	33	22	1	1
	4. Insanity	21	1	–	–	1	–	–	1	3	–	1	1	1	–	–
	5. Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Epilepsy	51	–	1	4	1	–	2	3	5	–	1	6	2	–	–
	7. Convulsions	91	1	1	4	2	–	1	2	6	–	3	2	7	1	4
	8. *Brain Disease, etc*	155	3	1	3	3	–	6	6	17	7	1	14	9	1	–
	ORDER 2.															
	1. Pericarditis	13	–	–	–	–	–	–	1	2	1	2	2	2	–	–
	2. Aneurism	19	–	–	–	–	–	–	1	4	1	1	1	1	1	–
	3. *Heart Disease, etc.*	672	9	7	21	6	1	19	22	76	21	19	68	42	6	3
	ORDER 3.															
	1. Laryngitis	30	1	–	–	–	–	1	3	3	2	2	3	1	–	–
	2. Bronchitis	882	12	15	41	23	2	26	28	108	28	23	53	64	9	3
	3. Pleurisy	47	2	–	4	1	–	–	1	3	–	1	4	–	–	–
	4. Pneumonia	391	8	4	8	7	1	6	13	32	10	12	24	23	6	1
	5. Asthma	73	2	5	18	3	–	2	1	2	1	–	3	3	–	–
	6. *Lung Disease, etc.*	155	–	–	2	3	–	–	4	15	1	9	18	6	2	–
	ORDER 4.															
	1. Gastritis	26	–	1	1	1	1	1	1	–	1	1	1	2	–	–
	2. Enteritis	115	–	–	4	3	–	4	2	10	3	3	7	5	–	1
	3. Peritonitis	62	2	–	1	2	–	1	3	8	1	1	10	2	–	1
	4. Ascites	6	–	1	–	–	–	–	–	1	–	–	–	–	–	–
	5. Ulceration of Intestines	36	–	3	–	1	–	–	3	6	4	2	1	1	–	1
	6. Hernia	15	–	–	–	1	–	–	–	3	–	2	3	–	–	–
	7. Ileus	52	1	3	1	2	–	4	2	6	2	3	3	1	–	1
	8. Intussusception	17	–	–	–	–	–	–	–	3	1	2	1	–	–	–
	9. Stricture of Intestines	8	–	–	–	–	–	–	1	–	–	–	–	1	–	–
	10. Fistula	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. *Stomach Disease, etc.*	80	2	2	12	–	–	1	4	3	–	2	7	4	–	–
	12. *Pancreas Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Hepatitis	28	–	–	–	–	–	–	–	2	–	–	2	4	1	–
	14. Jaundice	37	1	1	1	–	–	1	3	5	2	1	3	4	–	–
	15. *Liver Disease, etc.*	116	3	–	3	2	–	–	1	7	4	4	9	6	1	–
	16. *Spleen Disease, etc.*	4	1	–	–	–	–	–	–	–	–	1	–	–	–	–
	ORDER 5.															
	1. Nephritis	25	2	–	2	–	–	–	–	3	1	–	2	2	–	–
	2. Ischuria	20	1	–	–	–	–	1	2	4	–	2	1	1	–	–
	3. Bright's Disease (Nephria)	55	3	–	1	2	–	1	2	4	2	3	3	7	1	–
	4. Diabetes	26	–	–	3	2	–	1	–	4	1	–	2	1	–	–
	5. Calculus (Stone)	19	3	2	4	2	–	–	1	1	–	–	2	–	1	–
	6. Cystitis	52	1	3	1	–	–	5	2	8	2	1	2	4	–	–
	7. *Kidney Disease, etc.*	105	2	3	8	2	–	4	2	23	3	2	9	3	–	–
	ORDER 6.															
	1. Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. *Uterus Disease, etc.*	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	ORDER 7.															
	1, Synovitis (Arthritis)	14	–	–	–	–	–	1	–	2	–	1	1	–	–	–
	2. *Joint Disease, etc.*	46	1	1	3	2	–	1	1	3	–	–	3	2	–	–

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the YEAR 1879.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	Total Mainland Rural.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.	Clackmannan.
	ORDER 2.															
	1. Scrofula	67	1	1	1	1	–	1	2	7	1	2	2	4	1	–
	2. Tabes Mesenterica	81	–	–	2	1	–	2	1	9	2	2	3	7	–	2
	3. Phthisis	932	8	14	41	20	2	25	32	94	22	28	54	47	9	6
	4. Hydrocephalus	141	2	1	1	–	–	1	3	15	4	7	10	11	1	1
III.	ORDER 1.															
	1. Cephalitis	89	2	–	3	2	–	3	4	10	3	3	6	3	–	1
	2. Apoplexy	263	1	5	14	6	–	5	11	31	4	9	27	15	2	1
	3. Paralysis	327	8	6	22	12	1	11	7	37	3	17	32	28	2	1
	4. Insanity	28	–	–	1	–	–	–	2	1	–	–	1	–	1	–
	5. Chorea	3	–	–	–	–	–	–	–	2	–	–	–	–	–	–
	6. Epilepsy	41	1	1	1	3	–	–	2	1	2	2	2	5	–	–
	7. Convulsions	82	–	–	1	4	–	2	1	8	3	10	4	3	–	2
	8. *Brain Disease, etc.*	116	1	–	4	6	–	3	8	12	6	4	9	6	–	2
	ORDER 2.															
	1. Pericarditis	12	–	–	–	1	–	–	–	–	1	1	1	–	1	–
	2. Aneurism	10	–	–	–	–	–	–	–	1	2	–	–	1	–	–
	3. *Heart Disease, etc.*	642	8	10	15	9	3	15	21	62	23	16	61	46	7	3
	ORDER 3.															
	1. Laryngitis	27	–	–	–	–	–	1	–	2	1	–	5	–	–	–
	2. Bronchitis	981	17	21	50	23	2	26	43	98	18	25	77	72	8	9
	3. Pleurisy	28	–	–	1	2	–	–	1	1	–	2	–	–	–	–
	4. Pneumonia	280	2	7	6	3	2	3	11	30	8	6	20	11	4	–
	5. Asthma	56	–	5	14	3	–	1	3	3	1	2	4	1	–	–
	6. *Lung Disease, etc.*	109	1	2	4	2	1	2	2	6	5	1	6	4	–	–
	ORDER 4.															
	1. Gastritis	37	–	1	–	3	–	2	1	2	–	1	2	2	1	–
	2. Enteritis	103	–	–	3	4	–	2	3	4	3	5	10	4	–	–
	3. Peritonitis	69	1	1	4	2	–	4	2	6	–	1	3	3	1	–
	4. Ascites	13	–	1	–	–	–	–	–	2	–	1	–	–	–	–
	5. Ulceration of Intestines	45	–	–	4	1	–	5	1	2	1	4	3	1	1	–
	6. Hernia	25	–	1	4	–	–	–	–	6	3	–	1	1	–	–
	7. Ileus	33	–	3	3	1	–	–	1	4	1	3	1	–	–	–
	8. Intussusception	8	–	–	–	–	–	–	–	2	–	–	–	2	–	–
	9. Stricture of Intestines	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	10. Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. *Stomach Disease, etc.*	86	2	1	9	2	–	1	–	13	–	3	2	4	2	1
	12. *Pancreas Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Hepatitis	35	–	–	–	1	2	–	–	2	1	1	4	1	5	–
	14. Jaundice	32	–	–	–	3	–	1	1	3	–	1	–	4	–	1
	15. *Liver Disease, etc.*	81	4	3	2	1	–	2	3	11	2	1	9	6	1	–
	16. *Spleen Disease, etc.*	7	–	1	–	–	–	–	1	1	–	–	–	–	–	–
	ORDER 5.															
	1. Nephritis	26	1	–	–	–	–	–	4	3	1	1	3	2	1	–
	2. Ischuria	7	–	–	–	–	–	–	–	2	–	–	–	–	–	–
	3. Bright's Disease (Nephria)	49	1	3	–	–	1	2	1	7	–	1	3	6	–	–
	4. Diabetes	19	–	–	2	–	–	–	2	3	1	–	–	2	1	–
	5. Calculus (Stone)	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Cystitis	9	–	–	–	–	–	–	1	–	–	1	3	1	–	–
	7. *Kidney Disease, etc.*	41	2	1	2	–	–	–	2	12	1	1	5	–	–	–
	ORDER 6.															
	1. Ovarian Dropsy	19	1	3	–	–	–	–	–	2	–	–	–	1	–	–
	2. *Uterus Disease, etc.*	25	–	–	2	1	–	–	1	2	–	1	1	–	–	–
	ORDER 7.															
	1. Synovitis (Arthritis)	6	–	–	1	–	–	–	–	1	–	–	–	1	–	–
	2. *Joint Diseases, etc.*	23	–	–	1	2	–	–	–	4	–	–	2	–	1	–

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the YEAR 1879.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	Stirling.	Dumbarton	Argyll.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
	ORDER 2.																
	1. Scrofula	4	2	2	1	9	7	5	8	–	–	1	–	1	5	2	7
	2. Tabes Mesenterica	11	3	1	1	12	8	3	4	3	–	2	–	3	7	–	2
	3. Phthisis	30	15	46	24	62	64	12	55	9	15	3	1	18	41	27	25
	4. Hydrocephalus	15	6	3	15	18	14	6	9	4	4	1	–	2	11	4	5
III.	ORDER 1.																
	1. Cephalitis	4	3	6	1	7	12	3	9	6	5	1	1	2	6	3	1
	2. Apoplexy	11	6	11	8	14	19	2	18	8	13	4	1	10	13	5	10
	3. Paralysis	7	–	13	4	9	10	3	32	6	6	3	1	5	16	7	8
	4. Insanity	–	–	–	–	1	–	1	4	–	1	–	–	2	2	1	–
	5 Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Epilepsy	3	–	2	1	1	2	–	10	1	1	–	–	3	2	–	–
	7. Convulsions	5	1	4	1	2	15	3	7	3	1	–	–	3	5	1	6
	8. *Brain Disease, etc.*	4	1	7	5	6	14	4	20	5	2	–	–	4	7	2	3
	ORDER 2.																
	1. Pericarditis	–	–	–	1	–	–	–	1	–	–	–	–	–	–	1	–
	2. Aneurism	1	–	1	–	1	–	–	1	–	1	–	1	2	–	–	1
	3. *Heart Disease, etc.*	23	11	38	17	31	28	10	43	23	20	6	6	27	30	23	16
	ORDER 3.																
	1. Laryngitis	1	–	–	3	4	–	–	–	2	–	1	–	–	1	1	1
	2. Bronchitis	35	14	25	17	60	89	19	75	7	11	5	1	14	30	12	33
	3. Pleurisy	1	4	1	1	2	4	–	1	1	1	1	–	3	7	3	1
	4. Pneumonia	28	5	11	11	34	31	4	35	13	15	–	–	7	24	7	11
	5. Asthma	10	2	3	–	2	7	1	2	1	2	–	–	–	2	1	–
	6. *Lung Disease, etc.*	8	3	6	2	6	25	4	14	2	2	2	1	3	5	2	10
	ORDER 4.																
	1. Gastritis	–	1	1	–	2	–	–	6	–	1	–	–	1	3	–	–
	2. Enteritis	10	2	3	4	5	19	6	5	4	1	–	1	4	7	1	1
	3. Peritonitis	1	–	–	1	5	9	–	6	–	2	1	1	1	2	–	1
	4. Ascites	1	–	–	–	–	1	–	2	–	–	–	–	–	–	–	–
	5. Ulceration of Intestines	–	–	–	–	–	3	–	3	–	–	1	1	2	2	1	1
	6. Hernia	2	–	–	–	–	1	–	1	–	1	–	1	–	–	–	–
	7. Ileus	–	–	4	2	3	1	–	3	–	2	2	–	1	3	–	2
	8. Intussusception	–	–	–	2	–	4	–	2	–	–	–	–	–	–	2	–
	9. Stricture of Intestines	1	–	1	–	1	–	–	–	–	3	–	–	–	–	–	–
	10. Fistula	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	11. *Stomach Disease, etc.*	1	–	3	1	4	7	3	12	–	3	–	–	–	5	1	3
	12. *Pancreas Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Hepatitis	3	1	3	1	2	2	–	3	–	1	1	–	–	–	–	2
	14. Jaundice	1	1	2	1	1	2	–	3	2	1	–	–	–	–	–	1
	15. *Liver Disease, etc.*	10	3	2	4	5	13	3	9	1	6	1	–	4	9	3	3
	16. *Spleen Disease, etc.*	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–
	ORDER 5.																
	1. Nephritis	–	–	2	–	1	2	1	2	1	1	–	–	–	3	–	–
	2. Ischuria	–	–	2	–	1	2	–	1	–	–	1	–	1	–	–	–
	3. Bright's Disease (Nephria)	5	–	3	–	3	3	1	3	–	1	1	–	–	3	3	–
	4. Diabetes	1	–	–	–	1	3	–	–	1	1	–	–	2	3	–	–
	5. Calculus (Stone)	1	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
	6. Cystitis	–	–	1	1	1	1	1	3	–	2	–	–	3	8	1	1
	7. *Kidney Disease, etc.*	4	1	3	5	3	5	–	6	3	1	1	–	2	7	1	2
	ORDER 6.																
	1. Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. *Uterus Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 7.																
	1. Synovitis (Arthritis)	–	–	–	–	2	3	–	2	–	–	–	–	–	1	–	1
	2. *Joint Disease, etc.*	–	2	2	–	3	3	3	6	–	2	1	1	1	2	2	1

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the YEAR 1879.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	Stirling.	Dumbarton.	Argyll.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
	ORDER 2																
	1. Scrofula	2	3	–	2	6	4	1	4	2	–	–	–	3	4	1	11
	2. Tabes Mesenterica	4	1	3	2	8	12	2	5	–	3	–	–	3	4	3	–
	3. Phthisis	40	11	38	31	66	82	15	82	6	14	9	–	20	57	29	30
	4. Hydrocephalus	6	5	2	7	17	17	3	12	–	3	1	–	1	5	2	3
III.	ORDER 1.																
	1. Cephalitis	5	1	5	2	3	11	2	4	3	1	2	1	2	3	3	1
	2. Apoplexy	15	1	7	6	5	23	5	15	4	15	4	2	6	11	4	9
	3. Paralysis	9	1	14	6	12	27	–	17	10	11	3	1	5	14	6	4
	4. Insanity	4	–	3	2	–	–	–	7	–	–	–	–	5	–	–	1
	5. Chorea	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	6. Epilepsy	3	–	2	1	1	2	–	6	–	1	–	–	3	–	2	–
	7. Convulsions	5	–	2	4	6	7	1	3	1	3	–	–	1	3	2	6
	8. *Brain Disease, etc.*	2	2	–	3	7	5	2	14	4	4	1	–	2	6	2	1
	ORDER 2.																
	1. Pericarditis	–	1	–	–	1	–	1	4	–	–	–	–	–	–	–	–
	2. Aneurism	1	–	–	–	–	–	–	3	–	1	–	–	–		–	1
	3. *Heart Disease, etc.*	20	9	14	14	32	40	13	40	22	37	2	1	29	37	19	14
	ORDER 3.																
	1. Laryngitis	–	1	–	1	2	–	–	4	2	4	1	–	–	2	1	
	2. Bronchitis	25	22	41	27	46	73	13	87	18	18	4	1	12	49	21	35
	3. Pleurisy	–	–	1	1	1	5	–	4	1	1	1	–	–	2	–	4
	4. Pneumonia	14	3	6	8	18	20	5	26	18	9	1	3	6	16	9	5
	5. Asthma	4	1	2	–	1	3	–	1	1	1	1	–	–	1	2	1
	6. *Lung Disease, etc.*	3	3	2	6	4	17	1	16	–	5	5	–	–	4	4	3
	ORDER 4.																
	1. Gastritis	–	2	–	2	2	2	–	6	1	1	1	–	1	2	2	–
	2. Enteritis	6	1	6	3	7	19	3	7	–	–	–	–	4	5	1	3
	3. Peritonitis	3	–	1	3	9	9	–	2	2	5	–	–	2	4	1	–
	4. Ascites	1	–	–	2	1	1	–	1	–	–	–	–	1	–	–	2
	5. Ulceration of Intestines	1	1	1	3	2	2	1	3	–	2	–	1	1	3	–	1
	6. Hernia	1	–	–	–	–	3	–	–	1	–	1	–	1	–	–	2
	7. Ileus	2	–	2	–	3	1	1	–	–	2	–	–	1	2	1	1
	8. Intussusception	1	–	–	1	–	1	–	–	–	–	–	–	–	1	–	–
	9. Stricture of Intestines	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	10. Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. *Stomach Disease, etc.*	3	3	2	2	4	10	1	5	1	4	–	–	1	2	4	4
	12. *Pancreas Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Hepatitis	1	3	1	1	4	–	–	2	–	–	–	–	1	3	2	–
	14. Jaundice	–	–	1	1	2	4	2	5	–	1	–	–	1	1	–	–
	15. *Liver Disease, etc.*	3	2	4	–	4	7	1	1	–	1	–	1	1	7	2	2
	16. *Spleen Disease, etc.*	–	–	–	–	1	–	–	1	1	–	–	–	–	–	1	–
	ORDER 5.																
	1. Nephritis	1	–	1	–	–	1	–	4	–	1	–	–	–	1	–	1
	2. Ischuria	1	1	–	–	–	2	–	–	–	–	–	–	–	–	1	–
	3. Bright's Disease (Nephria)	–	–	2	1	4	2	–	4	2	3	1	–	1	2	–	2
	4. Diabetes	–	–	–	1	1	–	–	2	–	–	–	–	–	3	–	1
	5. Calculus (Stone)	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	6. Cystitis	–	–	–	–	–	–	1	1	–	–	–	–	–	–	1	–
	7. *Kidney Disease, etc.*	–	1	–	1	–	–	–	2	–	3	2	–	1	3	2	–
	ORDER 6.																
	1. Ovarian Dropsy	3	1	–	–	1	2	–	2	–	–	2	–	–	–	1	–
	2. *Uterus Disease, etc.*	–	–	2	2	–	4	–	1	–	1	–	–	–	3	–	4
	ORDER 7.																
	1. Synovitis (Arthritis)	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	1
	2. *Joint Disease, etc.*	1	1	–	1	3	–	–	3	1	–	–	–	–	1	1	1

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the YEAR 1879.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	Total Mainland-Rural.	Caithness	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.	Clackmannan.
	ORDER 8.															
	1. Phlegmon	12	–	–	–	–	–	1	1	2	–	1	1	–	–	–
	2. Ulcer	7	–	–	–	1	–	–	–	–	–	1	1	1	–	–
	3. *Skin Disease, etc.*	9	–	–	–	–	–	–	1	–	1	2	1	–	–	–
IV.	ORDER 1.															
	1. Premature Birth	169	3	1	7	1	–	–	7	20	5	2	9	13	2	4
	2. Cyanosis	8	–	–	–	–	–	–	–	2	–	–	1	–	–	–
	3. Spina Bifida	5	–	–	–	–	–	–	–	1	–	–	1	1	–	–
	4. Other Malformations	30	–	–	–	–	2	–	–	1	2	–	1	2	–	–
	5. Teething	53	1	–	3	1	–	–	6	4	2	1	5	1	–	–
	ORDER 2.															
	1. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Childbirth (*see* Puerperal Fever).	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.															
	1. Old Age	796	24	30	87	44	5	14	17	62	20	29	62	60	8	3
	ORDER 4.															
	1. Atrophy and Debility	302	4	2	5	10	–	3	13	23	7	15	19	19	–	1
V.	ORDER 1. (*Accident or Negligence.*)															
	1. Fractures and Contusions	181	2	4	4	1	–	1	2	17	4	6	21	17	–	–
	2. Gunshot Wounds	2	–	–	–	–	–	1	–	1	–	–	–	–	–	–
	3. Cut, Stab	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Burns and Scalds	66	1	2	2	–	–	1	2	3	–	1	3	5	–	1
	5. Poison	3	–	–	–	1	–	–	–	1	–	–	–	–	–	–
	6. Drowning	132	6	2	9	3	–	1	4	6	5	6	9	8	1	–
	7. Suffocation	46	1	–	–	–	–	4	3	7	2	1	1	1	–	–
	8. Otherwise	50	1	2	1	3	1	–	3	4	1	1	4	1	1	–
	ORDER 3. (*Homicide.*)															
	1. Murder and Manslaughter	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4. (*Suicide.*)															
	1. Gunshot Wounds	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	2. Cut, Stab	3	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	3. Poison	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Drowning	11	–	–	–	–	–	–	–	1	–	2	2	1	–	–
	5. Hanging	18	–	–	–	–	–	1	–	4	–	1	–	2	–	–
	6. Otherwise and undefined	2	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	ORDER 5. (*Execution.*)															
	1. Hanging	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Sudden Deaths (cause unascertained)	10	–	–	1	–	–	1	–	–	–	1	1	1	–	–
	Causes not specified or ill-defined	261	4	17	35	9	–	6	5	18	7	6	18	15	–	1

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the YEAR 1879.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	Total Mainland-Rural.	Caithness	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.	Clackmannan
	ORDER 8.															
	1. Phlegmon	26	–	1	1	–	–	–	2	6	–	–	1	1	–	–
	2. Ulcer	11	–	–	–	–	–	–	–	3	1	–	1	–	–	–
	3. *Skin Disease, etc.*	4	–	–	–	–	–	1	–	–	–	–	–	–	–	–
IV.	ORDER 1.															
	1. Premature Birth	125	2	–	2	1	1	2	3	10	2	6	10	11	2	–
	2. Cyanosis	6	–	–	–	–	–	–	–	–	–	–	–	2	–	–
	3. Spina Bifida	6	–	–	–	–	–	–	–	–	–	2	1	1	–	–
	4. Other Malformations	10	1	–	–	–	–	–	1	–	–	–	–	–	–	–
	5. Teething	60	2	2	4	1	–	5	1	5	2	4	2	4	–	–
	ORDER 2.															
	1. Paramenia	5	–	–	–	–	–	–	–	–	–	–	3	–	–	–
	2. Childbirth (*see* Puerperal Fever)	89	1	–	5	5	–	3	1	3	2	5	5	3	–	1
	ORDER 3.															
	1. Old Age	1259	41	66	140	86	7	34	37	108	36	24	129	76	5	3
	ORDER 4.															
	1. Atrophy and Debility	265	–	4	7	7	–	4	5	25	3	4	12	16	1	1
V.	ORDER 1. (*Accident or Negligence.*)															
	1. Fractures and Contusions	46	2	–	2	3	–	1	–	3	–	3	7	3	1	–
	2. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Cut, Stab	2	1	–	–	–	–	–	–	–	–	–	1	–	–	–
	4. Burns and Scalds	36	–	–	–	2	–	2	2	3	2	3	–	3	–	–
	5. Poison	3	–	–	–	–	–	–	2	–	–	–	–	–	–	–
	6. Drowning	29	–	1	2	1	–	1	–	2	1	2	1	2	–	–
	7. Suffocation	19	2	1	–	–	–	1	1	4	1	–	1	1	–	–
	8. Otherwise	16	–	1	1	1	–	–	–	4	–	1	1	–	–	–
	ORDER 3. (*Homicide.*)															
	1. Murder and Manslaughter	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4. (*Suicide.*)															
	1. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cut, Stab	2	–	–	–	–	–	–	1	–	–	–	1	–	–	–
	3. Poison	2	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	4. Drowning	8	1	–	–	–	–	–	1	1	–	1	1	–	–	–
	5. Hanging	3	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	6. Otherwise and undefined	2	–	–	–	–	–	–	–	1	–	–	1	–	–	–
	ORDER 5. (*Execution.*)															
	1. Hanging	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Sudden Deaths (cause unascertained)	9	–	–	2	–	–	–	–	1	–	–	1	2	–	–
	Causes not specified or ill-defined	229	4	17	31	3	1	3	4	20	11	3	17	18	–	–

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the YEAR 1879.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	Stirling.	Dumbarton.	Argyll.	Renfrew.	Ayr.	Lanark	Linlithgow.	Edinburgh.	Haddington	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
	ORDER 8.																
	1. Phlegmon	–	–	1	–	2	–	–	1	–	–	1	–	1	–	–	–
	2. Ulcer	–	–	–	–	–	–	–	2	–	–	–	–	1	–	–	–
	3. *Skin Disease, etc.*	1	1	–	–	–	2	–	–	–	–	–	–	–	–	–	–
IV.	ORDER 1.																
	1. Premature Birth	4	3	2	–	8	18	5	12	5	6	1	–	7	13	5	6
	2. Cyanosis	–	–	–	–	1	–	–	–	–	1	–	–	–	1	1	1
	3. Spina Bifida	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1
	4. Other Malformations	1	1	–	–	4	5	–	5	1	–	–	–	1	2	2	–
	5. Teething	4	5	4	3	5	1	–	3	1	1	–	–	1	–	–	1
	ORDER 2.																
	1. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Childbirth (*see* Puerperal Fever)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3																
	1. Old Age	15	12	52	8	40	25	10	38	9	22	2	1	10	45	19	23
	ORDER 4.																
	1. Atrophy and Debility	21	10	6	5	16	50	6	20	8	5	4	1	6	19	3	1
V.	ORDER 1. (*Accident or Negligence.*)																
	1. Fractures and Contusions	8	4	6	7	15	25	3	15	1	4	2	–	–	6	3	3
	2. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Cut, Stab	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	4. Burns and Scalds	1	1	3	–	2	32	2	–	–	2	–	–	–	–	–	2
	5. Poison	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	6. Drowning	6	8	15	–	9	3	1	8	1	2	–	–	1	3	10	5
	7. Suffocation	2	5	–	–	2	5	1	4	1	1	1	–	–	2	1	1
	8. Otherwise	2	1	2	1	3	1	1	11	1	1	–	–	–	3	–	–
	ORDER 3. (*Homicide.*)																
	1. Murder and Manslaughter	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	ORDER 4. (*Suicide.*)																
	1. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cut, Stab	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–
	3. Poison	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
	4. Drowning	–	–	1	–	–	–	–	2	–	1	–	–	1	–	–	–
	5. Hanging	–	–	–	–	3	–	1	–	2	–	–	–	–	2	2	–
	6. Otherwise and undefined	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	ORDER 5. (*Execution.*)																
	1. Hanging	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Sudden Deaths (cause unascertained)	–	1	–	–	–	2	–	–	–	–	–	–	–	2	–	–
	Causes not specified or ill-defined	6	5	22	7	15	22	2	6	2	4	–	–	2	17	4	6

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the YEAR 1879.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	Stirling.	Dumbarton.	Argyll.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
	ORDER 8.																
	1. Phlegmon	2	–	–	–	2	3	1	2	1	1	–	–	–	1	1	–
	2. Ulcer	–	–	1	–	–	–	–	3	–	–	–	–	–	1	–	1
	3. *Skin Disease, etc.*	–	1	–	–	–	2	–	–	–	–	–	–	–	–	–	–
IV.	ORDER 1.																
	1. Premature Birth	2	5	2	5	5	16	3	9	1	2	1	1	4	7	2	8
	2. Cyanosis	–	1	–	–	1	2	–	–	–	–	–	–	–	–	–	–
	3. Spina Bifida	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
	4. Other Malformations	–	–	–	–	1	–	–	3	1	–	–	–	1	1	–	1
	5. Teething	5	2	4	–	3	1	–	4	2	–	1	–	–	–	–	6
	ORDER 2.																
	1. Paramenia	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Childbirth (*see* Puerperal Fever)	2	6	6	3	2	9	2	4	2	4	2	–	3	5	2	3
	ORDER 3.																
	1. Old Age	34	10	65	17	37	52	9	73	14	30	6	3	12	51	22	32
	ORDER 4.																
	1. Atrophy and Debility	17	8	5	11	21	37	9	28	11	5	2	–	5	10	2	5
V.	ORDER 1. (*Accident or Negligence.*)																
	1. Fractures and Contusions	3	1	1	1	3	4	1	2	1	–	–	–	–	2	2	–
	2. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Cut, Stab	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Burns and Scalds	2	–	1	–	4	4	–	1	–	2	–	–	–	1	1	3
	5. Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
	6. Drowning	4	2	4	2	1	1	–	–	–	–	–	–	–	–	2	–
	7. Suffocation	–	–	–	–	–	–	1	–	–	2	1	–	1	1	1	–
	8. Otherwise	1	–	–	3	–	–	–	–	–	1	–	–	–	1	–	1
	ORDER 3. (*Homicide.*)																
	1. Murder and Manslaughter	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
	ORDER 4. (*Suicide.*)																
	1. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2 Cut, Stab	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Poison	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	4. Drowning	–	–	–	–	1	–	–	–	–	–	–	–	1	–	1	–
	5. Hanging	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
	6. Otherwise and undefined	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 5. (*Execution.*)																
	1. Hanging	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Sudden Deaths (cause unascertained)	–	1	–	–	–	1	1	–	–	–	–	–	–	–	–	–
	Causes not specified or ill-defined	10	2	13	8	18	8	3	7	1	5	3	–	3	9	3	4

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND during the YEAR 1879.

Class.	CAUSES OF DEATH.	Males.							Females.						
		Total.	Shetland.	Orkney.	Ross and Cromarty.	Inverness.	Argyll.	Bute.	Total.	Shetland.	Orkney.	Ross and Cromarty.	Inverness.	Argyll.	Bute.
	All Causes . . .	1001	174	193	99	269	178	88	1168	173	282	121	330	173	89
	Specified Causes . . .	867	147	183	66	229	156	86	1031	150	268	88	284	153	88
	(CLASSES).														
I.	ZYMOTIC DISEASES	100	9	33	14	21	11	12	133	9	35	26	28	24	11
II.	CONSTITUTIONAL ,,	166	35	27	13	44	32	15	200	38	49	14	53	31	15
III.	LOCAL ,,	351	45	70	24	111	60	41	356	32	99	27	108	51	39
IV.	DEVELOPMENTAL ,,	200	49	44	14	41	38	14	322	69	83	18	89	41	22
V.	VIOLENT DEATHS . .	50	9	9	1	12	15	4	20	2	2	3	6	6	1
	(ORDERS.)														
I.	1. MIASMATIC DISEASES .	93	8	31	14	21	11	8	131	9	35	26	28	24	9
	2. ENTHETIC ,, . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. DIETIC ,, . .	7	1	2	–	–	–	4	2	–	–	–	–	–	2
	4. PARASITIC ,, . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	1. DIATHETIC ,, . .	29	9	3	2	8	5	2	54	8	22	2	10	10	2
	2. TUBERCULAR ,, . .	137	26	24	11	36	27	13	146	30	27	12	43	21	13
III.	1. DISEASES OF NERVOUS SYSTEM . .	73	11	14	4	21	14	9	63	7	19	2	12	8	15
	2. ,, OF ORGANS OF CIRCULATION . .	44	4	4	3	14	11	8	48	4	16	2	10	11	5
	3. ,, OF RESPIRATORY ORGANS . .	146	17	30	11	57	21	10	170	11	48	20	61	22	8
	4. ,, OF DIGESTIVE ORGANS	48	5	15	4	10	5	9	57	8	12	2	20	8	7
	5. ,, OF URINARY ORGANS	35	8	5	2	7	9	4	10	–	4	–	3	1	2
	6. ,, OF ORGANS OF GENERATION .	–	–	–	–	–	–	–	2	1	–	–	1	–	–
	7. ,, OF ORGANS OF LOCOMOTION . .	2	–	–	–	1	–	1	3	1	–	–	1	–	1
	8. ,, OF INTEGUMENTARY SYSTEM . .	3	–	2	–	1	–	–	3	–	–	1	–	1	1
IV.	1. DEV. DIS. OF CHILDREN .	6	1	1	–	–	2	2	7	1	–	2	1	1	2
	2. ,, OF ADULTS .	–	–	–	–	–	–	–	19	2	5	1	8	2	1
	3. ,, OF OLD PEOPLE	181	47	39	13	38	33	11	279	66	71	15	72	37	18
	4. DISEASES OF NUTRITION .	13	1	4	1	3	3	1	17	–	7	–	8	1	1

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND during the YEAR 1879.

Class.	CAUSES OF DEATH.	Males. Total.	Males. Shetland.	Males. Orkney.	Males. Ross and Cromarty.	Males. Inverness.	Males. Argyll.	Males. Bute.	Females. Total.	Females. Shetland.	Females. Orkney.	Females. Ross and Cromarty	Females. Inverness.	Females. Argyll.	Females. Bute.
V.	1. ACCIDENT OR NEGLIGENCE	49	9	8	1	12	15	4	20	2	2	3	6	6	1
	*														
	3. HOMICIDE	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. SUICIDE	1	–	1	–	–	–	–	–	–	–	–	–	–	–
	5. EXECUTION	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	SUDDEN DEATHS, CAUSE UNASCERTAINED	–	–	–	–	–	–	–	1	–	–	1	–	–	–
	CAUSES NOT SPECIFIED	134	27	10	33	40	22	2	136	23	14	32	46	20	1
I.	ORDER 1.														
	1. Small-pox	1	–	–	–	1	–	–	–	–	–	–	–	–	–
	2. Measles	4	–	–	–	2	2	–	1	–	–	–	1	–	–
	3. Scarlatina	18	2	8	2	–	–	6	5	–	1	1	1	–	2
	4. Diphtheria	9	1	7	–	1	–	–	20	2	10	1	3	4	–
	5. Quinsy	–	–	–	–	–	–	–	2	–	–	–	–	2	–
	6. Croup	19	–	2	7	5	5	–	29	–	1	14	10	4	–
	7. Hooping-cough	3	–	2	–	–	–	1	7	1	2	–	–	1	3
	8. Typhus Fever	5	–	–	4	1	–	–	10	–	–	9	–	1	–
	8. Enteric or Typhoid Fever	6	2	2	–	1	1	–	15	2	5	1	1	4	2
	8. Relapsing Fever	1	–	–	–	1	–	–	–	–	–	–	–	–	–
	8. Simple Continued Fever	3	–	1	1	1	–	–	3	–	–	–	2	1	–
	9. Erysipelas	5	–	2	–	2	1	–	2	2	–	–	–	–	–
	10. Puerperal Fever (Metria)	–	–	–	–	–	–	–	3	–	1	–	1	–	1
	11. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	12. Influenza	2	–	2	–	–	–	–	6	–	6	–	–	–	–
	13. Dysentery	–	–	–	–	–	–	–	2	1	1	–	–	–	–
	14. Diarrhœa	7	1	3	–	1	1	1	13	1	5	–	2	4	1
	15. Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	16. Ague	–	–	–	–	–	–	–	2	–	1	–	–	1	–
	17. Remittent Fever	2	–	1	–	–	1	–	–	–	–	–	–	–	–
	18. Rheumatism	8	2	1	–	5	–	–	11	–	2	–	7	2	–
	19. Other *Miasmatic* Diseases	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 2.														
	1. Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Glanders	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.														
	1. Privation	–	–	–	–	–	–	–	–		–	–	–	–	–
	2. Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Purpura and Survy	3	1	1	–	–	–	1	–	–	–	–	–	–	–
	4. Alcoholism *a* Del. Tremens	–	–	–		–	–	–	–	–	–	–	–	–	–
	4. Alcoholism *b* Intemperance	4	–	1	–	–	–	3	2	–	–	–		–	2
	ORDER 4.														
	1. Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Worms, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	ORDER 1.														
	1. Gout	3	2	–	–	–	1	–	–	–	–	–	–	–	–
	2. Dropsy	7	3	–	–	2	2	–	24	7	7	2	6	1	1
	3. Cancer	17	3	3	1	6	2	2	27	1	13	–	4	8	1
	4. Cancrum Oris (Noma)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Mortification	2	1	–	1	–	–	–	3	–	2	–	–	1	–

* See page 52, note *.

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND during the YEAR 1879. (*Continued.*)

Class.	CAUSES OF DEATH.	Males. Total.	Males. Shetland.	Males. Orkney.	Males. Ross and Cromarty.	Males. Inverness.	Males. Argyll.	Males. Bute.	Females. Total.	Females. Shetland.	Females. Orkney.	Females. Ross and Cromarty.	Females. Inverness.	Females. Argyll.	Females. Bute.
	ORDER 2.														
	1. Scrofula	6	2	3	–	1	–	–	13	5	3	2	–	3	–
	2. Tabes Mesenterica	6	–	3	–	2	–	1	5	2	–	1	1	–	1
	3. Phthisis	120	24	17	11	32	27	9	115	21	20	8	39	16	11
	4. Hydrocephalus	5	–	1	–	1	–	3	13	2	4	1	3	2	1
III.	ORDER 1.														
	1. Cephalitis	8	1	5	1	1	–	–	9	1	3	–	3	2	–
	2. Apoplexy	9	2	3	–	1	2	1	12	–	6	–	1	–	5
	3. Paralysis	33	5	5	1	8	11	3	25	3	8	1	4	4	5
	4. Insanity	–	–	–	–	–	–	–	2	–	–	–	1	–	1
	5. Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Epilepsy	3	1	1	–	1	–	–	4	–	2	–	1	1	–
	7. Convulsions	11	–	–	–	9	–	2	5	2	–	–	1	1	1
	8. *Brain Disease, etc.*	9	2	–	2	1	1	3	6	1	–	1	1	–	3
	ORDER 2.														
	1. Pericarditis	2	–	1	–	1	–	–	4	–	4	–	–	–	–
	2. Aneurism	1	–	–	–	–	1	–	–	–	–	–	–	–	–
	3. *Heart Disease, etc.*	41	4	3	3	13	10	8	44	4	12	2	10	11	5
	ORDER 3.														
	1. Laryngitis	3	–	1	1	1	–	–	1	–	–	–	1	–	–
	2. Bronchitis	76	10	17	4	27	12	6	98	5	34	16	28	9	6
	3. Pleurisy	12	1	1	–	10	–	–	12	–	4	–	8	–	–
	4. Pneumonia	30	5	5	2	8	6	4	26	3	6	3	5	9	–
	5. Asthma	13	1	4	4	4	–	–	21	3	3	1	13	1	–
	6. *Lung Disease, etc.*	12	–	2	–	7	3	–	12	–	1	–	6	3	2
	ORDER 4.														
	1. Gastritis	3	–	2	–	–	–	1	4	–	–	–	4	–	–
	2. Enteritis	7	–	2	2	1	–	2	10	2	2	1	2	1	2
	3. Peritonitis	3	–	1	1	–	1	–	3	–	–	–	2	–	1
	4. Ascites	2	–	–	1	1	–	–	3	–	1	–	2	–	–
	5. Ulceration of Intestines	2	–	2	–	–	–	–	4	1	3	–	–	–	–
	6. Hernia	1	–	–	–	1	–	–	–	–	–	–	–	–	–
	7. Ileus	6	1	2	–	2	1	–	4	–	1	–	3	–	–
	8. Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	9. Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	10. Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. *Stomach Disease, etc.*	6	2	1	–	1	–	2	12	3	3	1	3	1	1
	12. *Pancreas Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Hepatitis	3	–	–	–	2	1	–	4	–	–	–	2	1	1
	14. Jaundice	4	1	1	–	1	–	1	3	–	–	–	1	2	–
	15. *Liver Disease, etc.*	10	–	4	–	1	2	3	10	2	2	–	1	3	2
	16. *Spleen Disease, etc.*	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 5.														
	1. Nephritis	4	–	1	1	2	–	–	1	–	1	–	–	–	–
	2. Ischuria	7	2	–	–	2	2	1	1	–	–	–	1	–	–
	3. Bright's Disease (Nephria)	7	–	2	–	–	4	1	2	–	1	–	–	–	1
	4. Diabetes	–	–	–	–	–	–	–	2	–	1	–	1	–	–
	5. Calculus (Stone).	3	2	1	–	–	–	–	–	–	–	–	–	–	–
	6. Cystitis	7	1	1	–	2	2	1	1	–	1	–	–	–	–
	7. *Kidney Disease, etc.*	7	3	–	1	1	1	1	3	–	–	–	1	1	1
	ORDER 6.														
	1. Ovarian Dropsy	–	–	–	–	–	–	–	2	1	–	–	1	–	–
	2. *Uterus Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 7.														
	1. Synovitis (Arthritis)	1	–	–	–	–	–	1	2	–	–	–	1	–	1
	2. *Joint Disease, etc.*	1	–	–	–	1	–	–	1	1	–	–	–	–	–

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND during the YEAR 1879. (*Continued.*)

Class.	CAUSES OF DEATH.	Males. Total.	Males. Shetland.	Males. Orkney.	Males. Ross and Cromarty.	Males. Inverness.	Males. Argyll.	Males. Bute.	Females. Total.	Females. Shetland.	Females. Orkney.	Females. Ross and Cromarty.	Females. Inverness	Females. Argyll.	Females. Bute.
	ORDER 8.														
	1. Phlegmon	3	–	2	–	1	–	–	–	–	–	–	–	–	–
	2. Ulcer	–	–	–	–	–	–	–	3	–	–	1	–	1	1
	3. *Skin Disease, etc.*	–	–	–		–	–	–	–	–	–	–	.	–	–
IV.	ORDER 1.														
	1. Premature Birth	2	–	–	–	–	–	2	3	1	–	–	–	–	2
	2. Cyanosis	–	–	–	–	–	–	–	1	–	–	1	–	–	–
	3. Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Other Malformations	–	–	–	–	–	–	–	1	–	–	1	–	–	–
	5. Teething	4	1	1	–	–	2	–	2	–	–	–	1	1	–
	ORDER 2.														
	1. Paramenia	–	–	–	–	–	–	–	1	–	1	–	–	–	–
	2. Childbirth (*see* Puerperal Fever)	–	–	–	–	–	–	–	18	2	4	1	8	2	1
	ORDER 3.														
	1. Old Age	181	47	39	13	38	33	11	279	66	71	15	72	37	18
	ORDER 4.														
	1. Atrophy and Debility	13	1	4	1	3	3	1	17	–	7	–	8	1	1
V.	ORDER 1. (*Accident or Negligence.*)														
	1. Fractures and Contusions	5	–	1	–	1	3	–	3	1	–	–	1	1	–
	2. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Cut, Stab	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Burns and Scalds	2	–	1	–	1	–	–	6	–	1	2	2	–	1
	5. Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Drowning	36	9	6	1	7	10	3	6	–	1	–	–	5	–
	7. Suffocation	2	–	–	–	–	1	1	1	–	–	1	–	–	–
	8. Otherwise	4	–	–	–	3	1	–	4	1	–	–	3	–	–
	ORDER 3. (*Homicide.*)														
	1. Murder and Manslaughter	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4. (*Suicide.*)														
	1. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cut, Stab	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Drowning	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Hanging	1	–	1	–	–	–	–	–	–	–	–	–	–	–
	6. Otherwise and undefined	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 5. (*Execution.*)														
	1. Hanging	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Sudden Deaths (cause unascertained)	–	–	–	–	–	–	–	1	–	–	1	–	–	–
	Causes not specified or ill-defined	134	27	10	33	40	22	2	136	23	14	32	46	20	1

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1879.—MALES.

Class.	CAUSES OF DEATH.	MALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30	35
	All Causes . . .	36296	3868	1293	2407	2956	1349	927	557	1635	955	1165	1331	1140	1003
	Specified Causes . .	35635	3617	1252	2371	2924	1335	920	553	1616	944	1150	1318	1138	995
	(CLASSES.)														
I.	ZYMOTIC DISEASES	5409	391	256	632	965	561	378	247	601	170	132	131	80	82
II.	CONSTITUTIONAL ,,	6786	95	156	359	482	255	203	105	446	353	563	683	557	400
III.	LOCAL ,,	17147	1110	672	1139	1230	459	294	165	478	333	340	334	343	382
IV.	DEVELOPMENTAL ,,	4520	1936	139	219	193	33	12	8	13	11	5	5	2	5
V.	VIOLENT DEATHS	1773	85	29	22	54	27	33	28	78	77	110	165	156	126
	(ORDERS.)														
I.	1. MIASMATIC DISEASES .	5016	279	230	607	951	556	374	246	600	167	131	123	70	61
	2. ENTHETIC ,, .	141	58	18	13	8	1	–	1	–	–	1	3	1	8
	3. DIETIC ,, .	232	48	6	8	4	1	3	–	1	3	–	3	9	13
	4. PARASITIC ,, .	20	6	2	4	2	3	1	–	–	–	–	2	–	–
II.	1. DIATHETIC ,, .	935	16	2	3	8	5	4	5	12	8	11	16	15	15
	2. TUBERCULAR ,, .	5851	79	154	356	474	250	199	100	434	345	552	667	542	385
III.	1. DISEASES OF NERVOUS SYSTEM . .	4038	266	148	224	258	107	78	49	173	110	67	58	67	61
	2. ,, OF ORGANS OF CIRCULATION .	2477	16	8	3	3	4	1	2	18	39	59	47	57	76
	3. ,, OF RESPIRATORY ORGANS . .	7256	526	403	774	876	291	169	80	145	64	87	112	125	134
	4. ,, OF DIGESTIVE ORGANS . . .	2093	286	101	116	74	38	27	19	71	48	64	63	41	60
	5. ,, OF URINARY ORGANS . . .	967	2	–	5	9	12	11	8	37	26	36	32	35	42
	6. ,, OF ORGANS OF GENERATION .	3	2	–	–	–	–	–	–	–	–	–		–	–
	7. ,, OF ORGANS OF LOCOMOTION . .	194	2	–	3	1	2	5	4	29	43	23	19	12	8
	8. ,, OF INTEGUMENTARY SYSTEM . .	119	10	12	14	9	5	3	3	5	3	4	3	6	1
IV.	1. DEV. DIS. OF CHILDREN	1351	1024	28	147	132	14	1	1	–	3	–	–	–	–
	2. ,, OF ADULTS	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. ,, OF OLD PEOPLE	1869	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. DISEASES OF NUTRITION	1300	912	111	72	61	19	11	7	13	8	5	5	2	5

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1879.—FEMALES.

Class.	CAUSES OF DEATH.	FEMALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.			2	3	4	5	10	15	20	25	30	35
			3	6	12										
	All Causes . . .	37051	2887	1065	2051	2704	1325	860	621	1556	954	1240	1331	1305	1138
	Specified Causes . .	36450	2704	1035	2019	2691	1315	850	617	1541	951	1228	1320	1290	1127
	(CLASSES.)														
I.	ZYMOTIC DISEASES	5714	327	240	569	1019	615	400	284	625	176	148	146	146	118
II.	CONSTITUTIONAL ,,	7785	93	134	344	413	233	145	134	426	454	732	731	645	532
III.	LOCAL ,,	16500	768	495	911	1043	408	267	160	436	298	301	340	384	389
IV.	DEVELOPMENTAL ,,	5824	1434	137	184	185	38	15	15	20	4	25	83	99	77
V	VIOLENT DEATHS .	627	82	29	11	31	21	23	24	34	19	22	20	16	11
	(ORDERS.)														
I.	1. MIASMATIC DISEASES .	5431	244	210	548	1015	611	394	283	619	176	146	144	139	101
	2. ENTHETIC ,, .	108	44	21	17	2	2	1	–	1	–	2	1	3	2
	3. DIETIC ,, .	158	32	8	3	1	-	3	1	3	–	–	1	4	15
	4. PARASITIC ,, .	17	7	1	1	1	2	2	–	2	–	–	–	–	–
II.	1. DIATHETIC ,, .	1538	15	2	2	2	4	12	3	12	3	13	20	26	38
	2. TUBERCULAR ,, .	6247	78	132	342	411	229	133	131	414	451	719	711	619	494
III.	1. DISEASES OF NERVOUS SYSTEM . .	3693	191	92	157	183	83	62	47	151	84	69	59	65	60
	2. ,, OF ORGANS OF CIRCULATION .	2580	18	3	3	1	2	3	1	31	53	57	63	79	76
	3. ,, OF RESPIRATORY ORGANS . .	7057	358	299	647	772	281	164	90	164	77	75	79	105	118
	4. ,, OF DIGESTIVE ORGANS . .	2150	181	94	95	63	33	26	14	56	35	59	68	60	80
	5. ,, OF URINARY ORGANS . . .	573	3	1	1	10	7	8	3	15	27	22	43	39	29
	6. ,, OF ORGANS OF GENERATION .	161	–	–	1	–	–	–	–	1	–	3	9	17	12
	7. ,, OF ORGANS OF LOCOMOTION . .	129	3	–	3	2	1	2	5	13	18	14	13	6	4
	8. ,, OF INTEGUMENTARY SYSTEM . .	157	14	6	4	12	1	2	–	5	4	2	6	13	10
IV.	1. DEV. DIS. OF CHILDREN	1042	741	33	121	124	15	3	1	2	–	1	–	–	–
	2. ,, OF ADULTS .	418	–	–	–	–	–	–	–	–	1	21	77	95	69
	3. ,, OF OLD PEOPLE	3212	–	–	–	-	–	–	–	–	–	–	–	–	–
	4. DISEASES OF NUTRITION	1152	693	104	63	61	23	12	14	18	3	3	6	4	8

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1879.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
	All Causes . .	1103	1180	1232	1379	1495	1830	1888	1784	1816	1163	582	191	53	5	9
	Specified Causes . .	1090	1158	1217	1362	1478	1800	1863	1750	1782	1162	582	191	53	5	9
	(CLASSES.)															
I.	ZYMOTIC DISEASES	68	82	66	71	86	77	107	88	77	40	14	5	1	–	1
II.	CONSTITUTIONAL ,,	363	283	284	275	234	205	175	133	111	44	15	5	1	–	1
III.	LOCAL ,,	531	677	726	902	1047	1350	1371	1237	1124	615	221	51	12	–	4
IV.	DEVELOPMENTAL ,,	7	5	12	14	33	79	136	255	451	452	325	127	38	5	–
V.	VIOLENT DEATHS .	121	111	129	100	78	89	74	37	19	11	7	3	1	–	3
	(ORDERS.)															
I.	1. MIASMATIC DISEASES .	50	49	46	49	68	63	89	79	70	37	14	5	1	–	1
	2. ENTHETIC ,, .	1	5	7	4	2	2	2	3	2	1	–	–	–	–	–
	3. DIETIC ,, .	17	28	13	18	16	12	16	6	5	2	–	–	–	–	–
	4. PARASITIC ,, .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	1. DIATHETIC ,, .	25	37	69	101	98	114	118	96	98	38	14	5	1	–	1
	2. TUBERCULAR ,, .	338	246	215	174	136	91	57	37	13	6	1	–	–	–	–
III.	1. DISEASES OF NERVOUS SYSTEM . .	88	120	148	183	224	323	328	354	337	176	66	22	1	–	2
	2. ,, OF ORGANS OF CIRCULATION .	104	159	163	203	215	308	312	292	225	113	41	6	2	–	1
	3. ,, OF RESPIRATORY ORGANS . .	195	260	273	355	404	453	474	380	366	207	82	16	4	–	1
	4. ,, OF DIGESTIVE ORGANS . .	88	88	88	97	140	167	151	110	90	46	15	3	2	–	–
	5. ,, OF URINARY ORGANS . .	46	39	44	52	56	90	97	96	99	69	17	4	3	–	–
	6. ,, OF ORGANS OF GENERATION .	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. ,, OF ORGANS OF LOCOMOTION . .	8	6	7	6	1	5	4	2	2	2	–	–	–	–	–
	8. ,, OF INTEGUMENTARY SYSTEM . .	2	4	3	6	7	4	5	3	5	2	–	–	–	–	–
IV.	1. DEV. DIS. OF CHILDREN .	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. ,, OF ADULTS .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. ,, OF OLD PEOPLE	–	–	–	–	1	79	136	255	451	452	325	127	38	5	–
	4. DISEASES OF NUTRITION	7	4	12	14	32	–	–		–	–	–	–	–	–	–

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1879.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
	All Causes . .	1272	1157	1189	1451	1489	1909	2027	2176	2274	1728	886	339	90	22	5
	Specified Causes . .	1261	1141	1173	1435	1456	1875	1981	2128	2244	1726	886	339	90	22	5
	(CLASSES).															
I.	ZYMOTIC DISEASES	86	73	78	77	82	100	88	114	96	59	39	7	2	–	–
II.	CONSTITUTIONAL ,,	503	371	338	365	282	265	214	180	145	71	26	8	1	–	–
III.	LOCAL ,,	556	609	704	916	1008	1343	1426	1359	1276	694	306	81	16	3	3
IV.	DEVELOPMENTAL ,,	100	65	28	46	56	146	229	435	697	880	501	236	70	18	1
V.	VIOLENT DEATHS .	16	23	25	31	28	21	24	40	30	22	14	7	1	1	1
	(ORDERS.)															
I.	1. MIASMATIC DISEASES .	75	62	53	65	73	82	81	110	93	59	39	7	2	–	–
	2. ENTHETIC ,, .	2	3	2	1	1	1	1	–	1	–	–	–	–	–	–
	3. DIETIC ,, .	9	8	23	11	8	17	6	4	1	–	–	–	–	–	–
	4. PARASITIC ,, .	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
II.	1. DIATHETIC ,, .	77	85	125	198	176	189	164	150	124	65	26	7	–	–	–
	2. TUBERCULAR ,, .	426	286	213	167	106	76	50	30	21	6	–	1	1	–	–
III.	1. DISEASES OF NERVOUS SYSTEM . .	90	95	129	193	216	322	341	329	362	201	85	21	3	1	2
	2. ,, OF ORGANS OF CIRCULATION .	121	149	168	222	202	297	326	295	231	121	41	16	–	–	1
	3. ,, OF RESPIRATORY ORGANS . .	162	205	215	317	365	491	536	546	503	286	151	37	12	2	–
	4. ,, OF DIGESTIVE ORGANS . . .	102	93	124	125	156	160	169	136	130	63	21	6	1	–	–
	5. ,, OF URINARY ORGANS . . .	46	36	41	37	44	43	37	29	32	15	4	1	–	–	–
	6. ,, OF ORGANS OF GENERATION .	18	19	19	10	13	18	8	7	4	2	–	–	–	–	–
	7. ,, OF ORGANS OF LOCOMOTION . .	9	5	3	4	6	2	3	6	4	2	1	–	–	–	–
	8. ,, OF INTEGUMENTARY SYSTEM . .	8	7	5	8	6	10	6	11	10	4	3	–	–	–	–
IV.	1. DEV. DIS. OF CHILDREN	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	2. ,, OF ADULTS .	91	56	7	1	–	–	–	–	–	–	–	–	–	–	–
	3. ,, OF OLD PEOPLE	–	–	–	–	–	146	228	435	697	880	501	236	70	18	1
	4. DISEASES OF NUTRITION	9	9	21	45	55	–	1	–	–	–	–	–	–	–	–

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1879.—MALES. (*Continued*).

Class.	CAUSES OF DEATH.	MALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30	35
V.	1. ACCIDENT OR NEGLIGENCE	1643	82	28	22	54	27	33	28	76	74	110	157	148	116
	*														
	3. HOMICIDE	7	3	1	–	–	–	–	–	2	–	–	–	–	–
	4. SUICIDE	123	–	–		–	–	–	–	–	3		8	8	10
	5. EXECUTION	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	SUDDEN DEATHS, CAUSE UNASCERTAINED	54	10	4	–	–	–	1	–	4	2	1	1	–	–
	CAUSES NOT SPECIFIED	607	241	37	36	32	14	6	4	15	9	14	12	2	8
I.	ORDER 1.														
	1. Small Pox	7	1	–	–	–	–	–	–	1	–	–	–	2	–
	2. Measles	402	6	6	78	146	77	33	15	34	3	2	2	–	–
	3. Scarlatina	844	6	5	53	116	134	124	86	236	56	13	6	1	4
	4. Diphtheria	419	7	5	21	89	64	52	41	96	19	7	4	3	–
	5. Quinsy	17	2	2	2	4	2	–	–	–	1	–	–	–	–
	6. Croup	370	14	15	43	111	54	45	32	49	7	–	–	–	–
	7. Hooping-cough	1104	85	86	267	348	164	68	35	49	1	1	–	–	–
	8. Typhus Fever	111	–	–	–	–	2	3	2	8	8	11	12	8	9
	8. Enteric or Typhoid Fever	491	–	2	9	10	21	26	19	74	40	53	78	35	23
	8. Relapsing Fever	4	–	–	–	–	–	–	–	1	–	–	1	–	–
	8. Simple Continued Fever	68	–	1	3	2	2	3	4	12	3	11	2	4	4
	9. Erysipelas	146	33	5	8	2	–	1	1	5	3	6	1	3	5
	10. Puerperal Fever (Metria)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. Carbuncle	12	1	1	–	–	–	–	–	–	–	–	–	–	1
	12. Influenza	57	1	1	2	3	1	1	1	2	–	2	1	1	2
	13. Dysentery	72	4	3	14	5	3	2	1	1	1	–	2	3	2
	14. Diarrhœa	636	113	86	93	102	21	8	5	18	6	4	6	1	6
	15. Cholera	50	5	8	11	8	3	2	–	2	–	1	–	1	–
	16. Ague	3	–	–	–	–	–	–	–	–	–	–	–	–	–
	17. Remittent Fever	35	–	3	2	4	8	4	3	5	1	1	–	–	–
	18. Rheumatism	164	–	–	–	1	–	2	1	7	18	19	8	8	5
	19. Other *Miasmatic* Diseases	4	1	1	1	–	–	–	–	–	–	–	–	–	–
	ORDER 2.														
	1. Syphilis	121	58	18	13	8	1	–	1	–	–	1	3	1	6
	2. Stricture of Urethra	20	–	–	–	–	–	–	–	–	–	–	–	–	2
	3. Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Glanders	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.														
	1. Privation	7	1	–	–	3	–	1	–	–	1	–	–	–	–
	2. Want of Breast Milk	57	45	6	6	–	–	–	–	–	–	–	–	–	–
	3. Purpura and Scurvy	29	2	–	2	1	1	2	–	1	2	–	2	1	2
	4. Alcoholism *a* Del. Tremens	35	–	–	–	–	–	–	–	–	–	–	1	3	3
	4. Alcoholism *b* Intemperence	104	–	–	–	–	–	–	–	–	–	–	–	5	8
	ORDER 4.														
	1. Thrush	16	6	2	4	1	2	1	–	–	–		–	–	–
	2. Worms, etc.	4	–	–	–	1	1	–	–	–	–	–	2	–	–
II.	ORDER 1.														
	1. Gout	10	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Dropsy	179	12	2	2	4	2	3	5	10	6	6	5	2	5
	3. Cancer	663	1	–	–	3	2	–	–	1	2	4	8	11	10
	4. Cancrum Oris (Noma)	5	2	–	–	–	–	1	–	–	–	–	1	1	–
	5. Mortification	78	1	–	1	1	1	–	–	1	–	1	2	1	–

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1879.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30	35
V.	1. ACCIDENT OR NEGLIGENCE	565	76	29	11	31	21	23	24	33	18	17	14	9	8
	*														
	3. HOMICIDE	7	6	–	–	–	–	–	–	1	–	–	–	–	–
	4. SUICIDE	55	–	–	–	–	–	–	–	–	1	5	6	7	3
	5. EXECUTION	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	SUDDEN DEATHS, CAUSE UNASCERTAINED	52	5	2	1	–	1	–	–	–	–	1	1	1	2
	CAUSES NOT SPECIFIED	549	178	28	31	13	9	10	4	15	3	11	10	14	9
I.	ORDER 1.														
	1. Small-pox	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Measles	367	6	8	59	150	52	28	24	31	4	2	–	1	1
	3. Scarlatina	748	6	4	37	105	139	100	69	217	38	11	10	5	4
	4. Diphtheria	443	4	6	19	69	62	57	48	108	35	17	6	6	2
	5. Quinsy	13	–	–	1	3	1	–	2	2	–	–	–	–	–
	6. Croup	358	19	8	31	112	68	44	34	39	2	1	–	–	–
	7. Hooping-cough	1379	84	80	292	442	213	126	71	63	4	2	–	1	–
	8. Typhus Fever	99	–	–	–	–	1	1	1	5	7	12	14	9	7
	8. Enteric or Typhoid Fever	522	–	1	5	13	22	21	17	102	54	66	61	33	25
	8. Relapsing Fever	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Simple Continued Fever	65	1	1	1	4	3	4	4	12	6	6	2	4	2
	9. Erysipelas	119	30	5	7	2	4	1	1	2	9	2	–	4	4
	10. Puerperal Fever (Metria)	184	–	–	–	–	–	–	–	–	–	5	39	54	40
	11. Carbuncle	6	–	–	–	–	–	–	–	–	–	–	–	–	–
	12. Influenza	66	2	1	1	–	3	–	2	2	–	1	1	1	1
	13. Dysentery	72	1	5	3	7	–	–	–	–	–	1	2	5	–
	14. Diarrhœa	689	87	86	80	90	33	6	3	15	5	4	4	9	5
	15. Cholera	42	3	5	7	8	3	1	–	4	–	1	–	1	–
	16. Ague	3	–	–	–	–	–	1	–	–	–	–	–	–	–
	17. Remittent Fever	31	–	–	4	8	5	2	2	6	–	1	–	–	–
	18. Rheumatism	216	–	–	–	–	–	1	5	11	12	14	5	6	10
	19. Other *Miasmatic* Diseases	7	1	–	1	2	2	1	–	–	–	–	–	–	–
	ORDER 2.														
	1. Syphilis	104	44	21	17	2	2	1	–	–	–	–	1	3	2
	2. Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Hydrophobia	4	–	–	–	–	–	–	–	1	–	2	–	–	–
	4. Glanders	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.														
	1. Privation	6	1	–	–	–	–	–	–	–	–	–	–	1	1
	2. Want of Breast Milk	43	31	8	3	1	–	–	–	–	–	–	–	–	–
	3. Purpura and Scurvy	12	–	–	–	–	–	3	1	3	–	–	–	–	1
	4. Alcoholism *a* Del. Tremens	7	–	–	–	–	–	–	–	–	–	–	–	–	1
	4. Alcoholism *b* Intemperance	90	–	–	–	–	–	–	–	–	–	–	1	3	12
	ORDER 4.														
	1. Thrush	9	7	1	1	–	–	–	–	–	–	–	–	–	–
	2. Worms, etc.	8	–	–	–	1	2	2	–	2	–	–	–	–	–
II.	ORDER 1.														
	1 Gout	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Dropsy	276	9	1	1	2	3	7	1	7	3	8	10	7	8
	3. Cancer	1167	2	1	–	–	–	2	–	3	–	5	9	19	30
	4. Cancrum Oris (Noma)	3	1	–	–	–	–	1	1	–	–	–	–	–	–
	5. Mortification	90	3	–	1	–	1	2	1	2	–	–	1	–	–

* See page 52, note *.

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1879.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
V.	1. ACCIDENT OR NEGLIGENCE	114	99	106	90	70	74	64	30	16	11	7	3	1	–	3
	*															
	3. HOMICIDE	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	4. SUICIDE	7	12	23	10	7	15	10	7	3	–	–	–	–	–	–
	5. EXECUTION	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	SUDDEN DEATHS, CAUSE UNASCERTAINED	2	3	5	3	2	6	–	4	5	1	–	–	–	–	–
	CAUSES NOT SPECIFIED	11	19	10	14	15	24	25	30	29	–	–	–	–	–	–
I.	ORDER 1.															
	1. Small-pox	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	2. Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Scarlatina	–	1	2	–	–	1	–	–	–	–	–	–	–	–	–
	4. Diphtheria	–	4	–	2	–	–	2	1	1	1	–	–	–	–	–
	5. Quinsy	–	1	–	–	–	–	–	1	1	–	1	–	–	–	–
	6. Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. Hooping-cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Typhus Fever	8	9	6	10	8	4	2	1	–	–	–	–	–	–	–
	8. Enteric or Typhoid Fever	18	10	17	9	14	11	11	5	3	1	1	–	–	–	1
	8. Relapsing Fever	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	8. Simple Continued Fever	1	4	1	1	2	–	4	1	1	2	–	–	–	–	–
	9. Erysipelas	4	3	5	3	10	11	16	10	7	4	–	–	–	–	–
	10. Puerperal Fever (Metria)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. Carbuncle	–	1	1	–	1	1	2	–	3	–	–	–	–	–	–
	12. Influenza	2	1	1	4	2	2	5	9	3	3	5	2	–	–	–
	13. Dysentery	2	2	1	2	5	4	5	3	2	4	1	–	–	–	–
	14. Diarrhœa	6	3	6	6	11	18	29	31	32	17	4	3	1	–	–
	15. Cholera	–	1	–	3	–	1	3	–	1	–	–	–	–	–	–
	16. Ague	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–
	17. Remittent Fever	–	–	1	–	2	1	–	–	–	–	–	–	–	–	–
	18. Rheumatism	7	7	3	7	13	9	10	17	15	5	2	–	–	–	–
	19. Other *Miasmatic* Diseases	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	ORDER 2.															
	1. Syphilis	–	3	4	4	–	–	–	–	–	–	–	–	–	–	–
	2. Stricture of Urethra	1	2	3	–	2	2	2	3	2	1	–	–	–	–	–
	3. Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Glanders	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.															
	1. Privation	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	2. Want of Breast Milk	–	–	–	–	–	–	–		–	–	–	–	–	–	–
	3. Purpura and Scurvy	1	–	2	2	2	–	2	1	2	1	–	–	–	–	–
	4. Alcoholism *a* Del. Tremens	8	8	2	3	3	2	1	1	–		–	–	–	–	–
	4. Alcoholism *b* Intemperance	8	20	9	12	11	10	13	4	3	1	–	–	–	–	–
	ORDER 4.															
	1. Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Worms, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	ORDER 1.															
	1. Gout	–	–	–	–	1	1	2	3	3	–	–	–	–	–	–
	2. Dropsy	4	7	8	14	14	9	21	12	17	8	1	–	–	–	–
	3. Cancer	20	30	59	82	80	100	87	71	60	21	7	2	1	–	1
	4. Cancrum Oris (Noma)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Mortification	1	–	2	5	3	4	8	10	18	9	6	3	–	–	–

* See page 52, note *.

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1879.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
V.	1. ACCIDENT OR NEGLIGENCE	15	19	19	24	23	15	23	37	30	22	14	7	1	1	1
	*															
	3. HOMICIDE	–	–	–	–	–	–	–	–		–	–	–	–	–	–
	4. SUICIDE	1	4	6	7	5	6	1	3	–	–	–	–	–	–	–
	5. EXECUTION	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	SUDDEN DEATHS, CAUSE UNASCERTAINED	3	–	5	1	4	9	9	4	2	1	–	–	–	–	–
	CAUSES NOT SPECIFIED	8	16	11	15	29	25	37	44	28	1	–	–	–	–	–
I.	ORDER 1.															
	1. Small-pox	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Measles	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	3. Scarlatina	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Diphtheria	–	1	–	2	–	–	1	–	–	–	–	–	–	–	–
	5. Quinsy	–	1	–	1	–	1	–	–	–	–	1	–	–	–	–
	6. Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. Hooping-cough	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	8. Typhus Fever	4	6	11	9	6	4	1	1	–	–	–	–	–	–	–
	8. Enteric or Typhoid Fever	22	8	11	11	14	8	13	10	3	1	1	–	–	–	–
	8. Relapsing Fever	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Simple Continued Fever	2	2	–	2	3	1	1	2	1	–	1	–	–	–	–
	9. Erysipelas	4	5	2	1	6	4	6	7	7	5	1	–	–	–	–
	10. Puerperal Fever (Metria)	23	19	4	–	–	–	–	–	–	–	–	–	–	–	–
	11. Carbuncle	–	–	–	–	2	1	1	1	–	1	–	–	–	–	–
	12. Influenza	1	–	–	1	5	2	5	10	14	9	4	–	–	–	–
	13. Dysentery	2	2	3	1	7	6	7	7	4	6	3	–	–	–	–
	14. Diarrhœa	7	5	15	16	21	30	21	40	47	29	23	7	1	–	–
	15. Cholera	2	1	–	1	–	2	–	2	–	1	–	–	–	–	–
	16. Ague	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
	17. Remittent Fever	–	–	–	1	–	–	1	1	–	–	–	–	–	–	–
	18. Rheumatism	5	10	7	17	8	23	23	29	17	7	5	–	1	–	–
	19. Other *Miasmatic* Diseases	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 2.															
	1. Syphilis	2	3	1	1	1	1	1	–	1	–	–	–	–	–	–
	2. Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Hydrophobia	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	4. Glanders	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.															
	1. Privation	–	–	1	–	1	–	–	–	1	–	–	–	–	–	–
	2. Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Purpura and Scurvy	–	1	–	–	–	1	2	–	–	–	–	–	–	–	–
	4. Alcoholism *a* Del. Tremens	1	1	2	1	1	–	–	–	–	–	–	–	–	–	–
	4. Alcoholism *b* Intemperance	8	6	20	10	6	16	4	4	–	–	–	–	–	–	–
	ORDER 4.															
	1. Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Worms, etc.	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
II.	ORDER 1.															
	1. Gout	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–
	2. Dropsy	10	10	13	21	19	29	20	35	27	19	5	1	–	–	–
	3. Cancer	66	75	111	174	155	149	132	105	79	32	15	3	–	–	–
	4. Cancrum Oris (Noma)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Mortification	1	–	1	3	2	10	12	10	17	14	6	3	–	–	–

* See page 52, note *.

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1879.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30	35
	ORDER 2.														
	1. Scrofula	378	6	7	26	40	15	19	14	48	62	42	30	14	13
	2. Tabes Mesenterica	573	28	49	64	109	66	47	31	90	37	14	9	7	3
	3. Phthisis	3847	12	13	40	83	47	38	22	159	206	482	622	511	365
	4. Hydrocephalus	1053	33	85	226	242	122	95	33	137	40	14	6	10	4
III.	ORDER 1.														
	1. Cephalitis	608	18	31	73	92	43	42	21	98	47	29	17	12	15
	2. Apoplexy	969	11	13	28	35	18	11	9	22	12	7	5	11	9
	3. Paralysis	1054	3	–	–	3	1	1	–	4	6	2	10	9	14
	4. Insanity	66	–	–	–	–	–	–	–	–	1	3	6	3	2
	5. Chorea	2	–	–	–	–	–	–	–	1	1	–	–	–	–
	6. Epilepsy	151	3	3	3	5	–	2	1	8	9	9	6	15	10
	7. Convulsions	592	204	91	107	107	35	9	13	10	2	3	–	2	–
	8. *Brain Disease, etc.*	596	27	10	13	16	10	13	5	30	32	14	14	15	11
	ORDER 2.														
	1. Pericarditis	61	–	1	2	1	2	–	–	4	6	4	4	2	1
	2. Aneurism	77	–	–	–	–	–	–	–	–	–	–	–	2	9
	3. *Heart Disease, etc.*	2339	16	7	1	2	2	1	2	14	33	55	43	53	66
	ORDER 3.														
	1. Laryngitis	115	14	9	12	27	6	4	6	6	1	2	1	3	3
	2. Bronchitis	4377	354	294	544	591	184	100	43	63	23	21	20	32	36
	3. Pleurisy	187	6	4	5	5	1	–	4	7	5	7	14	16	8
	4. Pneumonia	1730	70	73	166	190	74	47	23	50	25	45	66	59	60
	5. Asthma	182	–	–	–	–	–	–	–	–	1	1	–	2	4
	6. *Lung Disease, etc.*	665	82	23	47	63	26	18	4	19	9	11	11	13	23
	ORDER 4.														
	1. Gastritis	95	13	10	7	5	1	3	4	4	2	1	2	1	1
	2. Enteritis	427	96	49	52	40	15	13	3	20	16	15	11	4	9
	3. Peritonitis	208	16	6	9	6	9	2	3	16	15	16	10	7	11
	4. Ascites	27	1	–	–	–	1	1	1	4	3	2	–	–	–
	5. Ulceration of Intestines	110	1	1	2	–	–	–	–	4	3	9	6	2	3
	6. Hernia	56	3	2	2	–	2	–	–	–	1	2	1	1	2
	7. Ileus	144	15	4	11	2	–	–	1	3	1	2	7	3	2
	8. Intussusception	34	5	8	4	1	1	–	–	1	–	1	1	1	2
	9. Stricture of Intestines	23	–	–	–	–	–	–	–	–	–	–	–	–	1
	10. Fistula	10	–	–	–	–	–	–	1	1	–	–	–	1	–
	11. *Stomach Disease, etc.*	320	61	17	24	17	4	1	3	6	3	6	5	6	12
	12. *Pancreas Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Hepatitis	85	11	–	–	1	–	3	1	1	–	1	5	–	4
	14. Jaundice	115	49	2	–	1	3	1	–	–	1	–	2	2	2
	15. *Liver Disease, etc.*	416	15	2	3	1	1	3	1	11	3	6	12	12	11
	16. *Spleen Disease, etc.*	23		–	2	–	1	–	1	–	–	3	1	1	–
	ORDER 5.														
	1. Nephritis	109	1	–	2	4	6	8	6	13	6	7	2	4	6
	2. Ischuria	49	–	–	–	–	–	–	–	1	1	1	–	–	–
	3. Bright's Disease (Nephria)	237	–	–	1	2	–	2	1	12	8	12	11	18	16
	4. Diabetes	79	–	–	–	–	1	–	–	1	2	6	5	4	11
	5. Calculus (Stone)	37	–	–	–	–	–	–	–	1	–	–	1	2	1
	6. Cystitis	140	–	–	–	–	–	–	–	1	2	1	3	3	–
	7. *Kidney Disease, etc.*	316	1	–	2	3	5	1	1	8	7	9	10	4	8
	ORDER 6.														
	1. Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. *Uterus Disease, etc.*	3	2	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 7.														
	1. Synovitis (Arthritis)	27	1	–	–	–	–	3	1	5	8	1	–	2	–
	2. *Joint Disease, etc.*	167	1	–	3	1	2	2	3	24	35	22	19	10	8

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1879.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES. ALL AGES	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30	35
	ORDER 2.														
	1. Scrofula	301	12	12	16	31	16	11	7	27	46	41	22	12	10
	2. Tabes Mesenterica	516	33	28	64	109	54	30	24	70	37	29	9	3	8
	3. Phthisis	4489	7	21	40	86	49	24	38	177	330	638	677	603	475
	4. Hydrocephalus	941	26	71	222	185	110	68	62	140	38	11	3	1	1
III.	ORDER 1.														
	1. Cephalitis	448	11	29	60	58	37	32	16	67	41	12	11	10	8
	2. Apoplexy	997	11	7	24	23	7	7	8	26	14	7	11	17	12
	3. Paralysis	1091	1	–	1	–	3	2	–	2	1	13	3	8	8
	4. Insanity	84	–	–	–	–	–	–	1	–	1	1	1	2	3
	5. Chorea	9	–	–	–	–	–	–	–	3	1	2	–	–	–
	6. Epilepsy	125	3	–	1	1	–	1	1	4	4	12	8	10	12
	7. Convulsions	455	153	56	57	84	31	16	6	21	3	3	4	2	2
	8. *Brain Disease, etc.*	484	12	–	14	17	5	4	15	28	19	19	21	16	15
	ORDER 2.														
	1. Pericarditis	57	–	–	–	–	1		1	4	4	3	4	4	1
	2. Aneurism	36	–	–	–	–	–	–	–	–	–	–	1	1	–
	3. *Heart Disease, etc.*	2487	18	3	3	1	1	3	–	27	49	54	58	74	75
	ORDER 3.														
	1. Laryngitis	82	4	2	11	19	10	8	3	6	2	1	2	1	1
	2. Bronchitis	4808	252	223	455	524	171	92	49	79	32	26	28	41	51
	3. Pleurisy	120	4	–	3	4	2	3	1	6	5	2	9	10	3
	4. Pneumonia	1337	37	51	131	171	78	45	29	54	25	34	31	38	48
	5. Asthma	171	2	–	–	–	–	1	–	–	–	2	–	1	1
	6. *Lung Disease, etc.*	539	59	23	47	54	20	15	8	19	13	10	9	14	14
	ORDER 4.														
	1. Gastritis	144	5	9	7	3	1	4	5	7	3	3	4	4	3
	2. Enteritis	386	76	42	47	35	14	12	3	19	6	7	5	4	9
	3. Peritonitis	262	10	2	10	13	4	5	2	11	6	20	31	16	24
	4. Ascites	39	–	–	–	–	1	1	–	1	3	–	1	1	1
	5. Ulceration of Intestines	133	1	–	2	1	–	–	–	3	4	6	11	5	15
	6. Hernia	73	1	–	1	–	–	–	–	–	–	1	–	2	–
	7. Ileus	144	11	8	3	–	2	1	1	3	2	2	3	3	3
	8. Intussusception	19	–	2	2	–	–	–	–	3	1	–	–	2	–
	9. Stricture of Intestines	9	–	–	–	–	–	–	–	–	–	–	–	–	–
	10. Fistula	4	–	–	–	–	–	–	–	–	–	2	–	–	1
	11. *Stomach Disease, etc.*	360	40	22	17	8	7	1	3	6	3	9	3	6	8
	12. *Pancreas Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Hepatitis	124	6	4	2	–	1	–	–	1	3	4	2	4	6
	14. Jaundice	88	25	3	2	1	1	2	–	–	–	–	1	1	2
	15. *Liver Disease, etc.*	341	6	2	2	1	2	–	–	2	3	4	5	11	7
	16. *Spleen Disease, etc.*	24	–	–	–	1	–	–	–	–	1	1	2	1	1
	ORDER 5.														
	1. Nephritis	90	1	1	1	6	4	4	–	4	4	5	4	5	6
	2. Ischuria	11	1	–	–	–	–	–	–	–	–	–	2	–	–
	3. Bright's Disease (Nephria)	220	–	–	–	3	–	4	–	6	10	6	20	21	8
	4. Diabetes	59	–	–	–	–	1	–	–	3	3	2	6	5	3
	5. Calculus (Stone)	3	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Cystitis	27	–	–	–	–	–	–	–	–	–	1	4	–	3
	7. *Kidney Disease, etc.*	163	1	–	–	1	2	–	3	2	10	8	7	8	9
	ORDER 6.														
	1. Ovarian Dropsy	70	–	–	–	–	–	–	–	1	–	1	2	7	5
	2. *Uterus Disease, etc.*	91	–	–	1	–	–	–	–	–	–	2	7	10	7
	ORDER 7.														
	1. Synovitis (Arthritis)	15	1	–	–	–	–	–	–	–	1	1	1	1	1
	2. *Joint Disease, etc.*	114	2	–	3	2	1	2	5	13	17	13	12	5	3

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1879.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
	ORDER 2.															
	1. Scrofula	11	8	7	2	5	4	1	4	–	–	–	–	–	–	–
	2. Tabes Mesenterica	3	2	3	5	–	3	–	2	–	1	–	–	–	–	–
	3. Phthisis	324	232	204	167	131	83	56	31	13	5	1	–	–	–	–
	4. Hydrocephalus	–	4	1	–	–	1	–	–	–	–	–	–	–	–	–
III.	ORDER 1.															
	1. Cephalitis	10	7	13	15	10	2	6	1	4	1	1	–	–	–	–
	2. Apoplexy	26	39	46	61	80	109	109	111	113	56	18	10	–	–	–
	3. Paralysis	18	36	40	57	79	145	144	180	166	87	39	9	1	–	–
	4. Insanity	3	5	6	5	3	6	4	11	2	–	3	1	–	–	2
	5. Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Epilepsy	9	9	12	7	9	7	9	4	8	3	–	–	–	–	–
	7. Convulsions	3	1	–	2	2	–	–	–	1	–	–	–	–	–	–
	8. *Brain Disease, etc.*	19	23	31	36	41	54	56	47	43	29	5	2	–	–	–
	ORDER 2.															
	1. Pericarditis	2	3	7	5	2	3	4	3	2	3	–	–	–	–	–
	2. Aneurism	8	13	17	7	8	4	6	2	–	–	–	1	–	–	–
	3. *Heart Disease, etc.*	94	143	139	191	205	301	302	287	223	110	41	5	2	–	1
	ORDER 3.															
	1. Laryngitis	1	3	–	3	3	2	5	3	1	–	–	–	–	–	–
	2. Bronchitis	57	114	130	198	238	287	302	248	253	164	64	12	4	–	1
	3. Pleurisy	15	12	11	15	11	12	10	8	8	1	1	1	–	–	–
	4. Pneumonia	89	92	86	98	90	102	90	63	47	16	8	1	–	–	–
	5. Asthma	7	9	15	15	22	16	25	24	27	11	2	1	–	–	–
	6. *Lung Disease, etc.*	26	30	31	26	40	34	42	34	30	15	7	1	–	–	–
	ORDER 4.															
	1. Gastritis	3	2	2	3	6	9	6	4	4	1	1	–	–	–	–
	2. Enteritis	5	4	8	7	13	12	8	8	11	6	2	–	–	–	–
	3. Peritonitis	14	6	5	7	6	14	7	8	6	8	1	–	–	–	–
	4. Ascites	2	–	2	2	1	2	2	2	1	–	–	–	–	–	–
	5. Ulceration of Intestines	2	4	9	6	13	18	16	3	5	3	–	–	–	–	–
	6. Hernia	–	1	1	4	2	4	8	5	8	2	4	1	–	–	–
	7. Ileus	6	7	8	5	11	12	10	12	8	9	3	1	1	–	–
	8. Intussusception	1	1	–	2	–	1	1	–	2	1	–	–	–	–	–
	9. Stricture of Intestines	–	–	1	2	4	4	7	3	1	–	–	–	–	–	–
	10. Fistula	–	1	2	1	3	–	–	–	–	–	–	–	–	–	–
	11. *Stomach Disease, etc.*	7	11	12	14	20	27	24	16	16	4	3	–	1	–	–
	12. *Pancreas Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Hepatitis	7	10	5	7	7	6	8	1	4	2	–	1	–	–	–
	14. Jaundice	5	2	1	2	4	8	5	13	7	4	1	–	–	–	–
	15. *Liver Disease, etc.*	32	36	31	33	48	49	48	35	17	6	–	–	–	–	–
	16. *Spleen Disease, etc.*	4	3	1	2	2	1	1	–	–	–	–	–	–	–	–
	ORDER 5.															
	1. Nephritis	10	4	5	2	5	6	4	4	1	3	–	–	–	–	–
	2. Ischuria	–	–	–	2	–	8	8	10	8	6	2	–	2	–	–
	3. Bright's Disease (Nephria)	14	12	16	22	28	16	17	14	8	6	1	–	–	–	–
	4. Diabetes	4	6	10	3	5	8	6	4	3	–	–	–	–	–	–
	5. Calculus (Stone)	4	–	–	–	2	1	5	8	9	3	–	–	–	–	–
	6. Cystitis	1	2	3	3	3	12	21	22	30	25	5	3	–	–	–
	7. *Kidney Disease, etc.*	13	15	10	20	13	39	36	34	40	26	9	1	1	–	–
	ORDER 6.															
	1. Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. *Uterus Disease, etc.*	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 7.															
	1. Synovitis (Arthritis)	–	1	1	1	–	1	1	–	1	–	–	–	–	–	–
	2. *Joint Disease, etc.*	8	5	6	5	1	4	3	2	1	2	–	–	–	–	–

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1879.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
	ORDER 2.															
	1. Scrofula	5	3	6	3	6	6	4	1	3	1	–	–	–	–	–
	2. Tabes Mesenterica	7	2	–	3	3	1	2	–	–	–	–	–	–	–	–
	3. Phthisis	414	281	206	161	97	67	44	29	18	5	–	1	1	–	–
	4. Hydrocephalus	–	–	1	–	–	2	–	–	–	–	–	–	–	–	–
III.	ORDER 1.															
	1. Cephalitis	13	5	12	5	5	8	1	2	4	1	–	–	–	–	–
	2. Apoplexy	26	32	50	82	85	122	118	105	110	58	28	6	1	–	–
	3. Paralysis	16	28	25	61	78	137	158	171	193	124	41	14	1	1	1
	4. Insanity	8	7	8	6	11	10	8	9	6	1	–	–	–	–	1
	5. Chorea	–	–	–	–	–	–	1	–	1	–	1	–	–	–	–
	6. Epilepsy	7	4	14	7	8	8	6	9	3	–	2	–	–	–	–
	7. Convulsions	4	1	2	4	1	–	–	2	2	–	1	–	–	–	–
	8. *Brain Disease, etc.*	16	18	18	28	28	37	49	31	43	17	12	1	1	–	–
	ORDER 2.															
	1. Pericarditis	5	3	6	2	1	3	7	5	3	–	–	–	–	–	–
	2. Aneurism	2	3	6	7	3	6	3	1	2	–	1	–	–	–	–
	3. *Heart Disease, etc.*	114	143	156	213	198	288	316	289	226	121	40	16	–	–	1
	ORDER 3.															
	1. Laryngitis	2	–	2	1	1	2	2	2	–	–	–	–	–	–	–
	2. Bronchitis	78	129	146	219	251	354	371	428	407	232	124	32	12	2	–
	3. Pleurisy	6	6	2	8	6	6	22	2	5	2	3	–	–	–	–
	4. Pneumonia	61	49	38	60	64	78	75	74	36	21	8	1	–	–	–
	5. Asthma	3	6	12	8	25	23	34	19	20	8	4	2	–	–	–
	6. *Lung Disease, etc.*	12	15	15	21	18	28	32	21	35	23	12	2	–	–	–
	ORDER 4.															
	1. Gastritis	6	7	7	5	12	13	9	7	12	8	–	–	–	–	–
	2. Enteritis	16	7	9	11	16	8	20	8	7	3	2	–	–	–	–
	3. Peritonitis	26	13	7	8	14	11	8	8	5	6	2	–	–	–	–
	4. Ascites	1	3	1	6	3	5	3	5	–	2	1	–	–	–	–
	5. Ulceration of Intestines	5	10	12	12	12	10	5	9	7	2	1	–	–	–	–
	6. Hernia	4	3	7	3	10	7	13	4	12	4	1	–	–	–	–
	7. Ileus	5	3	8	5	9	14	19	11	17	8	2	1	–	–	–
	8. Intussusception	–	1	1	1	1	1	1	1	2	–	–	–	–	–	–
	9. Stricture of Intestines	–	–	1	1	1	1	2	3	–	–	–	–	–	–	–
	10. Fistula	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	11. *Stomach Disease, etc.*	8	13	18	23	24	31	29	24	33	12	9	2	1	–	–
	12. *Pancreas Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Hepatitis	6	7	17	9	8	11	11	11	9	1	–	1	–	–	–
	14. Jaundice	1	2	6	4	8	3	12	6	4	2	2	–	–	–	–
	15. *Liver Disease, etc.*	19	24	28	32	36	45	35	38	22	14	1	2	–	–	–
	16. *Spleen Disease, etc.*	5	–	2	5	2	–	2	1	–	–	–	–	–	–	–
	ORDER 5.															
	1. Nephritis	4	7	5	6	4	5	5	2	6	1	–	–	–	–	–
	2. Ischuria	1	1	2	1	–	1	–	1	–	–	1	–	–	–	–
	3. Bright's Disease (Nephria)	17	14	18	13	20	19	18	9	9	4	1	–	–	–	–
	4. Diabetes	7	4	5	4	5	3	1	3	4	–	–	–	–	–	–
	5. Calculus (Stone)	1	–	–	–	–	1	1	–	–	–	–	–	–	–	–
	6. Cystitis	1	2	–	1	1	3	–	3	4	4	–	–	–	–	–
	7. *Kidney Disease, etc.*	15	8	11	12	14	11	12	11	9	6	2	1	–	–	–
	ORDER 6.															
	1. Ovarian Dropsy	4	7	9	6	7	11	3	3	3	1	–	–	–	–	–
	2. *Uterus Disease, etc.*	14	12	10	4	6	7	5	4	1	1	–	–	–		–
	ORDER 7.															
	1. Synovitis (Arthritis)	1	2	1	–	–	1	2	1	–	1	–	–	–	–	–
	2. *Joint Disease, etc*	8	3	2	4	6	1	1	5	4	1	1	–	–	–	–

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1879.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30	35
	ORDER 8.														
	1. Phlegmon	54	5	1	1	1	2	2	2	4	3	2	3	5	1
	2. Ulcer	17	1	–	–	–	1	–	1	–	–	2	–	1	–
	3. *Skin Disease, etc.*	48	4	11	13	8	2	1	–	1	–	–	–	–	–
IV.	ORDER 1.														
	1. Premature Birth	865	858	3	4	–	–	–	–	–	–	–	–	–	–
	2. Cyanosis	35	28	1	1	1	–	1	–	–	2	–	–	–	–
	3. Spina Bifida	31	28	2	1	–	–	–	–	–	–	–	–	–	–
	4. Other Malformations	115	106	2	4	2	–	–	–	–	1	–	–	–	–
	5. Teething	305	4	20	137	129	14	–	1	–	–	–	–	–	–
	ORDER 2.														
	1. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Childbirth (*see* Puerperal Fever)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.														
	1. Old Age	1869	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4.														
	1. Atrophy and Debility	1300	912	111	72	61	19	11	7	13	8	5	5	2	5
V.	ORDER 1. (*Accident or Negligence.*)														
	1. Fractures and Contusions	658	1	1	1	10	4	10	12	23	39	52	55	66	46
	2. Gunshot Wounds	4	–	–	–	–	–	–	–	–	–	2	1	–	–
	3. Cut, Stab	10	–	–	–	–	1	–	–	2	–	–	–	–	–
	4. Burns and Scalds	163	1	2	8	25	15	14	11	9	2	3	11	8	7
	5. Poison	19	1	1	2	1	1	–	–	1	–	1	1	–	3
	6. Drowning	452	2	–	–	13	5	7	3	30	25	33	66	60	46
	7. Suffocation	168	72	22	8	4	–	–	2	4	3	3	5	4	4
	8. Otherwise	169	5	2	3	1	1	2	–	7	5	16	18	10	10
	ORDER 3. (*Homicide.*)														
	1. Murder and Manslaughter	7	3	1	–	–	–	–	–	2	–	–	–	–	–
	ORDER 4. (*Suicide.*)														
	1. Gunshot Wounds	10	–	–	–	–	–	–	–	–	–	–	–	2	3
	2. Cut, Stab	21	–	–	–	–	–	–	–	–	–	–	2	3	–
	3. Poison	13	–	–	–	–	–	–	–	–	–	–	2	–	1
	4. Drowning	30	–	–	–	–	–	–	–	–	–	–	–	1	3
	5. Hanging	43	–	–	–	–	–	–	–	–	3	–	4	1	3
	6. Otherwise and undefined	6	–	–	–	–	–	–	–	–	–	–	–	1	–
	ORDER 5. (*Execution.*)														
	1. Hanging	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Sudden Deaths (cause unascertained)	54	10	4	–	–	–	1	–	4	2	1	1	–	–
	Causes not specified or ill-defined	607	241	37	36	32	14	6	4	15	9	14	12	2	8

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1879.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30	35
	ORDER 8.														
	1. Phlegmon	82	8	1	1	5	1	1	–	3	3	2	5	11	10
	2. Ulcer	55	2	2	2	2	–	1	–	2	1	–	1	2	–
	3. *Skin Disease, etc.*	20	4	3	1	5	–	–	–	–	–	–	–	–	–
IV.	ORDER 1.														
	1. Premature Birth	649	639	6	3	1	–	–	–	–	–	–	–	–	–
	2. Cyanosis	30	22	2	1	2	–	1	–	1	–	1	–	–	–
	3. Spina Bifida	36	28	5	2	–	–	–	–	1	–	–	–	–	–
	4. Other Malformations	58	50	2	1	3	1	–	–	–	–	–	–	–	–
	5. Teething	269	2	18	114	118	14	2	1	–	–	–	–	–	–
	ORDER 2.														
	1. Paramenia	21	–	–	–	–	–	–	–	–	1	9	6	1	–
	2. Childbirth (*see* Puerperal Fever)	397	–	–	–	–	–	–	–	–	–	12	71	94	69
	ORDER 3.														
	1. Old Age	3212	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4.														
	1. Atrophy and Debility	1152	693	104	63	61	23	12	14	18	3	3	6	4	8
V.	ORDER 1. (*Accident or Negligence.*)														
	1. Fractures and Contusions	171	2	2	3	3	–	4	3	12	7	6	7	4	2
	2. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Cut, Stab	5	–	–	–	–	–	–	1	–	–	–	1	–	–
	4. Burns and Scalds	132	1	–	4	20	13	10	15	16	–	2	3	–	1
	5. Poison	10	2	–	–	–	3	–	1	–	–	–	–	–	–
	6. Drowning	81	2	–	1	4	3	6	3	3	8	8	2	3	2
	7. Suffocation	111	58	26	3	3	1	–	–	1	1	–	–	2	1
	8. Otherwise	55	11	1	–	1	1	3	1	1	2	1	1	–	2
	ORDER 3. (*Homicide.*)														
	1. Murder and Manslaughter	7	6	–	–	–	–	–	–	1	–	–	–	–	–
	ORDER 4. (*Suicide.*)														
	1. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cut, Stab	10	–	–	–	–	–	–	–		–		1	–	1
	3. Poison	8	–	–	–	–	–			–	–	1	2	2	1
	4. Drowning	19	–	–	–	–	–	–	–	–	1	4	2	4	–
	5. Hanging	14	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Otherwise and undefined	4	–	–	–	–	–		–	–	–	–	1	1	1
	ORDER 5. (*Execution.*)														
	1. Hanging	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Sudden Deaths (cause unascertained)	52	5	2	1	–	1	–	–	–	–	1	1	1	2
	Causes not specified or ill-defined	549	178	28	31	13	9	10	4	15	3	11	10	14	9

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1879.—MALES. (*Continued*).

Class.	CAUSES OF DEATH.	MALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
	ORDER 8.															
	1. Phlegmon	2	4	3	4	4	–	3	1	–	1	–	–	–	–	–
	2. Ulcer	–	–	–	1	2	2	1	2	2	1	–	–	–	–	–
	3. *Skin Disease, etc.*	–	–	–	1	1	2	1	–	3	–	–	–	–	–	–
IV.	ORDER 1.															
	1. Premature Birth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cyanosis	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 2.															
	1. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Childbirth (*see* Puerperal Fever)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.															
	1. Old Age	–	–	–	–	1	79	136	255	451	452	325	127	38	5	–
	ORDER 4.															
	1. Atrophy and Debility	7	4	12	14	32	–	–	–	–	–	–	–	–	–	–
V.	ORDER 1. (*Accident or Negligence.*)															
	1. Fractures and Contusions	47	51	47	45	38	37	39	9	9	7	4	3	1	–	1
	2. Gunshot Wounds	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	3. Cut, Stab	–	2	–	2	–	2	1	–	–	–	–	–	–	–	–
	4. Burns and Scalds	12	12	2	6	3	1	–	7	1	2	1	–	–	–	–
	5. Poison	–	2	3	–	2	–	–	–	–	–	–	–	–	–	–
	6. Drowning	37	24	31	21	13	14	10	5	5	–	1	–	–	–	1
	7. Suffocation	3	1	7	6	5	8	3	3	–	–	–	–	–	–	1
	8. Otherwise	15	7	15	10	9	12	11	6	1	2	1	–	–	–	–
	ORDER 3. (*Homicide.*)															
	1. Murder and Manslaughter	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	ORDER 4. (*Suicide.*)															
	1. Gunshot Wounds	1	1	1	–	–	1	–	–	1	–	–	–	–	–	–
	2. Cut, Stab	2	1	3	2	1	4	2	1	–	–	–	–	–	–	–
	3. Poison	–	3	3	–	2	1	–	1	–	–	–	–	–	–	–
	4. Drowning	2	5	7	2	1	4	2	3	–	–	–	–	–	–	–
	5. Hanging	1	2	7	6	3	5	4	2	2	–	–	–	–	–	–
	6. Otherwise and undefined	1	–	2	–	–	–	2	–	–	–	–	–	–	–	–
	ORDER 5. (*Execution.*)															
	1. Hanging	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Sudden Deaths (cause unascertained)	2	3	5	3	2	6	–	4	5	1	–	–	–	–	–
	Causes not specified or ill-defined	11	19	10	14	15	24	25	30	29	–	–	–	–	–	–

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1879.—FEMALES. (*Continued*).

Class.	CAUSES OF DEATH.	FEMALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
	ORDER 8.															
	1. Phlegmon	7	4	3	2	1	5	–	5	2	1	1	–	–	–	–
	2. Ulcer	–	2	2	4	5	5	4	5	8	3	2	–	–	–	–
	3. *Skin Disease, etc.*	1	1	–	2	–	–	2	1	–	–	–	–	–	–	–
IV.	ORDER 1.															
	1. Premature Birth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Other Malformations	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	5. Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 2.															
	1. Paramenia	1	2	1	–	–	–	–	–	–	–	–	–	–	–	–
	2. Childbirth (*see* Puerperal Fever)	90	54	6	1	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.															
	1. Old Age	–	–	–	–	–	146	228	435	697	880	501	236	70	18	1
	ORDER 4.															
	1. Atrophy and Debility	9	9	21	45	55	–	1	–	–	–	–	–	–	–	–
V.	ORDER 1. (*Accident or Negligence.*)															
	1. Fractures and Contusions	2	3	6	9	11	5	14	21	15	13	10	6	–	1	
	2. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Cut, Stab	–	1	–	–	–	1	–	–	1	–	–	–	–	–	–
	4. Burns and Scalds	2	2	3	9	3	1	4	7	6	7	3	–	–	–	–
	5. Poison	–	1	1	–	–	1	–	–	1	–	–	–	–	–	–
	6. Drowning	8	5	4	4	5	4	4	1	1	–	–	–	–	–	–
	7. Suffocation	1	5	2	2	1	2	–	–	1	–	–	–	–	–	1
	8. Otherwise	2	2	3	–	3	1	1	8	5	2	1	1	1	–	–
	ORDER 3. (*Homicide.*)															
	1. Murder and Manslaughter	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4. (*Suicide.*)															
	1. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cut, Stab	–	2	–	2	1	1	–	2	–	–	–	–	–	–	–
	3. Poison	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
	4. Drowning	–	1	1	1	3	1	–	1	–	–	–	–	–	–	–
	5. Hanging	1	1	5	4	–	3	–	–	–	–	–	–	–	–	–
	6. Otherwise and undefined	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	ORDER 5. (*Execution.*)															
	1. Hanging	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Sudden Deaths (cause unascertained)	3	–	5	1	4	9	9	4	2	1	–	–	–	–	–
	Causes not specified or ill-defined	8	16	11	15	29	25	37	44	28	1	–	–	–	–	–

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1879.—MALES.

ss.	CAUSES OF DEATH.	MALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30	35
	All Causes . . .	13397	1441	540	1030	1397	621	404	245	629	347	412	471	441	440
	Specified Causes . .	13290	1411	535	1028	1392	617	402	245	624	346	408	467	441	438
	(CLASSES.)														
I.	ZYMOTIC DISEASES	2005	152	108	252	410	220	139	96	181	47	29	45	22	35
II.	CONSTITUTIONAL ,,	2678	34	53	145	218	126	108	55	197	146	210	240	222	169
III.	LOCAL ,,	6616	441	304	525	644	247	140	84	213	124	134	127	138	186
IV.	DEVELOPMENTAL ,,	1388	738	54	95	102	18	6	3	6	2	2	1	1	2
V.	VIOLENT DEATHS .	603	46	16	11	18	6	9	7	27	27	33	54	58	46
	(ORDERS.)														
I.	1. MIASMATIC DISEASES .	1812	102	98	239	402	217	137	95	180	47	28	41	19	23
	2. ENTHETIC ,, .	84	37	9	8	5	–	–	1	–	–	1	1	–	3
	3. DIETIC ,, .	100	10	1	3	3	1	1	–	1	–	–	2	3	9
	4. PARASITIC ,, .	9	3	–	2	–	2	1	–	–	–	–	1	–	–
II.	1. DIATHETIC ,, .	287	5	1	–	3	1	3	2	4	3	7	5	7	6
	2. TUBERCULAR ,, .	2391	29	52	145	215	125	105	53	193	143	203	235	215	163
III.	1. DISEASES OF NERVOUS SYSTEM . .	1550	128	77	100	135	58	42	25	80	40	21	16	18	24
	2. ,, OF ORGANS OF CIRCULATION .	800	3	3	1	1	1	–	–	8	16	25	19	24	41
	3. ,, OF RESPIRATORY ORGANS . .	3143	194	190	385	462	167	83	43	69	26	31	49	59	68
	4. ,, OF DIGESTIVE ORGANS . . .	673	108	29	32	37	13	9	8	26	20	30	23	15	28
	5. ,, OF URINARY ORGANS . . .	337	1	–	–	5	6	4	4	13	10	18	16	14	21
	6. ,, OF ORGANS OF GENERATION .	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	7. ,, OF ORGANS OF LOCOMOTION . .	71	–	–	2	1	–	2	2	15	12	8	4	5	4
	8. ,, OF INTEGUMENTARY SYSTEM . .	41	6	5	5	3	2	–	2	2	–	1	–	3	–
IV.	1. DEV. DIS. OF CHILDREN .	576	428	9	60	70	8	–	–	–	1	–	–	–	–
	2. ,, OF ADULTS .	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. ,, OF OLD PEOPLE	335	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. DISEASES OF NUTRITION .	477	310	45	35	32	10	6	3	6	1	2	1	1	2

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1879.—FEMALES.

Class.	CAUSES OF DEATH.	FEMALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.												
			3	6	12	2	3	4	5	10	15	20	25	30	35
	All Causes . . .	13747	1172	471	909	1281	566	370	282	606	357	462	519	531	458
	Specified Causes .	13658	1151	465	905	1279	565	370	281	606	357	460	517	526	457
	(CLASSES.)														
I.	ZYMOTIC DISEASES	2181	151	116	248	430	244	151	112	200	45	36	54	52	50
II.	CONSTITUTIONAL ,,	3104	37	62	154	218	109	74	77	188	187	290	274	271	213
III.	LOCAL ,,	6477	331	210	421	542	193	125	78	197	119	121	139	154	165
IV.	DEVELOPMENTAL ,,	1661	590	56	77	83	14	7	10	4	1	7	43	46	26
V.	VIOLENT DEATHS .	235	42	21	5	6	5	13	4	17	5	6	7	3	3
	(ORDERS.)														
I.	1. MIASMATIC DISEASES .	2022	104	95	236	429	243	147	112	198	45	35	53	48	41
	2. ENTHETIC ,, .	70	30	17	11	1	–	1	–	–	–	1	–	2	1
	3. DIETIC ,, .	82	13	4	1	–	–	2	–	1	–	–	1	2	8
	4. PARASITIC ,, .	7	4	–	–	–	1	1	–	1	–	–	–	–	–
II.	1. DIATHETIC ,, .	496	4	–	–	1	1	7	2	3	2	8	4	9	20
	2. TUBERCULAR ,, .	2608	33	62	154	217	108	67	75	185	185	282	270	262	193
III.	1. DISEASES OF NERVOUS SYSTEM . .	1312	86	40	70	89	38	26	26	64	29	26	20	23	20
	2. ,, OF ORGANS OF CIRCULATION .	930	5	–	3	–	1	1	–	10	29	23	29	36	40
	3. ,, OF RESPIRATORY ORGANS . .	3144	167	133	313	423	138	83	44	80	25	37	39	53	53
	4. ,, OF DIGESTIVE ORGANS . . .	712	67	32	31	25	10	10	5	26	11	18	19	16	30
	5. ,, OF URINARY ORGANS . . .	211	–	–	–	1	5	4	1	7	15	12	21	15	12
	6. ,, OF ORGANS OF GENERATION .	55	–	–	1	–	–	–	–	–	–	2	2	5	5
	7. ,, OF ORGANS OF LOCOMOTION . .	52	2	–	2	2	–	1	2	7	8	3	7	1	3
	8. ,, OF INTEGUMENTARY SYSTEM . .	61	4	5	1	2	1	–	–	3	2	–	2	5	2
IV.	1. DEV. DIS. OF CHILDREN .	476	342	14	52	61	6	–	1	–	–	–	–	–	–
	2. ,, OF ADULTS .	160	–	–	–	–	–	–	–	–	–	7	40	44	25
	3. ,, OF OLD PEOPLE	602	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. DISEASES OF NUTRITION .	423	248	42	25	22	8	7	9	4	1	–	3	2	1

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1879.—MALES. (*Continued*).

Class.	CAUSES OF DEATH.	MALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
	All Causes . . .	488	503	517	583	570	633	569	469	364	187	80	14	2	–	–
	Specified Causes . .	482	494	512	579	567	623	566	467	363	187	80	14	2	–	–
	(CLASSES.)															
I.	ZYMOTIC DISEASES	35	38	31	26	24	32	32	20	16	12	2	1	–	–	–
II.	CONSTITUTIONAL ,,	166	110	123	114	80	51	49	30	22	8	2	–	–	–	–
III.	LOCAL ,,	246	305	305	404	423	481	425	341	230	106	39	4	–	–	–
IV.	DEVELOPMENTAL ,,	–	1	4	5	13	31	39	69	92	59	35	9	1	–	–
V.	VIOLENT DEATHS .	35	40	49	30	27	28	21	7	3	2	2	–	1	–	–
	(ORDERS.)															
I	1. MIASMATIC DISEASES .	26	20	20	14	14	22	26	16	14	9	2	1	–	–	–
	2. ENTHETIC ,, .	1	5	4	3	2	1	–	1	1	1	–	–	–	–	–
	3. DIETIC ,, .	8	13	7	9	8	9	6	3	1	2	–	–	–	–	–
	4. PARASITIC ,, .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	1. DIATHETIC ,, .	12	20	29	41	29	30	30	21	19	7	2	–	–	–	–
	2. TUBERCULAR ,, .	154	90	94	73	51	21	19	9	3	1	–	–	–	–	–
III.	1. DISEASES OF NERVOUS SYSTEM . .	36	45	59	88	92	120	109	109	77	42	9	–	–	–	–
	2. ,, OF ORGANS OF CIRCULATION .	50	68	71	83	72	105	89	67	35	10	7	1	–	–	–
	3. ,, OF RESPIRATORY ORGANS . .	101	134	116	170	189	183	169	113	88	32	20	2	–	–	–
	4. ,, OF DIGESTIVE ORGANS . . .	24	30	37	35	43	41	36	27	14	7	1	–	–	–	–
	5. ,, OF URINARY ORGANS . . .	31	22	16	25	23	32	19	25	15	14	2	1	–	–	–
	6. ,, OF ORGANS OF GENERATION .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. ,, OF ORGANS OF LOCOMOTION . .	3	4	5	2	–	–	–	–	1	1	–	–	–	–	–
	8. ,, OF INTEGUMENTARY SYSTEM . .	1	2	1	1	4	–	3	–	–	–	–	–	–	–	–
IV.	1. DEV. DIS. OF CHILDREN .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. ,, OF ADULTS .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. ,, OF OLD PEOPLE	–	–	–	–	–	31	39	69	92	59	35	9	1	–	–
	4. DISEASES OF NUTRITION .	–	1	4	5	13	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1879.—FEMALES. (*Continued*)

Class.	CAUSES OF DEATH.	FEMALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
	All Causes . . .	546	492	509	645	569	697	644	617	525	312	150	48	8	1	–
	Specified Causes . .	542	487	500	642	564	691	637	614	523	312	150	48	8	1	–
	(CLASSES.)															
I.	ZYMOTIC DISEASES	37	27	37	32	34	34	26	33	14	6	9	3	–	–	–
II.	CONSTITUTIONAL ,,	225	155	129	138	79	67	71	40	31	11	4	–	–	–	–
III.	LOCAL ,,	246	277	311	435	422	534	467	413	329	170	61	13	4	–	–
IV.	DEVELOPMENTAL ,,	30	17	9	20	19	47	64	117	141	122	75	31	4	1	–
V.	VIOLENT DEATHS .	4	11	14	17	10	9	9	11	8	3	1	1	–	–	–
	(ORDERS.)															
I.	1. MIASMATIC DISEASES .	29	20	22	23	28	27	24	32	13	6	9	3	–	–	–
	2. ENTHETIC ,, .	2	2	2	–	–	–	–	–	–	–	–	–	–	–	–
	3. DIETIC ,, .	6	5	13	9	6	7	2	1	1	–	–	–	–	–	–
	4. PARASITIC ,, .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	1. DIATHETIC ,, .	39	31	50	86	52	49	52	34	28	10	4	–	–	–	–
	2. TUBERCULAR ,, .	186	124	79	52	27	18	19	6	3	1	–	–	–	–	–
III.	1. DISEASES OF NERVOUS SYSTEM . .	38	37	44	85	84	121	102	108	77	39	15	4	1	–	–
	2. ,, OF ORGANS OF CIRCULATION .	53	73	77	109	73	105	96	72	55	29	10	1	–	–	–
	3. ,, OF RESPIRATORY ORGANS . .	77	104	117	174	191	227	208	190	151	79	29	7	2	–	–
	4. ,, OF DIGESTIVE ORGANS . . .	43	37	47	50	48	54	47	28	33	17	6	1	1	–	–
	5. ,, OF URINARY ORGANS . . .	19	15	16	10	14	15	11	8	7	3	–	–	–	–	–
	6. ,, OF ORGANS OF GENERATION .	7	7	5	4	6	6	1	1	2	1	–	–	–	–	–
	7. ,, OF ORGANS OF LOCOMOTION . .	4	2	1	–	2	1	–	2	1	–	1	–	–	–	–
	8. ,, OF INTEGUMENTARY SYSTEM . .	5	2	4	3	4	5	2	4	3	2	–	–	–	–	–
IV.	1. DEV. DIS. OF CHILDREN .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. ,, OF ADULTS .	27	14	3	–	–	–	–	–	–	–	–	–	–	–	–
	3. ,, OF OLD PEOPLE	–	–	–	–	–	47	64	117	141	122	75	31	4	1	–
	4. DISEASES OF NUTRITION .	3	3	6	20	19		–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1879.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30	35
V.	1. ACCIDENT OR NEGLIGENCE	564	44	16	11	18	6	9	7	27	25	33	50	53	44
	*														
	3. HOMICIDE	3	2	–	–	–	–	–	–	–	–	–	–	–	–
	4. SUICIDE	36	–	–	–	–	–	–	–	–	2	–	4	5	2
	5. EXECUTION	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	SUDDEN DEATHS, CAUSE UNASCERTAINED	33	7	3	–	–	–	1	–	1	1	1	1	–	–
	CAUSES NOT SPECIFIED	74	23	2	2	5	4	1	–	4	–	3	3	–	2
I.	ORDER 1.														
	1. Small-pox	3	1	–	–	–	–	–	–	1	–	–	–	–	–
	2. Measles	157	1	–	32	57	32	13	9	10	1	1	1	–	–
	3. Scarlatina	243	1	3	15	38	53	23	26	64	13	1	3	–	2
	4. Diphtheria	140	3	4	9	37	18	19	15	25	5	–	1	–	–
	5. Quinsy	4	–	–	1	2	1	–	–	–	–	–	–	–	–
	6. Croup	128	3	8	13	41	14	20	13	15	1	–	–	–	–
	7. Hooping-cough	487	24	27	106	168	80	40	19	22	1	–	–	–	–
	8. Typhus Fever	66	–	–	–	–	–	2	2	3	4	4	7	5	8
	8. Enteric or Typhoid Fever	138	–	1	3	4	7	12	7	19	12	15	26	6	4
	8. Relapsing Fever	2	–	–	–	–	–	–	–	–	–	–	1	–	–
	8. Simple Continued Fever	16	–	–	1	–	–	1	2	4	–	1	–	1	1
	9. Erysipelas	51	13	1	2	–	–	–	–	1	1	1	–	2	3
	10. Puerperal Fever (Metria)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. Carbuncle	6	–	–	–	–	–	–	–	–	–	–	–	–	1
	12. Influenza	13	1	–	1	–	1	–	–	1	–	–	–	1	–
	13. Dysentery	24	1	1	4	–	2	2	1	–	–	–	–	2	–
	14. Diarrhœa	259	52	46	44	51	8	2	–	11	3	3	–	–	2
	15. Cholera	17	2	5	7	2	–	–	–	–	–	–	–	–	–
	16. Ague	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	17. Remittent Fever	10	–	1	–	2	1	3	–	2	1	–	–	–	–
	18. Rheumatism	43	–	–	–	–	–	–	1	2	5	2	2	2	2
	19. Other *Miasmatic* Diseases	3	–	1	1	–	–	–	–	–	–	–	–	–	–
	ORDER 2.														
	1. Syphilis	72	37	9	8	5	–	–	1	–	–	1	1	–	3
	2. Stricture of Urethra	12	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Glanders	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.														
	1. Privation	2	–	–	–	2	–	–	–	–	–	–	–	–	–
	2. Want of Breast Milk	11	9	1	1	–	–	–	–	–	–	–	–	–	–
	3. Purpura and Scurvy	16	1	–	2	1	1	1	–	1	–	–	2	–	–
	4. Alcoholism *a* Del. Tremens	18	–	–	–	–	–	–	–	–	–	–	–	1	3
	4. Alcoholism *b* Intemperance	53	–	–	–	–	–	–	–	–	–	–	–	2	6
	ORDER 4.														
	1. Thrush	8	3	–	2	–	2	1	–	–	–	–	–	–	–
	2. Worms, etc.	1	–	–	–	–	–	–	–	–	–	–	1	–	–
II.	ORDER 1.														
	1. Gout	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Dropsy	57	4	1	–	3	–	2	2	3	3	5	2	1	3
	3. Cancer	201	–	–	–	–	–	–	–	–	–	2	3	5	3
	4. Cancrum Oris (Noma)	3	1	–	–	–	–	1	–	–	–	–	–	1	–
	5. Mortification	24	–	–	–	–	1	–	–	1	–	–	–	–	–

* See page 52, note *.

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1879.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30	35
V.	1. ACCIDENT OR NEGLIGENCE	215	40	21	5	6	5	13	4	17	5	5	6	1	3
	*														
	3. HOMICIDE	2	2	–	–	–	–	–	–	–	–	–	–	–	–
	4. SUICIDE	18	–	–	–	–	–	–	–	–	–	1	1	2	–
	5. EXECUTION	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	SUDDEN DEATHS, CAUSE UNASCERTAINED	35	5	2	1	–	–	–	–	–	–	1	–	1	1
	CAUSES NOT SPECIFIED	54	16	4	3	2	1	–	1	–	–	1	2	4	–
I.	ORDER 1.														
	1. Small-pox	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Measles	152	2	4	25	72	21	12	5	11	–	–	–	–	–
	3. Scarlatina	234	2	1	12	32	47	30	23	70	10	2	1	2	1
	4. Diphtheria	140	2	2	10	29	23	14	17	26	9	2	1	2	1
	5. Quinsy	5	–	–	–	2	1	–	–	–	–	–	–	–	–
	6. Croup	124	5	4	9	44	26	12	12	12	–	–	–	–	–
	7. Hooping-cough	632	31	32	132	199	94	63	46	32	2	–	–	1	–
	8. Typhus Fever	67	–	–	–	–	–	1	–	5	5	6	11	7	6
	8. Enteric or Typhoid Fever	148	–	1	2	7	7	5	5	29	10	17	18	12	10
	8. Relapsing Fever	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Simple Continued Fever.	16	–	1	1	2	–	–	1	3	3	–	1	–	–
	9. Erysipelas	41	11	–	3	1	2	1	1	–	3	1	–	3	1
	10. Puerperal Fever (Metria)	59	–	–	–	–	–	–	–	–	–	4	16	13	15
	11. Carbuncle	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	12. Influenza	14	1	–	–	–	1	–	–	2	–	–	–	–	1
	13. Dysentery	13	–	2	–	1	–	–	–	–	–	–	–	–	–
	14. Diarrhœa	284	48	45	37	34	17	5	1	5	2	–	2	4	3
	15. Cholera	20	2	3	4	2	1	–	–	2	–	–	–	–	–
	16. Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	17. Remittent Fever	7	–	–	–	3	1	2	–	–	–	–	–	–	–
	18. Rheumatism	57	–	–	–	–	–	1	1	1	1	3	3	4	3
	19. Other *Miasmatic* Diseases	5	–	–	1	1	2	1	–	–	–	–	–	–	–
	ORDER 2.														
	1. Syphilis	68	30	17	11	1	–	1	–	–	–	–	–	2	1
	2. Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Hydrophobia	2	–	–	–	–	–	–	–	–	–	1	–	–	–
	4. Glanders	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.														
	1. Privation	3	–	–	–	–	–	–	–	–	–	–	–	–	1
	2. Want of Breast Milk	18	13	4	1	–	–	–	–	–	–	–	–	–	–
	3. Purpura and Scurvy	5	–	–	–	–	–	2	–	1	–	–	–	–	–
	4. Alcoholism *a* Del. Tremens	4	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Alcoholism *b* Intemperance	52	–	–	–	–	–	–	–	–	–	–	1	2	7
	ORDER 4.														
	1. Thrush	4	4	–	–	–	–	–	–	–	–	–	–	–	–
	2. Worms, etc.	3	–	–	–	–	1	1	–	1	–	–	–	–	–
II.	ORDER 1.														
	1. Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Dropsy	84	2	–	–	1	1	6	–	2	2	3	1	2	2
	3. Cancer	388	2	–	–	–	–	–	–	1	–	5	3	7	18
	4. Cancrum Oris (Noma)	1	–	–	–	–	–	–	1	–	–	–	–	–	–
	5. Mortification	23	–	–	–	–	–	1	1	–	–	–	–	–	–

* See page 52, note *.

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1879.—MALES. (*Continued*).

Class.	CAUSES OF DEATH.	MALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
V.	1. ACCIDENT OR NEGLIGENCE	33	36	42	29	25	25	17	6	3	2	2	–	1	–	–
	*															
	3. HOMICIDE	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	4. SUICIDE	2	4	7	1	1	3	4	1	–	–	–	–	–	–	–
	5. EXECUTION	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	SUDDEN DEATHS, CAUSE UNASCERTAINED	2	3	3	2	2	4	–	1	1	–	–	–	–	–	–
	CAUSES NOT SPECIFIED	4	6	2	2	1	6	3	1	–	–	–	–	–	–	–
I.	ORDER 1.															
	1. Small-pox	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	2. Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Scarlatina	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	4. Diphtheria	–	2	–	1	–	–	–	–	–	1	–	–	–	–	–
	5. Quinsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. Hooping-cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Typhus Fever	8	6	6	5	1	3	1	1	–	–	–	–	–	–	–
	8. Enteric or Typhoid Fever	7	4	3	1	1	4	1	1	–	–	–	–	–	–	–
	8. Relapsing Fever	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Simple Continued Fever	–	–	1	–	–	–	3	–	–	1	–	–	–	–	–
	9. Erysipelas	4	1	2	1	4	1	7	3	3	1	–	–	–	–	–
	10. Puerperal Fever (Metria)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. Carbuncle	–	–	1	–	1	1	1	–	1	–	–	–	–	–	–
	12. Influenza	1	1	–	1	–	–	–	3	1	–	1	–	–	–	–
	13. Dysentery	1	1	1	–	1	3	2	1	–	1	–	–	–	–	–
	14. Diarrhœa	1	–	2	1	3	6	7	4	7	5	–	1	–	–	–
	15. Cholera	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	16. Ague	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	17. Remittent Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	18. Rheumatism	4	3	2	2	3	4	4	3	1	–	1	–	–	–	–
	19. Other *Miasmatic* Diseases	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	ORDER 2.															
	1. Syphilis	–	3	1	3	–	–	–	–	–	–	–	–	–	–	–
	2. Stricture of Urethra	1	2	3	–	2	1	–	1	1	1	–	–	–	–	–
	3. Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Glanders	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.															
	1. Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Purpura and Scurvy	1	–	1	2	–	–	1	–	1	1	–	–	–	–	–
	4. Alcoholism *a* Del. Tremens	2	4	1	1	3	2	1	–	–	–	–	–	–	–	–
	4. Alcoholism *b* Intemperance	5	9	5	6	5	7	4	3	–	1	–	–	–	–	–
	ORDER 4.															
	1. Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Worms, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	ORDER 1.															
	1. Gout	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
	2. Dropsy	3	3	4	5	3	–	4	2	3	1	–	–	–	–	–
	3. Cancer	9	17	25	35	25	30	20	13	11	3	–	–	–	–	–
	4. Cancrum Oris (Noma)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Mortification	–	–	–	1	1	–	5	6	4	3	2	–	–	–	–

* See page 52, note *

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1879.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
V.	1. ACCIDENT OR NEGLIGENCE	3	10	11	13	9	7	8	10	8	3	1	1	–	–	–
	*															
	3. HOMICIDE	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. SUICIDE	1	1	3	4	1	2	1	1	–	–	–	–	–	–	–
	5. EXECUTION	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	SUDDEN DEATHS, CAUSE UNASCERTAINED	2	–	4	1	2	5	6	2	2	–	–	–	–	–	–
	CAUSES NOT SPECIFIED	2	5	5	2	3	1	1	1	–	–	–	–	–	–	–
I.	ORDER 1.															
	1. Small-pox	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Scarlatina	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Diphtheria	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
	5. Quinsy	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
	6. Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. Hooping-cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Typhus Fever	3	4	8	3	4	3	–	1	–	–	–	–	–	–	–
	8. Enteric or Typhoid Fever	6	2	4	2	2	2	3	3	1	–	–	–	–	–	–
	8. Relapsing Fever	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Simple Continued Fever	–	1	–	1	1	1	–	–	–	–	–	–	–	–	–
	9. Erysipelas	1	2	1	1	3	1	1	2	1	1	–	–	–	–	–
	10. Puerperal Fever (Metria)	9	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	11. Carbuncle	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
	12. Influenza	–	–	–	–	3	–	2	3	–	–	1	–	–	–	–
	13. Dysentery	2	–	1	1	1	2	2	–	–	–	1	–	–	–	–
	14. Diarrhœa	4	2	5	9	9	8	8	15	8	4	6	3	–	–	–
	15. Cholera	1	1	–	1	–	1	–	1	–	1	–	–	–	–	–
	16. Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	17. Remittent Fever	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	18. Rheumatism	2	3	2	3	4	9	6	7	3	–	1	–	–	–	–
	19. Other *Miasmatic* Diseases	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 2.															
	1. Syphilis	2	2	1	–	–	–	–	–	–		–	–	–	–	–
	2. Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Hydrophobia	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	4. Glanders	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.															
	1. Privation	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–
	2. Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Purpura and Scurvy	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
	4. Alcoholism *a* Del. Tremens	–	1	1	1	1	–	–	–	–	–	–	–	–	–	–
	4. Alcoholism *b* Intemperance	6	3	12	8	4	6	2	1	–	–	–	–	–	–	–
	ORDER 4.															
	1. Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Worms, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	ORDER 1.															
	1. Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Dropsy	4	3	7	12	4	5	11	7	4	5	–	–	–	–	–
	3. Cancer	34	28	43	73	47	40	37	25	18	5	2	–	–	–	–
	4. Cancrum Oris (Noma)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Mortification	1	–	–	1	1	4	4	2	6	–	2	–	–	–	–

* See page 52, note *.

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1879.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30	35
	ORDER 2.														
	1. Scrofula	151	2	3	11	19	5	11	11	23	20	17	10	4	1
	2. Tabes Mesenterica	242	11	18	15	46	33	24	18	40	19	5	3	3	-
	3. Phthisis	1569	5	4	23	45	32	22	10	75	95	177	221	205	161
	4. Hydrocephalus	429	11	27	96	105	55	48	14	55	9	4	1	3	1
III.	ORDER 1.														
	1. Cephalitis	276	9	16	38	48	23	24	11	41	18	9	4	3	6
	2. Apoplexy	349	7	7	14	21	15	8	7	13	3	1	–	4	4
	3. Paralysis	366	2	–	–	1	1	–	–	3	3	–	4	3	4
	4. Insanity	10	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Chorea	2	–	–	–	–	–	–	–	1	1	–	–	–	–
	6. Epilepsy	43	1	1	–	2	–	1	–	3	2	2	–	5	3
	7. Convulsions	279	103	49	40	53	15	2	5	4	–	2	–	1	–
	8. *Brain Disease, etc.*	225	6	4	8	10	4	7	2	15	13	7	8	2	7
	ORDER 2.														
	1. Pericarditis	26	–	–	1	–	1	–	–	1	3	1	2	2	1
	2. Aneurism	32	–	–	–	–	–	–	–	–	–	–	–	2	7
	3. *Heart Disease, etc.*	742	3	3	–	1	–	–	–	7	13	24	17	20	33
	ORDER 3.														
	1. Laryngitis	48	4	3	6	15	1	–	4	1	–	2	1	2	2
	2. Bronchitis	1971	136	138	263	303	113	47	25	32	10	4	8	19	16
	3. Pleurisy	56	–	2	2	3	1	–	1	2	1	1	7	5	2
	4. Pneumonia	782	29	36	92	110	37	26	11	26	10	22	27	25	35
	5. Asthma	34	-	–	–	–	–	–	–	–	–	–	–	1	3
	6. *Lung Disease, etc.*	252	25	11	22	31	15	10	2	8	5	2	6	7	10
	ORDER 4.														
	1. Gastritis	34	8	3	–	2	1	2	3	–	–	1	1	–	–
	2. Enteritis	151	36	14	15	16	6	5	1	10	8	8	4	2	5
	3. Peritonitis	76	8	1	4	2	3	1	1	6	9	7	6	3	3
	4. Ascites	6	1	–	–	–	–	–	1	–	1	–	–	–	–
	5. Ulceration of Intestines	23	–	–	1	–	–	–	–	1	–	4	–	1	3
	6. Hernia	19	2	1	–	–	1	–	–	–	–	2	1	–	1
	7. Ileus	40	6	–	3	2	–	–	–	–	–	1	2	2	–
	8. Intussusception	9	1	2	–	1	–	–	–	–	–	1	–	–	2
	9. Stricture of Intestines	6	–	–	–	–	–	–	–	–	–	–	–	–	–
	10. Fistula	6	–	–	–	–	–	–	1	1	–	–	–	1	–
	11. *Stomach Disease, etc.*	110	22	6	6	12	–	–	1	4	1	2	1	2	5
	12. *Pancreas Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Hepatitis	25	5	–	–	1	–	–	–	–	–	–	2	–	1
	14. Jaundice	24	13	1	–	–	–	–	–	–	1	–	1	–	1
	15. *Liver Disease, etc.*	135	6	1	2	1	1	1	–	4	–	4	4	4	7
	16. *Spleen Disease, etc.*	9	–	–	1	–	1	–	–	–	–	–	1	–	–
	ORDER 5.														
	1. Nephritis	55	1	–	–	3	4	3	3	9	3	5	1	2	5
	2. Ischuria	8	–	–	–	–	–	–	–	–	–	1	–	–	–
	3. Bright's Disease (Nephria)	95		–	–	1	–	1	–	2	3	5	5	8	7
	4. Diabetes	21	–	–	–	–	–	–	–	–	2	2	2	1	3
	5. Calculus (Stone)	8	–	–	–	–	–	–	–	–	–	–	1	1	1
	6. Cystitis	43	–	–	–	–	–	–	–	1	–	–	1	1	–
	7. *Kidney Disease, etc.*	107	–	–	–	1	2	–	1	1	2	5	6	1	5
	ORDER 6.														
	1. Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. *Uterus Disease, etc.*	1	1		-	-	–	–	–	–	–	–	–	–	–
	ORDER 7.														
	1. Synovitis (Arthritis)	5	–	–	–	–	–	–	–	2	1	–	–	2	–
	2. *Joint Disease, etc.*	66	–	–	2	1	–	2	2	13	11	8	4	3	4

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1879.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.												
			3	6	12	2	3	4	5	10	15	20	25	30	35
	ORDER 2.														
	1. Scrofula	111	3	5	7	15	8	5	4	11	21	14	6	2	5
	2. Tabes Mesenterica	228	14	14	24	63	16	21	17	32	13	8	3	–	1
	3. Phthisis	1839	4	10	19	48	28	12	21	89	135	259	260	260	186
	4. Hydrocephalus	430	12	33	104	91	56	29	33	53	16	1	1	–	1
III.	ORDER 1.														
	1. Cephalitis	186	6	14	25	25	24	15	10	21	12	4	6	6	3
	2. Apoplexy	355	5	1	16	14	2	4	6	12	3	4	6	4	5
	3. Paralysis	342	–	–	–	–	1	–	–	1	1	4	1	4	4
	4. Insanity	13	–	–	–	–	–	–	–	–	–	–	–	1	–
	5. Chorea	4	–	–	–	–	–	–	–	3	–	1	–	–	–
	6. Epilepsy	34	1	–	1	1	–	–	1	2	3	2	–	2	4
	7. Convulsions	181	72	25	21	36	9	4	1	9	1	–	–	–	–
	8. *Brain Disease, etc.*	197	2	–	7	13	2	3	8	16	9	11	7	6	4
	ORDER 2.														
	1. Pericarditis	20	–	–	–	–	–	–	–	3	3	–	–	–	–
	2. Aneurism	16	–	–	–	–	–	–	–	–	–	–	1	–	–
	3. *Heart Disease, etc.*	894	5	–	3	–	1	1	–	7	26	23	28	36	40
	ORDER 3.														
	1. Laryngitis	27	1	1	6	5	3	3	1	4	–	1	1	–	–
	2. Bronchitis	2205	120	95	211	293	78	48	24	35	14	17	12	21	26
	3. Pleurisy	40	–	–	1	2	–	–	1	3	1	1	4	5	1
	4. Pneumonia	599	19	25	71	93	43	23	15	31	8	14	15	21	21
	5. Asthma	45	–	–	–	–	–	1	–	–	–	–	–	–	–
	6. *Lung Disease, etc.*	228	27	12	24	30	14	8	3	7	2	4	7	6	5
	ORDER 4.														
	1. Gastritis	44	3	1	1	2	–	–	1	4	2	–	–	1	2
	2. Enteritis	127	24	16	17	14	4	5	1	4	2	1	2	1	3
	3. Peritonitis	99	7	1	1	7	1	1	1	8	2	7	8	6	10
	4. Ascites	9	–	–	–	–	1	1	–	–	–	–	1	–	–
	5. Ulceration of Intestines	34	–	–	–	–	–	–	–	2	2	–	4	–	4
	6. Hernia	26	1	–	1	–	–	–	–	–	–	–	–	–	–
	7. Ileus	48	4	3	2	–	1	1	1	2	–	1	–	1	–
	8. Intussusception	8	–	–	2	–	–	–	–	2	1	–	–	1	–
	9. Stricture of Intestines	4	–	–	–	–	–	–	–	–	–	–	–	–	–
	10. Fistula	3	–	–	–	–	–	–	–	–	–	2	–	–	1
	11. *Stomach Disease, etc.*	128	17	9	6	–	1	1	1	4	–	2	1	1	4
	12. *Pancreas Disease, etc*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Hepatitis	39	3	1	–	–	1	–	–	–	–	2	–	1	–
	14. Jaundice	22	6	1	–	–	–	1	–	–	–	–	–	1	1
	15. *Liver Disease, etc.*	112	2	–	1	1	1	–	–	–	1	2	3	3	5
	16. *Spleen Disease, etc.*	9	–	–	–	1	–	–	–	–	1	1	–	–	–
	ORDER 5.														
	1. Nephritis	32	–	–	–	–	3	2	–	1	2	3	4	2	4
	2. Ischuria	3	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Bright's Disease (Nephria)	85	–	–	–	1	–	2	–	3	6	3	11	7	3
	4. Diabetes	17	–	–	–	–	1	–	–	2	2	1	2	2	–
	5. Calculus (Stone)	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Cystitis	4	–	–	–	–	–	–	–	–	–	–	2	–	–
	7. *Kidney Disease, etc.*	69	–	–	–	–	1	–	1	1	5	5	2	4	5
	ORDER 6.														
	1. Ovarian Dropsy	22	–	–	–	–	–	–	–	–	–	–	–	3	3
	2. *Uterus Disease, etc.*	33	–	–	1	–	–	–	–	–	–	2	2	2	2
	ORDER 7.														
	1. Synovitis (Arthritis)	4	1	–	–	–	–	–	–	–	1	–	–	–	–
	2. *Joint Disease, etc.*	48	1	–	2	2	–	1	2	7	7	3	7	1	3

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1879.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
	ORDER 2.															
	1. Scrofula	4	2	2	–	3	3	–	–	–	–	–	–	–	–	–
	2. Tabes Mesenterica	–	1	1	2	–	1	–	1	–	1	–	–	–	–	–
	3. Phthisis	150	87	91	71	48	17	19	8	3	–	–	–	–	–	–
	4. Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
III.	ORDER 1.															
	1. Cephalitis	4	2	5	7	4	–	3	–	–	1	–	–	–	–	–
	2. Apoplexy	14	15	22	26	37	36	33	29	24	8	1	–	–	–	–
	3. Paralysis	7	15	15	34	32	58	50	61	42	24	7	–	–	–	–
	4. Insanity	1	2	–	–	1	2	2	1	–	–	1	–	–	–	–
	5. Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Epilepsy	3	2	5	2	4	3	1	1	1	1	–	–	–	–	–
	7. Convulsions	1	1	–	1	1	–	–	–	1	–	–	–	–	–	–
	8. *Brain Disease, etc.*	6	8	12	18	13	21	20	17	9	8	–	–	–	–	–
	ORDER 2.															
	1. Pericarditis	2	2	3	3	–	2	1	1	–	–	–	–	–	–	–
	2. Aneurism	4	5	3	2	3	1	3	1	–	–	–	1	–	–	–
	3. *Heart Disease, etc.*	44	61	65	78	69	102	85	65	35	10	7	–	–	–	–
	ORDER 3.															
	1. Laryngitis	1	1	–	2	1	2	–	–	–	–	–	–	–	–	–
	2. Bronchitis	35	64	61	114	122	140	130	83	66	25	15	2	–	–	–
	3. Pleurisy	7	4	4	4	3	2	2	1	1	–	1	–	–	–	–
	4. Pneumonia	47	49	37	41	43	31	20	14	9	4	1	–	–	–	–
	5. Asthma	1	4	3	2	5	1	7	7	–	–	–	–	–	–	–
	6. *Lung Disease, etc.*	10	12	11	7	15	7	10	8	12	3	3	–	–	–	–
	ORDER 4.															
	1. Gastritis	–	2	–	1	2	5	3	–	–	–	–	–	–	–	–
	2. Enteritis	1	1	4	3	4	3	3	1	1	–	–	–	–	–	–
	3. Peritonitis	4	2	3	2	2	4	1	1	1	2	–	–	–	–	–
	4. Ascites	–	–	1	1	–	–	–	–	1	–	–	–	–	–	–
	5. Ulceration of Intestines	–	–	3	2	4	2	–	2	–	–	–	–	–	–	–
	6. Hernia	–	–	–	–	1	2	2	3	3	–	–	–	–	–	–
	7. Ileus	2	2	4	1	2	1	2	6	1	2	1	–	–	–	–
	8. Intussusception	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
	9. Stricture of Intestines	–	–	1	2	–	2	1	–	–	–	–	–	–	–	–
	10. Fistula	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–
	11. *Stomach Disease, etc.*	3	5	5	4	7	9	8	2	4	1	–	–	–	–	–
	12. *Pancreas Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Hepatitis	2	5	2	2	2	1	1	–	1	–	–	–	–	–	–
	14. Jaundice	1	–	–	1	–	–	2	3	–	–	–	–	–	–	–
	15. *Liver Disease, etc.*	9	10	14	14	17	11	13	9	1	2	–	–	–	–	–
	16. *Spleen Disease, etc.*	2	1	–	1	1	1	–	–	–	–	–	–	–	–	–
	ORDER 5.															
	1. Nephritis	8	2	2	–	2	1	–	1	–	–	–	–	–	–	–
	2. Ischuria	–	–	–	1	–	2	1	2	–	–	1	–	–	–	–
	3. Bright's Disease (Nephria)	11	8	4	11	12	6	5	4	2	–	–	–	–	–	–
	4. Diabetes	1	2	3	1	–	3	1	–	–	–	–	–	–	–	–
	5. Calculus (Stone)	1	–	–	–	–	–	1	2	1	–	–	–	–	–	–
	6. Cystitis	–	2	–	3	1	4	4	9	7	8	1	1	–	–	–
	7. *Kidney Disease, etc.*	10	8	7	9	8	16	7	7	5	6	–	–	–	–	–
	ORDER 6.															
	1. Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. *Uterus Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 7.															
	1. Synovitis (Arthritis)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. *Joint Disease, etc.*	3	4	5	2	–	–	–	–	1	1	–	–	–	–	–

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1879.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
	ORDER 2.															
	1. Scrofula	–	–	–	–	2	2	1	–	–	–	–	–	–	–	–
	2. Tabes Mesenterica	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	3. Phthisis	185	124	79	52	24	16	18	6	3	1	–	–	–	–	–
	4. Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
III.	ORDER 1.															
	1. Cephalitis	5	1	4	3	2	–	–	–	–	–	–	–	–	–	–
	2. Apoplexy	11	11	17	41	33	49	39	28	25	11	6	2	–	–	–
	3. Paralysis	10	10	9	28	34	50	47	65	41	23	7	2	–	–	–
	4. Insanity	–	1	1	1	1	5	1	2	–	–	–	–	–	–	–
	5. Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Epilepsy	2	2	4	2	3	3	1	–	–	–	–	–	–	–	–
	7. Convulsions	1	1	–	–	–	–	–	–	1	–	–	–	–	–	–
	8. *Brain Disease, etc.*	9	11	9	10	11	14	14	13	10	5	2	–	1	–	–
	ORDER 2.															
	1. Pericarditis	2	1	4	–	–	1	4	1	1	–	–	–	–	–	–
	2. Aneurism	–	2	3	5	1	2	1	1	–	–	–	–	–	–	–
	3. *Heart Disease, etc.*	51	70	70	104	72	102	91	70	54	29	10	1	–	–	–
	ORDER 3.															
	1. Laryngitis	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	2. Bronchitis	47	75	89	136	139	180	159	156	129	69	23	7	2	–	–
	3. Pleurisy	3	1	1	2	3	1	7	–	2	–	1	–	–	–	–
	4. Pneumonia	17	25	16	24	32	27	25	21	8	3	2	–	–	–	–
	5. Asthma	3	1	4	2	12	4	10	4	2	2	–	–	–	–	–
	6. *Lung Disease, etc.*	7	2	7	10	5	15	7	8	10	5	3	–	–	–	–
	ORDER 4.															
	1. Gastritis	2	2	2	3	5	5	2	1	2	3	–	–	–	–	–
	2. Enteritis	7	3	4	3	6	2	5	2	1	–	–	–	–	–	–
	3 Peritonitis	12	7	2	4	3	5	1	1	1	2	1	–	–	–	–
	4. Ascites	–	1	–	2	–	2	1	–	–	–	–	–	–	–	–
	5. Ulceration of Intestines	3	1	2	4	2	4	–	1	2	2	1	–	–	–	–
	6. Hernia	2	2	5	1	2	3	4	–	3	1	1	–	–	–	–
	7. Ileus	3	–	2	3	4	5	7	4	2	1	1	–	–	–	–
	8. Intussusception	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
	9. Stricture of Intestines	–	–	1	1	–	1	–	1	–	–	–	–	–	–	–
	10. Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. *Stomach Disease, etc.*	4	5	7	9	8	11	9	10	12	3	1	1	1	–	–
	12. *Pancreas Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Hepatitis	1	3	7	3	2	5	5	2	3	–	–	–	–	–	–
	14. Jaundice	1	2	2	1	1	–	2	–	2	–	1	–	–	–	–
	15. *Liver Disease, etc.*	6	11	12	13	14	11	11	6	4	5	–	–	–	–	–
	16. *Spleen Disease, etc.*	2	–	1	2	1	–	–	–	–	–	–	–	–	–	–
	ORDER 5.															
	1. Nephritis	2	3	–	1	–	2	1	1	1	–	–	–	–	–	–
	2. Ischuria	1	–	2	–	–	–	–	–	–	–	–	–	–	–	–
	3. Bright's Disease (Nephria)	5	7	8	5	7	6	6	3	2	–	–	–	–	–	–
	4. Diabetes	1	1	1	–	2	1	1	–	–	–	–	–	–	–	–
	5. Calculus (Stone)	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	6. Cystitis	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
	7. *Kidney Disease, etc.*	10	4	5	4	5	5	3	3	4	2	–	–	–	–	–
	ORDER 6.															
	1. Ovarian Dropsy	1	3	3	2	2	4	–	–	1	–	–	–	–	–	–
	2. *Uterus Disease, etc.*	6	4	2	2	4	2	1	1	1	1	–	–	–	–	–
	ORDER 7.															
	1. Synovitis (Arthritis)	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
	2. *Joint Disease, etc.*	4	1	1	–	2	–	–	2	1	–	1	–	–	–	–

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND during the YEAR 1879.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30	35
	ORDER 8.														
	1. Phlegmon	20	1	–	–	1	1	–	1	2	–	1	–	2	–
	2. Ulcer	4	1	–	–	–	1	–	1	–	–	–	–	1	–
	3. *Skin Disease, etc.*	17	4	5	5	2	–	–	–	–	–	–	–	–	–
IV.	ORDER 1.														
	1. Premature Birth	364	362	–	2	–	–	–	–	–	–	–	–	–	–
	2. Cyanosis	10	9	1	–	–	–	–	–	–	–	–	–	–	–
	3. Spina Bifida	13	11	1	1	–	–	–	–	–	–	–	–	–	–
	4. Other Malformations	48	45	–	2	–	–	–	–	–	1	–	–	–	–
	5. Teething	141	1	7	55	70	8	–	–	–	–	–	–	–	–
	ORDER 2.														
	1. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Childbirth (*see* Puerperal Fever)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.														
	1. Old Age	335	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4.														
	1. Atrophy and Debility	477	310	45	35	32	10	6	3	6	1	2	1	1	2
V.	ORDER 1. (*Accident or Negligence.*)														
	1. Fractures and Contusions	251	1	1	–	4	2	2	2	9	15	17	19	28	23
	2. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Cut, Stab	5	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Burns and Scalds	45	1	–	2	8	3	4	4	6	2	–	4	1	1
	5. Poison	11	1	1	1	–	1	–	–	–	–	1	1	–	3
	6. Drowning	110	1	–	–	4	–	2	1	7	3	8	16	17	10
	7. Suffocation	80	37	14	6	2	–	–	–	1	2	1	1	3	3
	8. Otherwise	62	3	–	2	–	–	1	–	4	3	6	9	4	4
	ORDER 3. (*Homicide.*)														
	1. Murder and Manslaughter	3	2	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4. (*Suicide.*)														
	1. Gunshot Wounds	4	–	–	–	–	–	–	–	–	–	–	–	2	1
	2. Cut, Stab	12	–	–	–	–	–	–	–	–	–	–	2	2	–
	3. Poison	7	–	–	–	–	–	–	–	–	–	–	1	–	–
	4. Drowning	7	–	–	–	–	–	–	–	–	–	–	–	1	1
	5. Hanging	5	–	–	–	–	–	–	–	–	2	–	1	–	–
	6. Otherwise and undefined	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 5. (*Execution.*)														
	1. Hanging	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Sudden Deaths (cause unascertained)	33	7	3	–	–	–	1	–	1	1	1	1	–	–
	Causes not specified or ill-defined	74	23	2	2	5	4	1	–	4	–	3	3	–	2

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1879.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.			2	3	4	5	10	15	20	25	30	35
			3	6	12										
	ORDER 8.														
	1. Phlegmon	33	3	1	1	1	1	–	–	2	2	–	1	4	2
	2. Ulcer	24	1	2	–	1	–	–	–	1	–	–	1	1	–
	3. *Skin Disease, etc.*	4	–	2	–	–	–		–	–	–	–	–	–	–
IV.	ORDER 1.														
	1. Premature Birth	302	298	3	1	–	–	–	–	–	–	–	–	–	–
	2. Cyanosis	10	9	–	–	1	–	–	–	–	–	–	–	–	–
	3. Spina Bifida	11	10	1	–	–	–	–	–	–	–	–	–	–	–
	4. Other Malformations	27	24	1	–	2	–	–	–	–	–	–	–	–	–
	5. Teething	126	1	9	51	58	6	–	1	–	–	–	–	–	–
	ORDER 2.														
	1. Paramenia	6	–	–	–	–	–	–	–	–	–	3	2	1	–
	2. Childbirth (*see* Puerperal Fever)	154	–	–	–	–	–	–	–	–	–	4	38	43	25
	ORDER 3.														
	1. Old Age	602	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4.														
	1. Atrophy and Debility	423	248	42	25	22	8	7	9	4	1	–	3	2	1
V.	ORDER 1. (*Accident or Negligence.*)														
	1. Fractures and Contusions	71	1	1	1	1	–	3	–	8	5	3	4	–	2
	2. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Cut, Stab	2	–	–	–	–	–	–	1	–	–	–	1	–	–
	4. Burns and Scalds	43	1	–	2	5	3	6	3	8	–	1	1	–	–
	5. Poison	7	2	–	–	–	2	–	–	–	–	–	–	–	–
	6. Drowning	13	1	–	–	–	–	1	–	–	–	1	–	–	–
	7. Suffocation	63	31	19	2	–	–	–	–	–	–	–	–	1	1
	8. Otherwise	16	4	1	–	–	–	3	–	1	–	–	–	–	–
	ORDER 3. (*Homicide.*)														
	1. Murder and Manslaughter	2	2	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4. (*Suicide.*)														
	1. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cut, Stab	4	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Poison	4	–	–	–	–	–	–	–	–	–	–	1	1	–
	4. Drowning	1	–	–	–	–	–	–	–	–	–	1	–	–	–
	5. Hanging	8	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Otherwise and undefined	1	–	–	–	–	–	–	–	–	–	–	–	1	–
	ORDER 5. (*Execution.*)														
	1. Hanging	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Sudden Deaths (cause unascertained)	35	5	2	1	–	–	–	–	–	–	1	–	1	1
	Causes not specified or ill-defined	54	16	4	3	2	1	–	1	–	–	1	2	4	–

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, during the YEAR 1879.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
	ORDER 8.															
	1. Phlegmon	1	2	1	1	3	–	3	–	–	–	–	–	–	–	–
	2. Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. *Skin Disease, etc.*	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
IV.	ORDER 1.															
	1. Premature Birth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 2.															
	1. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Childbirth (*see* Puerperal Fever)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.															
	1. Old Age	–	–	–	–	–	31	39	69	92	59	35	9	1	–	–
	ORDER 4.															
	1. Atrophy and Debility	–	1	4	5	13	–	–	–	–	–	–	–	–	–	–
V.	ORDER 1. (*Accident or Negligence.*)															
	1. Fractures and Contusions	15	23	21	22	14	15	10	1	3	2	1	–	1	–	–
	2. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Cut, Stab	–	2	–	–	–	2	1	–	–	–	–	–	–	–	–
	4. Burns and Scalds	4	1	–	1	–	1	–	2	–	–	–	–	–	–	–
	5. Poison	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
	6. Drowning	10	6	8	3	6	4	2	2	–	–	–	–	–	–	–
	7. Suffocation	1	–	3	1	1	2	1	1	–	–	–	–	–	–	–
	8. Otherwise	3	3	10	2	3	1	3	–	–	–	1	–	–	–	–
	ORDER 3. (*Homicide.*)															
	1. Murder and Manslaughter	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	ORDER 4. (*Suicide.*)															
	1. Gunshot Wounds	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cut, Stab	1	–	3	–	–	2	1	1	–	–	–	–	–	–	–
	3. Poison	–	2	3	–	1	–	–	–	–	–	–	–	–	–	–
	4. Drowning	1	2	–	–	–	1	1	–	–	–	–	–	–	–	–
	5. Hanging	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
	6. Otherwise and undefined	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	ORDER 5. (*Execution.*)															
	1. Hanging	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Sudden Deaths (cause unascertained)	2	3	3	2	2	4	–	1	1	–	–	–	–	–	–
	Causes not specified or ill-defined	4	6	2	2	1	6	3	1	–	–	–	–	–	–	–

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1879.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES. AGE UNDER														
		40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
	ORDER 8.															
	1. Phlegmon	4	–	2	1	1	4	–	2	1	–	–	–	–	–	–
	2. Ulcer	–	2	2	2	3	1	1	2	2	2	–	–	–	–	–
	3. *Skin Disease, etc.*	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
IV.	ORDER 1.															
	1. Premature Birth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 2.															
	1. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Childbirth (*see* Puerperal Fever)	27	14	3	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.															
	1. Old Age	–	–	–	–	–	47	64	117	141	122	75	31	4	1	–
	ORDER 4.															
	1. Atrophy and Debility	3	3	6	20	19	–	–	–	–	–	–	–	–	–	–
V.	ORDER 1. (*Accident or Negligence.*)															
	1. Fractures and Contusions	1	1	3	3	7	3	8	6	5	3	1	1	–	–	–
	2. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Cut, Stab	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Burns and Scalds	1	1	2	6	–	–	–	3	–	–	–	–	–	–	–
	5. Poison	–	1	1	–	–	1	–	–	–	–	–	–	–	–	–
	6. Drowning	1	2	2	3	1	1	–	–	–	–	–	–	–	–	–
	7. Suffocation	–	3	2	1	1	1	–	–	1	–	–	–	–	–	–
	8. Otherwise	–	2	1	–	–	1	–	1	2	–	–	–	–	–	–
	ORDER 3. (*Homicide.*)															
	1. Murder and Manslaughter	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4. (*Suicide.*)															
	1. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cut, Stab	–	–	–	2	–	1	–	1	–	–	–	–	–	–	–
	3. Poison	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
	4. Drowning	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Hanging	1	1	3	2	–	1	–	–	–	–	–	–	–	–	–
	6. Otherwise and undefined	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 5. (*Execution.*)															
	1. Hanging	–	–	–	–	–	–		–	–	–	–	–	–	–	–
	Sudden Deaths (cause unascertained)	2	–	4	1	2	5	6	2	2	–	–	–	–	–	–
	Causes not specified or ill-defined	2	5	5	2	3	1	1	1	–	–	–	–	–	–	

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1879.—MALES.

Class.	CAUSES OF DEATH.	MALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.												
			3	6	12	2	3	4	5	10	15	20	25	30	35
	All Causes . . .	4682	520	169	363	422	190	144	77	243	135	138	165	131	113
	Specified Causes . .	4647	508	165	361	420	190	144	77	242	135	138	164	130	113
	(CLASSES.)														
I.	ZYMOTIC DISEASES	780	52	37	106	153	100	69	34	94	19	8	10	7	7
II.	CONSTITUTIONAL ,,	944	13	33	69	85	31	26	22	78	59	80	95	58	44
III.	LOCAL ,,	2189	152	78	153	150	51	43	16	59	42	40	47	49	49
IV.	DEVELOPMENTAL ,,	559	281	16	30	27	5	2	1	1	1	1	2	–	1
V.	VIOLENT DEATHS .	175	10	1	3	5	3	4	4	10	14	9	10	16	12
	(ORDERS.)														
I.	1. MIASMATIC DISEASES .	744	40	30	102	152	100	69	34	94	19	8	10	6	5
	2. ENTHETIC ,, .	16	7	3	2	–	–	–	–	–	–	–	–	1	2
	3. DIETIC ,, .	15	3	3	1	–	–	–	–	–	–	–	–	–	–
	4. PARASITIC ,, .	5	2	1	1	1	–	–	–	–	–	–	–	–	–
II.	1. DIATHETIC ,, .	112	1	–	–	2	–	–	1	5	1	1	3	3	2
	2. TUBERCULAR ,, .	832	12	33	69	83	31	26	21	73	58	79	92	55	42
III.	1. DISEASES OF NERVOUS SYSTEM . .	547	32	22	32	35	14	12	4	23	14	12	10	15	10
	2. ,, OF ORGANS OF CIRCULATION .	326	4	1	–	–	1	–	1	1	6	9	10	8	11
	3. ,, OF RESPIRATORY ORGANS . .	916	77	41	97	106	23	23	10	13	6	8	16	18	14
	4. ,, OF DIGESTIVE ORGANS . . .	261	36	11	22	7	8	4	–	12	4	4	5	5	8
	5. ,, OF URINARY ORGANS . . .	95	–	–	–	1	4	3	1	5	2	4	4	2	5
	6. ,, OF ORGANS OF GENERATION .	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. ,, OF ORGANS OF LOCOMOTION .	25	1	–	–	–	1	–	–	4	9	3	1	–	–
	8. ,, OF INTEGUMENTARY SYSTEM . .	18	2	3	2	1	–	1	–	1	1	–	1	1	1
IV.	1. DEV. DIS. OF CHILDREN .	191	148	3	21	17	2	–	–	–	–	–	–	–	–
	2. ,, OF ADULTS .	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. ,, OF OLD PEOPLE	183	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. DISEASES OF NUTRITION	185	133	13	9	10	3	2	1	1	1	1	2	–	1

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1879.—FEMALES.

Class.	CAUSES OF DEATH.	FEMALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.			2	3	4	5	10	15	20	25	30	35
			3	6	12										
	All Causes . . .	4751	325	124	302	399	212	96	86	198	134	164	183	189	162
	Specified Causes . .	4721	315	122	300	399	210	96	86	197	134	164	182	188	161
	(CLASSES.)														
I.	ZYMOTIC DISEASES	805	31	34	92	170	101	53	40	73	21	19	21	20	17
II.	CONSTITUTIONAL ,,	1054	12	15	45	59	46	14	21	68	61	94	97	92	70
III.	LOCAL ,,	2118	90	55	141	152	56	26	20	51	48	45	57	61	55
IV.	DEVELOPMENTAL ,,	684	175	14	20	16	4	3	1	3	–	3	5	13	17
V.	VIOLENT DEATHS .	60	7	4	2	2	3	–	4	2	4	3	2	2	2
	(ORDERS.)														
I.	1. MIASMATIC DISEASES .	771	24	30	90	170	100	53	39	72	21	19	21	18	14
	2. ENTHETIC ,, .	9	3	–	1	–	1	–	–	–	–	–	–	1	–
	3. DIETIC ,, .	21	2	3	1	–	–	–	1	–	–	–	–	1	3
	4. PARASITIC ,, .	4	2	1	–	–	–	–	–	1	–	–	–	–	–
II.	1. DIATHETIC ,, .	186	2	–	2	–	3	1	–	2	–	–	5	7	5
	2. TUBERCULAR ,, .	868	10	15	43	59	43	13	21	66	61	94	92	85	65
III.	1. DISEASES OF NERVOUS SYSTEM . .	556	27	16	25	33	15	12	5	18	12	15	11	11	12
	2. ,, OF ORGANS OF CIRCULATION .	305	4	1	–	–	–	–	–	5	8	11	10	7	8
	3. ,, OF RESPIRATORY ORGANS . .	892	36	27	102	109	36	12	12	16	17	10	10	12	21
	4. ,, OF DIGESTIVE ORGANS . . .	251	16	11	13	6	4	1	2	8	6	7	15	12	7
	5. ,, OF URINARY ORGANS . . .	54	1	–	–	3	1	1	–	–	3	2	5	8	2
	6. ,, OF ORGANS OF GENERATION .	21	–	–	–	–	–	–	–	–	–	–	2	6	2
	7. ,, OF ORGANS OF LOCOMOTION . .	15	–	–	–	–	–	–	1	4	2	–	2	1	–
	8. ,, OF INTEGUMENTARY SYSTEM . .	24	6	–	1	1	–	–	–	–	–	–	2	4	3
IV.	1. DEV. DIS. OF CHILDREN .	118	89	2	14	12	1	–	–	–	–	–	–	–	–
	2. ,, OF ADULTS .	51	–	–	–	–	–	–	–	–	–	2	5	13	14
	3. ,, OF OLD PEOPLE	360	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. DISEASES OF NUTRITION	155	86	12	6	4	3	3	1	3	–	1	–		3

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1879.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
	All Causes . . .	133	158	190	161	201	257	221	214	194	93	30	8	7	–	5
	Specified Causes . .	133	157	188	161	201	255	219	213	191	92	30	8	7	–	5
	(CLASSES.)															
I.	ZYMOTIC DISEASES	9	9	7	8	7	6	14	8	10	4	1	–	–	–	1
II.	CONSTITUTIONAL ,,	38	40	36	32	29	28	14	18	11	3	1	–	–	–	1
III.	LOCAL ,,	72	96	127	114	151	196	167	147	119	56	8	3	1	–	3
IV.	DEVELOPMENTAL ,,	–	1	2	1	4	14	21	38	51	28	20	5	6	–	–
V.	VIOLENT DEATHS .	14	11	16	6	10	11	3	2	–	1	–	–	–	–	–
	(ORDERS.)															
I.	1. MIASMATIC DISEASES .	7	6	5	8	6	6	14	7	10	4	1	–	–	–	1
	2. ENTHETIC ,, .	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	3. DIETIC ,, .	2	3	1	–	1	–	–	1	–	–	–	–	–	–	–
	4. PARASITIC ,, .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	1. DIATHETIC ,, .	2	3	10	10	14	15	9	15	10	3	1	–	–	–	1
	2. TUBERCULAR ,, .	36	37	26	22	15	13	5	3	1	–	–	–	–	–	–
III.	1. DISEASES OF NERVOUS SYSTEM . .	10	22	29	23	33	50	46	48	30	15	2	2	–	–	2
	2. ,, OF ORGANS OF CIRCULATION .	9	22	27	31	36	43	30	30	27	16	2	–	–	–	1
	3. ,, OF RESPIRATORY ORGANS . .	31	38	47	47	51	65	64	51	45	22	1	1	1	–	–
	4. ,, OF DIGESTIVE ORGANS . . .	16	10	13	7	20	27	17	11	9	3	2	–	–	–	–
	5. ,, OF URINARY ORGANS . . .	5	3	9	4	11	8	8	7	8	–	1	–	–	–	–
	6. ,, OF ORGANS OF GENERATION .	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. ,, OF ORGANS OF LOCOMOTION . .	1	–	1	1	–	1	2	–	–	–	–	–	–	–	–
	8. ,, OF INTEGUMENTARY SYSTEM . .	–	–	1	1	–	2	–	–	–	–	–	–	–	–	–
IV.	1. DEV. DIS. OF CHILDREN .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. ,, OF ADULTS .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. ,, OF OLD PEOPLE	–	–	–	–	–	14	21	38	51	28	20	5	6	–	–
	4. DISEASES OF NUTRITION	–	1	2	1	4	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1879.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES. AGE UNDER														
		40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
	All Causes . . .	171	160	151	179	213	264	255	246	270	172	64	26	5	–	1
	Specified Causes . .	170	158	151	178	212	261	254	245	270	172	64	26	5	–	1
	(CLASSES.)															
I.	ZYMOTIC DISEASES	14	10	10	12	8	17	5	20	8	7	1	–	1	–	–
II.	CONSTITUTIONAL ,,	72	46	49	52	43	34	24	20	13	4	2	1	–	–	–
III.	LOCAL ,,	70	89	86	103	145	178	188	139	157	73	23	8	1	–	1
IV.	DEVELOPMENTAL ,,	11	10	6	9	13	31	35	62	90	87	37	16	3	–	–
V.	VIOLENT DEATHS .	3	3	–	2	3	1	2	4	2	1	1	1	–	–	–
	(ORDERS.)															
I.	1. MIASMATIC DISEASES .	13	8	8	11	6	13	5	19	8	7	1	–	1	–	–
	2. ENTHETIC ,, .	–	1	–	–	1	1	–	–	–	–	–	–	–	–	–
	3. DIETIC ,, .	1	1	2	1	1	3	–	1	–	–	–	–	–	–	–
	4. PARASITIC ,, .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	1. DIATHETIC ,, .	6	9	18	25	24	21	22	16	11	4	2	1	–	–	–
	2. TUBERCULAR ,, .	66	37	31	27	19	13	2	4	2	–	–	–	–	–	–
III.	1. DISEASES OF NERVOUS SYSTEM . .	10	23	18	31	33	47	48	41	56	27	7	2	–	–	1
	2. ,, OF ORGANS OF CIRCULATION .	16	15	23	22	31	41	37	30	20	12	1	3	–	–	–
	3. ,, OF RESPIRATORY ORGANS . .	25	32	25	31	50	68	77	55	65	26	14	3	1	–	–
	4. ,, OF DIGESTIVE ORGANS . . .	15	15	13	12	23	14	20	9	14	7	1	–	–	–	–
	5. ,, OF URINARY ORGANS . . .	3	3	4	4	5	4	3	1	1	–	–	–	–	–	–
	6. ,, OF ORGANS OF GENERATION .	1	–	3	1	2	3	1	–	–	–	–	–	–	–	–
	7. ,, OF ORGANS OF LOCOMOTION . .	–	1	–	1	1	–	1	–	1	–	–	–	–	–	–
	8. ,, OF INTEGUMENTARY SYSTEM . .	–	–	–	1	–	1	1	3	–	1	–	–	–	–	–
IV.	1. DEV. DIS. OF CHILDREN .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. ,, OF ADULTS .	9	8	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. ,, OF OLD PEOPLE	–	–	–	–	–	31	34	62	90	87	37	16	3	–	–
	4. DISEASES OF NUTRITION	2	2	6	9	13	–	1	–	–	–	–	–	–	–	–

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1879.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30	35
V.	1. ACCIDENT OR NEGLIGENCE	161	10	1	3	5	3	4	4	10	14	9	9	14	10
	3. HOMICIDE	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. SUICIDE	14	–	–	–	–	–	–	–	–	–	–	1	2	2
	5. EXECUTION	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	SUDDEN DEATHS, CAUSE UNASCERTAINED	4	1	–	–	–	–	–	–	–	–	–	–	–	–
	CAUSES NOT SPECIFIED	31	11	4	2	2	–	–	–	1	–	–	1	1	–
I.	ORDER 1.														
	1. Small-pox	3	–	–	–	–	–	–	–	–	–	–	–	1	–
	2. Measles	74	2	2	12	30	15	6	1	5	1	–	–	–	–
	3. Scarlatina	161	1	–	11	23	22	32	17	44	9	2	–	–	–
	4. Diphtheria	51	2	1	3	15	10	7	4	7	1	–	–	–	–
	5. Quinsy	2	–	1	–	–	1	–	–	–	–	–	–	–	–
	6. Croup	46	–	1	6	14	10	6	3	6	–	–	–	–	–
	7. Hooping-cough	182	15	8	47	53	35	10	7	7	–	–	–	–	–
	8. Typhus Fever	10	–	–	–	–	–	–	–	1	1	2	2	–	–
	8. Enteric or Typhoid Fever	54	–	–	1	2	5	3	–	16	2	1	6	3	4
	8. Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Simple Continued Fever	9	–	1	1	–	–	–	1	1	1	1	–	–	–
	9. Erysipelas	18	5	–	1	1	–	–	1	–	–	–	1	–	–
	10. Puerperal Fever (Metria)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. Carbuncle	2	–	1	–	–	–	–	–	–	–	–	–	–	–
	12. Influenza	6	–	–	–	1	–	–	–	–	–	–	–	–	–
	13. Dysentery	13	1	1	4	1	–	–	–	–	1	–	–	–	1
	14. Diarrhœa	88	13	13	15	9	2	1	–	4	3	–	–	–	–
	15. Cholera	9	1	–	1	3	–	2	–	2	–	–	–	–	–
	16. Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	17. Remittent Fever	2	–	1	–	–	–	–	–	–	–	–	–	–	–
	18. Rheumatism	14	–	–	–	–	–	2	–	1	–	2	1	2	–
	19. Other *Miasmatic* Diseases	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 2.														
	1. Syphilis	15	7	3	2	–	–	–	–	–	–	–	–	1	1
	2. Stricture of Urethra	1	–	–	–	–	–	–	–	–	–	–	–	–	1
	3. Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Glanders	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.														
	1. Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Want of Breast Milk	7	3	3	1	–	–	–	–	–	–	–	–	–	–
	3. Purpura and Scurvy	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Alcoholism *a* Del. Tremens	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Alcoholism *b* Intemperance	5	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4.														
	1. Thrush	5	2	1	1	1	–	–	–	–	–	–	–	–	–
	2. Worms, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	ORDER 1.														
	1. Gout	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Dropsy	29	–	–	–	–	–	–	1	4	1	–	1	–	1
	3. Cancer	75	–	–	–	2	–	–	–	1	–	1	1	3	1
	4. Cancrum Oris (Noma)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Mortification	7	1	–	–	–	–	–	–	–	–	–	1	–	–

* See page 52, note *.

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1879.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES.													
		ALL AGES	AGE UNDER												
			MONTHS.												
			3	6	12	2	3	4	5	10	15	20	25	30	35
V.	1. ACCIDENT OR NEGLIGENCE	54	6	4	2	2	3	–	4	2	4	3	1	2	1
	*														
	3. HOMICIDE	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	4. SUICIDE	5	–	–	–	–	–	–	–	–	–	–	1	–	1
	5. EXECUTION	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	SUDDEN DEATHS, CAUSE UNASCERTAINED	3	–	–	–	–	–	–	–	–	–	–	–	–	1
	CAUSES NOT SPECIFIED	27	10	2	2	–	2	–	–	1	–	–	1	1	–
I.	ORDER 1.														
	1. Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Measles	74	1	2	14	23	10	6	7	8	1	1	–	–	1
	3. Scarlatina	107	1	1	6	18	28	10	10	23	7	–	1	1	1
	4. Diphtheria	55	–	1	2	9	7	11	8	12	3	2	–	–	–
	5. Quinsy	2	–	–	1	1	–	–	–	–	–	–	–	–	–
	6. Croup	48	1	–	4	16	12	5	5	4	1	–	–	–	–
	7. Hooping-cough	231	12	17	49	78	37	18	7	13	–	–	–	–	–
	8. Typhus Fever	9	–	–	–	–	–	–	–	–	1	2	1	1	–
	8. Enteric or Typhoid Fever	59	–	–	–	2	–	3	1	8	7	7	10	3	3
	8. Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Simple Continued Fever	9	–	–	–	–	–	–	1	–	–	1	1	2	–
	9. Erysipelas	18	2	1	–	–	1	–	–	–	1	1	–	1	1
	10. Puerperal Fever (Metria)	24	–	–	–	–	–	–	–	–	–	–	6	8	4
	11. Carbuncle	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	12. Influenza	6	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Dysentery	11	–	1	1	3	–	–	–	–	–	–	–	2	–
	14. Diarrhœa	81	6	7	11	17	4	–	–	1	–	3	1	–	1
	15. Cholera	3	1	–	–	2	–	–	–	–	–	–	–	–	–
	16. Ague	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	17. Remittent Fever	5	–	–	2	1	1	–	–	1	–	–	–	–	–
	18. Rheumatism	27	–	–	–	–	–	–	–	2	–	2	1	–	3
	19. Other *Miasmatic* Diseases	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 2.														
	1. Syphilis	9	3	–	1	–	1	–	–	–	–	–	–	1	–
	2. Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Glanders	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.														
	1. Privation	2	1	–	–	–	–	–	–	–	–	–	–	1	–
	2. Want of Breast Milk	5	1	3	1	–	–	–	–	–	–	–	–	–	–
	3. Purpura and Scurvy	2	–	–	–	–	–	–	1	–	–	–	–	–	1
	4. Alcoholism: *a* Del. Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Alcoholism: *b* Intemperance	12	–	–	–	–	–	–	–	–	–	–	–	–	2
	ORDER 4.														
	1. Thrush	3	2	1	–	–	–	–	–	–	–	–	–	–	–
	2. Worms, etc.	1	–	–	–	–	–	–	–	1	–	–	–	–	–
II.	ORDER 1.														
	1. Gout	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Dropsy	33	1	–	1	–	2	–	–	1	–	–	3	2	3
	3. Cancer	136	–	–	–	–	–	1	–	1	–	–	1	5	2
	4. Cancrum Oris (Noma)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Mortification	16	1	–	1	–	1	–	–	–	–	–	1	–	–

* See page 52, note *.

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1879.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
V.	1. ACCIDENT OR NEGLIGENCE . . *	14	8	13	6	9	10	3	1	–	1	–	–	–	–	–
	3. HOMICIDE . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. SUICIDE	–	3	3	–	1	1	–	1	–	–	–	–	–	–	–
	5. EXECUTION . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	SUDDEN DEATHS, CAUSE UNASCERTAINED	–	–	1	–	–	–	–	–	1	1	–	–	–	–	–
	CAUSES NOT SPECIFIED . .	–	1	1	–	–	2	2	1	2	–	–	–	–	–	–
I.	ORDER 1.															
	1. Small-pox . . .	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Scarlatina . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Diphtheria . . .	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	5. Quinsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. Hooping-cough . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Typhus Fever . .	–	2	–	1	–	–	1	–	–	–	–	–	–	–	–
	8. Enteric or Typhoid Fever	–	1	2	1	3	2	–	1	–	–	–	–	–	–	1
	8. Relapsing Fever . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Simple Continued Fever	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–
	9. Erysipelas . . .	–	–	–	2	1	3	1	1	1	–	–	–	–	–	–
	10. Puerperal Fever (Metria)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. Carbuncle . . .	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	12. Influenza . . .	–	–	–	1	1	–	–	2	1	–	–	–	–	–	–
	13. Dysentery . . .	–	–	–	1	–	–	1	–	1	1	–	–	–	–	–
	14. Diarrhœa . . .	3	1	2	1	1	1	8	3	5	2	1	–	–	–	–
	15. Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	16. Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	17. Remittent Fever . .	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	18. Rheumatism . . .	1	1	–	1	–	–	1	–	1	1	–	–	–	–	–
	19. Other *Miasmatic* Diseases	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 2.															
	1. Syphilis	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	3. Stricture of Urethra .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Hydrophobia . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Glanders	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.															
	1. Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Want of Breast Milk .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Purpura and Scurvy .	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	4. Alcoholism { *a* Del. Tremens	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	4. Alcoholism { *b* Intemperance	1	3	–	–	1	–	–	–	–	–	–	–	–	–	–
	ORDER 4.															
	1. Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Worms, etc. . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	ORDER 1.															
	1. Gout	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	2. Dropsy	1	1	2	3	4	2	3	1	3	1	–	–	–	–	–
	3. Cancer	1	2	8	6	9	12	5	14	6	1	1	–	–	–	1
	4. Cancrum Oris (Noma)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Mortification . .	–	–	–	1	1	1	–	–	1	1	–	–	–	–	–

* See page 52, note *.

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1879.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
V.	1. ACCIDENT OR NEGLIGENCE	3	3	–	1	2	1	2	3	2	1	1	1	–	–	–
	*															
	3. HOMICIDE	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. SUICIDE	–	–	–	1	1	–	–	1	–	–	–	–	–	–	–
	5. EXECUTION	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	SUDDEN DEATHS, CAUSE UNASCERTAINED	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–
	CAUSES NOT SPECIFIED	1	2	–	1	1	1	1	1	–	–	–	–	–	–	–
I.	ORDER 1.															
	1. Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Quinsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. Hooping-cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Typhus Fever	–	–	–	2	1	–	1	–	–	–	–	–	–	–	–
	8. Enteric or Typhoid Fever	4	–	3	2	1	2	–	3	–	–	–	–	–	–	–
	8. Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Simple Continued Fever	2	1	–	–	–	–	–	1	–	–	–	–	–	–	–
	9. Erysipelas	1	2	–	–	1	2	–	1	2	–	1	–	–	–	–
	10. Puerperal Fever (Metria)	2	3	1	–	–	–	–	–	–	–	–	–	–	–	–
	11. Carbuncle	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	12. Influenza	1	–	–	–	–	1	1	2	1	–	–	–	–	–	–
	13. Dysentery	–	1	1	–	–	1	–	–	–	1	–	–	–	–	–
	14. Diarrhœa	1	–	2	2	3	4	–	7	5	5	–	–	1	–	–
	15. Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	16. Ague	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	17. Remittent Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	18. Rheumatism	2	1	1	5	–	2	2	5	–	1	–	–	–	–	–
	19. Other *Miasmatic* Diseases	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER															
	1. Syphilis	–	1	–	–	1	1	–	–	–	–	–	–	–	–	–
	2. Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Glanders	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.															
	1. Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Purpura and Scurvy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Alcoholism *a* Del. Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Alcoholism *b* Intemperance	1	1	2	1	1	3	–	1	–	–	–	–	–	–	–
	ORDER 4.															
	1. Thrush		–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Worms, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	ORDER 1.															
	1. Gout	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	2. Dropsy	1	2	–	1	2	7	1	4	2	–	–	–	–	–	–
	3. Cancer	5	7	18	24	21	13	17	10	7	1	2	1	–	–	–
	4. Cancrum Oris (Noma)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Mortification	–	–	–	–	1	1	4	2	1	3	–	–	–	–	–

* See page 52, note *.

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1879.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30	35
	ORDER 2.														
	1. Scrofula	52	2	2	2	6	2	2	1	5	11	5	5	2	1
	2. Tabes Mesenterica	104	4	12	16	17	12	4	7	20	4	3	1	–	1
	3. Phthisis	497	1	2	10	15	2	9	6	24	35	70	85	53	38
	4. Hydrocephalus	179	5	17	41	45	15	11	7	24	8	1	1	–	2
III.	ORDER 1.														
	1. Cephalitis	82	2	5	10	9	7	5	2	15	4	8	2	3	1
	2. Apoplexy	131	1	1	6	9	–	1	2	2	2	1	2	2	–
	3. Paralysis	141	1	–	–	–	–	–	–	–	1	–	2	2	5
	4. Insanity	27	–	–	–	–	–	–	–	–	–	–	3	2	1
	5. Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Epilepsy	14	–	–	–	–	–	–	–	–	–	1	1	2	2
	7. Convulsions	80	19	16	14	15	6	5	–	2	1	–	–	1	–
	8. *Brain Disease, etc.*	72	9	–	2	2	1	1	–	4	6	2	–	3	1
	ORDER 2.														
	1. Pericarditis	8	–	1	–	–	1	–	–	–	1	3	1	–	–
	2. Aneurism	11	–	–	–	–	–	–	–	–	–	–	–	–	1
	3. *Heart Disease, etc.*	307	4	–	–	–	–	–	1	1	5	6	9	8	10
	ORDER 3.														
	1. Laryngitis	9	1	–	4	2	1	–	–	–	–	–	–	–	–
	2. Bronchitis	537	46	32	59	70	12	17	4	4	3	2	3	1	3
	3. Pleurisy	37	–	–	3	–	–	–	–	–	–	1	3	4	4
	4. Pneumonia	210	11	7	21	20	6	5	5	6	3	5	9	10	5
	5. Asthma	18	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. *Lung Disease, etc.*	105	19	2	10	14	4	1	1	3	–	–	1	3	2
	ORDER 4.														
	1. Gastritis	9	2	1	–	–	–	–	–	1	1	–	–	–	1
	2. Enteritis	50	14	3	12	6	3	2	–	–	1	–	1	–	–
	3. Peritonitis	24	2	–	2	1	1	–	–	6	1	3	–	1	–
	4. Ascites	6	–	–	–	–	1	–	–	2	–	–	–	–	–
	5. Ulceration of Intestines	16	–	–	–	–	–	–	–	–	–	–	1	1	–
	6. Hernia	10	–	1	–	–	–	–	–	–	–	–	–	–	1
	7. Ileus	12	4	1	1	–	–	–	–	1	–	–	–	–	–
	8. Intussusception	1	–	1	–	–	–	–	–	–	–	–	–	–	–
	9. Stricture of Intestines	3	–	–	–	–	–	–	–	–	–	–	–	–	–
	10. Fistula	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. *Stomach Disease, etc.*	39	7	4	5	–	1	1	–	–	–	–	–	1	2
	12. *Pancreas Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Hepatitis	14	3	–	–	–	–	1	–	–	–	1	1	–	1
	14. Jaundice	11	2	–	–	–	2	–	–	–	–	–	–	–	–
	15. *Liver Disease, etc.*	61	2	–	1	–	–	–	–	2	1	–	2	2	3
	16. *Spleen Disease, etc.*	3	–	–	1	–	–	–	–	–	–	–	–	–	–
	ORDER 5.														
	1. Nephritis	11	–	–	–	–	1	2	1	–	–	–	–	–	–
	2. Ischuria	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Bright's Disease (Nephria)	34	–	–	–	–	–	–	–	2	1	2	2	2	4
	4. Diabetes	9	–	–	–	–	1	–	–	1	–	1	–	–	–
	5. Calculus (Stone)	3	–	–	–	–	–	–	–	1	–	–	–	–	–
	6. Cystitis	11	–	–	–	–	–	–	–	–	1	–	2	–	–
	7. *Kidney Disease, etc.*	26	–	–	–	1	2	1	–	1	–	1	–	–	1
	ORDER 6.														
	1. Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. *Uterus Disease, etc.*	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 7.														
	1. Synovitis (Arthritis)	4	1	–	–	–	–	–	–	1	1	–	–	–	–
	2. *Joint Disease, etc.*	21	–	–	–	–	1	–	–	3	8	3	1	–	–

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1879.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30	35
	ORDER 2.														
	1. Scrofula	34	2	1	1	5	5	2	–	4	5	2	1	1	1
	2. Tabes Mesenterica	69	7	4	8	7	15	2	1	11	3	5	1	1	–
	3. Phthisis	625	–	2	6	16	4	1	8	25	49	86	90	82	64
	3. Hydrocephalus	140	1	8	28	31	19	8	12	26	4	1	–	1	–
III.	ORDER 1.														
	1. Cephalitis	73	1	4	10	13	6	8	1	11	4	4	–	2	2
	2. Apoplexy	150	–	2	4	5	1	2	1	4	4	1	3	5	2
	3. Paralysis	155	1	–	–	–	–	–	–	1	–	4	1	2	1
	4. Insanity	32	–	–	–	–	–	–	–	–	–	–	–	1	2
	5. Chorea	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Epilepsy	16	–	–	–	–	–	–	–	–	–	3	2	1	2
	7. Convulsions	72	22	10	9	15	7	2	1	1	–	1	–	–	1
	8. *Brain Disease, etc.*	57	3	–	2	–	1	–	2	1	4	2	5	–	2
	ORDER 2.														
	1. Pericarditis	6	–	–	–	–	–	–	–	–	1	2	1	1	–
	2. Aneurism	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. *Heart Disease, etc.*	298	4	1	–	–	–	–	–	5	7	9	9	6	8
	ORDER 3.														
	1. Laryngitis	11	–	–	2	6	2	–	–	–	1	–	–	–	–
	2. Bronchitis	580	25	20	73	65	19	6	4	11	7	2	4	3	10
	3. Pleurisy	14	–	–	–	1	–	–	–	–	1	–	–	2	–
	4. Pneumonia	173	2	3	18	23	11	4	4	2	6	5	5	4	7
	5. Asthma	20	1	–	–	–	–	–	–	–	–	1	–	–	–
	6. *Lung Disease, etc.*	94	8	4	9	14	4	2	4	3	2	2	1	3	4
	ORDER 4.														
	1. Gastritis	23	–	2	2	1	1	–	1	1	1	2	1	1	–
	2. Enteritis	36	7	5	3	3	–	1	1	3	–	–	1	–	1
	3. Peritonitis	34	1	–	4	–	–	–	–	1	1	4	8	1	2
	4. Ascites	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Ulceration of Intestines	11	–	–	–	–	–	–	–	1	–	–	1	2	2
	6. Hernia	5	–	–	–	–	–	–	–	–	–	–	–	1	–
	7. Ileus	21	1	1	–	–	1	–	–	–	–	–	2	2	–
	8. Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	9. Stricture of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	10. Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. *Stomach Disease, etc.*	40	4	3	3	2	1	–	–	1	–	1	–	1	2
	12. *Pancreas Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Hepatitis	20	1	–	–	–	–	–	–	–	2	–	–	1	–
	14. Jaundice	10	2	–	–	–	–	–	–	–	–	–	–	–	–
	15. *Liver Disease, etc.*	46	–	–	1	–	1	–	–	1	2	–	2	3	–
	16. *Spleen Disease, etc.*	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 5.														
	1. Nephritis	7	–	–	–	2	–	–	–	–	–	–	–	–	–
	2. Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Bright's Disease (Nephria)	25	–	–	–	1	–	1	–	–	1	1	1	5	–
	4. Diabetes	3	–	–	–	–	–	–	–	–	1	–	1	1	–
	5. Calculus (Stone)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Cystitis	2	–	–	–	–	–	–	–	–	–	–	–	–	1
	7. *Kidney Disease, etc.*	17	1	–	–	–	1	–	–	–	1	1	3	2	1
	ORDER 6.														
	1. Ovarian Dropsy	8	–	–	–	–	–	–	–	–	–	–	1	1	1
	2. *Uterus Disease, etc.*	13	–	–	–	–	–	–	–	–	–	–	1	5	1
	ORDER 7.														
	1. Synovitis (Arthritis)	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. *Joint Disease, etc.*	14	–	–	–	–	–	–	1	4	2	–	2	1	–

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1879.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
	ORDER 2.															
	1. Scrofula	2	2	1	–	–	–	–	1	–	–	–	–	–	–	–
	2. Tabes Mesenterica	1	–	1	–	–	–	–	1	–	–	–	–	–	–	–
	3. Phthisis	33	34	23	22	15	13	5	1	1	–	–	–	–	–	–
	4. Hydrocephalus	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
III.	ORDER 1.															
	1. Cephalitis	1	2	2	–	2	–	2	–	–	–	–	–	–	–	–
	2. Apoplexy	–	4	6	11	11	21	14	15	15	4	–	1	–	–	–
	3. Paralysis	4	5	8	8	14	22	21	24	10	11	2	1	–	–	–
	4. Insanity	1	2	4	1	2	2	1	5	1	–	–	–	–	–	2
	5. Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Epilepsy	3	3	–	1	–	1	–	–	–	–	–	–	–	–	–
	7. Convulsions	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	8. *Brain Disease, etc.*	1	6	9	1	4	4	8	4	4	–	–	–	–	–	–
	ORDER 2.															
	1. Pericarditis	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	2. Aneurism	1	2	5	1	1	–	–	–	–	–	–	–	–	–	–
	3. *Heart Disease, etc.*	8	20	21	30	35	43	30	30	27	16	2	–	–	–	1
	ORDER 3.															
	1. Laryngitis	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	2. Bronchitis	9	17	23	26	29	45	38	38	36	17	1	1	1	–	–
	3. Pleurisy	2	3	2	6	3	1	1	2	2	–	–	–	–	–	–
	4. Pneumonia	15	11	15	10	11	10	13	6	3	3	–	–	–	–	–
	5. Asthma	–	3	2	2	3	2	4	–	2	–	–	–	–	–	–
	6. *Lung Disease, etc.*	5	4	5	3	5	7	8	5	1	2	–	–	–	–	–
	ORDER 4.															
	1. Gastritis	1	–	–	–	2	–	–	–	–	–	–	–	–	–	–
	2. Enteritis	1	–	2	1	1	1	–	2	–	–	–	–	–	–	–
	3. Peritonitis	4	1	1	–	–	–	–	1	–	–	–	–	–	–	–
	4. Ascites	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–
	5. Ulceration of Intestines	–	–	1	–	2	6	2	1	1	1	–	–	–	–	–
	6. Hernia	–	–	1	1	1	1	1	–	1	–	2	–	–	–	–
	7. Ileus	1	1	–	–	–	–	2	1	–	–	–	–	–	–	–
	8. Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	9. Stricture of Intestines	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–
	10. Fistula	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
	11. *Stomach Disease, etc.*	1	–	1	1	2	6	4	–	2	1	–	–	–	–	–
	12. *Pancreas Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Hepatitis	1	–	1	1	1	1	2	–	–	–	–	–	–	–	–
	14. Jaundice	3	1	–	–	–	1	–	1	1	–	–	–	–	–	–
	15. *Liver Disease, etc.*	3	6	5	3	8	10	4	4	4	1	–	–	–	–	–
	16. *Spleen Disease, etc.*	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 5.															
	1. Nephritis	–	–	2	–	2	1	1	1	–	–	–	–	–	–	–
	2. Ischuria	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	3. Bright's Disease (Nephria)	2	1	5	2	5	1	1	3	1	–	–	–	–	–	–
	4. Diabetes	1	–	1	1	1	1	–	–	1	–	–	–	–	–	–
	5. Calculus (Stone)	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	6. Cystitis	–	–	–	–	1	2	2	–	3	–	–	–	–	–	–
	7. *Kidney Disease, etc.*	1	2	1	1	1	3	4	3	3	–	–	–	–	–	–
	ORDER 6.															
	1. Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. *Uterus Disease, etc.*	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 7.															
	1. Synovitis (Arthritis)	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	2. *Joint Disease, etc.*	1	–	1	1	–	–	2	–	–	–	–	–	–	–	–

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1879.—FEMALES. (*Continued.*)

CAUSES OF DEATH.	FEMALES. AGE UNDER														
	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ORDER 2.															
1. Scrofula	2	–	–	–	1	1	–	–	–	–	–	–	–	–	–
2. Tabes Mesenterica	1	2	–	–	1	–	–	–	–	–	–	–	–	–	–
3. Phthisis	63	35	31	27	17	11	2	4	2	–	–	–	–	–	–
4. Hydrocephalus	–	–	–	–		1	–	–	–	–	–	–	–	–	–
ORDER 1.															
1. Cephalitis	1	1	2	1	1	–	–	–	1	–	–	–	–	–	–
2. Apoplexy	3	7	8	11	13	16	12	16	20	8	2	–	–	–	–
3. Paralysis	1	7	2	10	9	21	24	20	27	18	4	2	–	–	–
4. Insanity	1	4	4	4	7	2	2	2	1	1	–	–	–	–	1
5. Chorea	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
6. Epilepsy	–	–	2	1	–	–	1	3	1	–	–	–	–	–	–
7. Convulsions	1	–	–	2	–	–	–	–	–	–	–	–	–	–	–
8. *Brain Disease, etc.*	3	4	–	2	3	8	8	–	6	–	1	–	–	–	–
ORDER 2.															
1. Pericarditis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
2. Aneurism	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
3. *Heart Disease, etc.*	15	15	23	22	30	41	37	30	20	12	1	3	–	–	–
ORDER 3.															
1. Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
2. Bronchitis	11	16	15	22	36	46	50	46	59	17	9	3	1	–	–
3. Pleurisy	1	2	1	–	1	1	4	–	–	–	–	–	–	–	–
4. Pneumonia	12	8	5	6	8	12	13	8	1	4	2	–	–	–	–
5. Asthma	–	2	1	1	3	3	3	–	3	1	1	–	–	–	–
6. *Lung Disease, etc.*	1	4	3	2	2	6	7	1	2	4	2	–	–	–	–
ORDER 4.															
1. Gastritis	2	3	1	–	1	–	2	–	–	1	–	–	–	–	–
2. Enteritis	1	1	1	1	2	1	2	–	2	–	–	–	–	–	–
3. Peritonitis	3	2	1	1	2	–	1	1	1	–	–	–	–	–	–
4. Ascites	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–
5. Ulceration of Intestines	–	1	–	–	4	–	–	–	–	–	–	–	–	–	–
6. Hernia	–	–	1	–	–	1	–	–	2	–	–	–	–	–	–
7. Ileus	1	1	2	–	–	2	2	2	2	2	–	–	–	–	–
8. Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
9. Stricture of Intestines	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
10. Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
11. *Stomach Disease, etc.*	2	2	2	1	6	2	2	1	2	1	1	–	–	–	–
12. *Pancreas Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
13. Hepatitis	1	2	4	4	3	–	–	–	2	–	–	–	–	–	–
14. Jaundice	–	–	–	–	3	1	3	1	–	–	–	–	–	–	–
15. *Liver Disease, etc.*	4	3	1	4	2	7	7	3	3	2	–	–	–	–	–
16. *Spleen Disease, etc.*	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
ORDER 5.															
1. Nephritis	–	1	–	1	1	1	–	–	1	–	–	–	–	–	–
2. Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
3. Bright's Disease (Nephria)	2	1	2	2	2	2	3	1	–	–	–	–	–	–	–
4. Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
5. Calculus (Stone)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
6. Cystitis	–	1		–	–	–	–	–	–	–	–	–	–	–	–
7. *Kidney Disease, etc.*	1	–	2	1	2	1	–	–	–	–	–	–	–	–	–
ORDER 6.															
1. Ovarian Dropsy		–	3	–	–	2	–	–	–	–	–	–	–	–	–
2. *Uterus Disease, etc.*	1	–	–	1	2	1	1	–	–	–	–	–	–	–	
ORDER 7.															
1. Synovitis (Arthritis)	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
2. *Joint Disease, etc.*	–	1	–	1	1	–	–	–	1	–	–	–	–	–	–

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1879.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30	35
	ORDER 8.														
	1. Phlegmon	11	2	–	1	–	–	1	–	1	1	–	1	1	1
	2. Ulcer	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. *Skin Disease, etc.*	5	–	3	1	1	–	–	–	–	–	–	–	–	–
IV.	ORDER 1.														
	1. Premature Birth	133	133	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cyanosis	2	2	–	–	–	–	–	–	–	–	–	–	–	–
	3. Spina Bifida	4	4	–	–	–	–	–	–	–	–	–	–	–	–
	4. Other Malformations	10	9	–	–	1	–	–	–	–	–	–	–	–	–
	5. Teething	42	–	3	21	16	2	–	–	–	–	–	–	–	–
	ORDER 2.														
	1. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Childbirth (*see* Puerperal Fever)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.														
	1. Old Age	183	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4.														
	1. Atrophy and Debility	185	133	13	9	10	3	2	1	1	1	1	2	–	1
V.	ORDER 1. (*Accident or Negligence.*)														
	1. Fractures and Contusions	58	–	–	–	1	–	–	2	3	5	6	4	8	5
	2. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Cut, Stab	2	–	–	–	–	–	–	–	1	–	–	–	–	–
	4. Burns and Scalds	18	–	1	2	3	3	3	1	1	–	1	–	–	–
	5. Poison	3	–	–	–	1	–	–	–	–	–	–	–	–	–
	6. Drowning	48	1	–	–	–	–	–	–	3	7	1	4	6	5
	7. Suffocation	18	9	–	–	–	–	–	1	1	1	–	1	–	–
	8. Otherwise	14	–	–	1	–	–	1	–	1	1	1	–	–	–
	ORDER 3. (*Homicide.*)														
	1. Murder and Manslaughter	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4. (*Suicide.*)														
	1. Gunshot Wounds	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cut, Stab	1	–	–	–	–	–	–	–	–	–	–	–	1	–
	3. Poison	3	–	–	–	–	–	–	–	–	–	–	–	–	1
	4. Drowning	4	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Hanging	4	–	–	–	–	–	–	–	–	–	–	1	–	1
	6. Otherwise and undefined	1	–	–	–	–	–	–	–	–	–	–	–	1	–
	ORDER 5. (*Execution.*)														
	1. Hanging	–	–	–	–	–	–	–	–	–	–	–	–		–
	Sudden Deaths (cause unascertained)	4	1	–	–	–	–	–	–	–	–	–	–	–	–
	Causes not specified or ill-defined	31	11	4	2	2	–	–	–	1	–	–	1	1	–

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1879.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.												
			3	6	12	2	3	4	5	10	15	20	25	30	35
	ORDER 8.														
	1. Phlegmon	13	3	–	–	1	–	–	–	–	–	–	2	3	3
	2. Ulcer	6	–	–	1	–	–	–	–	–	–	–	–	1	–
	3. *Skin Disease, etc.*	5	3	–	–	–	–	–	–	–	–	–	–	–	–
IV.	ORDER 1.														
	1. Premature Birth	79	78	–	–	1	–	–	–	–	–	–	–	–	–
	2. Cyanosis	4	3	–	1	–	–	–	–	–	–	–	–	–	–
	3. Spina Bifida	7	5	1	1	–	–	–	–	–	–	–	–	–	–
	4. Other Malformations	3	3	–	–	–	–	–	–	–	–	–	–	–	–
	5. Teething	25	–	1	12	11	1	–	–	–	–	–	–	–	–
	ORDER 2.														
	1. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Childbirth (*see* Puerperal Fever)	51	–	–	–	–	–	–	–	–	–	2	5	13	14
	ORDER 3.														
	1. Old Age	360	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4.														
	1. Atrophy and Debility	155	86	12	6	4	3	3	1	3	–	1	–	–	3
V.	ORDER 1. (*Accident or Negligence.*)														
	1. Fractures and Contusions	17	–	1	2	–	–	–	1	–	1	2	–	1	–
	2. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Cut, Stab	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Burns and Scalds	14	–	–	–	2	1	–	2	2	–	1	1	–	–
	5. Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Drowning	8	–	–	–	–	2	–	1	–	2	–	–	1	–
	7. Suffocation	10	6	3	–	–	–	–	–	–	–	–	–	–	–
	8. Otherwise	4	–	–	–	–	–	–	–	–	1	–	–	–	1
	ORDER 3. (*Homicide.*)														
	1. Murder and Manslaughter	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4. (*Suicide.*)														
	1. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cut, Stab	2	–	–	–	–	–	–	–	–	–	–	1	–	–
	3. Poison	1	–	–	–	–	–	–	–	–	–		–	–	1
	4. Drowning	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Hanging	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Otherwise and undefined	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 5. (*Execution.*)														
	1. Hanging	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Sudden Deaths (cause unascertained)	3	–	–	–	–	–	–	–	–	–	–	–	–	1
	Causes not specified or ill-defined	27	10	2	2	–	2	–	–	1	–	–	1	1	–

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1879.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
	ORDER 8.															
	1. Phlegmon	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
	2. Ulcer	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–
	3. *Skin Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
IV.	ORDER 1.															
	1. Premature Birth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 2.															
	1. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Childbirth (*see* Puerperal Fever)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.															
	1. Old Age	–	–	–	–	–	14	21	38	51	28	20	5	6	–	–
	ORDER 4.															
	1. Atrophy and Debility	–	1	2	1	4	–	–	–	–	–	–	–	–	–	–
V.	ORDER 1. (*Accident or Negligence.*)															
	1. Fractures and Contusions	6	3	3	–	6	4	1	–	–	1	–	–	–	–	–
	2. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Cut, Stab	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	4. Burns and Scalds	1	1	–	–	–	–	–	1	–	–	–	–	–	–	–
	5. Poison	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–
	6. Drowning	6	3	6	2	2	2	–	–	–	–	–	–	–	–	–
	7. Suffocation	–	–	–	2	–	3	–	–	–	–	–	–	–	–	–
	8. Otherwise	1	1	2	1	1	1	2	–	–	–	–	–	–	–	–
	ORDER 3. (*Homicide.*)															
	1. Murder and Manslaughter	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4. (*Suicide.*)															
	1. Gunshot Wounds	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	2. Cut, Stab	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Poison	–	1	–	–	1	–	–	–	–	–		–	–	–	–
	4. Drowning	–	2	1	–	–	–	–	1	–	–	–	–	–	–	–
	5. Hanging	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–
	6. Otherwise and undefined	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 5. (*Execution.*)															
	1. Hanging	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Sudden Deaths (cause unascertained)	–	–	1	–	–	–	–	–	1	1	–	–	–	–	–
	Causes not specified or ill-defined	–	1	1	–	–	2	2	1	2	–	–	–	–	–	–

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1879.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
	ORDER 8.															
	1. Phlegmon	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	2. Ulcer	–	–	–	–	–	1	1	1	–	1	–	–	–	–	–
	3. *Skin Disease, etc.*	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
IV.	ORDER 1.															
	1. Premature Birth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 2.															
	1. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Childbirth (*see* Puerperal Fever)	9	8	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.															
	1. Old Age	–	–	–	–	–	31	34	62	90	87	37	16	3	–	–
	ORDER 4.															
	1. Atrophy and Debility	2	2	6	9	13	–	1	–	–	–	–	–	–	–	–
V.	ORDER 1. (*Accident or Negligence.*)															
	1. Fractures and Contusions	–	–	–	1	1	1	1	3	2	–	–	–	–	–	–
	2. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Cut, Stab	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Burns and Scalds	–	1	–	–	1	–	1	–	–	1	1	–	–	–	–
	5. Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Drowning	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. Suffocation	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Otherwise	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	ORDER 3. (*Homicide.*)															
	1. Murder and Manslaughter	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4. (*Suicide.*)															
	1. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cut, Stab	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	3. Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Drowning	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
	5. Hanging	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Otherwise and undefined	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 5. (*Execution.*)															
	1. Hanging	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Sudden Deaths (cause unascertained)	–	–	–	–		2	–	–	–	–	–	–	–	–	–
	Causes not specified or ill-defined	1	2	–	1	1	1	1	1	–	–	–	–	–	–	–

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1879.—MALES.

Class.	CAUSES OF DEATH.	MALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.												
			3	6	12	2	3	4	5	10	15	20	25	30	35
	All Causes . . .	8217	903	312	555	634	310	213	119	401	226	311	289	248	213
	Specified Causes . .	8103	858	303	543	628	309	212	118	398	223	309	288	248	213
	(CLASSES.)														
I.	ZYMOTIC DISEASES	1384	96	69	149	233	145	106	58	167	44	39	30	27	22
II.	CONSTITUTIONAL ,,	1554	30	46	83	110	65	37	17	102	76	152	144	123	87
III.	LOCAL ,,	3729	242	151	260	234	88	56	32	103	79	75	72	69	73
IV.	DEVELOPMENTAL ,,	1010	481	35	48	35	5	3	2	2	3	2	1	1	–
V.	VIOLENT DEATHS .	426	9	2	3	16	6	10	9	24	21	41	41	28	31
	(ORDERS.)														
I.	1. MIASMATIC DISEASES .	1302	72	66	145	231	144	104	58	167	42	39	30	22	18
	2. ENTHETIC ,, .	20	9	2	2	1	1	–	–	–	–	–	–	–	2
	3. DIETIC ,, .	60	15	–	1	1	–	2	–	–	2	–	–	5	2
	4. PARASITIC ,, .	2	–	1	1	–	–	–	–	–	–	–	–	–	–
II.	1. DIATHETIC ,, .	207	8	1	2	1	1	–	2	1	2	–	2	3	4
	2. TUBERCULAR ,, .	1347	22	45	81	109	64	37	15	101	74	152	142	120	83
III.	1. DISEASES OF NERVOUS SYSTEM . .	882	53	32	54	46	19	10	12	39	25	14	12	10	11
	2. ,, OF ORGANS OF CIRCULATION .	603	7	2	1	–	1	–	1	5	7	13	8	12	17
	3. ,, OF RESPIRATORY ORGANS . .	1473	117	88	163	165	55	35	13	31	15	20	23	25	25
	4. ,, OF DIGESTIVE ORGANS . . .	508	63	28	31	17	9	6	3	19	15	16	20	14	10
	5. ,, OF URINARY ORGANS . . .	198	–	–	5	2	1	3	2	5	4	6	5	8	9
	6. ,, OF ORGANS OF GENERATION .	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. ,, OF ORGANS OF LOCOMOTION . .	36	1	–	1	–	1	1	–	4	13	3	4	–	1
	8. ,, OF INTEGUMENTARY SYSTEM . .	29	1	1	5	4	2	1	1	–	–	3	–	–	–
IV.	1. DEV. DIS. OF CHILDREN .	313	243	10	34	24	2	–	–	–	–	–	–	–	–
	2. ,, OF ADULTS .	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. ,, OF OLD PEOPLE	374	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. DISEASES OF NUTRITION	323	238	25	14	11	3	3	2	2	3	2	1	1	–

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1879.—FEMALES.

Class.	CAUSES OF DEATH.	FEMALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.												
			3	6	12	2	3	4	5	10	15	20	25	30	35
	All Causes . . .	8345	656	245	445	580	301	217	131	369	219	308	299	296	226
	Specified Causes . .	8238	625	240	437	578	300	216	130	365	218	307	294	293	222
	(CLASSES.)														
I.	ZYMOTIC DISEASES	1371	65	51	133	245	149	114	69	169	46	39	28	38	16
II.	CONSTITUTIONAL ,,	1779	21	30	85	82	45	36	23	93	104	185	172	147	105
III.	LOCAL ,,	3613	175	127	172	192	89	59	31	93	62	65	73	87	83
IV.	DEVELOPMENTAL ,,	1332	350	29	43	51	12	2	2	5	1	11	16	19	16
V.	VIOLENT DEATHS .	143	14	3	4	8	5	5	5	5	5	7	5	2	2
	(ORDERS.)														
I.	1. MIASMATIC DISEASES .	1327	54	50	127	243	148	113	69	167	46	38	28	38	16
	2. ENTHETIC ,, .	12	4	–	4	1	–	–	–	–	–	1	–	–	–
	3. DIETIC ,, .	28	7	1	1	–	–	1	–	2	–	–	–	–	–
	4. PARASITIC ,, .	4	–	–	1	1	1	–	–	–	–	–	–	–	–
II.	1. DIATHETIC ,, .	375	6	1	–	1	–	3	1	3	–	1	7	5	8
	2. TUBERCULAR ,, .	1404	15	29	85	81	45	33	22	90	104	184	165	142	97
III.	1. DISEASES OF NERVOUS SYSTEM . .	813	44	27	32	37	18	11	5	31	15	13	11	15	12
	2. ,, OF ORGANS OF CIRCULATION .	633	4	2	–	–	1	1	1	7	10	11	11	18	12
	3. ,, OF RESPIRATORY ORGANS . .	1370	79	66	111	134	58	37	20	38	17	9	15	19	20
	4. ,, OF DIGESTIVE ORGANS . . .	554	46	31	27	14	10	7	3	12	10	18	20	18	27
	5. ,, OF URINARY ORGANS . . .	146	–	–	–	3	1	2	1	3	5	4	10	9	6
	6. ,, OF ORGANS OF GENERATION .	39	–	–	–	–	–	–	–	1	–	1	4	2	5
	7. ,, OF ORGANS OF LOCOMOTION .	30	1	–	–	–	1	1	1	1	4	9	1	3	–
	8. ,, OF INTEGUMENTARY SYSTEM . .	28	1	1	2	4	–	–	–	–	1	–	1	3	1
IV.	1. DEV. DIS. OF CHILDREN .	234	168	8	23	27	4	1	–	1	–	1	–	–	–
	2. ,, OF ADULTS .	94	–	–	–	–	–	–	–	–	–	8	15	18	14
	3. ,, OF OLD PEOPLE	712	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. DISEASES OF NUTRITION	292	182	21	20	24	8	1	2	4	1	2	1	1	2

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1879.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
	All Causes . . .	226	239	248	312	342	438	415	393	425	266	126	40	13	–	–
	Specified Causes . .	225	235	243	310	338	434	413	386	424	266	126	40	13	–	–
	(CLASSES.)															
I.	ZYMOTIC DISEASES	14	15	15	21	29	20	29	25	20	7	4	–	–	–	–
II.	CONSTITUTIONAL ,,	80	65	56	71	57	51	38	20	30	8	4	2	–	–	–
III.	LOCAL ,,	94	138	148	183	226	325	287	281	284	151	60	16	2	–	–
IV.	DEVELOPMENTAL ,,	3	–	3	4	8	17	37	51	85	96	57	20	11	–	–
V.	VIOLENT DEATHS .	34	17	21	31	18	21	22	9	5	4	1	2	–	–	–
	(ORDERS.)															
I.	1. MIASMATIC DISEASES .	9	7	12	14	25	19	23	25	19	7	4	–	–	–	–
	2. ENTHETIC ,, .	–	–	2	–	–	–	1	–	–	–	–	–	–	–	–
	3. DIETIC ,, .	5	8	1	7	4	1	5	–	1	–	–	–	–	–	–
	4. PARASITIC ,, .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	1. DIATHETIC ,, .	5	10	11	28	27	22	24	13	27	7	4	2	–	–	–
	2. TUBERCULAR ,, .	75	55	45	43	30	29	14	7	3	1	–	–	–	–	–
III.	1. DISEASES OF NERVOUS SYSTEM . .	21	23	36	38	51	82	59	76	89	43	17	10	–	–	–
	2. ,, OF ORGANS OF CIRCULATION .	22	39	34	45	55	84	79	68	69	22	10	1	1	–	–
	3. ,, OF RESPIRATORY ORGANS . .	32	47	52	61	76	93	90	88	75	59	20	4	1	–	–
	4. OF DIGESTIVE ORGANS . . .	15	24	16	24	32	44	35	26	25	7	9	–	–	–	–
	5. ,, OF URINARY ORGANS . . .	2	5	9	11	10	19	23	23	24	17	4	1	–	–	–
	6. ,, OF ORGANS OF GENERATION .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. ,, OF ORGANS OF LOCOMOTION . .	2	–	–	1	1	2	–	–	–	1	–	–	–	–	–
	8. ,, OF INTEGUMENTARY SYSTEM . .	–	–	1	3	1	1	1	–	2	2	–	–	–	–	–
IV.	1. DEV. DIS. OF CHILDREN .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. ,, OF ADULTS .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. ,, OF OLD PEOPLE	–	–	–	–	–	17	37	51	85	96	57	20	11	–	–
	4. DISEASES OF NUTRITION	3	–	3	4	8	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1879.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
	All Causes . . .	259	256	260	285	306	433	461	529	535	407	213	82	21	5	1
	Specified Causes . .	255	252	259	281	301	431	453	522	530	407	213	82	21	5	1
	(CLASSES.)															
I.	ZYMOTIC DISEASES	14	19	17	17	17	22	21	29	28	18	6	1	–	–	–
II.	CONSTITUTIONAL ,,	98	87	74	79	62	80	52	54	33	26	4	2	–	–	–
III.	LOCAL ,,	114	127	158	170	207	291	317	339	306	168	78	24	4	1	1
IV.	DEVELOPMENTAL ,,	26	12	7	9	9	32	57	90	156	183	120	53	17	4	–
V.	VIOLENT DEATHS .	3	7	3	6	6	6	6	10	7	12	5	2	–	–	–
	(ORDERS.)															
I.	1. MIASMATIC DISEASES .	13	18	12	16	17	18	17	27	27	18	6	1	–	–	–
	2. ENTHETIC ,, .	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
	3. DIETIC ,, .	1	1	5	–	–	4	3	2	–	–	–	–	–	–	–
	4. PARASITIC ,, .	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
II.	1. DIATHETIC ,,	19	23	26	35	41	59	38	42	27	24	4	1	–	–	–
	2. TUBERCULAR ,,	79	64	48	44	21	21	14	12	6	2	–	1	–	–	–
III.	1. DISEASES OF NERVOUS SYSTEM . .	15	14	32	34	50	69	77	78	96	50	19	7	1	–	–
	2. ,, OF ORGANS OF CIRCULATION .	28	39	37	48	43	72	93	83	62	34	12	3	–	–	1
	3. ,, OF RESPIRATORY ORGANS . .	30	34	40	47	65	91	95	123	106	64	40	8	3	1	–
	4. ,, OE DIGESTIVE ORGANS . . .	20	20	28	26	33	42	43	41	32	16	5	5	–	–	–
	5. ,, OF URINARY ORGANS . . .	15	9	15	9	13	11	8	9	8	3	1	1	–	–	–
	6. ,, OF ORGANS OF GENERATION .	4	6	5	3	–	5	1	1	–	1	–	–	–	–	–
	7. ,, OF ORGANS OF LOCOMOTION . .	2	1	1	–	2	–	–	2	–	–	–	–	–	–	–
	8. ,, OF INTEGUMENTARY SYSTEM . .	–	4	–	3	1	1	–	2	2	–	1	–	–	–	–
IV.	1. DEV. DIS. OF CHILDREN .	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	2. ,, OF ADULTS .	26	10	2	1	–	–	–	–	–	–	–	–	–	–	–
	3. ,, OF OLD PEOPLE	–	–	–	–	–	32	57	90	156	183	120	53	17	4	–
	4. DISEASES OF NUTRITION	–	2	5	8	8	–	–		–	–	–	–	–	–	–

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1879.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30	35
V.	1. ACCIDENT OR NEGLIGENCE	388	9	1	3	16	6	10	9	22	21	41	40	28	28
	*														
	3. HOMICIDE	3	–	1	–	–	–	–	–	2	–	–	–	–	–
	4. SUICIDE	35	–	–	–	–	–	–	–	–	–	–	1		3
	5. EXECUTION	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	SUDDEN DEATHS, CAUSE UNASCERTAINED	7	–	1	–	–	–	–	–	1	1	–	–	–	–
	CAUSES NOT SPECIFIED	107	45	8	12	6	1	1	1	2	2	2	1	–	–
I.	ORDER 1.														
	1. Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Measles	106	2	2	19	39	19	9	3	12	1	–	–	–	–
	3. Scarlatina	237	1	–	13	25	34	44	22	73	18	2	–	1	2
	4. Diphtheria	101	–	–	5	23	21	13	10	24	2	–	–	1	–
	5. Quinsy	4	2	–	–	–	–	–	–	–	1	–	–	–	–
	6. Croup	105	3	5	10	36	12	10	8	18	3	–	–	–	–
	7. Hooping-cough	257	27	36	61	71	33	14	4	10	–	1	–	–	–
	8. Typhus Fever	20	–	–	–	–	2	1	–	1	2	4	1	1	1
	8. Enteric or Typhoid Fever	152	–	–	4	3	6	7	7	17	11	18	23	12	9
	8. Relapsing Fever	1	–	–	–	–	–	–	–	1	–	–	–	–	–
	8. Simple Continued Fever	25	–	–	1	–	2	2	1	4	2	2	–	3	2
	9. Erysipelas	34	7	2	3	1	–	–	–	1	–	1	–	–	1
	10. Puerperal Fever (Metria)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. Carbuncle	2	1	–	–	–	–	–	–	–	–	–	–	–	–
	12. Influenza	9	–	–	1	–	–	–	–	–	–	–	–	–	–
	13. Dysentery	21	1	–	5	2	1	–	–	1	–	–	1	–	1
	14. Diarrhœa	161	26	19	20	27	9	3	1	1	–	1	3	–	2
	15. Cholera	14	1	1	2	3	2	–	–	–	–	–	–	1	–
	16. Ague	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	17. Remittent Fever	11	–	1	1	1	3	1	2	1	–	–	–	–	–
	18. Rheumatism	40	–	–	–	–	–	–	–	3	2	10	2	3	–
	19. Other *Miasmatic* Diseases	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 2.														
	1. Syphilis	18	9	2	2	1	1	–	–	–	–	–	–	–	1
	2. Stricture of Urethra	2	–	–	–	–	–	–	–	–	–	–	–	–	1
	3. Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Glanders	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.														
	1. Privation	3	–	–	–	1	–	1	–	–	1	–	–	–	–
	2. Want of Breast Milk	16	15	–	1	–	–	–	–	–	–	–	–	–	
	3. Purpura and Scurvy	3	–	–	–	–	–	1	–	–	1	–	–	1	–
	4. Alcoholism *a* Del. Tremens	12	–	–	–	–	–	–	–	–	–	–	–	2	–
	4. Alcoholism *b* Intemperance	26	–	–	–	–	–	–	–	–	–	–	–	2	2
	ORDER 4.														
	1. Thrush	2	–	1	1	–	–	–	–	–	–	–	–	–	–
	2. Worms, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
I.	ORDER 1.														
	1. Gout	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Dropsy	47	8	1	2	1	1	–	2	1	–	–	2	1	1
	3. Cancer	139	–	–	–	–	–	–	–	–	2	–	–	1	3
	4. Cancrum Oris (Noma)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Mortification	20	–	–	–	–	–	–	–	–	–	–	–	1	–

* See page 52, note *.

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1879.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30	35
V.	1. ACCIDENT OR NEGLIGENCE	125	12	3	4	8	5	5	5	4	4	4	4	2	1
	*														
	3. HOMICIDE	3	2	–	–	–	–	–	–	1	–	–	–	–	–
	4. SUICIDE	15	–	–	–	–	–	–	–	–	1	3	1	–	1
	5. EXECUTION	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	SUDDEN DEATHS, CAUSE UNASCERTAINED	4	–	–	–	–	–	–	–	–	–	–	–	–	–
	CAUSES NOT SPECIFIED	103	31	5	8	2	1	1	1	4	1	1	5	3	4
I.	ORDER 1.														
	1. Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Measles	86	1	1	12	34	12	7	8	9	1	–	–	–	–
	3. Scarlatina	244	–	2	15	38	41	39	22	71	6	4	3	2	–
	4. Diphtheria	100	1	1	5	17	12	19	11	24	4	3	1	1	1
	5. Quinsy	2	–	–	–	–	–	–	–	1	–	–	–	–	–
	6. Croup	77	7	1	6	22	13	10	7	9	1	1	–	–	–
	7. Hooping-cough	295	16	18	58	98	52	28	12	11	1	–	–	–	–
	8. Typhus Fever	6	–	–	–	–	–	–	–	–	–	1	–	1	–
	8. Enteric or Typhoid Fever	140	–	–	3	1	7	7	5	30	17	18	13	9	6
	8. Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Simple Continued Fever	25	1	–	–	2	3	2	2	5	2	2	–	1	1
	9. Erysipelas	33	11	3	2	1	–	–	–	1	4	–	–	–	–
	10. Puerperal Fever (Metria)	43	–	–	–	–	–	–	–	–	–	1	8	17	7
	11. Carbuncle	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	12. Influenza	18	–	–	–	–	1	–	–	–	–	1	1	1	–
	13. Dysentery	17	1	–	1	1	–	–	–	–	–	–	1	2	–
	14. Diarrhœa	160	16	22	21	24	5	–	–	2	1	1	–	3	1
	15. Cholera	9	–	2	2	2	1	1	–	–	–	–	–	–	–
	16. Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	17. Remittent Fever	10	–	–	2	2	1	–	1	2	–	–	–	–	–
	18. Rheumatism	60	–	–	–	–	–	–	1	2	9	6	1	1	–
	19. Other *Miasmatic* Diseases	1	–	–	–	1	–	–	–	–	–	–	–	–	–
	ORDER 2.														
	1. Syphilis	11	4	–	4	1	–	–	–	–	–	–	–	–	–
	2. Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Hydrophobia	1	–	–	–	–	–	–	–	–	–	1	–	–	–
	4. Glanders	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.														
	1. Privation	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Want of Breast Milk	9	7	1	1	–	–	–	–	–	–	–	–	–	–
	3. Purpura and Scurvy	4	–	–	–	–	–	1	–	2	–	–	–	–	–
	4. Alcoholism *a* Del. Tremens	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Alcoholism *b* Intemperance	13	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4.														
	1. Thrush	1	–	–	1	–	–	–	–	–	–	–	–	–	–
	2. Worms, etc.	3	–	–	–	1	1	–	–	–	–	–	–	–	–
II.	ORDER 1.														
	1. Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Dropsy	61	4	1	–	1	–	1	1	3	–	1	5	1	3
	3. Cancer	290	–	–	–	–	–	–	–	–	–	–	2	4	5
	4. Cancrum Oris (Noma)	1	–	–	–	–	–	1	–	–	–	–	–	–	–
	5. Mortification	23	2	–	–	–	–	1	–	–	–	–	–	–	–

* page 52, note *

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1879.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
V.	1. ACCIDENT OR NEGLIGENCE	31	15	17	25	15	15	18	7	4	4	1	2	–	–	–
	*															
	3. HOMICIDE	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. SUICIDE	3	2	4	6	3	6	4	2	1	–	–	–	–	–	–
	5. EXECUTION	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	SUDDEN DEATHS, CAUSE UNASCERTAINED	–	–	1	–	–	1	–	2	–	–	–	–	–	–	–
	CAUSES NOT SPECIFIED	1	4	4	2	4	3	2	5	1	–	–	–	–	–	–
I.	ORDER 1.															
	1. Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Scarlatina	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
	4. Diphtheria	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
	5. Quinsy	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	6. Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. Hooping-cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Typhus Fever	–	–	–	3	4	–	–	–	–	–	–	–	–	–	–
	8. Enteric or Typhoid Fever	6	1	6	1	7	4	4	2	2	1	1	–	–	–	–
	8. Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Simple Continued Fever	–	3	–	1	1	–	–	1	–	–	–	–	–	–	–
	9. Erysipelas	–	–	3	–	3	4	5	1	1	1	–	–	–	–	–
	10. Puerperal Fever (Metria)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. Carbuncle	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	12. Influenza	–	–	1	1	–	–	3	1	1	–	1	–	–	–	–
	13. Dysentery	–	–	–	1	3	1	1	1	1	–	1	–	–	–	–
	14. Diarrhœa	1	–	1	2	2	6	6	15	11	4	1	–	–	–	–
	15. Cholera	–	–	–	1	–	–	3	–	–	–	–	–	–	–	–
	16. Ague	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	17. Remittent Fever	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	18. Rheumatism	2	2	–	2	4	3	1	3	2	1	–	–	–	–	–
	19. Other *Miasmatic* Diseases	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 2.															
	1. Syphilis	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–
	2. Stricture of Urethra	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	3. Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Glanders	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.															
	1. Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Purpura and Scurvy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Alcoholism *a* Del. Tremens	4	4	–	2	–	–	–	–	–	–	–	–	–	–	–
	4. Alcoholism *b* Intemperance	1	4	1	5	4	1	5	–	1	–	–	–	–	–	–
	ORDER 4.															
	1. Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Worms, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	ORDER 1.															
	1. Gout	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	2. Dropsy	–	2	–	3	4	4	5	3	5	1	–	–	–	–	–
	3. Cancer	4	8	10	23	23	18	17	7	17	4	2	–	–	–	–
	4. Cancrum Oris (Noma)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Mortification	1	–	1	2	–	–	2	2	5	2	2	2	–	–	–

* See page 52, note *

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1879.—FEMALES. (*Continued*).

Class.	CAUSES OF DEATH.	FEMALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
V.	1. ACCIDENT OR NEGLIGENCE	3	5	2	5	5	3	6	9	7	12	5	2	–	–	–
	*															
	3. HOMICIDE	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. SUICIDE	–	2	1	1	1	3	–	1	–	–	–	–	–	–	–
	5. EXECUTION	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	SUDDEN DEATHS, CAUSE UNASCERTAINED	1	–	1	–	1	–	1	–	–	–	–	–	–	–	–
	CAUSES NOT SPECIFIED	3	4	–	4	4	2	7	7	5	–	–	–	–	–	–
I.	ORDER 1.															
	1. Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Measles	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	3. Scarlatina	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Quinsy	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	6. Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. Hooping-cough	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	8. Typhus Fever	1	1	1	1	–	–	–	–	–	–	–	–	–	–	–
	8. Enteric or Typhoid Fever	6	2	2	3	4	1	3	1	1	1	–	–	–	–	–
	8. Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Simple Continued Fever	–	–	–	1	1	–	1	–	1	–	–	–	–	–	–
	9. Erysipelas	–	–	1	–	2	–	1	3	1	3	–	–	–	–	–
	10. Puerperal Fever (Metria)	2	8	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. Carbuncle	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	12. Influenza	–	–	–	–	1	1	–	3	5	3	1	–	–	–	–
	13. Dysentery	–	–	1	–	3	2	2	2	1	–	–	–	–	–	–
	14. Diarrhœa	2	3	4	3	5	8	6	7	13	7	5	1	–	–	–
	15. Cholera	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	16. Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	17. Remittent Fever	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
	18. Rheumatism	1	4	3	6	–	5	4	9	5	3	–	–	–	–	–
	19. Other *Miasmatic* Diseases	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 2.															
	1. Syphilis	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
	2. Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Glanders	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.															
	1. Privation	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	2. Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Purpura and Scurvy	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	4. Alcoholism *a* Del. Tremens	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Alcoholism *b* Intemperance	–	1	4	–	–	4	2	2	–	–	–	–	–	–	–
	ORDER 4.															
	1. Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Worms, etc.	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
II.	ORDER 1.															
	1. Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Dropsy	3	1	2	–	4	8	4	7	7	3	1	–	–	–	–
	3. Cancer	16	22	24	35	37	49	33	30	17	14	1	1	–	–	–
	4. Cancrum Oris (Noma)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Mortification	–	–	–	–	–	2	1	5	3	7	2	–	–	–	–

* See page 52, note *.

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1879.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.												
			3	6	12	2	3	4	5	10	15	20	25	30	35
	ORDER 2.														
	1. Scrofula	84	1	1	6	6	4	–	1	7	19	11	7	5	4
	2. Tabes Mesenterica	147	7	11	20	32	17	12	5	20	11	3	2	2	–
	3. Phthisis	843	1	4	4	13	6	4	1	40	36	134	132	108	78
	4. Hydrocephalus	273	13	29	51	58	37	21	8	34	8	4	1	5	1
III.	ORDER 1.														
	1. Cephalitis	117	1	5	16	16	5	6	6	22	10	3	4	2	4
	2. Apoplexy	218	2	2	6	3	1	1	–	4	2	4	2	1	2
	3. Paralysis	233	–	–	–	1	–	1	–	–	1	1	3	1	2
	4. Insanity	8	–	–	–	–	–	–	–	–	–	2	1	–	–
	5. Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Epilepsy	40	1	1	1	3	–	1	1	5	3	2	2	1	–
	7. Convulsions	131	43	19	30	20	10	–	3	4	1	–	–	–	–
	8. *Brain Disease, etc.*	135	6	5	1	3	3	1	2	4	8	2	–	5	3
	ORDER 2.														
	1. Pericarditis	12	–	–	1	–	–	–	–	1	1	–	–	–	–
	2. Aneurism	14	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. *Heart Disease, etc.*	577	7	2	–	–	1	–	1	4	6	13	8	12	17
	ORDER 3.														
	1. Laryngitis	25	3	2	2	4	3	3	–	2	–	–	–	1	1
	2. Bronchitis	911	84	64	125	123	36	16	6	13	6	9	6	7	10
	3. Pleurisy	35	1	–	–	1	–	–	1	3	2	2	2	2	1
	4. Pneumonia	317	13	15	27	25	13	10	6	9	5	5	12	13	10
	5. Asthma	44	–	–	–	–	–	–	–	–	–	1	–	1	1
	6. *Lung Disease, etc.*	141	16	7	9	12	3	6	–	4	2	3	3	1	2
	ORDER 4.														
	1. Gastritis	23	1	2	3	2	–	1	–	2	1	–	–	1	–
	2. Enteritis	104	18	14	10	10	4	3	–	6	5	5	4	1	3
	3. Peritonitis	43	2	4	1	3	2	1	1	2	1	2	1	3	2
	4. Ascites	7	–	–	–	–	–	–	–	1	2	2	–	–	–
	5. Ulceration of Intestines	33	–	–	–	–	–	–	–	2	2	2	4	–	–
	6. Hernia	11	1	–	2	–	–	–	–	–	–	–	–	1	–
	7. Ileus	34	2	2	6	–	–	–	–	1	1	1	3	–	1
	8. Intussusception	7	3	–	–	–	–	–	–	1	–	–	1	1	–
	9. Stricture of Intestines	6	–	–	–	–	–	–	–	–	–	–	–	–	1
	10. Fistula	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. *Stomach Disease, etc.*	85	15	5	9	2	2	–	1	1	1	2	3	3	–
	12. *Pancreas Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Hepatitis	15	1	–	–	–	–	–	–	–	–	–	1	–	1
	14. Jaundice	39	19	–	–	–	1	–	–	–	–	–	1	2	1
	15. *Liver Disease, etc.*	94	1	1	–	–	–	1	–	3	2	1	2	2	1
	16. *Spleen Disease, etc.*	6	–	–	–	–	–	–	1	–	–	1	–	–	–
	ORDER 5.														
	1. Nephritis	14	–	–	2	–	–	2	1	2	–	1	1	–	–
	2. Ischuria	13	–	–	–	–	–	–	–	–	1	–	–	–	–
	3. Bright's Disease (Nephria)	46	–	–	1	1	–	1	1	2	2	2	1	3	3
	4. Diabetes	23	–	–	–	–	–	–	–	–	–	2	1	1	4
	5. Calculus (Stone)	4	–	–	–	–	–	–	–	–	–	–	–	1	–
	6. Cystitis	27	–	–	–	–	–	–	–	–	–	–	–	1	–
	7. *Kidney Disease, etc.*	71	–	–	2	1	1	–	–	1	1	1	2	2	2
	ORDER 6.														
	1. Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. *Uterus Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 7.														
	1. Synovitis (Arthritis)	3	–	–	–	–	–	1	–	–	2	–	–	–	–
	2. *Joint Disease, etc.*	33	1	–	1	–	1	–	–	4	11	3	4	–	1

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1879.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.												
			3	6	12	2	3	4	5	10	15	20	25	30	35
	ORDER 2.														
	1. Scrofula	76	3	1	3	9	2	1	3	9	9	13	8	2	1
	2. Tabes Mesenterica	133	5	5	24	23	13	6	4	15	12	10	2	2	2
	3. Phthisis	978	1	4	5	12	9	7	4	30	74	157	154	138	94
	4. Hydrocephalus	217	6	19	53	37	21	19	11	36	9	4	1	–	–
III.	ORDER 1.														
	1. Cephalitis	91	2	10	15	14	4	5	–	17	8	1	1	2	–
	2. Apoplexy	217	4	2	2	1	2	–	–	3	1	1	–	5	2
	3. Paralysis	242	–	–	–	–	1	1	–	–	–	3	–	–	2
	4. Insanity	9	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Chorea	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Epilepsy	30	1	–	–	–	–	1	–	1	1	2	3	2	2
	7. Convulsions	115	34	15	13	19	9	4	3	7	2	1	3	1	–
	8. *Brain Disease, etc.*	108	3	–	2	3	2	–	2	3	3	5	4	5	6
	ORDER 2.														
	1. Pericarditis	15	–	–	–	–	1	–	1	1	–	–	1	–	–
	2. Aneurism	9	–	–	–	–	–	–	–	–	–	–	–	1	–
	3. *Heart Disease, etc.*	609	4	2	–	–	–	1	–	6	10	11	10	17	12
	ORDER 3.														
	1. Laryngitis	16	1	1	–	4	4	1	1	–	–	–	1	–	–
	2. Bronchitis	944	58	55	83	94	38	20	11	18	4	2	7	8	9
	3. Pleurisy	26	–	–	–	–	2	2	–	3	1	–	2	–	1
	4. Pneumonia	259	8	7	22	30	14	11	8	11	6	7	4	6	9
	5. Asthma	29	–	–	–	–	–	–	–	–	–	–	–	1	–
	6. *Lung Disease, etc.*	96	12	3	6	6	–	3	–	6	6	–	1	4	1
	ORDER 4.														
	1. Gastritis	36	1	3	2	–	–	3	2	1	–	1	1	1	–
	2. Enteritis	110	24	9	16	8	6	2	–	9	3	1	1	2	2
	3. Peritonitis	57	–	1	–	1	1	2	–	1	–	5	8	6	9
	4. Ascites	12	–	–	–	–	–	–	–	1	2	–	–	1	–
	5. Ulceration of Intestines	39	–	–	2	1	–	–	–	–	2	4	4	3	5
	6. Hernia	17	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. Ileus	38	2	4	–	–	–	–	–	–	–	1	–	–	3
	8. Intussusception	3	–	1	–	–	–	–	–	–	–	–	–	–	–
	9. Stricture of Intestines	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	10. Fistula	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. *Stomach Disease, etc.*	94	11	10	5	4	3	–	1	–	2	4	2	1	2
	12. *Pancreas Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Hepatitis	26	–	1	1	–	–	–	–	–	1	2	2	–	3
	14. Jaundice	21	6	–	1	–	–	–	–	–	–	–	1	–	1
	15. *Liver Disease, etc.*	92	2	2	–	–	–	–	–	–	–	–	–	4	1
	16. *Spleen Disease, etc.*	6	–	–	–	–	–	–	–	–	–	–	1	–	1
	ORDER 5.														
	1. Nephritis	24	–	–	–	2	1	2	–	1	1	1	–	2	1
	2. Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Bright's Disease (Nephria)	59	–	–	–	–	–	–	–	2	3	1	4	6	1
	4. Diabetes	18	–	–	–	–	–	–	–	–	–	–	2	–	1
	5. Calculus (Stone)	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Cystitis	11	–	–	–	–	–	–	–	–	–	–	2	–	1
	7. *Kidney Disease, etc.*	33	–	–	–	1	–	–	1	–	1	2	2	1	2
	ORDER 6.														
	1. Ovarian Dropsy	19	–	–	–	–	–	–	–	1	–	1	1	2	1
	2. *Uterus Disease, etc.*	20	–	–	–	–	–	–	–	–	–	–	3	–	4
	ORDER 7.														
	1. Synovitis (Arthritis)	2	–	–	–	–	–	–	–	–	–	1	–	–	–
	2. *Joint Disease, etc.*	28	1	–	–	–	1	1	1	1	4	8	1	3	–

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1879.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
	ORDER 2.															
	1. Scrofula	3	2	2	1	1	1	–	2	–	–	–	–	–	–	–
	2. Tabes Mesenterica	2	1	–	2	–	–	–	–	–	–	–	–	–	–	–
	3. Phthisis	70	50	43	40	29	27	14	5	3	1	–	–	–	–	–
	4. Hydrocephalus	–	2	–	–	–	1	–	–	–	–	–	–	–	–	–
III.	ORDER 1.															
	1. Cephalitis	2	2	4	6	2	–	–	–	1	–	–	–	–	–	–
	2. Apoplexy	5	6	11	13	14	28	26	27	32	18	3	5	–	–	–
	3. Paralysis	3	10	12	8	20	37	22	40	39	18	10	4	–	–	–
	4. Insanity	–	–	–	1	–	1	–	1	–	–	1	1	–	–	–
	5. Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Epilepsy	3	2	3	1	4	–	2	–	4	–	–	–	–	–	–
	7. Convulsions	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. *Brain Disease, etc.*	7	3	6	9	11	16	9	8	13	7	3	–	–	–	–
	ORDER 2.															
	1. Pericarditis	–	–	2	1	2	–	2	–	1	1	–	–	–	–	–
	2. Aneurism	–	5	5	–	2	1	1	–	–	–	–	–	–	–	–
	3. *Heart Disease, etc.*	22	34	27	44	51	83	76	68	68	21	10	1	1	–	–
	ORDER 3.															
	1. Laryngitis	–	1	–	–	–	–	1	2	–	–	–	–	–	–	–
	2. Bronchitis	6	20	27	28	43	49	58	56	51	49	16	2	1	–	–
	3. Pleurisy	2	3	1	4	1	2	4	–	1	1	–	1	–	–	–
	4. Pneumonia	14	16	13	18	13	26	18	18	12	3	3	–	–	–	–
	5. Asthma	2	1	5	7	6	4	3	4	7	1	–	1	–	–	–
	6. *Lung Disease, etc.*	8	6	6	4	13	12	6	8	4	5	1	–	–	–	–
	ORDER 4.															
	1. Gastritis	1	–	2	1	1	2	2	–	–	–	1	–	–	–	–
	2. Enteritis	1	2	–	1	2	4	2	2	3	2	2	–	–	–	–
	3. Peritonitis	1	–	–	3	1	5	2	2	3	–	1	–	–	–	–
	4. Ascites	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	5. Ulceration of Intestines	1	3	4	1	4	4	5	–	1	–	–	–	–	–	–
	6. Hernia	–	–	–	–	–	–	2	1	1	1	2	–	–	–	–
	7. Ileus	–	–	2	1	4	5	1	–	3	1	–	–	–	–	–
	8. Intussusception	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	9. Stricture of Intestines	–	–	–	–	2	1	1	1	–	–	–	–	–	–	–
	10. Fistula	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	11. *Stomach Disease, etc.*	1	4	1	4	7	3	4	9	5	1	2	–	–	–	–
	12. *Pancreas Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Hepatitis	1	3	1	2	1	1	2	–	1	–	–	–	–	–	–
	14. Jaundice	1	–	–	–	–	3	1	4	4	1	1	–	–	–	–
	15. *Liver Disease, etc.*	6	12	5	10	9	14	12	7	4	1	–	1	–	–	–
	16. *Spleen Disease, etc.*	1	–	–	1	1	–	1	–	–	–	–	–	–	–	–
	ORDER 5.															
	1. Nephritis	–	1	1	–	–	1	–	–	–	2	–	–	–	–	–
	2. Ischuria	–	–	–	–	–	3	1	2	4	2	–	–	–	–	–
	3. Bright's Disease (Nephria)	1	2	3	5	5	4	2	5	2	–	–	–	–	–	–
	4. Diabetes	1	1	3	1	3	1	3	1	1	–	–	–	–	–	–
	5. Calculus (Stone)	–	–	–	–	–	1	–	2	–	–	–	–	–	–	–
	6. Cystitis	–	–	1	–	1	2	7	4	5	5	–	1	–	–	–
	7. *Kidney Disease, etc.*	–	1	1	5	1	7	10	9	12	8	4	–	–	–	–
	ORDER 6.															
	1. Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. *Uterus Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 7.															
	1. Synovitis (Arthritis)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. *Joint Disease, etc.*	2	–	–	1	1	2	–	–	–	1	–	–	–	–	–

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1879 —FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
	ORDER 2.															
	1. Scrofula	2	–	3	1	1	1	2	1	1	–	–	–	–	–	–
	2. Tabes Mesenterica	3	–	–	3	1	1	2	–	–	–	–	–	–	–	–
	3. Phthisis	74	64	44	40	19	19	10	11	5	2	–	1	–	–	–
	4. Hydrocephalus	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
III.	ORDER 1.															
	1. Cephalitis	2	–	6	–	–	1	1	1	1	–	–	–	–	–	–
	2. Apoplexy	5	7	15	15	19	27	28	24	28	17	7	1	1	–	–
	3. Paralysis	1	5	6	10	18	30	31	39	51	31	8	5	–	–	–
	4. Insanity	3	1	1	–	2	–	1	–	1	–	–	–	–	–	–
	5. Chorea	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	6. Epilepsy	1	–	1	1	3	3	3	2	2	–	1	–	–	–	–
	7. Convulsions	1	–	1	–	1	–	–	1	–	–	–	–	–	–	–
	8. *Brain Disease, etc.*	2	1	2	8	7	8	13	11	12	2	3	1	–	–	–
	ORDER 2.															
	1. Pericarditis	2	1	1	1	–	2	2	2	–	–	–	–	–	–	–
	2. Aneurism	1	–	3	–	–	2	1	–	–	–	1	–	–	–	–
	3. *Heart Disease, etc.*	25	38	33	47	43	68	90	81	62	34	11	3	–	–	1
	ORDER 3.															
	1. Laryngitis	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	2. Bronchitis	10	19	26	29	45	65	60	98	82	55	37	7	3	1	–
	3. Pleurisy	2	3	–	2	–	2	2	2	1	–	1	–	–	–	–
	4. Pneumonia	14	7	8	10	10	16	18	13	14	4	2	–	–	–	–
	5. Asthma	–	1	3	1	3	5	8	4	3	–	–	–	–	–	–
	6. *Lung Disease, etc.*	2	4	3	4	7	3	7	6	6	5	–	1	–	–	–
	ORDER 4.															
	1. Gastritis	2	1	1	1	–	5	1	4	4	2	–	–	–	–	–
	2. Enteritis	2	1	3	3	4	2	5	3	3	–	1	–	–	–	–
	3. Peritonitis	5	2	3	2	2	2	3	3	–	1	–	–	–	–	–
	4. Ascites	–	1	1	2	–	2	–	2	–	–	–	–	–	–	–
	5. Ulceration of Intestines	–	2	6	2	2	1	1	3	1	–	–	–	–	–	–
	6. Hernia	–	–	–	–	5	2	4	1	3	2	–	–	–	–	–
	7. Ileus	1	2	2	–	2	5	4	3	5	2	1	1	–	–	–
	8. Intussusception	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
	9. Stricture of Intestines	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
	10. Fistula	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	11. *Stomach Disease, etc.*	1	4	–	3	3	8	7	6	10	4	2	1	–	–	–
	12. *Pancreas Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Hepatitis	1	–	3	1	1	4	1	1	2	1	–	1	–	–	–
	14. Jaundice	–	–	1	2	1	–	4	3	–	–	1	–	–	–	–
	15. *Liver Disease, etc.*	7	6	8	9	13	11	10	11	3	3	–	2	–	–	–
	16. *Spleen Disease, etc.*	1	–	–	1	–	–	2	–	–	–	–	–	–	–	–
	ORDER 5.															
	1. Nephritis	1	1	4	–	2	–	3	–	2	–	–	–	–	–	–
	2. Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Bright's Disease (Nephria)	5	2	7	3	5	7	3	4	3	2	1	–	–	–	–
	4. Diabetes	4	2	1	3	2	2	–	–	1	–	–	–	–	–	–
	5. Calculus (Stone)	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Cystitis	1	1	–	–	1	2	–	1	2	–	–	–	–	–	–
	7. *Kidney Disease, etc.*	3	3	3	3	3	–	2	4	–	1	–	1	–	–	–
	ORDER 6.															
	1. Ovarian Dropsy	2	2	1	3	–	3	–	1	–	1	–	–	–	–	–
	2. *Uterus Disease, etc.*	2	4	4	–	–	2	1	–	–	–	–	–	–	–	–
	ORDER 7.															
	1. Synovitis (Arthritis)	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. *Joint Disease, etc.*	2	–	1	–	2	–	–	2	–	–	–	–	–	–	–

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1879.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES. ALL AGES.	AGE UNDER MONTHS 3	6	12	2	3	4	5	10	15	20	25	30	35
	ORDER 8.														
	1. Phlegmon	8	1	–	–	–	1	–	1	–	–	1	–	–	–
	2. Ulcer	4	–	–	–	–	–	–	–	–	–	2	–	–	–
	3. *Skin Disease, etc.*	17	–	1	5	4	1	1	–	–	–	–	–	–	–
IV.	ORDER 1.														
	1. Premature Birth	197	194	3	–	–	–	–	–	–	–	–	–	–	–
	2. Cyanosis	15	13	–	1	1	–	–	–	–	–	–	–	–	–
	3. Spina Bifida	9	8	1	–	–	–	–	–	–	–	–	–	–	–
	4. Other Malformations	27	25	1	1	–	–	–	–	–	–	–	–	–	–
	5. Teething	65	3	5	32	23	2	–	–	–	–	–	–	–	–
	ORDER 2.														
	1. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Childbirth (*see* Puerperal Fever)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.														
	1. Old Age	374	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4.														
	I. Atrophy and Debility	323	238	25	14	11	3	3	2	2	3	2	1	1	–
V.	ORDER 1. (*Accident or Negligence.*)														
	1. Fractures and Contusions	163	–	–	–	4	2	4	6	5	13	18	14	9	10
	2. Gunshot Wounds	2	–	–	–	–	–	–	–	–	–	1	1	–	–
	3. Cut, Stab	2	–	–	–	–	–	–	–	1	–	–	–	–	–
	4. Burns and Scalds	32	–	–	2	8	3	3	2	1	–	1	1	1	2
	5. Poison	2	–	–	–	–	–	–	–	1	–	–	–	–	–
	6. Drowning	126	–	–	–	3	1	3	–	13	8	13	16	15	13
	7. Suffocation	22	7	–	1	1	–	–	1	1	–	–	1	–	1
	8. Otherwise	39	2	1	–	–	–	–	–	–	–	8	7	3	2
	ORDER 3. (*Homicide.*)														
	1. Murder and Manslaughter	3	–	1	–	–	–	–	–	2	–	–	–	–	–
	ORDER 4. (*Suicide.*)														
	1. Gunshot Wounds	4	–	–	–	–	–	–	–	–	–	–	–	–	2
	2. Cut, Stab	5	–	–	–	–	–	–	–	–	–	–		–	–
	3. Poison	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Drowning	8	–	–	–	–	–	–	–	–	–	–	–	–	1
	5. Hanging	15	–	–	–	–	–	–	–	–		–	1	–	–
	6. Otherwise and undefined	2	–	–	–	–	–		–	–	–	–	–	–	–
	ORDER 5. (*Execution.*)														
	1. Hanging	–	–	–	–	–		–	–	–	–	–	–	–	–
	Sudden Deaths (cause unascertained)	7	–	1		–	–	–	–	1	1	–	–	–	–
	Causes not specified or ill-defined	107	45	8	12	6	1	1	1	2	2	2	1	–	–

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1879.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.												
			3	6	12	2	3	4	5	10	15	20	25	30	35
	ORDER 8.														
	1. Phlegmon	10	–	–	–	1	–	–	–	–	–	–	1	3	1
	2. Ulcer	11	1	–	1	–	–	–	–	–	1	–	–	–	–
	3. *Skin Disease, etc.*	7	–	1	1	3	–	–	–	–	–	–	–	–	–
IV.	ORDER 1.														
	1. Premature Birth	140	137	3	–	–	–	–	–	–	–	–	–	–	–
	2. Cyanosis	9	6	–	–	1	–	1	–	–	–	1	–	–	–
	3. Spina Bifida	12	10	1	–	–	–	–	–	1	–	–	–	–	–
	4. Other Malformations	17	14	1	–	–	1	–	–	–	–	–	–	–	–
	5. Teething	56	1	3	23	26	3	–	–	–	–	–	–	–	–
	ORDER 2.														
	1. Paramenia	9	–	–	–	–	–	–	–	–	–	5	2	–	–
	2. Childbirth (*see* Puerperal Fever)	85	–	–	–	–	–	–	–	–	–	3	13	18	14
	ORDER 3.														
	1. Old Age	712	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4.														
	1. Atrophy and Debility	292	182	21	20	24	8	1	2	4	1	2	1	1	2
V.	ORDER 1. (*Accident or Negligence.*)														
	1. Fractures and Contusions	34	1	–	–	2	–	–	1	1	1	–	1	1	–
	2. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Cut, Stab	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Burns and Scalds	33	–	–	2	3	5	3	3	2	–	–	1	–	1
	5. Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Drowning	25	1	–	1	1	–	2	1	–	2	4	1	–	–
	7. Suffocation	18	7	3	1	1	–	–	–	1	–	–	–	1	–
	8. Otherwise	15	3	–	–	1	–	–	–	–	1	–	1	–	–
	ORDER 3. (*Homicide.*)														
	1. Murder and Manslaughter	3	2	–	–	–	–	–	–	1	–	–	–	–	–
	ORDER 4. (*Suicide.*)														
	1. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cut, Stab	2	–	–	–	–	–	–	–	–	–	–	–	–	1
	3. Poison	1	–	–	–	–	–	–	–	–	–	–	1	–	–
	4. Drowning	8	–	–	–	–	–	–	–	–	1	3	–	–	–
	5. Hanging	3	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Otherwise and undefined	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 5. (*Execution.*)														
	1. Hanging	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Sudden Deaths (cause unascertained)	4	–	–	–	–	–	–	–	–	–	–	–	–	–
	Causes not specified or ill-defined	103	31	5	8	2	1	1	1	4	1	1	5	3	4

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1879.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
	ORDER 8.															
	1. Phlegmon	–	–	1	1	1	–	–	–	–	1	–	–	–	–	–
	2. Ulcer	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–
	3. *Skin Disease, etc.*	–	–	–	1	–	1	1	–	2	–	–	–	–	–	–
IV.	ORDER 1.															
	1. Premature Birth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 2.															
	1. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Childbirth (*see* Puerperal Fever)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.															
	1. Old Age	–	–	–	–	–	17	37	51	85	96	57	20	11	–	–
	ORDER 4.															
	1. Atrophy and Debility	3	–	3	4	8	–	–	–	–	–	–	–	–	–	–
V.	ORDER 1. (*Accident or Negligence.*)															
	1. Fractures and Contusions	16	7	7	11	7	9	9	3	2	4	1	2	–	–	–
	2. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Cut, Stab	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	4. Burns and Scalds	1	1	–	2	1	–	–	3	–	–	–	–	–	–	–
	5. Poison	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	6. Drowning	10	6	6	7	2	3	5	1	1	–	–	–	–	–	–
	7. Suffocation	1	–	2	1	3	1	1	–	–	–	–	–	–	–	–
	8. Otherwise	3	1	1	3	2	2	3	–	1	–	–	–	–	–	–
	ORDER 3. (*Homicide.*)															
	1. Murder and Manslaughter	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4. (*Suicide.*)															
	1. Gunshot Wounds	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	2 Cut, Stab	1	–	–	1	1	1	1	–	–	–	–	–	–	–	–
	3. Poison	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	4. Drowning	–	–	2	2	–	3	–	–	–	–	–	–	–	–	–
	6. Hanging	–	1	2	3	2	2	2	1	1	–	–	–	–	–	–
	5. Otherwise and undefined	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	ORDER 5. (*Execution.*)															
	1. Hanging	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Sudden Deaths (cause unascertained)		–	1	–	–	1	–	2	–	–	–	–	–	–	–
	Causes not specified or ill-defined	1	4	4	2	4	3	2	5	1	–	–	–	–	–	–

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1879—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
	ORDER 8.															
	1. Phlegmon	–	3	–	–	–	–	–	1	–	–	–	–	–	–	–
	2. Ulcer	–	–	–	2	1	1	–	1	2	–	1	–	–	–	–
	2. *Skin Disease, etc.*	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
IV.	ORDER 1.															
	1. Premature Birth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Other Malformations	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	5. Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 2.															
	1. Paramenia	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Childbirth (*see* Puerperal Fever)	25	9	2	1	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.															
	1. Old Age	–	–	–	–	–	32	57	90	156	183	120	53	17	4	–
	ORDER 4.															
	1. Atrophy and Debility	–	2	5	8	8	–	–	–	–	–	–	–	–	–	–
V.	ORDER 1. (*Accident or Negligence.*)															
	1. Fractures and Contusions	–	1	–	3	1	1	1	5	3	7	2	2	–	–	–
	2. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Cut, Stab	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Burns and Scalds	1	–	1	–	–	–	2	1	2	4	2	–	–	–	–
	5. Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Drowning	2	2	–	1	3	1	2	1	–	–	–	–	–	–	–
	7. Suffocation	–	2	–	1	–	1	–	–	–	–	–	–	–	–	–
	8. Otherwise	–	–	1	–	1	–	1	2	2	1	1	–	–	–	–
	ORDER 3. (*Homicide.*)															
	1. Murder and Manslaughter	–		–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4. (*Suicide.*)															
	1. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cut, Stab	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Drowning	–	1	–	–	1	1	–	1	–	–	–	–	–	–	–
	5. Hanging	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–
	6. Otherwise and undefined	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	ORDER 5. (*Execution.*)															
	1. Hanging	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Sudden Deaths (cause unascertained)	1	–	1	–	1	–	1	–	–	–	–	–	–	–	–
	Causes not specified or ill-defined	3	4	–	4	4	2	7	7	5	–	–	–	–	–	–

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND at different Periods of Life, in 1879.—MALES.

Class.	CAUSES OF DEATH.	MALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.												
			3	6	12	2	3	4	5	10	15	20	25	30	35
	All Causes . . .	8999	909	255	433	463	210	159	104	335	226	267	348	282	211
	Specified Causes . .	8728	799	236	421	449	204	158	103	331	221	262	344	281	207
	(CLASSES.)														
I.	ZYMOTIC DISEASES	1140	86	42	118	158	88	61	53	146	54	52	36	21	16
II.	CONSTITUTIONAL ,,	1444	18	22	59	63	32	32	11	67	69	105	175	140	86
III.	LOCAL ,,	4262	250	128	197	187	69	54	29	98	82	81	80	72	73
IV.	DEVELOPMENTAL ,,	1363	425	34	43	26	5	1	2	4	5	–	1	–	2
V.	VIOLENT DEATHS .	519	20	10	4	15	10	10	8	16	11	24	52	48	30
	(ORDERS.)														
I.	1. MIASMATIC DISEASES .	1065	60	36	114	155	87	61	53	146	53	52	32	21	13
	2. ENTHETIC ,, .	21	5	4	1	2	–	–	–	–	–	–	2	–	1
	3. DIETIC ,, .	50	20	2	3	–	–	–	–	–	1	–	1	–	2
	4. PARASITIC ,, .	4	1	–	–	1	1	–	–	–	–	–	1	–	–
II.	1. DIATHETIC ,, .	300	2	–	1	1	3	1	–	2	2	2	6	2	3
	2. TUBERCULAR ,, .	1144	16	22	58	62	29	31	11	65	67	103	169	138	83
III.	1. DISEASES OF NERVOUS SYSTEM . .	986	43	15	37	39	15	14	8	30	30	17	17	21	15
	2. ,, OF ORGANS OF CIRCULATION .	704	2	2	1	1	1	1	–	4	8	9	10	12	7
	3. ,, OF RESPIRATORY ORGANS . .	1578	124	77	126	132	43	27	12	29	16	27	21	18	27
	4. ,, OF DIGESTIVE ORGANS . . .	603	78	31	31	13	8	8	7	13	9	14	14	5	14
	5. ,, OF URINARY ORGANS . . .	302	1	–	–	1	1	1	1	14	8	5	7	9	7
	6. ,, OF ORGANS OF GENERATION .	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	7. ,, OF ORGANS OF LOCOMOTION . .	60	–	–	–	–	–	2	1	6	9	9	10	6	3
	8. ,, OF INTEGUMENTARY SYSTEM . .	28	1	3	2	1	1	1	–	2	2	–	1	1	–
IV.	1. DEV. DIS. OF CHILDREN	265	203	6	31	18	2	1	1	–	2	–	–	–	–
	2. ,, OF ADULTS .	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. ,, OF OLD PEOPLE	796	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. DISEASES OF NUTRITION	302	222	28	12	8	3	–	1	4	3	–	1	–	2

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1879.—FEMALES.

Class.	CAUSES OF DEATH.	FEMALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.												
			3	6	12	2	3	4	5	10	15	20	25	30	35
	All Causes . . .	9040	651	215	360	412	233	160	110	352	217	270	294	258	253
	Specified Causes . .	8802	577	200	350	405	229	156	108	345	216	265	292	254	251
	(CLASSES.)														
I.	ZYMOTIC DISEASES	1224	75	36	86	162	113	77	56	167	60	48	36	32	30
II.	CONSTITUTIONAL ,,	1648	22	26	56	51	33	18	12	74	90	148	170	121	125
III.	LOCAL ,,	3936	157	99	166	144	67	53	28	89	60	61	64	75	81
IV.	DEVELOPMENTAL ,,	1825	306	38	42	33	8	3	2	6	2	4	17	19	11
V.	VIOLENT DEATHS .	169	17	1	–	15	8	5	10	9	4	4	5	7	4
	(ORDERS.)														
I.	1. MIASMATIC DISEASES .	1180	57	32	85	161	112	76	56	166	60	48	35	31	26
	2. ENTHETIC ,, .	17	7	4	1	–	1	–	–	1	–	–	1	–	1
	3. DIETIC ,, .	25	10	–	–	1	–	–	–	–	–	–	–	1	3
	4. PARASITIC ,, .	2	1	–	–	–	–	1	–	–	–	–	–	–	–
II.	1. DIATHETIC ,, .	427	3	1	–	–	–	1	–	4	1	3	3	5	5
	2. TUBERCULAR ,, .	1221	19	25	56	51	33	17	12	70	89	145	167	116	120
III.	1. DISEASES OF NERVOUS SYSTEM .	949	30	8	29	24	11	11	10	35	25	11	17	15	16
	2. ,, OF ORGANS OF CIRCULATION .	664	5	–	–	1	–	1	–	9	6	12	13	15	16
	3. ,, OF RESPIRATORY ORGANS . .	1481	67	70	113	94	47	31	12	28	14	16	11	20	21
	4. ,, OF DIGESTIVE ORGANS . . .	576	51	20	22	18	9	7	4	9	7	15	13	12	15
	5. ,, OF URINARY ORGANS . . .	152	1	1	1	3	–	1	1	5	3	3	7	7	8
	6. ,, OF ORGANS OF GENERATION .	44	–	–	–	–	–	–	–	–	–	–	1	4	–
	7. ,, OF ORGANS OF LOCOMOTION . .	29	–	–	1	–	–	–	1	1	4	2	1	1	1
	8. ,, OF INTEGUMENTARY SYSTEM . .	41	3	–	–	4	–	2	–	2	1	2	1	1	4
IV.	1. DEV. DIS. OF CHILDREN	207	139	9	31	22	4	2	–	–	–	–	–	–	–
	2. ,, OF ADULTS	94	–	–	–	–	–	–	–	–	1	4	15	18	10
	3. ,, OF OLD PEOPLE	1259	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. DISEASES OF NUTRITION	265	167	29	11	11	4	1	2	6	1	–	2	1	1

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1879.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
	All Causes . . .	224	254	253	296	353	461	626	634	733	525	290	116	25	3	4
	Specified Causes . .	219	247	252	288	345	453	611	616	718	525	290	116	25	3	4
	(CLASSES.)															
I.	ZYMOTIC DISEASES	10	16	12	15	23	16	29	33	27	17	6	4	1	–	–
II.	CONSTITUTIONAL ,,	67	61	61	53	62	65	67	53	43	21	8	3	1	–	–
III.	LOCAL ,,	106	125	136	185	232	328	451	430	453	277	103	27	8	–	1
IV.	DEVELOPMENTAL ,,	3	3	3	4	7	17	37	83	184	206	169	81	15	3	–
V.	VIOLENT DEATHS .	33	42	40	31	21	27	27	17	11	4	4	1	–	–	3
	(ORDERS.)															
I.	1. MIASMATIC DISEASES .	8	14	8	12	21	14	24	29	24	17	6	4	1	–	–
	2. ENTHETIC ,, .	–	–	–	1	–	1	1	2	1	–	–	–	–	–	–
	3. DIETIC ,, .	2	2	4	2	2	1	4	2	2	–	–	–	–	–	–
	4. PARASITIC ,, .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	1. DIATHETIC ,, .	6	4	17	21	27	43	50	39	38	19	7	3	1	–	–
	2. TUBERCULAR ,, .	61	57	44	32	35	22	17	14	5	2	1	–	–	–	–
III.	1. DISEASES OF NERVOUS SYSTEM . .	19	29	24	31	46	67	103	113	135	70	37	10	1	–	–
	2. ,, OF ORGANS OF CIRCULATION .	19	25	29	43	51	70	109	121	90	64	20	4	1	–	–
	3. ,, OF RESPIRATORY ORGANS . .	26	37	52	70	81	105	141	113	142	83	38	8	2	–	1
	4. ,, OF DIGESTIVE ORGANS . . .	31	22	21	28	41	52	56	41	37	24	1	3	1	–	–
	5. ,, OF URINARY ORGANS . . .	8	9	9	10	11	31	39	37	45	36	7	2	3	–	–
	6. ,, OF ORGANS OF GENERATION .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. ,, OF ORGANS OF LOCOMOTION . .	2	2	1	2	–	2	2	2	1	–	–	–	–	–	–
	8. ,, OF INTEGUMENTARY SYSTEM . .	1	1	–	1	2	1	1	3	3	–	–	–	–	–	–
IV.	1. DEV. DIS. OF CHILDREN	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. ,, OF ADULTS .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. ,, OF OLD PEOPLE	–	–	–	–	1	17	37	83	184	206	169	81	15	3	–
	4. DISEASES OF NUTRITION	3	2	3	4	6	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1879.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH	FEMALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
	All Causes . . .	256	218	241	302	348	470	595	686	831	713	378	163	43	8	3
	Specified Causes . .	255	216	236	295	336	450	577	665	818	711	378	163	43	8	3
	(CLASSES.)															
I.	ZYMOTIC DISEASES	18	14	12	11	22	26	30	29	36	24	20	3	1	–	–
II.	CONSTITUTIONAL ,,	92	74	78	84	81	71	58	58	61	25	15	5	–	–	–
III.	LOCAL ,,	114	102	133	189	212	318	419	427	445	259	131	35	6	1	1
IV.	DEVELOPMENTAL ,,	26	24	5	7	13	30	63	138	266	397	206	117	35	6	1
V.	VIOLENT DEATHS .	5	2	8	4	8	5	7	13	10	6	6	3	1	1	1
	(ORDERS.)															
I.	1. MIASMATIC DISEASES .	17	14	9	10	21	23	29	29	35	24	20	3	1	–	–
	2. ENTHETIC ,, .	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	3. DIETIC ,, .	1	–	3	1	1	3	1	–	–	–	–	–	–	–	–
	4. PARASITIC ,, .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	1. DIATHETIC ,, .	11	21	27	46	53	51	46	50	53	23	15	5	–	–	–
	2. TUBERCULAR ,, .	81	53	51	38	28	20	12	8	8	2	–	–	–	–	–
III.	1. DISEASES OF NERVOUS SYSTEM . .	23	20	34	41	47	83	107	95	128	78	40	8	1	1	1
	2. ,, OF ORGANS OF CIRCULATION .	22	19	28	42	51	77	97	96	89	41	15	9	–	–	–
	3. ,, OF RESPIRATORY ORGANS . .	27	30	31	54	50	91	141	162	157	108	63	18	5	–	–
	4. ,, OF DIGESTIVE ORGANS . . .	21	16	27	33	48	48	50	54	47	21	9	–	–	–	–
	5. ,, OF URINARY ORGANS . . .	9	9	5	13	11	11	15	11	15	9	3	–	–	–	–
	6. ,, OF ORGANS OF GENERATION .	6	6	6	2	3	4	5	5	2	–	–	–	–	–	–
	7. ,, OF ORGANS OF LOCOMOTION . .	3	1	1	3	1	1	2	2	2	1	–	–	–	–	–
	8. ,, OF INTEGUMENTARY SYSTEM . .	3	1	1	1	1	3	2	2	5	1	1	–	–	–	–
IV.	1. DEV. DIS. OF CHILDREN	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. ,, OF ADULTS .	22	22	2	–	–	–	–	–	–	–	–	–	–	–	–
	3. ,, OF OLD PEOPLE	–	–	–	–	–	30	63	138	266	397	206	117	35	6	1
	4. DISEASES OF NUTRITION	4	2	3	7	13	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1879.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30	35
V.	1. ACCIDENT OR NEGLIGENCE	481	19	10	4	15	10	10	8	16	10	24	50	47	27
	*														
	3. HOMICIDE	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	4. SUICIDE	37	–	–	–	–	–	–	–	–	1	–	2	1	3
	5. EXECUTION	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	SUDDEN DEATHS, CAUSE UNASCERTAINED	10	2	–	–	–	–	–	–	2	–	–	–	–	–
	CAUSES NOT SPECIFIED	261	108	19	12	14	6	1	1	2	5	5	4	1	4
I.	ORDER 1														
	1. Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Measles	61	1	2	14	20	10	5	2	7	–	–	–	–	–
	2. Scarlatina	185	2	2	12	28	24	24	18	49	15	8	2	–	–
	4. Diphtheria	118	2	–	4	13	14	13	11	37	10	6	2	2	–
	5. Quinsy	7	–	1	1	2	–	–	–	–	–	–	–	–	–
	6. Croup	72	7	1	12	13	14	7	7	9	2	–	–	–	–
	7. Hooping-cough	175	18	15	52	56	15	4	5	10	–	–	–	–	–
	8. Typhus Fever	10	–	–	–	–	–	–	–	3	1	1	1	2	–
	8. Enteric or Typhoid Fever	141	–	1	1	1	3	4	5	22	14	18	21	14	6
	8. Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Simple Continued Fever	15	–	–	–	2	–	–	–	3	–	6	–	–	1
	9. Erysipelas	38	7	2	1	–	–	1	–	2	1	4	–	1	1
	10. Puerperal Fever (Metria)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. Carbuncle	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	12. Influenza	27	–	1	–	2	–	1	1	1	–	2	–	–	2
	13. Dysentery	14	1	1	1	2	–	–	–	–	–	–	1	1	–
	14. Diarrhœa	121	21	8	14	15	2	2	3	1	–	–	2	–	1
	15. Cholera	10	1	2	1	–	1	–	–	–	–	1	–	–	–
	16. Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	17. Remittent Fever	10	–	–	1	–	4	–	1	1	–	1	–	–	–
	18. Rheumatism	59	–	–	–	1	–	–	–	1	10	5	3	1	2
	19. Other *Miasmatic* Diseases	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 2.														
	1. Syphilis	16	5	4	1	2	–	–	–	–	–	–	2	–	1
	2. Stricture of Urethra	5	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Glanders	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.														
	1. Privation	2	1	–	–	–	–	–	–	–	–	–	–	–	–
	2. Want of Breast Milk	23	18	2	3	–	–	–	–	–	–	–	–	–	–
	3. Purpura and Scurvy	6	1	–	–	–	–	–	–	–	1	–	–	–	2
	4. Alcoholism *a* Del. Tremens	3	–	–	–	–	–	–	–	–	–	–	1	–	–
	4. Alcoholism *b* Intemperance	16	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4.														
	1. Thrush	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	2. Worms, etc.	3	–	–	–	1	1	–	–	–	–	–	1	–	–
II.	ORDER 1.														
	1. Gout	3	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Dropsy	39	–	–	–	–	1	1	–	2	2	–	–	–	–
	3. Cancer	231	1	–	–	1	2	–	–	–	–	1	4	2	3
	4. Cancrum Oris (Noma)	2	1	–	–	–	–	–	–	–	–	–	1	–	–
	5. Mortification	25	–	–	1	–	–	–	–	–	–	1	1	–	–

* See page 52, note *.

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1879.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30	35
V.	1. ACCIDENT OR NEGLIGENCE	151	16	1	–	15	8	5	10	9	4	3	2	2	3
	*														
	3. HOMICIDE	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	4. SUICIDE	17	–	–	–	–	–	–	–	–	–	1	3	5	1
	5. EXECUTION	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	SUDDEN DEATHS, CAUSE UNASCERTAINED	9	–	–	–	–	1	–	–	–	–	–	1	–	–
	CAUSES NOT SPECIFIED	229	74	15	10	7	3	4	2	7	1	5	1	4	2
I.	ORDER 1.														
	1. Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Measles	54	2	1	7	21	9	3	4	3	2	1	–	1	–
	3. Scarlatina	158	3	–	3	17	23	21	13	52	14	4	5	–	2
	4. Diphtheria	128	1	1	2	14	18	13	9	37	18	10	3	–	–
	5. Quinsy	2	–	–	–	–	–	–	1	–	–	–	–	–	–
	6. Croup	80	2	2	8	20	13	14	9	12	–	–	–	–	–
	7. Hooping-cough	214	24	13	50	66	29	17	6	7	1	1	–	–	–
	8. Typhus Fever	7	–	–	–	–	1	–	–	–	1	1	1	–	1
	8. Enteric or Typhoid Fever	160	–	–	–	2	8	6	6	32	18	22	16	8	6
	8. Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Simple Continued Fever	12	–	–	–	–	–	1	–	4	1	3	–	1	1
	9. Erysipelas	25	6	1	2	–	1	–	–	1	1	–	–	–	1
	10. Puerperal Fever (Metria)	55	–	–	–	–	–	–	–	–	–	–	9	16	13
	11. Carbuncle	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	12. Influenza	22	1	1	1	–	1	–	2	–	–	–	–	–	–
	13. Dysentery	29	–	2	1	2	–	–	–	–	–	1	1	1	–
	14. Diarrhœa	151	17	11	10	15	6	1	2	7	2	–	–	2	–
	15. Cholera	10	–	–	1	2	1	–	–	2	–	1	–	1	–
	16. Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	17. Remittent Fever	9	–	–	–	2	2	–	1	3	–	1	–	–	–
	18. Rheumatism	61	–	–	–	–	–	–	3	6	2	3	–	1	2
	19 Other *Miasmatic* Diseases	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 2.														
	1. Syphilis	16	7	4	1	–	1	–	–	–	–	–	1	–	1
	2. Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Hydrophobia	1	–	–	–	–	–	–	–	1	–	–	–	–	–
	4. Glanders	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.														
	1. Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Want of Breast Milk	11	10	–	–	1	–	–	–	–	–	–	–	–	–
	3. Purpura and Scurvy	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Alcoholism *a* Del. Tremens	2	–	–	–	–	–	–	–	–	–	–	–	–	1
	4. Alcoholism *b* Intemperance	11	–	–	–	–	–	–	–	–	–	–	–	1	2
	ORDER 4.														
	1. Thrush	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	2. Worms, etc.	1	–	–	–	–	–	1	–	–	–	–	–	–	–
II.	ORDER 1.														
	1. Gout	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Dropsy	74	2	–	–	–	–	–	–	1	1	3	1	2	–
	3. Cancer	326	–	1	–	–	–	1	–	1	–	–	2	3	5
	4. Cancrum Oris (Noma)	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	5. Mortification	25	–	–	–	–	–	–	–	2	–	–	–	–	–

* See page 52, note *.

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1879.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
V.	1. ACCIDENT OR NEGLIGENCE	31	39	31	29	19	22	25	14	9	4	4	1	–	–	3
	*															
	3. HOMICIDE	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. SUICIDE	2	3	9	2	2	5	2	3	2	–	–	–	–	–	–
	5. EXECUTION	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	SUDDEN DEATHS, CAUSE UNASCERTAINED	–	–	–	1	–	1	–	1	3	–	–	–	–	–	–
	CAUSES NOT SPECIFIED	5	7	1	7	8	7	15	17	12	–	–	–	–	–	–
I.	ORDER 1.															
	1. Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Scarlatina	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Diphtheria	–	1	–	–	–	–	2	1	–	–	–	–	–	–	–
	5. Quinsy	–	1	–	–	–	–	–	–	1	–	1	–	–	–	–
	6. Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. Hooping-cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Typhus Fever	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
	8. Enteric or Typhoid Fever	5	4	6	6	3	1	5	–	1	–	–	–	–	–	–
	8. Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Simple Continued Fever	–	–	–	–	1	–	–	–	1	1	–	–	–	–	–
	9. Erysipelas	–	2	–	–	2	2	3	5	2	2	–	–	–	–	–
	10. Puerperal Fever (Metria)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. Carbuncle	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
	12. Influenza	1	–	–	–	1	2	2	3	–	3	3	2	–	–	–
	13. Dysentery	1	1	–	–	1	–	1	1	–	2	–	–	–	–	–
	14. Diarrhœa	1	2	1	2	5	5	8	9	8	6	2	2	1	–	–
	15. Cholera	–	1	–	1	–	1	–	–	1	–	–	–	–	–	–
	16. Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	17. Remittent Fever	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
	18. Rheumatism	–	–	1	2	6	2	3	10	9	3	–	–	–	–	–
	19. Other *Miasmatic* Diseases	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 2.															
	1. Syphilis	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	2. Stricture of Urethra	–	–	–	–	–	1	1	2	1	–	–	–	–	–	–
	3. Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Glanders	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.															
	1. Privation	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	2. Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Purpura and Scurvy	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
	4. Alcoholism *a* Del. Tremens	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	4. Alcoholism *b* Intemperance	1	2	3	1	1	1	4	1	2	–	–	–	–	–	–
	ORDER 4.															
	1. Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Worms, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	ORDER 1.															
	1. Gout	–	–	–	–	1	–	–	–	2	–	–	–	–	–	–
	2. Dropsy	–	1	2	3	3	1	8	6	4	4	1	–	–	–	–
	3. Cancer	6	3	14	17	22	39	41	31	24	13	4	2	1	–	–
	4. Cancrum Oris (Noma)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Mortification	–	–	1	1	1	3	1	2	8	2	2	1	–	–	–

* See page 52, note.*

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1879.—FEMALES. (*Continued.*)

Class.	CAUSES F DEATH.	FEMALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
V.	1. ACCIDENT OR NEGLIGENCE	5	1	6	3	6	4	7	13	10	6	6	3	1	1	1
	*															
	3. HOMICIDE	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. SUICIDE	–	1	2	1	2	1	–	–	–	–	–	–	–	–	–
	5. EXECUTION	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	SUDDEN DEATHS, CAUSE UNASCERTAINED	–	–	–	–	1	2	2	1	–	1	–	–	–	–	–
	CAUSES NOT SPECIFIED	1	2	5	7	11	18	16	20	13	1	–	–	–	–	–
I.	ORDER 1.															
	1. Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Scarlatina	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Diphtheria	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
	5. Quinsy	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	6. Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. Hooping-cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Typhus Fever	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
	8. Enteric or Typhoid Fever	5	4	2	4	6	3	7	3	1	–	1	–	–	–	–
	8. Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Simple Continued Fever	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	9. Erysipelas	2	1	–	–	–	1	3	1	3	1	–	–	–	–	–
	10. Puerperal Fever (Metria)	8	7	2	–	–	–	–	–	–	–	–	–	–	–	–
	11. Carbuncle	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
	12. Influenza	–	–	–	1	1	–	2	1	6	4	1	–	–	–	–
	13. Dysentery	–	1	–	–	3	1	3	4	3	4	2	–	–	–	–
	14. Diarrhœa	–	–	4	2	4	10	5	11	16	12	11	3	–	–	–
	15. Cholera	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	16. Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	17. Remittent Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	18. Rheumatism	–	1	1	1	4	7	8	8	6	3	4	–	1	–	–
	19. Other *Miasmatic* Diseases	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 2.															
	1. Syphilis	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	2. Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Glanders	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.															
	1. Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Purpura and Scurvy	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	4. Alcoholism *a* Del. Tremens	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	4. Alcoholism *b* Intemperance	1	–	2	1	1	3	–	–	–	–	–	–	–	–	–
	ORDER 4.															
	1. Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Worms, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II	ORDER 1.															
	1. Gout	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	2. Dropsy	2	4	2	6	6	4	4	13	11	8	3	1	–	–	–
	3. Cancer	9	17	24	38	47	43	40	36	36	12	10	1	–	–	–
	4. Cancrum Oris (Noma)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Mortification	–	–	1	2	–	3	2	1	6	3	2	3	–	–	–

See page 52, note *.

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND at different Periods of Life, in 1879.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30	35
	ORDER 2.														
	1. Scrofula	85	1	1	6	9	3	6	1	13	12	7	8	3	6
	2. Tabes Mesenterica	74	6	6	12	14	4	7	1	9	2	3	3	1	2
	3. Phthisis	818	5	3	3	9	7	3	5	19	38	88	155	132	75
	4. Hydrocephalus	167	4	12	37	30	15	15	4	24	15	5	3	2	–
III.	ORDER 1.														
	1. Cephalitis	125	6	4	9	18	7	7	2	19	14	9	5	3	4
	2. Apoplexy	262	1	3	2	1	2	1	–	3	5	1	1	3	2
	3. Paralysis	281	–	–	–	1	–	–	–	1	1	–	1	2	3
	4. Insanity	21	–	–	–	–	–	–	–	–	1	1	2	1	1
	5. Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Epilepsy	51	1	1	2	–	–	–	–	–	4	3	3	7	5
	7. Convulsions	91	31	6	22	18	4	2	5	–	–	1	–	–	–
	8. *Brain Disease, etc.*	155	4	1	2	1	2	4	1	7	5	2	5	5	–
	ORDER 2.														
	1. Pericarditis	13	–	–	–	–	–	–	–	2	1	–	1	–	–
	2. Aneurism	19	–	–	–	–	–	–	–	–	–	–	–	–	1
	3. *Heart Disease, etc.*	672	2	2	1	1	1	1	–	2	7	9	9	12	6
	ORDER 3.														
	1. Laryngitis	30	5	3	–	6	1	1	2	3	1	–	–	–	–
	2. Bronchitis	882	82	57	94	86	20	19	7	13	3	6	1	4	7
	3. Pleurisy	47	–	–	–	1	–	–	1	2	2	3	2	4	1
	4. Pneumonia	391	16	14	26	34	18	6	1	7	7	13	17	9	10
	6. Asthma	73	–	–	–	–	–	–	–	–	1	–	–	–	–
	6. *Lung Disease, etc.*	155	21	3	6	5	4	1	1	4	2	5	1	1	9
	ORDER 4.														
	1. Gastritis	26	2	4	4	1	–	–	1	1	–	–	1	–	–
	2. Enteritis	115	28	17	15	8	2	3	1	3	2	2	2	1	1
	3. Peritonitis	62	4	–	2	–	3	–	1	2	4	4	3	–	6
	4. Ascites	6	–	–	–	–	–	1	–	1	–	–	–	–	–
	5. Ulceration of Intestines	36	1	1	1	–	–	–	–	1	1	3	1	–	–
	6. Hernia	15	–	–	–	–	1	–	–	–	1	–	–	–	–
	7. Ileus	52	3	1	1	–	–	–	1	1	–	–	2	–	1
	8. Intussusception	17	1	5	4	–	1	–	–	–	–	–	–	–	–
	19. Stricture of Intestines	8	–	–	–	–	–	–	–	–	–	–	–	–	–
	10. Fistula	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. *Stomach Disease, etc.*	80	17	2	4	3	1	–	1	1	1	2	1	–	5
	12. *Pancreas Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Hepatitis	28	2	–	–	–	–	2	1	1	–	–	–	–	1
	14. Jaundice	37	14	1	–	1	–	1	–	–	–	–	–	–	–
	15. *Liver Disease, etc.*	116	6	–	–	–	–	1	1	2	–	1	4	4	–
	16. *Spleen Disease, etc.*	4	–	–	–	–	–	–	–	–	–	2	–	–	–
	ORDER 5.														
	1. Nephritis	25	–	–	–	1	1	1	1	2	3	–	–	1	1
	2. Ischuria	20	–	–	–	–	–	–	–	1	–	–	–	–	–
	3. Bright's Disease (Nephria)	55	–	–	–	–	–	–	–	6	2	2	3	4	2
	4. Diabetes	26	–	–	–	–	–	–	–	–	–	1	2	2	4
	5. Calculus (Stone)	19	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Cystitis	52	–	–	–	–	–	–	–	–	–	–	–	1	–
	7. *Kidney Disease, etc.*	105	1	–	–	–	–	–	–	5	3	2	2	1	–
	ORDER 6.														
	1. Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. *Uterus Disease, etc.*	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 7.														
	1. Synovitis (Arthritis)	14	–	–	–	–	–	2	–	2	4	1	–	–	–
	2. *Joint Disease, etc.*	46	–	–	–	–	–	–	1	4	5	8	10	6	3

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1879.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.												
			3	6	12	2	3	4	5	10	15	20	25	30	35
	ORDER 2.														
	1. Scrofula	67	3	4	5	2	1	2	–	2	9	10	7	5	3
	2. Tabes Mesenterica	81	7	5	7	14	10	1	2	12	8	6	2	–	5
	3. Phthisis	932	2	5	10	10	8	4	4	32	67	126	157	111	112
	4. Hydrocephalus	141	7	11	34	25	14	10	6	24	5	3	1	–	–
III.	ORDER 1.														
	1. Cephalitis	89	2	1	9	6	2	3	4	17	15	2	4	–	3
	2. Apoplexy	263	2	1	2	3	2	1	1	7	5	–	2	3	3
	3. Paralysis	327	–	–	1	–	1	1	–	–	–	1	1	2	1
	4. Insanity	28	–	–	–	–	–	–	1	–	1	1	1	–	1
	5. Chorea	3	–	–	–	–	–	–	–	–	1	1	–	–	–
	6. Epilepsy	41	1	–	–	–	–	–	–	–	–	4	3	4	4
	7. Convulsions	82	22	6	14	14	6	5	1	4	–	1	1	1	1
	8. *Brain Disease, etc.*	116	3	–	3	1	–	1	3	7	3	1	5	5	3
	ORDER 2.														
	1. Pericarditis	12	–	–	–	–	–	–	–	–	–	1	2	2	1
	2. Aneurism	10	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. *Heart Disease, etc.*	642	5	–	–	1	–	1	–	9	6	11	11	13	15
	ORDER 3.														
	1. Laryngitis	27	2	–	3	4	1	4	1	2	1	–	–	1	1
	2. Bronchitis	981	44	51	82	64	34	18	8	13	6	4	3	9	5
	3. Pleurisy	28	1	–	1	–	–	–	–	–	–	1	2	3	1
	4. Pneumonia	280	8	15	19	23	10	7	2	10	4	6	6	7	9
	5. Asthma	56	1	–	–	–	–	–	–	–	–	1	–	–	1
	6. *Lung Disease, etc.*	109	11	4	8	3	2	2	1	3	3	4	–	–	4
	ORDER 4.														
	1. Gastritis	37	1	3	2	–	–	1	1	1	–	–	2	1	1
	2. Enteritis	103	20	12	10	10	4	4	1	2	1	4	1	1	3
	3. Peritonitis	69	2	–	5	5	2	2	1	1	2	4	6	3	3
	4. Ascites	13	–	–	–	–	–	–	–	–	1	–	–	–	1
	5. Ulceration of Intestines	45	1	–	–	–	–	–	–	–	–	2	2	–	4
	6. Hernia	25	–	–	–	–	–	–	–	–	–	1	–	1	–
	7. Ileus	33	4	–	–	–	–	–	–	1	2	–	1	–	–
	8. Intussusception	8	–	1	–	–	–	–	–	1	–	–	–	1	–
	9. Stricture of Intestines	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	10. Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. *Stomach Disease, etc.*	86	8	–	3	2	2	–	1	1	1	2	–	3	–
	12. *Pancreas Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Hepatitis	35	2	2	1	–	–	–	–	1	–	–	–	–	3
	14. Jaundice	32	11	2	1	1	1	–	–	–	–	–	–	–	–
	15. *Liver Disease, etc.*	81	2	–	–	–	–	–	–	1	–	2	–	1	–
	16. *Spleen Disease, etc.*	7	–	–	–	–	–	–	–	–	–	–	1	1	–
	ORDER 5.														
	1. Nephritis	26	1	1	1	2	–	–	–	2	1	1	–	1	1
	2. Ischuria	7	–	–	–	–	–	–	–	–	–	–	2	–	–
	3. Bright's Disease (Nephria)	49	–	–	–	1	–	1	–	1	–	1	4	3	4
	4. Diabetes	19	–	–	–	–	–	–	–	1	–	–	1	2	1
	5. Calculus (Stone)	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Cystitis	9	–	–	–	–	–	–	–	–	–	1	–	–	1
	7. *Kidney Disease, etc.*	41	–	–	–	–	–	–	1	1	2	–	–	1	1
	ORDER 6.														
	1. Ovarian Dropsy	19	–	–	–	–	–	–	–	–	–	–	–	1	–
	2. *Uterus Disease, etc.*	25	–	–	–	–	–	–	–	–	–	–	1	3	–
	ORDER 7.														
	1. Synovitis (Arthritis)	6	–	–	–	–	–	–	–	–	–	–	–	1	1
	2. *Joint Disease, etc.*	23	–	–	1	–	–	–	1	1	4	2	1	–	–

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1879.—MALES. (*Continued*).

Class.	CAUSES OF DEATH.	MALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
	ORDER 2.															
	1. Scrofula	2	2	2	–	1	–	1	1	–	–	–	–	–	–	–
	2. Tabes Mesenterica	–	–	1	1	–	2	–	–	–	–	–	–	–	–	–
	3. Phthisis	59	54	41	31	34	20	16	13	5	2	1	–	–	–	–
	4. Hydrocephalus	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
III.	ORDER 1.															
	1. Cephalitis	3	1	2	2	2	2	1	1	3	–	1	–	–	–	–
	2. Apoplexy	7	14	7	11	18	23	34	39	41	25	14	4	–	–	–
	3. Paralysis	2	6	5	6	12	25	43	49	70	30	19	4	1	–	–
	4. Insanity	1	1	2	3	–	1	1	4	1	–	1	–	–	–	–
	5. Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Epilepsy	–	2	4	2	1	3	6	2	3	2	–	–	–	–	–
	7. Convulsions	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	8. *Brain Disease, etc.*	5	5	4	7	12	13	18	18	17	13	2	2	–	–	–
	ORDER 2.															
	1. Pericarditis	–	1	1	1	–	–	1	2	1	2	–	–	–	–	
	2. Aneurism	3	1	4	4	1	2	2	1	–	–	–	–	–	–	–
	3. *Heart Disease, etc.*	16	23	24	38	50	68	106	118	89	62	20	4	1	–	–
	ORDER 3.															
	1. Laryngitis	–	–	–	1	2	–	4	1	–	–	–	–	–	–	–
	2. Bronchitis	6	11	16	29	43	49	72	60	92	67	29	6	2	–	1
	3. Pleurisy	3	2	4	–	4	7	3	4	4	–	–	–	–	–	–
	4. Pneumonia	12	15	18	25	19	33	36	23	21	6	4	1	–	–	–
	5. Asthma	3	1	5	4	6	8	11	12	13	7	2	–	–	–	–
	6. *Lung Disease, etc.*	2	8	9	11	7	8	15	13	12	3	3	1	–	–	–
	ORDER 4.															
	1. Gastritis	1	–	–	1	1	1	–	3	4	1	–	–	–	–	–
	2. Enteritis	2	1	2	2	6	4	3	2	5	3	–	–	–	–	–
	3. Peritonitis	5	2	1	2	3	5	4	4	2	5	–	–	–	–	–
	4. Ascites	–	–	1	–	–	–	1	2	–	–	–	–	–	–	–
	5. Ulceration of Intestines	1	1	1	3	2	6	8	–	3	2	–	–	–	–	–
	6. Hernia	–	1	–	3	–	1	3	1	2	1	–	1	–	–	–
	7. Ileus	3	4	2	3	5	6	4	5	4	4	1	1	–	–	–
	8. Intussusception	1	–	–	2	–	–	1	–	1	1	–	–	–	–	–
	9. Stricture of Intestines	–	–	–	–	1	1	4	1	1	–	–	–	–	–	–
	10. Fistula	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	11. *Stomach Disease, etc.*	2	2	4	5	3	8	7	5	4	1	–	–	1	–	–
	12. *Pancreas Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Hepatitis	2	2	1	2	3	3	3	1	2	1	–	1	–	–	–
	14. Jaundice	–	1	1	–	3	3	2	5	2	3	–	–	–	–	–
	15. *Liver Disease, etc.*	14	7	7	5	13	14	16	12	7	2	–	–	–	–	–
	16. *Spleen Disease, etc.*	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 5.															
	1. Nephritis	2	1	–	1	1	3	2	2	1	1	–	–	–	–	–
	2. Ischuria	–	–	–	1	–	3	4	4	2	3	–	–	2	–	–
	3. Bright's Disease (Nephria)	–	1	3	4	5	5	6	2	3	6	1	–	–	–	–
	4. Diabetes	1	3	3	–	1	3	2	3	1	–	–	–	–	–	–
	5. Calculus (Stone)	2	–	–	–	1	–	4	4	6	2	–	–	–	–	–
	6. Cystitis	1	–	2	–	–	4	7	8	14	12	2	1	–	–	–
	7. *Kidney Disease, etc.*	2	4	1	4	3	13	14	14	18	12	4	1	1	–	–
	ORDER 6.															
	1. Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. *Uterus Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 7.															
	1. Synovitis (Arthritis)	–	1	1	1	–	–	1	–	1	–	–	–	–	–	–
	2. *Joint Disease, etc.*	2	1	–	1	–	2	1	2	–	–	–	–	–	–	–

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1879.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
	ORDER 2.															
	1. Scrofula	1	3	3	–	2	2	1	–	1	1	–	–	–	–	–
	2. Tabes Mesenterica	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Phthisis	78	50	48	38	26	17	11	8	7	1	–	–	–	–	–
	4. Hydrocephalus	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
III.	ORDER 1.															
	1. Cephalitis	4	3	–	1	2	7	–	1	2	1	–	–	–	–	–
	2. Apoplexy	7	7	10	14	20	30	36	35	36	21	12	3	–	–	–
	3. Paralysis	2	5	8	12	15	34	52	44	71	48	20	5	1	1	1
	4. Insanity	4	1	2	1	1	3	4	4	3	–	–	–	–	–	–
	5. Chorea	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	6. Epilepsy	4	2	6	3	2	2	1	4	–	–	1	–	–	–	–
	7. Convulsions	1	–	1	2	–	–	–	1	1	–	–	–	–	–	–
	8. *Brain Disease, etc.*	1	2	7	8	7	7	14	6	15	8	6	–	–	–	–
	ORDER 2.															
	1. Pericarditis	–	–	–	1	1	–	1	1	2	–	–	–	–	–	–
	2. Aneurism	1	1	–	2	1	2	1	–	2	–	–	–	–	–	–
	3. *Heart Disease, etc.*	21	18	28	39	49	75	95	95	85	41	15	9	–	–	–
	ORDER 3.															
	1. Laryngitis	–	–	1	–	1	2	2	1	–	–	–	–	–	–	–
	2. Bronchitis	9	14	16	31	27	56	95	117	121	84	51	14	5	–	–
	3. Pleurisy	–	–	–	3	2	2	8	–	2	2	–	–	–	–	–
	4. Pneumonia	16	9	9	15	12	22	17	31	11	9	2	1	–	–	–
	5. Asthma	–	2	3	1	4	6	10	8	9	5	3	2	–	–	–
	6. *Lung Disease, etc.*	2	5	2	4	4	3	9	5	14	8	7	1	–	–	–
	ORDER 4.															
	1. Gastritis	–	1	1	1	5	3	4	1	6	2	–	–	–	–	–
	2. Enteritis	4	2	–	3	4	3	7	3	–	3	1	–	–	–	–
	3. Peritonitis	6	1	1	1	7	4	3	3	3	3	1	–	–	–	–
	4. Ascites	–	–	–	1	3	1	2	2	–	1	1	–	–	–	–
	5. Ulceration of Intestines	2	5	3	6	3	5	4	4	4	–	–	–	–	–	–
	6. Hernia	2	1	1	2	3	1	5	3	4	1	–	–	–	–	–
	7. Ileus	–	–	2	2	3	2	4	2	8	2	–	–	–	–	–
	8. Intussusception	–	–	1	–	1	1	1	1	–	–	–	–	–	–	–
	9. Stricture of Intestines	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
	10. Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. *Stomach Disease, etc.*	1	1	7	8	7	9	8	6	8	3	5	–	–	–	–
	12. *Pancreas Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Hepatitis	3	2	1	1	2	2	5	8	2	–	–	–	–	–	–
	14. Jaundice	–	–	3	1	2	2	2	2	2	2	–	–	–	–	–
	15. *Liver Disease, etc.*	2	3	6	5	6	15	5	18	10	4	1	–	–	–	–
	16. *Spleen Disease, etc.*	1	–	1	2	1	–	–	–	–	–	–	–	–	–	–
	ORDER 5.															
	1. Nephritis	1	2	–	4	1	2	1	1	2	1	–	–	–	–	–
	2. Ischuria	–	1	–	1	–	1	–	1	–	–	1	–	–	–	–
	3. Bright's Disease (Nephria)	5	4	1	2	6	3	6	1	4	2	–	–	–	–	–
	4. Diabetes	2	1	3	1	1	–	–	3	3	–	–	–	–	–	–
	5. Calculus (Stone)	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	6. Cystitis	–	–	–	1	–	1	–	1	1	3	–	–	–	–	–
	7. *Kidney Disease, etc.*	1	1	1	4	3	4	7	4	5	3	2	–	–	–	–
	ORDER 6.															
	1. Ovarian Dropsy	1	2	2	1	3	2	3	2	2	–	–	–	–	–	–
	2. *Uterus Disease, etc.*	5	4	4	1	–	2	2	3	–	–	–	–	–	–	–
	ORDER 7.															
	1. Synovitis (Arthritis)	1	–	1	–	–	–	1	1	–	–	–	–	–	–	–
	2. *Joint Disease, etc.*	2	1	–	3	1	1	1	1	2	1	–	–	–	–	–

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1879.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30	35
	ORDER 8.														
	1. Phlegmon	12	1	1	–	–	–	1	–	1	2	–	1	1	–
	2. Ulcer	7	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. *Skin Disease, etc.*	9	–	2	2	1	1	–	–	1	–	–	–	–	–
IV.	ORDER 1.														
	1. Premature Birth	169	167	–	2	–	–	–	–	–	–	–	–	–	–
	2. Cyanosis	8	4	–	–	–	–	1	–	–	2	–	–	–	–
	3. Spina Bifida	5	5	–	–	–	–	–	–	–	–	–	–	–	–
	4. Other Malformations	30	27	1	1	1	–	–	–	–	–	–	–	–	–
	5. Teething	53	–	5	28	17	2	–	1	–	–	–	–	–	–
	ORDER 2.														
	1. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Childbirth (*see* Puerperal Fever)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.														
	1. Old Age	796	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4.														
	1. Atrophy and Debility	302	222	28	12	8	3	–	1	4	3	–	1	–	2
V.	ORDER 1. (*Accident or Negligence.*)														
	1. Fractures and Contusions	181	–	–	1	1	–	4	2	6	5	11	18	20	8
	2. Gunshot Wounds	2	–	–	–	–	–	–	–	–	–	1	–	–	–
	3. Cut, Stab	1	–	–	–	–	1	–	–	–	–	–	–	–	–
	4. Burns and Scalds	66	–	1	1	6	5	4	4	1	–	1	6	6	4
	5. Poison	3	–	–	1	–	–	–	–	–	–	–	–	–	–
	6. Drowning	132	–	–	–	6	4	2	2	6	4	8	22	17	11
	7. Suffocation	46	19	8	1	1	–	–	–	1	–	2	2	1	–
	8. Otherwise	50	–	1	–	1	–	–	–	2	1	1	2	3	4
	ORDER 3. (*Homicide.*)														
	1. Murder and Manslaughter	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4. (*Suicide.*)														
	1. Gunshot Wounds	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cut, Stab	3	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Poison	2	–	–	–	–	–	–	–	–	–	–	1	–	–
	4. Drowning	11	–	–	–	–	–	–	–	–	–	–	–	–	1
	5. Hanging	18	–	–	–	–	–	–	–	–	1	–	1	1	2
	6. Otherwise and undefined	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 5. (*Execution.*)														
	1. Hanging	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Sudden Deaths (cause unascertained)	10	2	–	–	–	–	–	–	2	–	–	–	–	–
	Causes not specified or ill-defined	261	108	19	12	14	6	1	1	2	5	5	4	1	4

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1879.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.												
			3	6	12	2	3	4	5	10	15	20	25	30	35
	ORDER 8.														
	1. Phlegmon	26	2	–	–	2	–	1	–	1	1	2	1	1	4
	2. Ulcer	11	–	–	–	–	–	1	–	1	–	–	–	–	–
	3. *Skin Disease, etc.*	4	1	–	–	2	–	–	–	–	–	–	–	–	–
IV.	ORDER 1.														
	1. Premature Birth	125	123	–	2	–	–	–	–	–	–	–	–	–	–
	2. Cyanosis	6	4	2	–	–	–	–	–	–	–	–	–	–	–
	3. Spina Bifida	6	3	2	1	–	–	–	–	–	–	–	–	–	–
	4. Other Malformations	10	9	–	–	1	–	–	–	–	–	–	–	–	–
	5. Teething	60	–	5	28	21	4	2	–	–	–	–	–	–	–
	ORDER 2.														
	1. Paramenia	5	–	–	–	–	–	–	–	–	1	1	1	–	–
	2. Childbirth (*see* Puerperal Fever)	89	–	–	–	–	–	–	–	–	–	3	14	18	10
	ORDER 3.														
	1. Old Age	1259	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4.														
	1. Atrophy and Debility	265	167	29	11	11	4	1	2	6	1	–	2	1	1
V.	ORDER 1. (*Accident or Negligence.*)														
	1. Fractures and Contusions	46	–	–	–	–	–	1	1	3	–	1	2	2	–
	2. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Cut, Stab	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Burns and Scalds	36	–	–	–	10	4	1	6	4	–	–	–	–	–
	5. Poison	3	–	–	–	–	1	–	1	–	–	–	–	–	–
	6. Drowning	29	–	–	–	3	1	3	1	2	4	1	–	–	2
	7. Suffocation	19	14	1	–	2	1	–	–	–	–	–	–	–	–
	8. Otherwise	16	2	–	–	–	1	–	1	–	–	1	–	–	1
	ORDER 3. (*Homicide.*)														
	1. Murder and Manslaughter	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4. (*Suicide.*)														
	1. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cut, Stab	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Poison	2	–	–	–	–	–	–	–	–	–	1	–	1	–
	4. Drowning	8	–	–	–	–	–	–	–	–	–	–	2	4	–
	5. Hanging	3	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Otherwise and undefined	2	–	–	–	–	–	–	–	–	–	–	1	–	1
	ORDER 5. (*Execution.*)														
	1. Hanging	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Sudden Deaths (cause unascertained	9	–	–	–	–	1	–	–	–	–	–	1	–	–
	Causes not specified or ill-defined	229	74	15	10	7	3	4	2	7	1	5	1	4	2

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1879.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
	ORDER 8.															
	1. Phlegmon	1	1	–	1	–	–	–	1	–	–	–	–	–	–	–
	2. Ulcer	–	–	–	–	2	–	1	2	2	–	–	–	–	–	–
	3. *Skin Disease, etc.*	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–
IV.	ORDER 1.															
	1. Premature Birth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cyanosis	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 2.															
	1. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Childbirth (*see* Puerperal Fever)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.															
	1. Old Age	–	–	–	–	1	17	37	83	184	206	169	81	15	3	–
	ORDER 4.															
	1. Atrophy and Debility	3	2	3	4	6	–	–	–	–	–	–	–	–	–	–
V.	ORDER 1. (*Accident or Negligence.*)															
	1. Fractures and Contusions	9	18	16	11	11	8	19	5	4	–	2	1	–	–	1
	2. Gunshot Wounds	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	3. Cut, Stab	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Burns and Scalds	6	9	2	3	2	–	–	1	1	2	1	–	–	–	–
	5. Poison	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
	6. Drowning	7	8	9	9	2	5	3	1	4	–	1	–	–	–	1
	7. Suffocation	1	1	1	2	1	2	–	2	–	–	–	–	–	–	1
	8. Otherwise	8	2	2	4	2	7	3	5	–	2	–	–	–	–	–
	ORDER 3. (*Homicide.*)															
	1. Murder and Manslaughter	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4. (*Suicide.*)															
	1. Gunshot Wounds	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	2. Cut, Stab	–	1	–	1	–	1	–	–	–	–	–	–	–	–	–
	3. Poison	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	4. Drowning	1	1	4	–	1	–	1	2	–	–	–	–	–	–	–
	5. Hanging	1	1	3	1	1	3	1	1	1	–	–	–	–	–	–
	6. Otherwise and undefined	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 5. (*Execution.*)															
	1. Hanging	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Sudden Deaths (cause unascertained)	–	–	–	1	–	1	–	1	3	–	–	–	–	–	–
	Causes not specified or ill-defined	5	7	1	7	8	7	15	17	12	–	–	–	–	–	–

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1879.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
	ORDER 8.															
	1. Phlegmon	3	1	1	1	–	1	–	1	1	1	1	–	–	–	–
	2. Ulcer	–	–	–	–	1	2	1	1	4	–	–	–	–	–	–
	3. *Skin Disease, etc.*	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
IV.	ORDER 1.															
	1. Premature Birth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 2.															
	1. Paramenia	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	2. Childbirth (*see* Puerperal Fever)	22	21	1	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.															
	1. Old Age	–	–	–	–	–	30	63	138	266	397	206	117	35	6	1
	ORDER 4.															
	1. Atrophy and Debility	4	2	3	7	13	–	–	–	–	–	–	–	–	–	–
V.	ORDER 1. (*Accident or Negligence.*)															
	1. Fractures and Contusions	1	1	3	2	2	–	4	5	5	3	6	3	–	1	–
	2. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Cut, Stab	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–
	4. Burns and Scalds	–	–	–	1	1	1	1	3	2	2	–	–	–	–	–
	5. Poison	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	6. Drowning	4	–	2	–	1	2	2	–	1	–	–	–	–	–	–
	7. Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
	8. Otherwise	–	–	1	–	2	–	–	5	–	1	–	–	1	–	–
	ORDER 3. (*Homicide*).															
	1. Murder and Manslaughter	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4. (*Suicide.*)															
	1. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cut, Stab	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
	3. Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Drowning	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
	5. Hanging	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–
	6. Otherwise and undefined	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 5. (*Execution.*)															
	1. Hanging	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Sudden Deaths (cause unascertained	–	–	–	–	1	2	2	1	–	1	–	–	–	–	
	Causes not specified or ill-defined	1	2	5	7	11	18	16	20	13	1	–	–	–	–	–

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1879.—MALES.

Class.	CAUSES OF DEATH.	MALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.												
			3	6	12	2	3	4	5	10	15	20	25	30	35
	All Causes . . .	1001	95	17	26	40	18	7	12	27	21	37	58	38	26
	Specified Causes . .	867	41	13	18	35	15	4	10	21	19	33	55	38	24
	(CLASSES.)														
I.	ZYMOTIC DISEASES	100	5	–	7	11	8	3	6	13	6	4	10	3	2
II.	CONSTITUTIONAL ,,	166	–	2	3	6	1	–	–	2	3	16	29	14	14
III.	LOCAL ,,	351	25	11	4	15	4	1	4	5	6	10	8	15	1
IV.	DEVELOPMENTAL ,,	200	11	–	3	3	–	–	–	–	–	–	–	–	–
V.	VIOLENT DEATHS .	50	–	–	1	–	2	–	–	1	4	3	8	6	7
	(ORDERS.)														
I.	1. MIASMATIC DISEASES .	93	5	–	7	11	8	3	6	13	6	4	10	2	2
	2. ENTHETIC ,, .	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. DIETIC ,, .	7	–	–	–	–	–	–	–	–	–	–	–	1	–
	4. PARASITIC ,, .	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	1. DIATHETIC ,, .	29	–	–	–	1	–	–	–	–	–	1	–	–	–
	2. TUBERCULAR ,, .	137	–	2	3	5	1	–	–	2	3	15	29	14	14
III.	1. DISEASES OF NERVOUS SYSTEM . .	73	10	2	1	3	1	–	–	1	1	3	3	3	1
	2. ,, OF ORGANS OF CIRCULATION .	44	–	–	–	1	–	–	–	–	2	3	–	1	–
	3. ,, OF RESPIRATORY ORGANS . .	146	14	7	3	11	3	1	2	3	1	1	3	5	–
	4. ,, OF DIGESTIVE ORGANS . . .	48	1	2	–	–	–	–	1	1	–	–	1	2	–
	5. ,, OF URINARY ORGANS . . .	35	–	–	–	–	–	–	–	–	2	3	–	2	–
	6. ,, OF ORGANS OF GENERATION .	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. ,, OF ORGANS OF LOCOMOTION . .	2	–	–	–	–	–	–	1	–	–	–	–	1	–
	8. ,, OF INTEGUMENTARY SYSTEM . .	3	–	–	–	–	–	–	–	–	–	–	1	1	–
IV.	1. DEV. DIS. OF CHILDREN	6	2	–	1	3	–	–	–	–	–	–	–	–	–
	2. ,, OF ADULTS	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. ,, OF OLD PEOPLE	181	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. DISEASES OF NUTRITION	13	9	–	2	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1879.—FEMALES.

Class.	CAUSES OF DEATH.	FEMALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.												
			3	6	12	2	3	4	5	10	15	20	25	30	35
	All Causes . .	1168	83	10	35	32	13	17	12	31	27	36	36	31	39
	Specified Causes .	1031	36	8	27	30	11	12	12	28	26	32	35	29	36
	(CLASSES.)														
I.	ZYMOTIC DISEASES	133	5	3	10	12	8	5	7	16	4	6	7	4	5
II.	CONSTITUTIONAL ,,	200	1	1	4	3	–	3	1	3	12	15	18	14	19
III.	LOCAL ,,	356	15	4	11	13	3	4	3	6	9	9	7	7	5
IV.	DEVELOPMENTAL ,,	322	13	–	2	2	–	–	–	2	–	–	2	2	7
V.	VIOLENT DEATHS .	20	2	–	–	–	–	–	1	1	1	2	1	2	–
	(ORDERS.)														
I.	1. MIASMATIC DISEASES .	131	5	3	10	12	8	5	7	16	4	6	7	4	4
	2. ENTHETIC ,, .	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. DIETIC ,, .	2	–	–	–	–	–	–	–	–	–	–	–	–	1
	4. PARASITIC ,, .	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	1. DIATHETIC ,, .	54	–	–	–	–	–	–	–	–	–	1	1	–	–
	2. TUBERCULAR ,, .	146	1	1	4	3	–	3	1	3	12	14	17	14	19
III.	1. DISEASES OF NERVOUS SYSTEM . .	63	4	1	1	–	1	2	1	3	3	4	–	1	–
	2. ,, OF ORGANS OF CIRCULATION .	48	–	–	–	–	–	–	–	–	–	–	–	3	–
	3. ,, OF RESPIRATORY ORGANS . .	170	9	3	8	12	2	1	2	2	4	3	4	1	3
	5. ,, OF DIGESTIVE ORGANS . . .	57	1	–	2	–	–	1	–	1	1	1	1	2	1
	4. ,, OF URINARY ORGANS . . .	10	1	–	–	–	–	–	–	–	1	1	–	–	1
	6. ,, OF ORGANS OF GENERATION .	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. ,, OF ORGANS OF LOCOMOTION . .	3	–	–	–	–	–	–	–	–	–	–	2	–	–
	8. ,, OF INTEGUMENTARY SYSTEM . .	3	–	–	–	1	–	–	–	–	–	–	–	–	–
IV.	1. DEV. DIS. OF CHILDREN	7	3	–	1	2	–	–	–	1	–	–	–	–	–
	2. ,, OF ADULTS .	19	–	–	–	–	–	–	–	–	–	–	2	2	6
	3. ,, OF OLD PEOPLE	279	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. DISEASES OF NUTRITION	17	10	–	1	–	–	–	–	1	–	–	–	–	1

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1879.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
	All Causes . . .	32	26	24	27	29	41	57	74	100	92	56	13	6	2	–
	Specified Causes . .	31	25	22	24	27	35	54	68	86	92	56	13	6	2	–
	(CLASSES.)															
I.	ZYMOTIC DISEASES	–	4	1	1	3	3	3	2	4	–	1	–	–	–	–
II.	CONSTITUTIONAL ,,	12	7	8	5	6	10	7	12	5	4	–	–	–	–	–
III.	LOCAL ,,	13	13	10	16	15	20	41	38	38	25	11	1	1	–	–
IV.	DEVELOPMENTAL ,,	1	–	–	–	1	–	2	14	39	63	44	12	5	2	–
V.	VIOLENT DEATHS .	5	1	3	2	2	2	1	2	–	–	–	–	–	–	–
	(ORDERS.)															
I.	1. MIASMATIC DISEASES .	–	2	1	1	2	2	2	2	3	–	1	–	–	–	–
	2. ENTHETIC ,, .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. DIETIC ,, .	–	2	–	–	1	1	1	–	1	–	–	–	–	–	–
	4. PARASITIC ,, .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	1. DIATHETIC ,, .	–	–	2	1	1	4	5	8	4	2	–	–	–	–	–
	2. TUBERCULAR ,, .	12	7	6	4	5	6	2	4	1	2	–	–	–	–	–
III.	1. DISEASES OF NERVOUS SYSTEM . .	2	1	–	3	2	4	11	8	6	6	1	–	–	–	–
	2. ,, OF ORGANS OF CIRCULATION .	4	5	2	1	1	6	5	6	4	1	2	–	–	–	–
	3. ,, OF RESPIRATORY ORGANS . .	5	4	6	7	7	7	10	15	16	11	3	1	–	–	–
	4. ,, OF DIGESTIVE ORGANS . . .	2	2	1	3	4	3	7	5	5	5	2	–	1	–	–
	5. ,, OF URINARY ORGANS . . .	–	–	1	2	1	–	8	4	7	2	3	–	–	–	–
	6. ,, OF ORGANS OF GENERATION .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. ,, OF ORGANS OF LOCOMOTION . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. ,, OF INTEGUMENTARY SYSTEM . .	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
IV.	1. DEV. DIS. OF CHILDREN	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. ,, OF ADULTS .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. ,, OF OLD PEOPLE	–	–	–	–	–	–	2	14	39	63	44	12	5	2	–
	4. DISEASES OF NUTRITION	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1879.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
	All Causes . . .	40	31	28	40	53	45	72	98	113	124	81	20	13	8	–
	Specified Causes . .	39	28	27	39	43	42	60	82	103	124	81	20	13	8	–
	(CLASSES.)															
I.	ZYMOTIC DISEASES	3	3	2	5	1	1	6	3	10	4	3	–	–	–	–
II.	CONSTITUTIONAL ,,	16	9	8	12	17	13	9	8	7	5	1	–	1	–	–
III.	LOCAL ,,	12	14	16	19	22	22	35	41	39	24	13	1	1	1	–
IV.	DEVELOPMENTAL ,,	7	2	1	1	2	6	10	28	44	91	63	19	11	7	–
V.	VIOLENT DEATHS .	1	–	–	2	1	–	–	2	3	–	1	–	–	–	–
	(ORDERS.)															
I.	1. MIASMATIC DISEASES .	3	2	2	5	1	1	6	3	10	4	3	–	–	–	–
	2. ENTHETIC ,, .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. DIETIC ,, .	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. PARASITIC ,, .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	1. DIATHETIC ,, .	2	1	4	6	6	9	6	8	5	4	1	–	–	–	–
	2. TUBERCULAR ,, .	14	8	4	6	11	4	3	–	2	1	–	–	1	–	–
III.	1. DISEASES OF NERVOUS SYSTEM . .	4	1	1	2	2	2	7	7	5	7	4	–	–	–	–
	2. ,, OF ORGANS OF CIRCULATION .	2	3	3	1	4	2	3	14	5	5	3	–	–	–	–
	3. ,, OF RESPIRATORY ORGANS . .	3	5	2	11	9	14	15	16	24	9	5	1	1	1	–
	4. ,, OF DIGESTIVE ORGANS . . .	3	5	9	4	4	2	9	4	4	2	–	–	–	–	–
	5. ,, OF URINARY ORGANS . . .	–	–	1	1	1	2	–	–	1	–	–	–	–	–	–
	6. ,, OF ORGANS OF GENERATION .	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–
	7. ,, OF ORGANS OF LOCOMOTION . .	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	8. ,, OF INTEGUMENTARY SYSTEM . .	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–
IV.	1. DEV. DIS. OF CHILDREN	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. ,, OF ADULTS .	7	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. ,, OF OLD PEOPLE	–	–	–	–	–	6	10	28	44	91	63	19	11	7	–
	4. DISEASES OF NUTRITION	–	–	1	1	2	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1879.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.												
			3	6	12	2	3	4	5	10	15	20	25	30	35
V.	1. ACCIDENT OR NEGLIGENCE	49	–	–	1	–	2	–	–	1	4	3	8	6	7
	*														
	3. HOMICIDE	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. SUICIDE	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. EXECUTION	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	SUDDEN DEATHS, CAUSE UNASCERTAINED	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	CAUSES NOT SPECIFIED	134	54	4	8	5	3	3	2	6	2	4	3	–	2
I.	ORDER 1.														
	1. Small-pox	1	–	–	–	–	–	–	–	–	–	–	–	1	–
	2. Measles	4	–	–	1	–	1	–	–	–	–	1	1	–	–
	3. Scarlatina	18	1	–	2	2	1	1	3	6	1	–	1	–	–
	4. Diphtheria	9	–	–	–	1	1	–	1	3	1	1	1	–	–
	5. Quinsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Croup	19	1	–	2	7	4	2	1	1	1	–	–	–	–
	7. Hooping-cough	3	1	–	1	–	1	–	–	–	–	–	–	–	–
	8. Typhus Fever	5	–	–	–	–	–	–	–	–	–	–	1	–	–
	8. Enteric or Typhoid Fever	6	–	–	–	–	–	–	–	–	1	1	2	–	–
	8. Relapsing Fever	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Simple Continued Fever	3	–	–	–	–	–	–	–	–	–	1	2	–	–
	9. Erysipelas	5	1	–	1	–	–	–	–	1	1	–	–	–	–
	10. Puerperal Fever Metria)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	12. Influenza	2	–	–	–	–	–	–	–	–	–	–	1	–	–
	13. Dysentery	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	14. Diarrhœa	7	1	–	–	–	–	–	1	1	–	–	1	1	1
	15. Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	16. Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	17. Remittent Fever	2	–	–	–	1	–	–	–	1	–	–	–	–	–
	18. Rheumatism	8	–	–	–	–	–	–	–	–	1	–	–	–	1
	19. Other *Miasmatic* Diseases	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 2.														
	1. Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Glanders	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.														
	1. Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Purpura and Scurvy	3	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Alcoholism *a* Del. Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Alcoholism *b* Intemperance	4	–	–	–	–	–	–	–	–	–	–	–	1	–
	ORDER 4.														
	1. Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Worms, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	ORDER 1.														
	1. Gout	3	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Dropsy	7	–	–	–	–	–	–	–	–	–	1	–	–	–
	3. Cancer	17	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Cancrum Oris (Noma)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Mortification	2	–	–	–	1	–	–	–	–	–	–	–	–	–

* See page 52, note *.

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1879.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.												
			3	6	12	2	3	4	5	10	15	20	25	30	35
V.	1. ACCIDENT OR NEGLIGENCE	20	2	–	–	–	–	–	1	1	1	2	1	2	–
	*														
	3. HOMICIDE	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. SUICIDE	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. EXECUTION	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	SUDDEN DEATHS, CAUSE UNASCERTAINED	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	CAUSES NOT SPECIFIED	136	47	2	8	2	2	5	–	3	1	4	1	2	3
I.	ORDER 1.														
	1. Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Measles	1	–	–	1	–	–	–	–	–	–	–	–	–	–
	3. Scarlatina	5	–	–	1	–	–	–	1	1	1	1	–	–	–
	4. Diphtheria	20	–	1	–	–	2	–	3	9	1	–	1	3	–
	5. Quinsy	2	–	–	–	–	–	–	1	1	–	–	–	–	–
	6. Croup	29	4	1	4	10	4	3	1	2	–	–	–	–	–
	7. Hooping-cough	7	1	–	3	1	1	–	–	–	–	1	–	–	–
	8. Typhus Fever	10	–	–	–	–	–	–	1	–	–	2	1	–	–
	8. Enteric or Typhoid Fever	15	–	–	–	1	–	–	–	3	2	2	4	1	–
	8. Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Simple Continued Fever	3	–	–	–	–	–	1	–	–	–	–	–	–	–
	9. Erysipelas	2	–	–	–	–	–	–	–	–	–	–	–	–	1
	10. Puerperal Fever (Metria)	3	–	–	–	–	–	–	–	–	–	–	–	–	1
	11. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	12. Influenza	6	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Dysentery	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	14. Diarrhœa	13	–	1	1	–	1	–	–	–	–	–	1	–	–
	15. Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	16. Ague	2	–	–	–	–	–	1	–	–	–	–	–	–	–
	17. Remittent Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	18. Rheumatism	11	–	–	–	–	–	–	–	–	–	–	–	–	2
	19. Other *Miasmatic* Diseases	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 2.														
	1. Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Glanders	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.														
	1. Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Purpura and Scurvy	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Alcoholism *a* Del. Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Alcoholism *b* Intemperance	2	–	–	–	–	–	–	–	–	–	–	–	–	1
	ORDER 4.														
	1. Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Worms, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	ORDER 1.														
	1. Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Dropsy	24	–	–	–	–	–	–	–	–	–	1	–	–	–
	3. Cancer	27	–	–	–	–	–	–	–	–	–	–	1	–	–
	4. Cancrum Oris (Noma)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Mortification	3	–	–	–	–	–	–	–	–	–	–	–	–	–

* See page 52, note *.

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND at different Periods of Life, in 1879.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
V.	1. ACCIDENT OR NEGLIGENCE	5	1	3	1	2	2	1	2	–	–	–	–	–	–	–
	*															
	3. HOMICIDE	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. SUICIDE	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	5. EXECUTION	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	SUDDEN DEATHS, CAUSE UNASCERTAINED	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	CAUSES NOT SPECIFIED	1	1	2	3	2	6	3	6	14	–	–	–	–	–	–
I.	ORDER 1.															
	1. Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Quinsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. Hooping-cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Typhus Fever	–	1	–	–	2	1	–	–	–	–	–	–	–	–	–
	8. Enteric or Typhoid Fever	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
	8. Relapsing Fever	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	8. Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	9. Erysipelas	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	10. Puerperal Fever (Metria)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	12. Influenza	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	13. Dysentery	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	14. Diarrhœa	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	15. Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	16. Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	17. Remittent Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	18. Rheumatism	–	1	–	–	–	–	1	1	2	–	1	–	–	–	–
	19. Other *Miasmatic* Diseases	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 2.															
	1. Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Glanders	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.															
	1. Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Purpura and Scurvy	–	–	–	–	1	–	1	–	1	–	–	–	–	–	–
	4. Alcoholism *a* Del. Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Alcoholism *b* Intemperance	–	2	–	–	–	1	–	–	–	–	–	–	–	–	–
	ORDER 4.															
	1. Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Worms, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	ORDER 1.															
	1. Gout	–	–	–	–	–	1	–	2	–	–	–	–	–	–	–
	2. Dropsy	–	–	–	–	–	2	1	–	2	1	–	–	–	–	–
	3. Cancer	–	–	2	1	1	1	4	6	2	–	–	–	–	–	–
	4. Cancrum Oris (Noma)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Mortification	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–

* See page 52, note *.

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1879.—FEMALES. (*Coutinued.*)

Class.	CAUSES OF DEATH.	FEMALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
V.	1. ACCIDENT OR NEGLIGENCE	1	–	–	2	1	–	–	2	3	–	1	–	–	–	–
	*															
	3. HOMICIDE	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. SUICIDE	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. EXECUTION	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	SUDDEN DEATHS, CAUSE UNASCERTAINED	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	CAUSES NOT SPECIFIED	1	3	1	1	10	3	12	15	10	–	–	–	–	–	–
I.	ORDER 1.															
	1. Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Quinsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. Hooping-cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Typhus Fever	–	1	2	2	–	1	–	–	–	–	–	–	–	–	–
	8. Enteric or Typhoid Fever	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	8. Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Simple Continued Fever	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–
	9. Erysipelas	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	10. Puerperal Fever (Metria)	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	12. Influenza	–	–	–	–	–	–	–	1	2	2	1	–	–	–	–
	13. Dysentery	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
	14. Diarrhœa	–	–	–	–	–	–	2	–	5	1	1	–	–	–	–
	15. Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	16. Ague	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	17. Remittent Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	18. Rheumatism	–	1	–	2	–	–	3	–	3	–	–	–	–	–	–
	19. Other *Miasmatic* Diseases	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 2.															
	1. Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Glanders	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.															
	1. Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Purpura and Scurvy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Alcoholism *a* Del. Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Alcoholism *b* Intemperance	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4.															
	1. Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Worms, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	ORDER 1.															
	1. Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Dropsy	–	–	2	2	3	5	–	4	3	3	1	–	–	–	–
	3. Cancer	2	1	2	4	3	4	5	4	1	–	–	–	–	–	–
	4. Cancrum Oris (Noma)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Mortification	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–

* See page 52, note *.

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1879.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.												
			3	6	12	2	3	4	5	10	15	20	25	30	35
	ORDER 2.														
	1. Scrofula	6	–	–	1	–	1	–	–	–	–	2	–	–	1
	2. Tabes Mesenterica	6	–	2	1	–	–	–	–	1	1	–	–	1	–
	3. Phthisis	120	–	–	–	1	–	–	–	1	2	13	29	13	13
	4. Hydrocephalus	5	–	–	1	4	–	–	–	–	–	–	–	–	–
III.	ORDER 1.														
	1. Cephalitis	8	–	1	–	1	1	–	–	1	1	–	2	1	–
	2. Apoplexy	9	–	–	–	1	–	–	–	–	–	–	–	1	1
	3. Paralysis	33	–	–	–	–	–	–	–	–	–	1	–	1	–
	4. Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Epilepsy	3	–	–	–	–	–	–	–	–	–	1	–	–	–
	7. Convulsions	11	8	1	1	1	–	–	–	–	–	–	–	–	–
	8. *Brain Disease, etc.*	9	2	–	–	–	–	–	–	–	–	1	1	–	–
	ORDER 2.														
	1. Pericarditis	2	–	–	–	1	–	–	–	–	–	–	–	–	–
	2. Aneurism	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. *Heart Disease, etc.*	41	–	–	–	–	–	–	–	–	2	3	–	1	–
	ORDER 3.														
	1. Laryngitis	3	1	1	–	–	–	–	–	–	–	–	–	–	–
	2. Bronchitis	76	6	3	3	9	3	1	1	1	1	–	2	1	–
	3. Pleurisy	12	5	2	–	–	–	–	1	–	–	–	–	1	–
	4. Pneumonia	30	1	1	–	1	–	–	–	2	–	–	1	2	–
	5. Asthma	13	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. *Lung Disease, etc.*	12	1	–	–	1	–	–	–	–	–	1	–	1	–
	ORDER 4.														
	1. Gastritis	3	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Enteritis	7	–	1	–	–	–	–	1	1	–	–	–	–	–
	3. Peritonitis	3	–	1	–	–	–	–	–	–	–	–	–	–	–
	4. Ascites	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Ulceration of Intestines	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Hernia	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. Ileus	6	–	–	–	–	–	–	–	–	–	–	–	1	–
	8. Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	9. Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	10. Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. *Stomach Disease, etc.*	6	–	–	–	–	–	–	–	–	–	–	–	–	–
	12. *Pancreas Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Hepatitis	3	–	–	–	–	–	–	–	–	–	–	1	–	–
	14. Jaundice	4	1	–	–	–	–	–	–	–	–	–	–	–	–
	15. *Liver Disease, etc.*	10	–	–	–	–	–	–	–	–	–	–	–	–	–
	16. *Spleen Disease, etc.*	1	–	–	–	–	–	–	–	–	–	–	–	1	–
	ORDER 5.														
	1. Nephritis	4	–	–	–	–	–	–	–	–	–	1	–	1	–
	2. Ischuria	7	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Bright's Disease (Nephria)	7	–	–	–	–	–	–	–	–	–	1	–	1	–
	4. Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Calculus (Stone)	3	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Cystitis	7	–	–	–	–	–	–	–	–	1	1	–	–	–
	7. *Kidney Disease, etc.*	7	–	–	–	–	–	–	–	–	1	–	–	–	–
	ORDER 6.														
	1. Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. *Uterus Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 7.														
	1. Synovitis (Arthritis)	1	–	–	–	–	–	–	1	–	–	–	–	–	–
	2. *Joint Disease, etc.*	1	–	–	–	–	–	–	–	–	–	–	–	1	–

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1879.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30	35
	ORDER 2.														
	1. Scrofula	13	1	1	–	–	–	1	–	1	2	2	–	2	–
	2. Tabes Mesenterica	5	–	–	1	2	–	–	–	–	1	–	1	–	–
	3. Phthisis	115	–	–	–	–	–	–	1	1	5	10	16	12	19
	4. Hydrocephalus	13	–	–	3	1	–	2	–	1	4	2	–	–	–
III.	ORDER 1.														
	1. Cephalitis	9	–	–	1	–	1	1	1	1	2	1	–	–	–
	2. Apoplexy	12	–	1	–	–	–	–	–	–	1	1	–	–	–
	3. Paralysis	25	–	–	–	–	–	–	–	–	–	1	–	–	–
	4. Insanity	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Epilepsy	4	–	–	–	–	–	–	–	1	–	1	–	1	–
	7. Convulsions	5	3	–	–	–	–	1	–	–	–	–	–	–	–
	8. *Brain Disease, etc.*	6	1	–	–	–	–	–	–	1	–	–	–	–	–
	ORDER 2.														
	1. Pericarditis	4	–	–	–	–	–	–	–	–	–	–	–	1	–
	2. Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. *Heart Disease, etc.*	44	–	–	–	–	–	–	–	–	–	–	–	2	–
	ORDER 3.														
	1. Laryngitis	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Bronchitis	98	5	2	6	8	2	–	2	2	1	1	2	–	1
	3. Pleurisy	12	3	–	1	1	–	1	–	–	2	–	1	–	–
	4. Pneumonia	26	–	1	1	2	–	–	–	–	1	2	1	–	2
	5. Asthma	21	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. *Lung Disease, etc.*	12	1	–	–	1	–	–	–	–	–	–	–	1	–
	ORDER 4.														
	1. Gastritis	4	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Enteritis	10	1	–	1	–	–	–	–	1	–	1	–	–	–
	3. Peritonitis	3	–	–	–	–	–	–	–	–	1	–	1	–	–
	4. Ascites	3	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Ulceration of Intestines	4	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. Ileus	4	–	–	1	–	–	–	–	–	–	–	–	–	–
	8. Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	9. Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	10. Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. *Stomach Disease, etc.*	12	–	–	–	–	–	–	–	–	–	–	–	–	–
	12. *Pancreas Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Hepatitis	4	–	–	–	–	–	–	–	–	–	–	–	2	–
	14. Jaundice	3	–	–	–	–	–	1	–	–	–	–	–	–	–
	15. *Liver Disease, etc.*	10	–	–	–	–	–	–	–	–	–	–	–	–	1
	16. *Spleen Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 5.														
	1. Nephritis	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Ischuria	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	3. Bright's Disease (Nephria)	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Diabetes	2	–	–	–	–	–	–	–	–	–	1	–	–	1
	5. Calculus (Stone)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Cystitis	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. *Kidney Disease, etc.*	3	–	–	–	–	–	–	–	–	1	–	–	–	–
	ORDER 6.														
	1. Ovarian Dropsy	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. *Uterus Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 7.														
	1. Synovitis (Arthritis)	2	–	–	–	–	–	–	–	–	–	–	1	–	–
	2. *Joint Disease, etc.*	1	–	–	–	–	–	–	–	–	–	–	1	–	–

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1879.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
	ORDER 2.															
	1. Scrofula	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	2. Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Phthisis	12	7	6	3	5	6	2	4	1	2	–	–	–	–	–
	4. Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
III.	ORDER 1.															
	1. Cephalitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Apoplexy	–	–	–	–	–	1	2	1	1	1	–	–	–	–	–
	3. Paralysis	2	–	–	1	1	3	8	6	5	4	1	–	–	–	–
	4. Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Epilepsy	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
	7. Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. *Brain Disease, etc.*	–	1	–	1	1	–	1	–	–	1	–	–	–	–	–
	ORDER 2.															
	1. Pericarditis	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	2. Aneurism	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	3. *Heart Disease, etc.*	4	5	2	1	–	5	5	6	4	1	2	–	–	–	–
	ORDER 3.															
	1. Laryngitis	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Bronchitis	1	2	3	1	1	4	4	11	8	6	3	1	–	–	–
	3. Pleurisy	1	–	–	1	–	–	–	1	–	–	–	–	–	–	–
	4. Pneumonia	1	1	3	4	4	2	3	2	2	–	–	–	–	–	–
	5. Asthma	1	–	–	–	2	1	–	1	5	3	–	–	–	–	–
	6. *Lung Disease, etc.*	1	–	–	1	–	–	3	–	1	2	–	–	–	–	–
	ORDER 4.															
	1. Gastritis	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–
	2. Enteritis	–	–	–	–	–	–	–	1	2	1	–	–	–	–	–
	3. Peritonitis	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
	4. Ascites	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	5. Ulceration of Intestines	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
	6. Hernia	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	7. Ileus	–	–	–	–	–	–	1	–	–	2	1	–	1	–	–
	8. Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	9. Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	10. Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. *Stomach Disease, etc.*	–	–	1	–	1	1	1	–	1	–	1	–	–	–	–
	12. *Pancreas Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Hepatitis	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	14. Jaundice	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–
	15. *Liver Disease, etc.*	–	1	–	1	1	–	3	3	1	–	–	–	–	–	–
	16. *Spleen Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 5.															
	1. Nephritis	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
	2. Ischuria	–	–	–	–	–	–	2	2	2	1	–	–	–	–	–
	3. Bright's Disease (Nephria)	–	–	1	–	1	–	3	–	–	–	–	–	–	–	–
	4. Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Calculus (Stone)	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–
	6. Cystitis	–	–	–	–	–	–	1	1	1	–	2	–	–	–	–
	7. *Kidney Disease, etc.*	–	–	–	1	–	–	1	1	2	–	1	–	–	–	–
	ORDER 6.															
	1. Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. *Uterus Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 7.															
	1. Synovitis (Arthritis)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. *Joint Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1879.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
	ORDER 2.															
	1. Scrofula	–	–	–	2	–	–	–	–	1	–	–	–	–	–	–
	2. Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Phthisis	14	8	4	4	11	4	3	–	1	1	–	–	1	–	–
	4. Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
III.	ORDER 1.															
	1. Cephalitis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Apoplexy	–	–	–	1	–	–	3	2	1	1	1	–	–	–	–
	3. Paralysis	2	1	–	1	2	2	4	3	3	4	2	–	–	–	–
	4. Insanity	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
	5. Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Epilepsy	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	7. Convulsions	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	8. *Brain Disease, etc.*	1	–	–	–	–	–	–	1	–	2	–	–	–	–	–
	ORDER 2.															
	1. Pericarditis	–	1	1	–	–	–	–	1	–	–	–	–	–	–	–
	2. Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. *Heart Disease, etc.*	2	2	2	1	4	2	3	13	5	5	3	–	–	–	–
	ORDER 3.															
	1. Laryngitis	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	2. Bronchitis	1	5	–	1	4	7	7	11	16	7	4	1	1	1	–
	3. Pleurisy	–	–	–	1	–	–	1	–	–	–	1	–	–	–	–
	4. Pneumonia	2	–	–	5	2	1	2	1	2	1	–	–	–	–	–
	5. Asthma	–	–	1	3	3	5	3	3	3	–	–	–	–	–	–
	6. *Lung Disease, etc.*	–	–	–	1	–	1	2	1	3	1	–	–	–	–	–
	ORDER 4.															
	1. Gastritis	–	–	2	–	1	–	–	1	–	–	–	–	–	–	–
	2. Enteritis	2	–	1	1	–	–	1	–	1	–	–	–	–	–	–
	3. Peritonitis	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Ascites	1	1	–	–	–	–	–	1	–	–	–	–	–	–	–
	5. Ulceration of Intestines	–	1	1	–	1	–	–	1	–	–	–	–	–	–	–
	6. Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. Ileus	–	–	–	–	–	–	2	–	–	1	–	–	–	–	–
	8. Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	9. Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	10. Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. *Stomach Disease, etc.*	–	1	2	2	–	1	3	1	1	1	–	–	–	–	–
	12. *Pancreas Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Hepatitis	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–
	14. Jaundice	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
	15. *Liver Disease, etc.*	–	1	1	1	1	1	2	–	2	–	–	–	–	–	–
	16. *Spleen Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 5.															
	1. Nephritis	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	2. Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Bright's Disease (Nephria)	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
	4. Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Calculus (Stone)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Cystitis	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	7. *Kidney Disease, etc.*	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
	ORDER 6															
	1. Ovarian Dropsy	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–
	2. *Uterus Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 7.															
	1. Synovitis (Arthritis)	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	2. *Joint Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1879.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30	35
	ORDER 8.														
	1. Phlegmon	3	–	–	–	–	–	–	–	–	–	–	1	1	–
	2. Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. *Skin Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
IV.	ORDER 1.														
	1. Premature Birth	2	2	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Teething	4	–	–	1	3	–	–	–	–	–	–	–	–	–
	ORDER 2.														
	1. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Childbirth (*see* Puerperal Fever)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.														
	1. Old Age	181	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4.														
	1. Atrophy and Debility	13	9	–	2	–	–	–	–	–	–	–	–	–	–
V.	ORDER 1. (*Accident or Negligence.*)														
	1. Fractures and Contusions	5	–	–	–	–	–	–	–	–	1	–	–	1	–
	2. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Cut, Stab	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Burns and Scalds	2	–	–	1	–	1	–	–	–	–	–	–	–	–
	5. Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Drowning	36	–	–	–	–	–	–	–	1	3	3	8	5	7
	7. Suffocation	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Otherwise	4	–	–	–	–	1	–	–	–	–	–	–	–	–
	ORDER 3. (*Homicide.*)														
	1. Murder and Manslaughter	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4. (*Suicide.*)														
	1. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cut, Stab	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Drowning	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Hanging	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Otherwise and undefined	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 5. (*Execution.*)														
	1. Hanging	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Sudden Deaths (cause unascertained)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Causes not specified or ill-defined	134	54	4	8	5	3	3	2	6	2	4	3	–	2

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1879.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.												
			3	6	12	2	3	4	5	10	15	20	25	30	35
	ORDER 8.														
	1. Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Ulcer	3	–	–	–	1	–	–	–	–	–	–	–	–	–
	3. *Skin Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
IV.	ORDER 1.														
	1. Premature Birth	3	3	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cyanosis	1	–	–	–	–	–	–	–	1	–	–	–	–	–
	3. Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Other Malformations	1	–	–	1	–	–	–	–	–	–	–	–	–	–
	5. Teething	2	–	–	–	2	–	–	–	–	–	–	–	–	–
	ORDER 2.														
	1. Paramenia	1	–	–	–	–	–	–	–	–	–	–	1	–	–
	2. Childbirth (*see* Puerperal Fever)	18	–	–	–	–	–	–	–	–	–	–	1	2	6
	ORDER 3.														
	1. Old Age	279	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4.														
	1. Atrophy and Debility	17	10	–	1	–	–	–	–	1	–	–	–	–	1
V.	ORDER 1. (*Accident or Negligence.*)														
	1. Fractures and Contusions	3	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Cut, Stab	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Burns and Scalds	6	–	–	–	–	–	–	1	–	–	–	–	–	–
	5. Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Drowning	6	–	–	–	–	–	–	–	1	–	2	1	2	–
	7. Suffocation	1	–	–	–	–	–	–	–	–	1	–	–	–	–
	8. Otherwise	4	2	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3. (*Homicide.*)														
	1. Murder and Manslaughter	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4. (*Suicide.*)														
	1. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cut, Stab	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Drowning	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Hanging	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Otherwise and undefined	–	–		–	–	–	–	–	–	–	–	–	–	–
	ORDER 5. (*Execution.*)														
	1. Hanging	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Sudden Deaths (cause unascertained)	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	Causes not specified or ill-defined	136	47	2	8	2	2	5	–	3	1	4	1	2	3

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1879.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
	ORDER 8.															
	1. Phlegmon	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. *Skin Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
IV.	ORDER 1.															
	1. Premature Birth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 2.															
	1. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Childbirth (*see* Puerperal Fever)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.															
	1. Old Age	–	–	–	–	–	–	2	14	39	63	44	12	5	2	–
	ORDER 4.															
	1. Atrophy and Debility	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
V.	ORDER 1. (*Accident or Negligence.*)															
	1. Fractures and Contusions	1	–	–	1	–	1	–	–	–	–	–	–	–	–	–
	2. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Cut, Stab	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Drowning	4	1	2	–	1	–	–	1	–	–	–	–	–	–	–
	7. Suffocation	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
	8. Otherwise	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–
	ORDER 3. (*Homicide.*)															
	1. Murder and Manslaughter	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4. (*Suicide.*)															
	1. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cut, Stab	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Drowning	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Hanging	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	6. Otherwise and undefined	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 5. (*Execution.*)															
	1. Hanging	–	–	–	–	–	–	–	–	–		–	–	–	–	–
	Sudden Deaths (cause unascertained)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Causes not specified or ill-defined	1	1	2	3	2	6	3	6	14	–	–	–	–	–	–

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1879.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES. AGE UNDER														
		40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
	ORDER 8.															
	1. Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Ulcer	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–
	3. *Skin Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
IV.	ORDER 1.															
	1. Premature Birth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 2.															
	1. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Childbirth (*see* Puerperal Fever)	7	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.															
	1. Old Age	–	–	–	–	–	6	10	28	44	91	63	19	11	7	–
	ORDER 4.															
	1. Atrophy and Debility	–	–	1	1	2	–	–	–	–	–	–	–	–	–	–
V.	ORDER 1. (*Accident or Negligence.*)															
	1. Fractures and Contusions	–	–	–	–	–	–	–	2	–	–	1	–	–	–	–
	2. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Cut, Stab	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Burns and Scalds	–	–	–	2	1	–	–	–	2	–	–	–	–	–	–
	5. Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Drowning	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Otherwise	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	ORDER 3. (*Homicide.*)															
	1. Murder and Manslaughter	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4. (*Suicide.*)															
	1. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cut, Stab	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Drowning	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Hanging	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Otherwise and undefined	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 5. (*Execution.*)															
	1. Hanging	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Sudden Deaths (cause unascertained)	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Causes not specified or ill-defined	1	3	1	1	10	3	12	15	10	–	–	–	–	–	–

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1879.—MALES.

Class.	CAUSES OF DEATH.	MALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30	35
	All Causes . . .	6245	624	237	502	690	312	221	133	330	182	202	223	214	231
	Specified Causes . .	6179	610	233	501	688	310	220	133	325	181	199	221	214	229
	(CLASSES.)														
I.	ZYMOTIC DISEASES	898	59	47	111	191	116	66	41	94	25	12	18	11	17
II.	CONSTITUTIONAL ,,	1351	18	25	80	130	71	73	35	116	80	113	113	109	81
III.	LOCAL ,,	3097	193	130	266	320	114	75	52	100	64	62	59	71	103
IV.	DEVELOPMENTAL ,,	551	322	24	44	37	6	4	1	3	–	–	1	–	1
V.	VIOLENT DEATHS .	282	18	7	–	10	3	2	4	12	12	12	30	23	27
	(ORDERS.)														
I.	1. MIASMATIC DISEASES .	826	41	41	104	189	115	65	41	93	25	11	17	10	11
	2. ENTHETIC ,, .	37	15	6	5	–	–	–	–	–	–	1	–	–	3
	3. DIETIC ,, .	34	3	–	1	2	1	1	–	1	–	–	1	1	3
	4. PARASITIC ,, .	1	–	–	1	–	–	–	–	–	–	–	–	–	–
II.	1. DIATHETIC ,, .	109	4	1	–	1	1	1	2	2	2	5	3	4	2
	2. TUBERCULAR ,, .	1242	14	24	80	129	70	72	33	114	78	108	110	105	79
III.	1. DISEASES OF NERVOUS SYSTEM . .	661	54	27	47	66	23	23	12	38	18	4	8	12	11
	2. ,, OF ORGANS OF CIRCULATION .	336	2	1	1	–	–	–	–	4	11	13	11	11	23
	3. ,, OF RESPIRATORY ORGANS . .	1599	88	85	198	229	81	42	30	31	17	16	22	32	46
	4. ,, OF DIGESTIVE ORGANS . . .	324	47	15	17	22	8	7	5	13	9	13	11	5	14
	5. ,, OF URINARY ORGANS . . .	132	–	–	–	1	2	2	2	9	3	13	5	8	8
	6. ,, OF ORGANS OF GENERATION .	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. ,, OF ORGANS OF LOCOMOTION . .	31	–	–	1	1	–	1	2	5	6	3	2	2	1
	8. ,, OF INTEGUMENTARY SYSTEM . .	14	2	2	2	1	–	–	1	–	–	–	–	1	–
IV.	1. DEV. DIS. OF CHILDREN	241	184	6	24	23	4	–	–	–	–	–	–	–	–
	2. ,, OF ADULTS .	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. ,, OF OLD PEOPLE	96	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. DISEASES OF NUTRITION .	214	138	18	20	14	2	4	1	3	–	–	1	–	1

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1879.—FEMALES.

Class.	CAUSES OF DEATH.	FEMALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.												
			3	6	12	2	3	4	5	10	15	20	25	30	35
	All Causes . . .	6253	498	188	455	687	314	193	153	308	181	235	256	252	208
	Specified Causes . .	6190	487	184	452	685	313	193	152	308	181	233	255	250	207
	(CLASSES.)														
I.	ZYMOTIC DISEASES	994	55	41	123	207	125	66	62	98	25	15	23	21	24
II.	CONSTITUTIONAL ,,	1483	17	32	80	133	61	39	43	99	94	144	140	138	91
III.	LOCAL ,,	2971	142	88	213	309	117	76	42	101	59	66	71	70	79
IV.	DEVELOPMENTAL ,,	646	255	19	36	33	6	2	3	–	1	6	17	20	12
V.	VIOLENT DEATHS .	96	18	4	–	3	4	10	2	10	2	2	4	1	1
	(ORDERS.)														
I.	1. MIASMATIC DISEASES .	926	39	33	116	206	124	65	62	97	25	15	22	20	19
	2. ENTHETIC ,, .	35	14	6	7	1	–	–	–	–	–	–	–	1	1
	3. DIETIC ,, .	31	2	2	–	–	–	1	–	–	–	–	1	–	4
	4. PARASITIC ,, .	2	–	–	–	–	1	–	–	1	–	–	–	–	–
II.	1. DIATHETIC ,, .	190	1	–	–	1	1	4	1	1	1	3	3	5	9
	2. TUBERCULAR ,, .	1293	16	32	80	132	60	35	42	98	93	141	137	133	82
III.	1. DISEASES OF NERVOUS SYSTEM . .	537	33	18	31	44	19	15	14	30	16	14	11	10	7
	2. ,, OF ORGANS OF CIRCULATION .	350	1	–	2	–	1	–	–	3	12	13	11	17	14
	3. ,, OF RESPIRATORY ORGANS . .	1583	65	50	162	243	86	53	25	43	12	23	22	26	32
	4. ,, OF DIGESTIVE ORGANS . .	336	41	18	17	19	8	6	2	16	6	6	9	6	15
	5. ,, OF URINARY ORGANS . .	101	–	–	–	–	2	2	–	4	8	6	15	6	7
	6. ,, OF ORGANS OF GENERATION .	18	–	–	1	–	–	–	–	–	–	1	1	3	2
	7. ,, OF ORGANS OF LOCOMOTION . .	23	1	–	–	2	–	–	1	2	4	3	2	–	1
	8. ,, OF INTEGUMENTARY SYSTEM . .	23	1	2	–	1	1	–	–	3	1	–	–	2	1
IV.	1. DEV. DIS. OF CHILDREN	214	155	4	27	26	2	–	–	–	–	–	–	–	–
	2. ,, OF ADULTS .	71	–	–	–	–	–	–	–	–	–	6	16	19	11
	3. ,, OF OLD PEOPLE	191	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. DISEASES OF NUTRITION	170	100	15	9	7	4	2	3	–	1	–	1	1	1

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1879.—MALES. (*Continued*).

Class.	CAUSES OF DEATH.	MALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
	All Causes . . .	255	237	246	291	275	275	201	165	116	55	21	5	2	–	–
	Specified Causes . .	250	231	244	287	273	268	199	164	116	55	21	5	2	–	–
	(CLASSES.)															
I.	ZYMOTIC DISEASES	14	11	17	8	8	8	7	5	6	4	1	1	–	–	–
II.	CONSTITUTIONAL ,,	93	48	47	39	33	16	18	7	6	–	–	–	–	–	–
III.	LOCAL ,,	126	148	155	222	211	221	157	126	79	30	11	2	–	–	–
V.	DEVELOPMENTAL ,,	–	1	1	3	7	8	9	22	25	20	9	2	1	–	–
V.	VIOLENT DEATHS .	17	23	24	15	14	15	8	4	–	1	–	–	1	–	–
	(ORDERS.)															
.	1. MIASMATIC DISEASES .	11	4	10	5	5	7	5	4	6	4	1	1	–	–	–
	2. ENTHETIC ,, .	–	2	3	1	1	–	–	–	–	–	–	–	–	–	–
	3. DIETIC ,, .	3	5	4	2	2	1	2	1	–	–	–	–	–	–	–
	4. PARASITIC ,, .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	1. DIATHETIC ,, .	6	10	12	12	12	10	10	5	4	–	–	–	–	–	–
	2. TUBERCULAR ,, .	87	38	35	27	21	6	8	2	2	–	–	–	–	–	–
III.	1. DISEASES OF NERVOUS SYSTEM . .	14	18	29	46	41	56	30	40	28	12	4	–	–	–	–
	2. ,, OF ORGANS OF CIRCULATION .	23	35	30	34	31	47	25	22	9	2	1	–	–	–	–
	3. ,, OF RESPIRATORY ORGANS . .	57	66	67	110	105	94	76	51	37	12	5	2	–	–	–
	4. ,, OF DIGESTIVE ORGANS . .	16	17	18	19	21	14	16	10	3	3	1	–	–	–	–
	5. ,, OF URINARY ORGANS . . .	15	8	8	12	12	10	8	3	2	1	–	–	–	–	–
	6. ,, OF ORGANS OF GENERATION .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. ,, OF ORGANS OF LOCOMOTION . .	1	3	2	1	–	–	–	–	–	–	–	–	–	–	–
	8. ,, OF INTEGUMENTARY SYSTEM . .	–	1	1	–	1	–	2	–	–	–	–	–	–	–	–
V.	1. DEV. DIS. OF CHILDREN	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. ,, OF ADULTS .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. ,, OF OLD PEOPLE	–	–	–	–	–	8	9	22	25	20	9	2	1	–	–
	4. DISEASES OF NUTRITION	–	1	1	3	7	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1879.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES. AGE UNDER														
		40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
	All Causes . . .	269	224	239	282	244	288	269	206	172	91	31	9	–	1	–
	Specified Causes . .	265	221	231	279	241	285	263	203	170	91	31	9	–	1	–
	(CLASSES.)															
I.	ZYMOTIC DISEASES	12	7	21	11	18	12	8	12	2	2	4	–	–	–	–
II.	CONSTITUTIONAL ,,	103	66	50	53	28	17	31	10	11	2	1	–	–	–	–
III.	LOCAL ,,	135	134	151	201	182	235	188	141	104	51	14	2	–	–	–
IV.	DEVELOPMENTAL ,,	13	7	6	10	9	17	32	38	50	34	12	7	–	1	–
V.	VIOLENT DEATHS .	2	7	3	4	4	4	4	2	3	2	–	–	–	–	–
	(ORDERS.)															
I.	1. MIASMATIC DISEASES .	10	4	11	7	16	8	8	11	2	2	4	–	–	–	–
	2. ENTHETIC ,, .	1	2	2	–	–	–	–	–	–	–	–	–	–	–	–
	3. DIETIC ,,	1	1	8	4	2	4	–	1	–	–	–	–	–	–	–
	4. PARASITIC ,, .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	1. DIATHETIC ,, .	20	12	19	34	21	12	23	6	10	2	1	–	–	–	–
	2. TUBERCULAR ,, .	83	54	31	19	7	5	8	4	1	–	–	–	–	–	–
III.	1. DISEASES OF NERVOUS SYSTEM . .	19	17	13	35	31	44	42	38	25	8	2	1	–	–	–
	2. ,, OF ORGANS OF CIRCULATION .	30	37	36	46	28	34	27	15	17	3	3	–	–	–	–
	3. ,, OF RESPIRATORY ORGANS . .	51	55	70	97	90	121	89	77	55	27	8	1	–	–	–
	4. ,, OF DIGESTIVE ORGANS . .	21	15	21	18	21	27	23	5	5	10	1	–	–	–	–
	5. ,, OF URINARY ORGANS . .	10	6	8	3	9	6	4	3	1	1	–	–	–	–	–
	6. ,, OF ORGANS OF GENERATION .	1	2	2	–	1	1	1	1	–	1	–	–	–	–	–
	7. ,, OF ORGANS OF LOCOMOTION . .	3	1	–	–	1	–	–	2	–	–	–	–	–	–	–
	8. ,, OF INTEGUMENTARY SYSTEM . .	–	1	1	2	1	2	2	–	1	1	–	–	–	–	–
IV.	1. DEV. DIS. OF CHILDREN	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. ,, OF ADULTS .	11	6	2	–	–	–	–	–	–	–	–	–	–	–	–
	3. ,, OF OLD PEOPLE	–	–	–	–	–	17	32	38	50	34	12	7	–	1	–
	4. DISEASES OF NUTRITION	2	1	4	10	9	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1879.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30	35
V.	1. ACCIDENT OR NEGLIGENCE	270	17	7	–	10	3	2	4	12	12	12	28	22	25
	*														
	3. HOMICIDE	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	4. SUICIDE	11	–	–	–	–	–	–	–	–	–	–	2	1	2
	5. EXECUTION	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	SUDDEN DEATHS, CAUSE UNASCERTAINED	26	4	3	–	–	–	–	–	1	1	1	1	–	–
	CAUSES NOT SPECIFIED	40	10	1	1	2	2	1	–	4	–	2	1	–	2
I.	ORDER 1.														
	1. Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Measles	78	1	–	13	34	15	3	8	4	–	–	–	–	–
	3. Scarlatina	123	–	1	8	14	32	8	11	35	10	–	2	–	2
	4. Diphtheria	73	2	2	4	21	11	12	5	12	2	–	1	–	–
	5. Quinsy	3	–	–	1	1	1	–	–	–	–	–	–	–	–
	6. Croup	60	2	2	9	17	6	10	4	10	–	–	–	–	–
	7. Hooping-cough	229	10	15	43	78	40	25	9	8	1	–	–	–	–
	8. Typhus Fever	25	–	–	–	–	–	–	1	1	3	1	2	3	4
	8. Enteric or Typhoid Fever	62	–	1	1	2	4	3	2	12	7	7	11	4	1
	8. Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Simple Continued Fever	6	–	–	1	–	–	1	1	1	–	–	–	–	1
	9. Erysipelas	24	6	1	–	–	–	–	–	1	–	–	–	1	1
	10. Puerperal Fever (Metria)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. Carbuncle	1	–	–	–	–	–	–	–	–	–	–	–	–	1
	12. Influenza	6	–	–	1	–	1	–	–	1	–	–	–	–	–
	13. Dysentery	10	1	–	2	–	1	2	–	–	–	–	–	1	–
	14. Diarrhœa	101	17	16	18	20	3	–	–	6	–	2	–	–	1
	15. Cholera	8	2	2	3	1	–	–	–	–	–	–	–	–	–
	16. Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	17. Remittent Fever	5	–	1	–	1	1	1	–	1	–	–	–	–	–
	18. Rheumatism	12	–	–	–	–	–	–	–	1	1	–	1	1	–
	19. Other *Miasmatic* Diseases	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 2.														
	1. Syphilis	34	15	6	5	–	–	–	–	–	–	1	–	–	3
	2. Stricture of Urethra	3	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Glanders	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.														
	1. Privation	1	–	–	–	1	–	–	–	–	–	–	–	–	–
	2. Want of Breast Milk	2	2	–	–	–	–	–	–	–	–	–	–	–	–
	3. Purpura and Scurvy	9	1	–	1	1	1	1	–	1	–	–	1	–	–
	4. Alcoholism *a* Del. Tremens	4	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Alcoholism *b* Intemperance	18	–	–	–	–	–	–	–	–	–	–	–	1	3
	ORDER 4.														
	1. Thrush	1	–	–	1	–	–	–	–	–	–	–	–	–	–
	2. Worms, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	ORDER 1.														
	1. Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Dropsy	31	3	1	–	1	–	1	2	2	2	4	2	1	–
	3. Cancer	70	–	–	–	–	–	–	–	–	–	1	1	2	2
	4. Cancrum Oris (Noma)	2	1	–	–	–	–	–	–	–	–	–	–	1	–
	5 Mortification	6	–	–	–	–	1	–	–	–	–	–	–	–	–

* See page 52, note *.

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1879.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30	35
V.	1. ACCIDENT OR NEGLIGENCE	92	18	4	–	3	4	10	2	10	2	1	4	1	1
	*														
	3. HOMICIDE	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. SUICIDE	4	–	–	–	–	–	–	–	–	–	1	–	–	–
	5. EXECUTION	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	SUDDEN DEATHS, CAUSE UNASCERTAINED	30	3	1	1	–	–	–	–	–	–	1	–	1	1
	CAUSES NOT SPECIFIED	33	8	3	2	2	1	–	1	–	–	1	1	1	–
I.	ORDER 1.														
	1. Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Measles	81	–	2	15	37	10	6	3	8	–	–	–	–	–
	3. Scarlatina	127	1	1	5	23	27	14	10	39	6	–	1	–	–
	4. Diphtheria	59	–	1	6	12	11	5	11	9	4	–	–	–	–
	5. Quinsy	2	–	–	–	–	1	–	–	–	–	–	–	–	–
	6. Croup	66	3	4	6	24	12	2	10	5	–	–	–	–	–
	7. Hooping-cough	286	12	12	62	83	50	29	22	14	2	–	–	–	–
	8. Typhus Fever	30	–	–	–	–	–	–	–	2	2	5	6	2	2
	8. Enteric or Typhoid Fever	74	–	1	2	6	3	5	4	13	3	7	8	9	6
	8. Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Simple Continued Fever.	8	–	1	1	–	–	–	–	2	3	–	–	–	–
	9. Erysipelas	23	6	–	2	1	2	1	1	–	3	–	–	–	–
	10. Puerperal Fever (Metria)	23	–	–	–	–	–	–	–	–	–	1	7	5	8
	11. Carbuncle	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	12. Influenza	7	1	–	–	–	1	–	–	2	–	–	–	–	1
	13. Dysentery	5	–	1	–	1	–	–	–	–	–	–	–	–	–
	14. Diarrhœa	98	16	7	13	16	6	2	1	3	1	–	–	2	1
	15. Cholera	11	–	3	3	2	–	–	–	–	–	–	–	–	–
	16. Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	17. Remittent Fever	3	–	–	–	–	1	1	–	–	–	–	–	–	–
	18. Rheumatism	20	–	–	–	–	–	–	–	–	1	2	–	2	1
	19. Other *Miasmatic* Diseases	2	–	–	1	1	–	–	–	–	–	–	–	–	–
	ORDER 2.														
	1. Syphilis	34	14	6	7	1	–	–	–	–	–	–	–	1	1
	2. Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Hydrophobia	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Glanders	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.														
	1. Privation	2	–	–	–	–	–	–	–	–	–	–	–	–	1
	2. Want of Breast Milk	4	2	2	–	–	–	–	–	–	–	–	–	–	–
	3. Purpura and Scurvy	1	–	–	–	–	–	1	–	–	–	–	–	–	–
	4. Alcoholism *a* Del. Tremens	3	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Alcoholism *b* Intemperance	21	–	–	–	–	–	–	–	–	–	–	1	–	3
	ORDER 4.														
	1. Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Worms, etc.	2	–	–	–	–	1	–	–	1	–	–	–	–	–
II.	ORDER 1.														
	1. Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Dropsy	40	1	–	–	1	1	3	–	1	1	2	–	1	2
	3. Cancer	136	–	–	–	–	–	–	–	–	–	1	3	4	7
	4. Cancrum Oris (Noma)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Mortification	14	–	–	–	–	–	1	1	–	–	–	–	–	–

* See page 52, note *.

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1879.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
V.	1. ACCIDENT OR NEGLIGENCE	15	23	22	15	14	15	6	4	–	1	–	–	1	–	–
	*															
	3. HOMICIDE	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. SUICIDE	2	–	2	–	–	–	2	–	–	–	–	–	–	–	–
	5. EXECUTION	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	SUDDEN DEATHS, CAUSE UNASCERTAINED	1	3	2	2	2	4	–	1	–	–	–	–	–	–	–
	CAUSES NOT SPECIFIED	4	3	–	2	–	3	2	–	–	–	–	–	–	–	–
I.	ORDER 1.															
	1. Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Diphtheria	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Quinsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. Hooping-cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Typhus Fever	3	–	4	3	–	–	–	–	–	–	–	–	–	–	–
	8. Enteric or Typhoid Fever	2	1	2	–	–	–	1	1	–	–	–	–	–	–	–
	8. Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Simple Continued Fever	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	9. Erysipelas	2	1	2	1	3	1	1	1	–	–	–	–	–	–	–
	10. Puerperal Fever (Metria)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	12. Influenza	1	–	–	–	–	–	–	–	1	–	1	–	–	–	–
	13. Dysentery	–	–	1	–	–	1	–	1	–	–	–	–	–	–	–
	14. Diarrhœa	1	–	1	–	1	4	2	1	4	3	–	1	–	–	–
	15. Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	16. Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	17. Remittent Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	18. Rheumatism	2	1	–	1	1	1	1	–	1	–	–	–	–	–	–
	19. Other *Miasmatic* Diseases	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 2.															
	1. Syphilis	–	2	1	1	–	–	–	–	–	–	–	–	–	–	–
	2. Stricture of Urethra	–	–	2	–	1	–	–	–	–	–	–	–	–	–	–
	3. Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Glanders	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.															
	1. Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Purpura and Scurvy	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	4. Alcoholism *a* Del. Tremens	–	2	1	–	–	–	1	–	–	–	–	–	–	–	–
	4. Alcoholism *b* Intemperance	2	3	3	1	2	1	1	1	–	–	–	–	–	–	–
	ORDER 4.															
	1. Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Worms, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
I.	ORDER 1.															
	1. Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Dropsy	1	2	3	2	1	–	2	1	–	–	–	–	–	–	–
	3. Cancer	5	8	9	10	10	10	7	2	3	–	–	–	–	–	–
	4. Cancrum Oris (Noma)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Mortification	–	–	–	–	1	–	1	2	1	–	–	–	–	–	–

* See page 52, note *.

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1879.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
V.	1. ACCIDENT OR NEGLIGENCE	2	7	2	4	3	4	3	2	3	2	–	–	–	–	–
	*															
	3. HOMICIDE	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. SUICIDE	–	–	1	–	1	–	1	–	–	–	–	–	–	–	–
	5. EXECUTION	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	SUDDEN DEATHS, CAUSE UNASCERTAINED	2	–	4	1	2	3	6	2	2	–	–	–	–	–	–
	CAUSES NOT SPECIFIED	2	3	4	2	1	–	–	1	–	–	–	–	–	–	–
I.	ORDER 1.															
	1. Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Quinsy	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	6. Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. Hooping-cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Typhus Fever	1	–	3	1	4	1	–	1	–	–	–	–	–	–	–
	8. Enteric or Typhoid Fever	2	–	2	–	2	–	1	–	–	–	–	–	–	–	–
	8. Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Simple Continued Fever	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	9. Erysipelas	–	1	–	–	3	1	1	–	1	–	–	–	–	–	–
	10. Puerperal Fever (Metria)	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. Carbuncle	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	12. Influenza	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
	13. Dysentery	1	–	1	–	1	–	–	–	–	–	–	–	–	–	–
	14. Diarrhœa	2	–	4	2	3	3	3	7	1	2	3	–	–	–	–
	15. Cholera	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–
	16. Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	17. Remittent Fever	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	18. Rheumatism	1	2	1	2	1	2	2	2	–	–	1	–	–	–	–
	19. Other *Miasmatic* Diseases	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 2.															
	1. Syphilis	1	2	1	–	–	–	–	–	–	–	–	–	–	–	–
	2. Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Hydrophobia	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	4. Glanders	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.															
	1. Privation	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	2. Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Purpura and Scurvy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Alcoholism *a* Del. Tremens	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–
	4. Alcoholism *b* Intemperance	1	–	7	3	1	4	–	1	–	–	–	–	–	–	–
	ORDER 4.															
	1. Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Worms, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	ORDER 1.															
	1. Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Dropsy	2	2	2	6	3	1	5	2	2	2	–	–	–	–	–
	3. Cancer	17	10	17	28	17	10	15	3	4	–	–	–	–	–	–
	4 Cancrum Oris (Noma)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Mortification	1	–	–	–	1	1	3	1	4	–	1	–	–	–	–

* See page 52, note *.

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1879.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30	35
	ORDER 2.														
	1. Scrofula	74	2	1	4	10	3	6	4	9	11	6	6	3	1
	2. Tabes Mesenterica	154	5	8	8	33	22	20	15	27	12	1	–	2	–
	3. Phthisis	787	2	3	18	33	18	17	6	45	51	98	104	98	77
	4. Hydrocephalus	227	5	12	50	53	27	29	8	33	4	3	–	2	1
III.	ORDER 1.														
	1. Cephalitis	132	3	11	23	22	11	14	5	20	7	1	4	1	3
	2. Apoplexy	153	4	1	6	13	4	3	5	5	3	–	–	4	1
	3. Paralysis	153	2	–	–	–	–	–	–	2	1	–	1	2	4
	4. Insanity	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Chorea	1	–	–	–	–	–	–	–	–	1	–	–	–	–
	6. Epilepsy	16	–	–	–	2	–	–	–	–	1	–	–	4	–
	7. Convulsions	104	41	14	12	24	5	1	2	3	–	1	–	–	–
	8. *Brain Disease, etc.*	101	4	1	6	5	3	5	–	8	5	2	3	1	3
	ORDER 2.														
	1. Pericarditis	16	–	–	1	–	–	–	–	–	2	1	2	1	1
	2. Aneurism	11	–	–	–	–	–	–	–	–	–	–	–	–	4
	3. *Heart Disease, etc.*	309	2	1	–	–	–	–	–	4	9	12	9	10	18
	ORDER 3.														
	1. Laryngitis	27	–	1	3	10	1	–	2	1	–	1	1	2	1
	2. Bronchitis	1011	56	61	120	144	55	26	21	11	7	2	5	13	12
	3. Pleurisy	24	–	2	–	2	1	–	–	2	–	1	4	2	1
	4. Pneumonia	364	14	16	56	52	13	10	6	14	7	10	9	10	21
	5. Asthma	17	–	–	–	–	–	–	–	–	–	–	–	1	2
	6. *Lung Disease, etc.*	156	18	5	19	21	11	6	1	3	3	2	3	4	9
	ORDER 4.														
	1. Gastritis	24	3	3	–	1	1	2	2	–	–	1	1	–	–
	2. Enteritis	75	19	5	9	8	4	4	1	5	3	2	2	1	4
	3. Peritonitis	37	4	–	3	2	1	1	1	4	5	3	3	–	1
	4. Ascites	2	–	–	–	–	–	–	–	–	1	–	–	–	–
	5. Ulceration of Intestines	10	–	–	–	–	–	–	–	–	–	2	–	1	2
	6. Hernia	8	1	1	–	–	1	–	–	–	–	1	1	–	–
	7. Ileus	20	4	–	–	1	–	–	–	–	–	–	–	1	–
	8. Intussusception	5		1	–	1	–	–	–	–	–	1	–	–	1
	9. Stricture of Intestines	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	10. Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. *Stomach Disease, etc.*	49	10	4	3	7	–	–	1	2	–	1	–	1	2
	12. *Pancreas Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Hepatitis	15	2	–	–	1	–	–	–	–	–	–	2	–	1
	14. Jaundice	7	2	–	–	–	–	–	–	–	–	–	–	–	1
	15. *Liver Disease, etc.*	67	2	1	1	1	1	–	–	2	–	2	2	1	2
	16. *Spleen Disease, etc.*	3	–	–	1	–	–	–	–	–	–	–	–	–	–
	ORDER 5.														
	1. Nephritis	23	–	–	–	–	2	2	1	6	–	4	–	–	5
	2. Ischuria	3	–	–	–	–	–	–	–	–	–	1	–	–	–
	3. Bright's Disease (Nephria)	44	–	–	–	–	–	–	–	2	1	3	3	6	1
	4. Diabetes	6	–	–	–	–	–	–	–	–	1	1	1	–	–
	5. Calculus (Stone)	2	–	–	–	–	–	–	–	–	–	–	–	1	–
	6. Cystitis	10	–	–	–	–	–	–	–	1	–	–	–	1	–
	7. *Kidney Disease, etc.*	44	–	–	–	1	–	–	1	–	1	4	1	–	2
	ORDER 6.														
	1. Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. *Uterus Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 7.														
	1. Synovitis (Arthritis)	2	–	–	–	–	–	–	–	–	1	–	–	1	–
	2. *Joint Disease, etc.*	29	–	–	1	1	–	1	2	5	5	3	2	1	1

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1879.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30	35
	ORDER 2.														
	1. Scrofula	61	1	2	4	8	4	3	–	9	13	6	4	2	3
	2. Tabes Mesenterica	140	5	7	15	41	11	14	11	20	7	6	2	–	–
	3. Phthisis	884	3	7	12	35	17	8	11	48	66	128	131	131	78
	4. Hydrocephalus	208	7	16	49	48	28	10	20	21	7	1	–	–	1
III.	ORDER 1.														
	1. Cephalitis	90	3	6	9	14	15	9	5	11	6	2	1	3	–
	2. Apoplexy	147	2	1	9	8	1	2	2	6	2	3	5	1	2
	3. Paralysis	123	–	–	–	–	–	–	–	–	1	2	–	2	3
	4. Insanity	4	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Chorea	1	–	–	–	–	–	–	–	–	–	1	–	–	–
	6. Epilepsy	15	–	–	1	–	–	–	1	–	1	–	–	2	1
	7. Convulsions	77	28	11	12	14	3	1	–	7	–	–	–	–	–
	8. *Brain Disease, etc.*	80	–	–	–	8	–	3	6	6	6	6	5	2	1
	ORDER 2.														
	1. Pericarditis	10	–	–	–	–	–	–	–	1	–	–	–	–	–
	2. Aneurism	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. *Heart Disease, etc.*	338	1	–	2	–	1	–	–	2	12	13	11	17	14
	ORDER 3.														
	1. Laryngitis	14	–	1	2	4	2	1	1	3	–	–	–	–	–
	2. Bronchitis	1102	37	32	103	163	50	31	16	20	8	11	8	13	17
	3. Pleurisy	21	–	–	1	2	–	–	–	2	–	1	3	2	1
	4. Pneumonia	287	9	10	39	49	25	15	6	13	3	8	6	9	10
	5. Asthma	15	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. *Lung Disease, etc.*	144	19	7	17	25	9	6	2	5	1	3	5	2	4
	ORDER 4.														
	1. Gastritis	31	3	–	1	1	–	–	1	4	2	–	–	1	1
	2. Enteritis	78	16	7	10	12	4	2	1	4	1	1	2	–	–
	3. Peritonitis	37	3	1	–	5	–	1	–	3	1	2	3	2	3
	4. Ascites	5	–	–	–	–	1	1	–	–	–	–	1	–	–
	5. Ulceration of Intestines	13	–	–	–	–	–	–	–	2	1	–	1	–	3
	6. Hernia	9	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. Ileus	22	3	1	1	–	1	–	–	1	–	–	–	–	–
	8. Intussusception	3	–	–	1	–	–	–	–	1	–	–	–	1	–
	9. Stricture of Intestines	3	–	–	–	–	–	–	–	–	–	–	–	–	–
	10. Fistula	1	–	–	–	–	–	–	–	–	–	–	–	–	1
	11. *Stomach Disease, etc.*	53	10	8	3	–	1	1	–	1	–	1	–	1	3
	12. *Pancreas Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Hepatitis	19	1	1	–	–	1	–	–	–	–	–	–	–	–
	14. Jaundice	10	3	–	–	–	–	1	–	–	–	–	–	–	1
	15. *Liver Disease, etc.*	52	2	–	1	1	–	–	–	–	1	2	2	1	3
	16. *Spleen Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 5.														
	1. Nephritis	15	–	–	–	–	–	1	–	1	–	1	4	–	1
	2. Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Bright's Disease (Nephria)	43	–	–	–	–	–	1	–	–	4	2	7	3	3
	4. Diabetes	10	–	–	–	–	1	–	–	2	1	–	2	1	–
	5. Calculus (Stone)	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Cystitis	3	–	–	–	–	–	–	–	–	–	–	2	–	–
	7. *Kidney Disease, etc.*	29	–	–	–	–	1	–	–	1	3	3	–	2	3
	ORDER 6.														
	1. Ovarian Dropsy	5	–	–	–	–	–	–	–	–	–	–	–	1	1
	2. *Uterus Disease, etc.*	13	–	–	1	–	–	–	–	–	–	1	1	2	1
	ORDER 7.														
	1. Synovitis (Arthritis)	3	1	–	–	–	–	–	–	–	1	–	–	–	–
	2. *Joint Disease, etc.*	20	–	–	–	2	–	–	1	2	3	3	2	–	1

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1879.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
	ORDER 2.															
	1. Scrofula	4	1	1	–	–	2	–	–	–	–	–	–	–	–	–
	2. Tabes Mesenterica	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	3. Phthisis	83	37	34	27	21	3	8	2	2	–	–	–	–	–	–
	4. Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
III.	ORDER 1.															
	1. Cephalitis	1	–	–	3	2	–	–	–	–	1	–	–	–	–	–
	2. Apoplexy	8	7	13	15	19	18	6	9	7	2	–	–	–	–	–
	3. Paralysis	2	4	5	15	14	27	19	27	17	7	4	–	–	–	–
	4. Insanity	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	5. Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Epilepsy	1	2	3	–	1	2	–	–	–	–	–	–	–	–	–
	7. Convulsions	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	8. *Brain Disease, etc.*	2	5	8	12	4	9	5	4	4	2	1	–	–	–	–
	ORDER 2.															
	1. Pericarditis	2	2	2	1	–	1	–	–	–	–	–	–	–	–	–
	2. Aneurism	3	1	2	–	–	1	–	–	–	–	–	–	–	–	–
	3. *Heart Disease, etc.*	18	32	26	33	31	45	25	22	9	2	1	–	–	–	–
	ORDER 3.															
	1. Laryngitis	1	–	–	2	1	–	–	–	–	–	–	–	–	–	–
	2. Bronchitis	26	38	45	81	71	74	62	36	29	10	4	2	–	–	–
	3. Pleurisy	1	2	1	2	–	–	1	1	1	–	–	–	–	–	–
	4. Pneumonia	26	14	15	20	22	14	7	5	2	1	–	–	–	–	–
	5. Asthma	–	3	1	1	2	1	1	5	–	–	–	–	–	–	–
	6. *Lung Disease, etc.*	3	9	5	4	9	5	5	4	5	1	1	–	–	–	–
	ORDER 4.															
	1. Gastritis	–	2	–	1	2	2	3	–	–	–	–	–	–	–	–
	2. Enteritis	1	–	2	1	2	1	1	–	–	–	–	–	–	–	–
	3. Peritonitis	3	1	2	1	–	1	–	–	–	1	–	–	–	–	–
	4. Ascites	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	5. Ulceration of Intestines	–	–	1	1	2	–	–	1	–	–	–	–	–	–	–
	6. Hernia	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–
	7. Ileus	2	1	3	1	1	1	2	1	–	1	1	–	–	–	–
	8. Intussusception	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	9. Stricture of Intestines	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
	10. Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. *Stomach Disease, etc.*	1	3	1	3	3	3	2	–	2	–	–	–	–	–	–
	12. *Pancreas Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Hepatitis	2	4	1	1	1	–	–	–	–	–	–	–	–	–	–
	14. Jaundice	1	–	–	1	–	–	1	1	–	–	–	–	–	–	–
	15. *Liver Disease, etc.*	4	5	6	8	10	6	7	5	–	1	–	–	–	–	–
	16. *Spleen Disease, etc.*	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 5.															
	1. Nephritis	1	–	1	–	1	–	–	–	–	–	–	–	–	–	–
	2. Ischuria	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
	3. Bright's Disease (Nephria)	7	2	3	6	5	3	1	1	–	–	–	–	–	–	–
	4. Diabetes	–	–	2	–	–	1	–	–	–	–	–	–	–	–	–
	5. Calculus (Stone)	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	6. Cystitis	–	1	–	1	1	–	2	1	1	1	–	–	–	–	–
	7. *Kidney Disease, etc.*	7	5	2	5	5	5	3	1	1	–	–	–	–	–	–
	ORDER 6.															
	1. Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. *Uterus Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 7.															
	1. Synovitis (Arthritis)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. *Joint Disease, etc.*	1	3	2	1	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1879.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
	ORDER 2.															
	1. Scrofula	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
	2. Tabes Mesenterica	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Phthisis	82	54	31	19	6	5	7	4	1	–	–	–	–	–	–
	4. Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
III.	ORDER 1.															
	1. Cephalitis	2	1	1	–	2	–	–	–	–	–	–	–	–	–	–
	2. Apoplexy	6	6	6	14	14	16	17	10	10	3	1	–	–	–	–
	3. Paralysis	5	2	3	11	9	18	20	26	14	5	1	1	–	–	–
	4. Insanity	–	–	–	1	–	2	1	–	–	–	–	–	–	–	–
	5. Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Epilepsy	1	2	2	1	1	2	–	–	–	–	–	–	–	–	–
	7. Convulsions	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. *Brain Disease, etc.*	4	6	1	8	5	6	4	2	1	–	–	–	–	–	–
	ORDER 2.															
	1. Pericarditis	1	–	3	–	–	1	3	1	–	–	–	–	–	–	–
	2. Aneurism	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
	3. *Heart Disease, etc.*	29	36	33	46	28	32	24	14	17	3	3	–	–	–	–
	ORDER 3.															
	1. Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Bronchitis	33	42	55	79	69	99	67	66	48	26	8	1	–	–	–
	3. Pleurisy	2	–	–	1	2	–	3	–	1	–	–	–	–	–	–
	4. Pneumonia	7	12	8	9	15	10	10	10	3	1	–	–	–	–	–
	5. Asthma	3	–	2	1	2	2	5	–	–	–	–	–	–	–	–
	6. *Lung Disease, etc.*	6	1	5	7	2	10	4	1	3	–	–	–	–	–	–
	ORDER 4.															
	1. Gastritis	1	2	1	1	4	3	1	–	1	3	–	–	–	–	–
	2. Enteritis	2	2	3	2	4	1	3	–	1	–	–	–	–	–	–
	3. Peritonitis	6	1	1	–	–	1	1	1	1	1	–	–	–	–	–
	4. Ascites	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
	5. Ulceration of Intestines	1	1	1	–	–	2	–	–	–	1	–	–	–	–	–
	6. Hernia	1	1	2	1	–	–	4	–	–	–	–	–	–	–	–
	7. Ileus	3	–	–	2	3	4	2	–	–	1	–	–	–	–	–
	8. Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	9. Stricture of Intestines	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–
	10. Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. *Stomach Disease, etc.*	3	1	3	3	3	6	2	1	1	1	–	–	–	–	–
	12. *Pancreas Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Hepatitis	–	2	3	2	2	4	2	–	1	–	–	–	–	–	–
	14. Jaundice	–	1	1	–	1	–	1	–	–	–	1	–	–	–	–
	15. *Liver Disease, etc.*	4	4	6	6	4	4	6	2	–	3	–	–	–	–	–
	16. *Spleen Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 5.															
	1. Nephritis	2	2	–	1	–	1	1	–	–	–	–	–	–	–	–
	2. Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Bright's Disease (Nephria)	3	3	4	2	4	3	2	1	1	–	–	–	–	–	–
	4. Diabetes	1	–	1	–	1	–	–	–	–	–	–	–	–	–	–
	5. Calculus (Stone)	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	6. Cystitis	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	7. *Kidney Disease, etc.*	4	1	3	–	4	1	1	2	–	–	–	–	–	–	–
	ORDER 6.															
	1. Ovarian Dropsy	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–
	2. *Uterus Disease, etc.*	1	1	1	–	–	1	1	1	–	1	–	–	–	–	–
	ORDER 7.															
	1. Synovitis (Arthritis)		1	–	–		–	–	–	–	–	–	–	–	–	–
	2. *Joint Disease, etc.*	3	–	–	–	1	–	–	2	–	–	–	–	–	–	–

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1879.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30	35
	ORDER 8.														
	1. Phlegmon	5	–	–	–	–	–	–	–	–	–	–	–	1	–
	2. Ulcer	2	1	–	–	–	–	–	1	–	–	–	–	–	–
	3. *Skin Disease, etc.*	7	1	2	2	1	–	–	–	–	–	–	–	–	–
I V.	ORDER 1.														
	1. Premature Birth	157	157	–	–	–	–	–	–	–	–	–	–	–	–
	3. Cyanosis	5	4	1	–	–	–	–	–	–	–	–	–	–	–
	3. Spina Bifida	6	5	1	–	–	–	–	–	–	–	–	–	–	–
	4. Other Malformations	17	17	–	–	–	–	–	–	–	–	–	–	–	–
	5. Teething	56	1	4	24	23	4	–	–	–	–	–	–	–	–
	ORDER 2.														
	1. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Childbirth (*see* Puerperal Fever)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.														
	1. Old Age	96	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4.														
	1. Atrophy and Debility	214	138	18	20	14	2	4	1	3	–	–	1	–	1
V.	ORDER 1. (*Accident or Negligence.*)														
	1. Fractures and Contusions	125	–	1	–	2	2	–	1	5	9	9	10	10	10
	2. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Cut, Stab	4	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Burns and Scalds	17	1	–	–	5	–	1	3	1	–	–	1	–	1
	5. Poison	5	–	–	–	–	1	–	–	–	–	–	1	–	2
	6. Drowning	53	1	–	–	3	–	–	–	2	1	1	10	7	7
	7. Suffocation	33	14	6	–	–	–	–	–	1	–	1	1	2	2
	8. Otherwise	33	1	–	–	–	–	1	–	3	2	1	5	3	3
	ORDER 3. (*Homicide.*)														
	I. Murder and Manslaughter	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4. (*Suicide.*)														
	1. Gunshot Wounds	2	–	–	–	–	–	–	–	–	–	–	–	–	1
	2. Cut, Stab	5	–	–	–	–	–	–	–	–	–	–	1	1	–
	3. Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Drowning	2	–	–	–	–	–	–	–	–	–	–	–	–	1
	5. Hanging	1	–	–	–	–	–	–	–	–	–	–	1	–	–
	6. Otherwise and undefined	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 5. (*Execution.*)														
	1. Hanging	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Sudden Deaths (cause unascertained)	26	4	3	–	–	–	–	–	1	1	1	1	–	–
	Causes not specified or ill-defined	40	10	1	1	2	2	1	–	4	–	2	1	–	2

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1879.—FEMALES. (*Continued.*);

Class.	CAUSES OF DEATH.	FEMALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30	35
	ORDER 8.														
	1. Phlegmon	10	1	–	–	1	1	–	–	2	1	–	–	2	1
	2. Ulcer	11	–	1	–	–	–	–	–	1	–	–	–	–	–
	3. *Skin Disease, etc.*	2	–	1	–	–	–	–	–	–	–	–	–	–	–
IV.	ORDER 1.														
	1. Premature Birth	142	140	1	1	–	–	–	–	–	–	–	–	–	–
	2. Cyanosis	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	3. Spina Bifida	5	5	–	–	–	–	–	–	–	–	–	–	–	–
	4. Other Malformations	10	9	–	–	1	–	–	–	–	–	–	–	–	–
	5 Teething	56	–	3	26	25	2	–	–	–	–	–	–	–	–
	ORDER 2.														
	1. Paramenia	2	–	–	–	–	–	–	–	–	–	2	–	–	–
	2. Childbirth (*see* Puerperal Fever)	69	–	–	–	–	–	–	–	–	–	4	16	19	11
	ORDER 3.														
	1. Old Age	191	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4.														
	1. Atrophy and Debility	170	100	15	9	7	4	2	3	–	1	–	1	1	1
V.	ORDER 1. (*Accident or Negligence.*)														
	1. Fractures and Contusions	27	1	1	–	–	–	2	–	4	2	–	3	–	1
	2. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Cut, Stab	1	–	–	–	–	–	–	1	–	–	–	–	–	–
	4. Burns and Scalds	20	–	–	–	3	2	5	1	5	–	–	1	–	–
	5. Poison	6	2	–	–	–	2	–	–	–	–	–	–	–	–
	6. Drowning	7	–	–	–	–	–	–	–	–	–	1	–	–	–
	7. Suffocation	23	14	3	–	–	–	–	–	–	–	–	–	1	–
	8. Otherwise	8	1	–	–	–	–	3	–	1	–	–	–	–	–
	ORDER 3. (*Homicide.*)														
	1. Murder and Manslaughter	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4. (*Suicide.*)														
	1. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cut, Stab	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Poison	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Drowning	1	–	–	–	–	–	–	–	–	–	1	–	–	–
	5. Hanging	1	–	–	–		–	–	–	–	–	–	–	–	–
	6. Otherwise and undefined	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 5. (*Execution.*)														
	1. Hanging	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Sudden Deaths (cause unascertained)	30	3	1	1	–	–	–	–	–	–	1	–	1	1
	Causes not specified or ill-defined	33	8	3	2	2	1	–	1	–	–	1	1	1	–

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1879.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
	ORDER 8.															
	1. Phlegmon	–	1	1	–	–	–	2	–	–	–	–	–	–	–	–
	2. Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. *Skin Disease, etc.*	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
IV.	ORDER 1.															
	1. Premature Birth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 2.															
	1. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Childbirth (*see* Puerperal Fever)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.															
	1. Old Age	–	–	–	–	–	8	9	22	25	20	9	2	1	–	–
	ORDER 4.															
	1. Atrophy and Debility	–	1	1	3	7	–	–	–	–	–	–	–	–	–	–
V.	ORDER 1. (*Accident or Negligence.*)															
	1. Fractures and Contusions	5	14	13	12	7	9	3	1	–	1	–	–	1	–	–
	2. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Cut, Stab	–	2	–	–	–	1	1	–	–	–	–	–	–	–	–
	4. Burns and Scalds	2	–	–	–	–	–	–	2	–	–	–	–	–	–	–
	5. Poison	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Drowning	6	5	2	1	3	2	1	1	–	–	–	–	–	–	–
	7. Suffocation	–	–	2	1	1	2	–	–	–	–	–	–	–	–	–
	8. Otherwise	2	1	5	1	3	1	1	–	–	–	–	–	–	–	–
	ORDER 3. (*Homicide.*)															
	1. Murder and Manslaughter	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4. (*Suicide.*)															
	1. Gunshot Wounds	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cut, Stab	1	–	1	–	–	–	1	–	–	–	–	–	–	–	–
	3. Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Drowning	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Hanging	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Otherwise and undefined	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	ORDER 5. (*Execution.*)															
	1. Hanging	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Sudden Deaths (cause unascertained)	1	3	2	2	2	4	–	1	–	–	–	–	–	–	–
	Causes not specified or ill-defined	4	3	–	2	–	3	2	–	–	–	–	–	–	–	

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1879.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
	ORDER 8.															
	1. Phlegmon	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	2. Ulcer	–	1	1	2	1	1	1	–	1	1	–	–	–	–	–
	3. *Skin Disease, etc.*	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
IV.	ORDER 1.															
	1. Premature Birth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 2.															
	1. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Childbirth (*see* Puerperal Fever)	11	6	2	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.															
	1. Old Age	–	–	–	–	–	17	32	38	50	34	12	7	–	1	–
	ORDER 4.															
	1. Atrophy and Debility	2	1	4	10	9	–	–	–	–	–	–	–	–	–	–
V.	ORDER 1. (*Accident or Negligence.*)															
	1. Fractures and Contusions	–	–	–	2	2	1	3	1	2	2	–	–	–	–	–
	2. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Cut, Stab	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Burns and Scalds	1	–	–	1	–	–	–	1	–	–	–	–	–	–	–
	5. Poison	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
	6. Drowning	1	2	–	1	1	1	–	–	–	–	–	–	–	–	–
	7. Suffocation	–	3	1	–	–	1	–	–	–	–	–	–	–	–	–
	8. Otherwise	–	1	1	–	–	–	–	–	1	–	–	–	–	–	–
	ORDER 3. (*Homicide.*)															
	1. Murder and Manslaughter	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4. (*Suicide.*)															
	1. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Cut, Stab	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Poison	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
	4. Drowning	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Hanging	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	6. Otherwise and undefined	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 5. (*Execution.*)															
	1. Hanging	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Sudden Deaths (cause unascertained)	2	–	4	1	2	3	6	2	2	–	–	–	–	–	–
	Causes not specified or ill-defined	2	3	4	2	1	–	–	1	–	–	–	–	–	–	–

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1879.—MALES.

Class.	CAUSES OF DEATH.	MALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30	35
	All Causes . . .	2145	254	85	133	202	74	47	28	84	32	53	90	84	73
	Specified Causes . .	2137	251	85	132	202	74	46	28	84	32	53	89	84	73
	(CLASSES.)														
I.	ZYMOTIC DISEASES	310	29	22	25	51	28	17	15	31	5	5	12	6	5
II.	CONSTITUTIONAL ,,	441	6	11	22	30	15	11	4	21	10	20	37	40	36
III.	LOCAL ,,	1068	82	40	70	103	26	16	8	30	13	22	33	23	26
IV.	DEVELOPMENTAL ,,	225	125	10	11	15	3	–	–	–	1	1	–	1	1
V.	VIOLENT DEATHS .	93	9	2	4	3	2	2	1	2	3	5	7	14	5
	(ORDERS.)														
I.	1. MIASMATIC DISEASES .	271	18	21	25	49	28	17	15	31	5	5	12	5	
	2. ENTHETIC ,, .	15	9	–	–	1	–	–	–	–	–	–	–	–	–
	3. DIETIC ,, .	24	2	1	–	1	–	–	–	–	–	–	–	1	3
	4. PARASITIC ,, .	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	1. DIATHETIC ,, .	76	–	–	–	–	–	–	–	–	–	2	1	1	2
	2. TUBERCULAR ,, .	365	6	11	22	30	15	11	4	21	10	18	36	39	34
III.	1. DISEASES OF NERVOUS SYSTEM . .	253	23	14	20	20	6	3	4	10	1	6	3	2	3
	2. ,, OF ORGANS OF CIRCULATION .	169	1	–	–	1	–	–	–	3	1	3	4	7	6
	3. ,, OF RESPIRATORY ORGANS . .	442	31	23	43	77	20	11	3	8	2	6	13	10	10
	4. ,, OF DIGESTIVE ORGANS . . .	106	25	3	4	2	–	1	1	4	4	5	6	3	2
	5. ,, OF URINARY ORGANS . . .	70	–	–	–	1	–	1	–	–	4	–	5	1	2
	6. ,, OF ORGANS OF GENERATION .	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. ,, OF ORGANS OF LOCOMOTION . .	18	–	–	1	–	–	–	–	5	1	1	2	–	3
	8. ,, OF INTEGUMENTARY SYSTEM . .	10	2	–	2	2	–	–	–	–	–	1	–	–	–
IV.	1. DEV. DIS. OF CHILDREN	105	87	–	6	11	–	–	–	–	1	–	–	–	–
	2. ,, OF ADULTS .	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. ,, OF OLD PEOPLE	55	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. DISEASES OF NUTRITION	65	38	10	5	4	3	–	–	–	–	1	–	1	1

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1879.—FEMALES.

Class.	CAUSES OF DEATH.	FEMALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.												
			3	6	12	2	3	4	5	10	15	20	25	30	35
	All Causes . . .	2287	201	77	131	154	80	46	31	82	43	67	75	98	81
	Specified Causes . .	2280	198	77	131	154	80	46	31	82	43	67	75	98	81
	(CLASSES.)														
I.	ZYMOTIC DISEASES	340	27	23	35	51	37	22	14	25	8	5	7	12	9
II.	CONSTITUTIONAL ,,	480	7	9	20	29	17	10	8	27	20	42	37	43	37
III.	LOCAL ,,	1158	59	37	62	63	25	14	8	27	15	19	25	32	31
IV.	DEVELOPMENTAL ,,	254	97	6	12	10	1	–	1	–	–	–	4	10	4
V.	VIOLENT DEATHS	48	8	2	2	1	–	–	–	3	–	1	2	1	–
	(ORDERS.)														
I.	1. MIASMATIC DISEASES .	303	12	20	33	51	37	20	14	25	8	4	7	11	8
	2. ENTHETIC ,, .	9	5	2	1	–	–	–	–	–	–	1	–	–	–
	3. DIETIC ,, .	24	7	1	1	–	–	1	–	–	–	–	–	1	1
	4. PARASITIC ,, .	4	3	–	–	–	–	1	–	–	–	–	–	–	
II.	1. DIATHETIC ,, .	113	2	–	–	–	–	1	–	1	–	2	–	2	5
	2. TUBERCULAR ,,	367	5	9	20	29	17	9	8	26	20	40	37	41	32
III.	1. DISEASES OF NERVOUS SYSTEM . .	267	15	6	12	10	6	7	3	12	2	2	4	4	5
	2. ,, OF ORGANS OF CIRCULATION .	232	3	–	–	–	–	–	–	3	8	5	3	8	10
	3. ,, OF RESPIRATORY ORGANS . .	455	31	26	41	50	18	6	3	5	3	6	6	11	6
	4. ,, OF DIGESTIVE ORGANS . .	129	8	3	7	2		–	2	2	1	5	5	2	7
	5. ,, OF URINARY ORGANS . . .	34	–	–	–	1	1		–	2	1	1	2	5	–
	6. ,, OF ORGANS OF GENERATION .	10	–	–	–	–		–	–	–	–	–	–	2	2
	7. ,, OF ORGANS OF LOCOMOTION . .	13	–	–	2	–		1	–	3	–	–	4	–	–
	8. ,, OF INTEGUMENTARY SYSTEM . .	18	2	2	–	–	–	–	–	–	–	–	1	–	1
IV.	1. DEV. DIS. OF CHILDREN	80	62	1	7	8	1	–	1	–	–	–	–	–	–
	2. ,, OF ADULTS .	23	–	–	–	–	–	–	–		–	–	3	10	4
	3. ,, OF OLD PEOPLE	99	–	–	–	–	–	–	–	–	–	–	–	–	
	4. DISEASES OF NUTRITION	52	35	5	5	2	–	–	–	–	–		1	–	

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1879.—MALES. (*Continued.*

Class.	CAUSES OF DEATH.	MALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
	All Causes . . .	90	92	99	89	92	111	112	79	73	44	22	3	–	–	–
	Specified Causes . .	89	91	99	89	92	111	112	79	73	44	22	3	–	–	–
	(CLASSES.)															
I.	ZYMOTIC DISEASES	8	5	4	6	3	11	10	6	2	3	1	–	–	–	–
II.	CONSTITUTIONAL ,,	33	27	26	28	19	12	14	9	6	3	1	–	–	–	–
III.	LOCAL ,,	45	53	61	48	66	80	81	55	48	27	12	–	–	–	–
IV.	DEVELOPMENTAL ,,	–	–	1	–	1	3	5	9	17	10	8	3	–	–	–
V.	VIOLENT DEATHS .	3	6	7	7	3	5	2	–	–	1	–	–	–	–	–
	(ORDERS.)															
I.	1. MIASMATIC DISEASES .	7	4	2	3	2	4	10	4	1	–	1	–	–	–	–
	2. ENTHETIC ,, .	1	–	–	1	–	1	–	1	–	1	–	–	–	–	–
	3. DIETIC ,, .	–	1	2	2	1	6	–	1	1	2	–	–	–	–	–
	4. PARASITIC ,, .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	1. DIATHETIC ,, .	2	3	9	12	10	8	10	7	6	2	1	–	–	–	–
	2. TUBERCULAR ,, .	31	24	17	16	9	4	4	2	–	1	–	–	–	–	–
III.	1. DISEASES OF NERVOUS SYSTEM . .	7	4	12	6	16	19	27	16	17	13	1	–	–	–	–
	2. ,, OF ORGANS OF CIRCULATION .	10	13	16	19	14	23	24	14	7	2	1	–	–	–	–
	3. ,, OF RESPIRATORY ORGANS . .	17	19	20	14	25	21	22	18	17	3	9	–	–	–	–
	4. ,, OF DIGESTIVE ORGANS . . .	1	5	6	7	6	9	5	3	3	1	–	–	–	–	–
	5. ,, OF URINARY ORGANS . . .	9	10	4	1	4	8	3	4	4	8	1	–	–	–	–
	6. ,, OF ORGANS OF GENERATION .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. ,, OF ORGANS OF LOCOMOTION . .	–	1	3	1	–	–	–	–	–	–	–	–	–	–	–
	8. ,, OF INTEGUMENTARY SYSTEM . .	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–
IV.	1. DEV. DIS. OF CHILDREN	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. ,, OF ADULTS .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. ,, OF OLD PEOPLE	–	–	–	–	–	3	5	9	17	10	8	3	–	–	–
	4. DISEASES OF NUTRITION	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in EDINBURGH, at different Periods of Life in 1879.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES. AGE UNDER														
		40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
	All Causes . . .	73	64	104	118	107	123	140	140	114	84	39	11	4	–	–
	Specified Causes . .	73	62	104	118	106	122	140	140	114	84	39	11	4	–	–
	(CLASSES.)															
I.	ZYMOTIC DISEASES	9	5	6	8	8	8	6	5	5	3	1	1	–	–	–
II.	CONSTITUTIONAL ,,	30	14	31	23	14	17	15	14	8	7	1	–	–	–	–
III.	LOCAL ,,	30	38	61	80	80	93	111	100	76	49	18	3	2	–	–
IV.	DEVELOPMENTAL ,,	3	3	–	3	1	3	5	17	23	24	19	6	2	–	–
V.	VIOLENT DEATHS .	1	2	6	4	3	1	3	4	2	1	–	1	–	–	–
	(ORDERS.)															
I.	1. MIASMATIC DISEASES .	7	4	5	6	6	7	4	5	4	3	1	1	–	–	–
	2. ENTHETIC ,, .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. DIETIC ,, .	2	1	1	2	2	1	2	–	1	–	–	–	–	–	–
	4. PARASITIC ,, .	–	–		–	–	–	–	–	–	–	–	–	–	–	–
II.	1. DIATHETIC ,, .	5	2	15	15	12	11	13	12	8	6	1	–	–	–	–
	2. TUBERCULAR ,, .	25	12	16	8	2	6	2	2	–	1	–	–	–	–	–
III.	1. DISEASES OF NERVOUS SYSTEM . .	3	6	13	16	12	29	27	33	18	16	4	1	1	–	–
	2. ,, OF ORGANS OF CIRCULATION .	7	11	16	31	17	21	35	24	15	14	1	–	–	–	–
	3. ,, OF RESPIRATORY ORGANS . .	5	11	14	17	39	33	37	31	28	16	10	2	–	–	–
	4. ,, OF DIGESTIVE ORGANS . .	8	8	11	13	6	5	9	8	11	2	3	–	1	–	–
	5. ,, OF URINARY ORGANS . . .	1	–	4	2	3	3	3	2	3	–	–	–	–	–	–
	6. ,, OF ORGANS OF GENERATION .	2	1	1	1	–	1	–	–	–	–	–	–	–	–	–
	7. ,, OF ORGANS OF LOCOMOTION . .	–	–	–	–	1	1	–	–	1	–	–	–	–	–	–
	8. ,, OF INTEGUMENTARY SYSTEM . .	4	1	2	–	2	–	–	2	–	1	–	–	–	–	–
IV.	1. DEV. DIS. OF CHILDREN	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. ,, OF ADULTS .	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. ,, OF OLD PEOPLE	–	–	–	–	–	3	5	17	23	24	19	6	2	–	–
	4. DISEASES OF NUTRITION	–	–	–	3	1	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1879.—MALES. (*Continued.*)

Clas	CAUSES OF DEATH.	MALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30	35
V.	1. ACCIDENT OR NEGLIGENCE	85	8	2	4	3	2	2	1	2	2	5	7	13	5
	*														
	3. HOMICIDE	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	4. SUICIDE	7	–	–	–	–	–	–	–	–	1	–	–	1	–
	5. EXECUTION	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	SUDDEN DEATHS, CAUSE UNASCERTAINED	3	1	–	–	–	–	1	–	–	–	–	–	–	–
	CAUSES NOT SPECIFIED	5	2	–	1	–	–	–	–	–	–	–	1	–	–
I.	ORDER 1.														
	1. Small-pox	3	1	–	–	–	–	–	–	1	–	–	–	–	–
	2. Measles	11	–	–	3	3	1	2	–	1	–	1	–	–	–
	3. Scarlatina	48	1	1	3	7	12	5	7	10	1	–	–	–	–
	4. Diphtheria	17	–	2	–	3	–	–	2	7	2	–	–	–	–
	5. Quinsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Croup	12	1	2	–	4	3	–	1	1	–	–	–	–	–
	7. Hooping-cough	59	–	6	12	18	8	7	3	5	–	–	–	–	–
	8. Typhus Fever	6	–	–	–	–	–	–	–	–	–	–	1	–	–
	8. Enteric or Typhoid Fever	36	–	–	2	2	3	2	2	4	1	2	11	2	1
	8. Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Simple Continued Fever	2	–	–	–	–	–	–	–	–	–	1	–	–	–
	9. Erysipelas	6	1	–	–	–	–	–	–	–	–	–	–	1	–
	10. Puerperal Fever (Metria)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. Carbuncle	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	12. Influenza	3	1	–	–	–	–	–	–	–	–	–	–	–	–
	13. Dysentery	4	–	1	–	–	–	–	–	–	–	–	–	1	–
	14. Diarrhœa	43	13	7	4	12	1	–	–	2	–	1	–	–	–
	15. Cholera	3	–	2	1	–	–	–	–	–	–	–	–	–	–
	16. Ague	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	17. Remittent Fever	1	–	–	–	–	–	1	–	–	–	–	–	–	–
	18. Rheumatism	14	–	–	–	–	–	–	–	–	1	–	–	1	1
	19. Other *Miasmatic* Diseases	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 2.														
	1. Syphilis	11	9	–	–	1	–	–	–	–	–	–	–	–	–
	2. Stricture of Urethra	4	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Glanders	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.														
	1. Privation	1	–	–	–	1	–	–	–	–	–	–	–	–	–
	2. Want of Breast Milk	3	2	1	–	–	–	–	–	–	–	–	–	–	–
	3. Purpura and Scurvy	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Alcoholism *a* Del. Tremens	3	–	–	–	–	–	–	–	–	–	–	–	–	1
	4. Alcoholism *b* Intemperance	15	–	–	–	–	–	–	–	–	–	–	–	1	2
	ORDER 4.														
	1. Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Worms etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	ORDER 1.														
	1. Gout	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Dropsy	7	–	–	–	–	–	–	–	–	–	1	–	–	1
	3. Cancer	61	–	–	–	–	–	–	–	–	–	1	1	1	1
	4. Cancrum Oris (Noma)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Mortification	6	–	–	–	–	–	–	–	–	–	–	–	–	–

* See page 52, note *

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1879.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30	35
V.	1. ACCIDENT OR NEGLIGENCE	41	6	2	2	1	–	–	–	3	–	1	2	–	–
	*														
	3. HOMICIDE	2	2	–	–	–	–	–	–	–	–	–	–	–	–
	4. SUICIDE	5	–	–	–	–	–	–	–	–	–	–	–	1	–
	5. EXECUTION	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	SUDDEN DEATHS, CAUSE UNASCERTAINED	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	CAUSES NOT SPECIFIED	7	3	–	–	–	–	–	–	–	–	–	–	–	–
I.	ORDER 1.														
	1. Small-pox	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Measles	10	–	–	1	4	4	1	–	–	–	–	–	–	–
	3. Scarlatina	44	–	–	2	3	13	8	6	8	1	–	–	1	1
	4. Diphtheria	16	–	–	–	4	1	2	2	4	2	–	–	1	–
	5. Quinsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Croup	11	–	–	–	5	2	2	–	2	–	–	–	–	–
	7. Hooping-cough	86	3	6	20	30	11	5	5	6	–	–	–	–	–
	8. Typhus Fever	16	–	–	–	–	–	–	–	1	2	–	1	2	–
	8. Enteric or Typhoid Fever	21	–	–	–	1	2	–	–	3	3	2	4	1	1
	8. Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Simple Continued Fever	3	–	–	–	1	–	–	–	–	–	–	–	–	–
	9. Erysipelas	6	2	–	1	–	–	–	–	–	–	–	–	–	1
	10. Puerperal Fever (Metria)	14	–	–	–	–	–	–	–	–	–	1	1	4	4
	11. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	12. Influenza	3	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Dysentery	3	–	1	–	–	–	–	–	–	–	–	–	–	–
	14. Diarrhœa	44	6	13	8	3	3	1	–	–	–	–	–	–	–
	15. Cholera	7	1	–	1	–	1	–	–	1	–	–	–	–	–
	16. Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	17. Remittent Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	18. Rheumatism	17	–	–	–	–	–	–	1	–	–	1	1	2	1
	19. Other *Miasmatic* Diseases	1	–	–	–	–	–	1	–	–	–	–	–	–	–
	ORDER 2.														
	1. Syphilis	8	5	2	1	–	–	–	–	–	–	–	–	–	–
	2. Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Hydrophobia	1	–	–	–	–	–	–	–	–	–	1	–	–	–
	4. Glanders	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.														
	1. Privation	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Want of Breast Milk	9	7	1	1	–	–	–	–	–	–	–	–	–	–
	3. Purpura and Scurvy	1	–	–	–	–	–	1	–	–	–	–	–	–	–
	4. Alcoholism *a* Del. Tremens	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Alcoholism *b* Intemperance	12	–	–	–	–	–	–	–	–	–	–	–	1	1
	ORDER 4.														
	1. Thrush	3	3	–	–	–	–	–	–	–	–	–	–	–	
	2. Worms, etc.	1	–	–	–	–	–	1	–	–	–	–	–	–	–
II.	ORDER 1.														
	1. Gout	–	–	–	–	–	–	–	–	–	–	–	–		–
	2. Dropsy	9	–	–	–	–	–	1	–	–	–	–	–	1	–
	3. Cancer	99	2	–	–	–	–	–	–	1	–	2	–	1	5
	4. Cancrum Oris (Noma)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Mortification	5	–	–	–	–	–	–	–	–	–	–	–	–	–

* See page 52, note *.

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1879.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
V.	1. ACCIDENT OR NEGLIGENCE	3	4	5	7	3	4	2	–	–	1	–	–	–	–	–
	*															
	3. HOMICIDE	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. SUICIDE	–	2	2	–	–	1	–	–	–	–	–	–	–	–	–
	5. EXECUTION	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
SUDDEN DEATHS, CAUSE UNASCERTAINED		1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
CAUSES NOT SPECIFIED		–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
I.	ORDER 1.															
	1. Small-pox	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	2. Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Scarlatina	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	4. Diphtheria	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Quinsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. Hooping-cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Typhus Fever	2	1	–	1	–	–	1	–	–	–	–	–	–	–	–
	8. Enteric or Typhoid Fever	2	1	–	–	–	1	–	–	–	–	–	–	–	–	–
	8. Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Simple Continued Fever	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	9. Erysipelas	1	–	–	–	–	–	3	–	–	–	–	–	–	–	–
	10. Puerperal Fever (Metria)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. Carbuncle	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	12. Influenza	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–
	13. Dysentery	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
	14. Diarrhœa	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–
	15. Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	16. Ague	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	17. Remittent Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	18. Rheumatism	2	–	1	1	2	1	2	1	–	–	1	–	–	–	–
	19. Other *Miasmatic* Diseases	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	ORDER 2.															
	1. Syphilis	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	2. Stricture of Urethra	1	–	–	–	–	1	–	1	–	1	–	–	–	–	–
	3. Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Glanders	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.															
	1. Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Purpura and Scurvy	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
	4. Alcoholism *a* Del. Tremens	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–
	4. Alcoholism *b* Intemperance	–	1	2	2	1	4	–	1	–	1	–	–	–	–	–
	ORDER 4.															
	1. Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Worms, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	ORDER 1.															
	1. Gout	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
	2. Dropsy	–	–	1	–	1	–	1	1	1	–	–	–	–	–	–
	3. Cancer	2	3	8	11	9	8	6	5	4	1	–	–	–	–	–
	4. Cancrum Oris (Noma)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Mortification	–	–	–	1	–	–	2	1	–	1	1	–	–	–	–

* See page 52, note*.

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1879.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
V.	1. ACCIDENT OR NEGLIGENCE	–	2	5	2	3	1	3	4	2	1	–	1	–	–	–
	*															
	3. HOMICIDE	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. SUICIDE	1	–	1	2	–	–	–	–	–	–	–	–	–	–	–
	5. EXECUTION	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	SUDDEN DEATHS, CAUSE UNASCERTAINED	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	CAUSES NOT SPECIFIED	–	2	–	–	1	1	–	–	–	–	–	–	–	–	–
I.	ORDER 1.															
	1. Small-pox	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Scarlatina	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Quinsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. Hooping-cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Typhus Fever	1	2	4	2	–	1	–	–	–	–	–	–	–	–	–
	8. Enteric or Typhoid Fever	–	–	1	–	–	–	1	1	1	–	–	–	–	–	–
	8. Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Simple Continued Fever	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
	9. Erysipelas	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–
	10. Puerperal Fever (Metria)	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	12. Influenza	–	–	–	–	1	–	1	–	–	–	1	–	–	–	–
	13. Dysentery	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	14. Diarrhœa	–	–	–	2	2	1	1	1	1	1	–	1	–	–	–
	15. Cholera	–	–	–	1	–	–	–	1	–	1	–	–	–	–	–
	16. Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	17. Remittent Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	18. Rheumatism	–	–	–	–	3	3	1	2	2	–	–	–	–	–	–
	19. Other *Miasmatic* Diseases	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 2.															
	1. Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Glanders	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.															
	1. Privation	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	2. Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Purpura and Scurvy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Alcoholism *a.* Del. Tremens	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	4. Alcoholism *b.* Intemperance	2	1	1	2	1	1	2	–	–	–	–	–	–	–	–
	ORDER 4.															
	1. Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Worms, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	ORDER 1.															
	1. Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Dropsy	–	–	1	1	–	–	2	–	–	3	–	–	–	–	–
	3. Cancer	5	2	14	14	12	10	10	11	7	3	–	–	–	–	–
	4. Cancrum Oris (Noma)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Mortification	–	–	–	–	–	1	1	1	1	–	1	–	–	–	–

* See page 52 note *.

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1879.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30	35
	ORDER 2.														
	1. Scrofula	18	–	–	1	2	1	1	1	5	1	1	3	1	–
	2. Tabes Mesenterica	34	2	4	3	5	6	2	1	3	1	1	1	–	–
	3. Phthisis	244	2	1	2	2	1	–	–	6	8	16	32	38	34
	4. Hydrocephalus	69	2	6	16	21	7	8	2	7	–	–	–	–	–
III.	ORDER 1.														
	1. Cephalitis	46	1	2	7	9	1	2	3	6	–	4	–	1	1
	2. Apoplexy	66	1	1	5	2	2	–	–	1	–	–	–	–	1
	3. Paralysis	43	–	–	–	–	–	–	–	–	–	–	1	–	–
	4. Insanity	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Epilepsy	6	1	–	–	–	–	–	–	–	–	–	–	–	–
	7. Convulsions	49	18	10	6	9	3	–	1	1	–	1	–	–	–
	8. *Brain Disease, etc.*	42	2	1	2	–	–	1	–	2	1	1	2	1	1
	ORDER 2.														
	1. Pericarditis	3	–	–	–	–	–	–	–	–	–	–	–	1	–
	2. Aneurism	10	–	–	–	–	–	–	–	–	–	–	–	2	1
	3. *Heart Disease, etc.*	156	1	–	–	1	–	–	–	3	1	3	4	4	5
	ORDER 3.														
	1. Laryngitis	8	2	1	1	1	–	–	1	–	–	1	–	–	–
	2. Bronchitis	219	18	12	29	44	13	5	–	3	–	–	–	1	2
	3. Pleurisy	19	–	–	2	1	–	–	1	–	–	–	2	2	1
	4. Pneumonia	150	7	8	9	28	5	5	1	2	2	5	9	5	7
	5. Asthma	3	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. *Lung Disease, etc.*	43	4	2	2	3	2	1	–	3	–	–	2	2	–
	ORDER 4.														
	1. Gastritis	2	2	–	–	–	–	–	–	–	–	–	–	–	–
	2. Enteritis	16	7	2	–	–	–	1	–	1	2	–	–	–	1
	3. Peritonitis	16	3	1	–	–	–	–	–	–	2	2	3	2	–
	4. Ascites	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Ulceration of Intestines	3	–	–	1	–	–	–	–	–	–	–	–	–	–
	6. Hernia	5	1	–	–	–	–	–	–	–	–	1	–	–	–
	7. Ileus	7	1	–	2	–	–	–	–	–	–	–	1	–	–
	8. Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	9. Stricture of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	10. Fistula	3	–	–	–	–	–	–	1	1	–	–	–	–	–
	11. *Stomach Disease, etc.*	16	3	–	1	2	–	–	–	–	–	1	–	–	–
	12. *Pancreas Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Hepatitis	4	2	–	–	–	–	–	–	–	–	–	–	–	–
	14. Jaundice	5	3	–	–	–	–	–	–	–	–	–	–	–	–
	15. *Liver Disease, etc.*	24	3	–	–	–	–	–	–	2	–	1	1	1	1
	16. *Spleen Disease, etc.*	2	–	–	–	–	–	–	–	–	–	–	1	–	–
	ORDER 5.														
	1. Nephritis	10	–	–	–	–	–	1	–	–	3	–	1	–	–
	2. Ischuria	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Bright's Disease (Nephria)	16	–	–	–	1	–	–	–	–	–	–	1	–	1
	4. Diabetes	7	–	–	–	–	–	–	–	–	1	–	1	–	1
	5. Calculus (Stone)	2	–	–	–	–	–	–	–	–	–	–	1	–	–
	6. Cystitis	11	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. *Kidney Disease, etc.*	22	–	–	–	–	–	–	–	–	–	–	1	1	–
	ORDER 6.														
	1. Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. *Uterus Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 7.														
	1. Synovitis (Arthritis)	2	–	–	–	–	–	–	–	2	–	–	–	–	–
	2. *Joint Disease, etc.*	16	–	–	1	–	–	–	–	3	1	1	2	–	3

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1879.—FEMALES. (*Continued.*)

Clas.	CAUSES OF DEATH.	FEMALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30	35
	ORDER 2.														
	1. Scrofula	18	1	1	–	4	–	1	1	1	3	4	1	–	–
	2. Tabes Mesenterica	28	1	4	2	9	2	1	1	5	2	–	–	–	–
	3. Phthisis	251	1	2	1	2	4	–	4	8	13	36	35	41	32
	4. Hydrocephalus	70	2	2	17	14	11	7	2	12	2	–	1	–	–
III.	ORDER 1.														
	1. Cephalitis	30	1	2	6	3	3	5	2	2	1	–	1	1	1
	2. Apoplexy	76	1	–	–	1	–	1	1	2	–	–	1	1	1
	3. Paralysis	72	–	–	–	–	1	–	–	1	–	–	–	–	1
	4. Insanity	4	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Chorea	1	–	–	–	–	–	–	–	1	–	–	–	–	–
	6. Epilepsy	11	1	–	–	–	–	–	–	2	–	1	–	–	2
	7. Convulsions	29	12	4	3	5	1	1	–	2	1	–	–	–	–
	8. *Brain Disease, etc.*	44	–	–	3	1	1	–	–	2	–	1	2	2	–
	ORDER 2.														
	1. Pericarditis	5	–	–	–	–	–	–	–	2	2	–	–	–	–
	2. Aneurism	7	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. *Heart Disease, etc.*	220	3	–	–	–	–	–	–	1	6	5	3	8	10
	ORDER 3.														
	1. Laryngitis	4	1	–	1	–	–	1	–	–	–	–	1	–	–
	2. Bronchitis	300	22	21	27	34	8	1	–	3	–	3	–	1	2
	3. Pleurisy	10	–	–	–	–	–	–	1	–	1	–	1	2	–
	4. Pneumonia	95	5	5	10	14	7	3	2	2	1	3	3	5	3
	5. Asthma	9	–	–	–	–	–	1	–	–	–	–	–	–	–
	6. *Lung Disease, etc.*	37	3	–	3	2	3	–	–	–	1	–	1	3	1
	ORDER 4.														
	1. Gastritis	3	–	–	–	1	–	–	–	–	–	–	–	–	–
	2. Enteritis	12	3	1	3	1	–	–	–	–	–	–	–	–	–
	3. Peritonitis	25	1	–	–	–	–	–	1	1	–	4	4	1	3
	4. Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Ulceration of Intestines	6	–	–	–	–	–	–	–	–	–	–	1	–	1
	6. Hernia	5	1	–	1	–	–	–	–	–	–	–	–	–	–
	7. Ileus	15	–	2	1	–	–	–	1	1	–	–	–	1	–
	8. Intussusception	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	9. Stricture of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	10. Fistula	1	–	–	–	–	–	–	–	–	–	1	–	–	–
	11. *Stomach Disease, etc.*	27	2	–	2	–	–	–	–	–	–	–	–	–	1
	12. *Pancreas Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Hepatitis	6	1	–	–	–	–	–	–	–	–	–	–	–	–
	14. Jaundice	4	–	–	–	–	–	–	–	–	–	–	–	–	–
	15. *Liver Disease, etc.*	18	–	–	–	–	–	–	–	–	–	–	–	–	2
	16. *Spleen Disease, etc.*	4	–	–	–	–	–	–	–	–	1	–	–	–	–
	ORDER 5.														
	1. Nephritis	2	–	–	–	–	1	–	–	–	–	–	–	1	–
	2. Ischuria	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Bright's Disease (Nephria)	16	–	–	–	1	–	–	–	2	–	1	1	1	–
	4. Diabetes	3	–	–	–	–	–	–	–	–	–	–	–	1	–
	5. Calculus (Stone)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. *Kidney Disease, etc.*	12	–	–	–	–	–	–	–	–	1	–	1	2	–
	ORDER 6.														
	1. Ovarian Dropsy	7	–	–	–	–	–	–	–	–	–	–	–	2	2
	2. *Uterus Disease, etc.*	3	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 7.														
	1. Synovitis (Arthritis)	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. *Joint Disease, etc.*	12	–	–	2	–	–	1	–	3	–	–	4	–	–

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1879.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
	ORDER 2.															
	1. Scrofula	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Tabes Mesenterica	–	1	1	2	–	–	–	–	–	1	–	–	–	–	–
	3. Phthisis	31	22	16	14	9	4	4	2	–	–	–	–	–	–	–
	4. Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
III.	ORDER 1.															
	1. Cephalitis	1	1	3	1	2	–	1	–	–	–	–	–	–	–	–
	2. Apoplexy	1	1	4	2	4	7	15	7	8	4	–	–	–	–	–
	3. Paralysis	–	2	3	–	5	4	8	6	7	6	1	–	–	–	–
	4. Insanity	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Epilepsy	2	–	–	1	2	–	–	–	–	–	–	–	–	–	–
	7. Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. *Brain Disease, etc.*	2	–	2	2	3	8	3	3	2	3	–	–	–	–	–
	ORDER 2.															
	1. Pericarditis	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
	2. Aneurism	–	2	1	1	1	–	2	–	–	–	–	–	–	–	–
	3. *Heart Disease, etc.*	10	11	15	17	13	23	22	13	7	2	1	–	–	–	–
	ORDER 3.															
	1. Laryngitis	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	2. Bronchitis	2	7	5	7	13	10	15	13	12	2	6	–	–	–	–
	3. Pleurisy	3	1	2	–	2	–	1	–	–	–	1	–	–	–	–
	4. Pneumonia	8	10	9	5	7	8	3	3	3	–	1	–	–	–	–
	5. Asthma	1	–	1	–	–	–	1	–	–	–	–	–	–	–	–
	6. *Lung Disease, etc.*	3	1	3	2	3	2	2	2	2	1	1	–	–	–	–
	ORDER 4.															
	1. Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Enteritis	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
	3. Peritonitis	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–
	4. Ascites	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
	5. Ulceration of Intestines	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
	6. Hernia	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–
	7. Ileus	–	1	–	–	–	–	–	1	–	1	–	–	–	–	–
	8. Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	9. Stricture of Intestines	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	10. Fistula	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	11. *Stomach Disease, etc.*	–	–	2	–	1	1	3	1	1	–	–	–	–	–	–
	12. *Pancreas Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Hepatitis	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
	14. Jaundice	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
	15. *Liver Disease, etc.*	1	3	3	2	2	3	–	–	1	–	–	–	–	–	–
	16. *Spleen Disease, etc.*	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	ORDER 5.															
	1. Nephritis	3	1	–	–	1	–	–	–	–	–	–	–	–	–	–
	2. Ischuria	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
	3. Bright's Disease (Nephria)	2	4	1	–	2	2	1	–	1	–	–	–	–	–	–
	4. Diabetes	1	2	1	–	–	–	–	–	–	–	–	–	–	–	–
	5. Calculus (Stone)	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Cystitis	–	1	–	–	–	1	–	2	2	4	1	–	–	–	–
	7. *Kidney Disease, etc.*	2	2	2	1	1	4	2	1	1	4	–	–	–	–	–
	ORDER 6.															
	1. Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. *Uterus Disease, etc.*	–	–	–	–	–	–	–	–		–	–	–	–	–	–
	ORDER 7.															
	1. Synovitis (Arthritis)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. *Joint Disease, etc.*	–	1	3	1	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in EDINBURGH, at different Perods of Life, in 1879.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
	ORDER 2.															
	1. Scrofula	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	2. Tabes Mesenterica	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	3. Phthisis	25	12	16	8	–	6	2	2	–	1	–	–	–	–	–
	4. Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
III.	ORDER 1.															
	1. Cephalitis	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
	2. Apoplexy	–	1	6	11	3	16	10	10	4	5	1	–	–	–	–
	3. Paralysis	–	3	–	4	7	8	12	16	10	6	2	1	–	–	–
	4. Insanity	–	–	1	–	–	2	–	1	–	–	–	–	–	–	–
	5. Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Epilepsy	–	–	2	–	1	1	1	–	–	–	–	–	–	–	–
	7. Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. *Brain Disease, etc.*	3	2	3	–	1	2	4	6	4	5	1	–	1	–	–
	ORDER 2.															
	1. Pericarditis	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	2. Aneurism	–	–	2	3	–	1	1	–	–	–	–	–	–	–	–
	3. *Heart Disease, etc.*	7	11	14	28	17	20	33	24	15	14	1	–	–	–	–
	ORDER 3.															
	1. Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Bronchitis	2	10	10	12	25	27	26	25	19	13	7	2	–	–	–
	3. Pleurisy	–	–	1	–	1	–	2	–	1	–	–	–	–	–	–
	4. Pneumonia	2	1	3	3	7	3	6	3	2	1	1	–	–	–	–
	5. Asthma	–	–	–	–	4	–	2	–	2	–	–	–	–	–	–
	6. *Lung Disease, etc.*	1	–	–	2	2	3	1	3	4	2	2	–	–	–	–
	ORDER 4.															
	1. Gastritis	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–
	2. Enteritis	3	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	3. Peritonitis	1	3	–	2	1	2	–	–	–	–	1	–	–	–	–
	4. Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Ulceration of Intestines	1	–	1	1	–	–	–	–	–	–	1	–	–	–	–
	6. Hernia	–	–	1	–	–	1	–	–	–	1	–	–	–	–	–
	7. Ileus	–	–	1	1	–	–	2	4	1	–	–	–	–	–	–
	8. Intussusception	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
	9. Stricture of Intestines	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	10. Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. *Stomach Disease, etc.*	–	2	–	2	3	1	3	3	6	–	1	–	1	–	–
	12. *Pancreas Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Hepatitis	–	–	2	–	–	1	1	1	–	–	–	–	–	–	–
	14. Jaundice	–	1	–	1	–	–	–	–	2	–	–	–	–	–	–
	15. *Liver Disease, etc.*	2	2	4	3	–	–	3	–	1	1	–	–	–	–	–
	16. *Spleen Disease, etc.*	1	–	1	–	1	–	–	–	–	–	–	–	–	–	–
	ORDER 5.															
	1. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Ischuria	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Bright's Disease (Nephria)	–	–	3	–	2	1	1	2	1	–	–	–	–	–	–
	4. Diabetes	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
	5. Calculus (Stone)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. *Kidney Disease, etc.*	–	–	1	2	1	1	1	–	2	–	–	–	–	–	–
	ORDER 6.															
	1. Ovarian Dropsy	1	–	1	–	–	1	–	–	–	–	–	–	–	–	–
	2. *Uterus Disease, etc.*	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–
	ORDER 7.															
	1. Synovitis (Arthritis)	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	2. *Joint Disease, etc.*	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1879.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30	35
	ORDER 8.														
	1. Phlegmon	5	–	–	–	1	–	–	–	–	–	1	–	–	–
	2. Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. *Skin Disease, etc.*	5	2	–	2	1	–	–	–	–	–	–	–	–	–
IV.	ORDER 1.														
	1. Premature Birth	72	72	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cyanosis	3	3	–	–	–	–	–	–	–	–	–	–	–	–
	3. Spina Bifida	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	4. Other Malformations	14	11	–	2	–	–	–	–	–	1	–	–	–	
	5. Teething	15	–	–	4	11	–	–	–	–	–	–	–	–	–
	ORDER 2.														
	1. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Childbirth (*see* Puerperal Fever)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.														
	1. Old Age	55	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4.														
	1. Atrophy and Debility	65	38	10	5	4	3	–	–	–	–	1	–	1	1
V.	ORDER 1. (*Accident or Negligence.*)														
	1. Fractures and Contusions	49	–	–	–	1	–	1	–	1	2	1	3	12	5
	2. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Cut, Stab	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Burns and Scalds	11	–	–	1	1	2	1	1	1	–	–	2	–	–
	5. Poison	1	–	1	–	–	–	–	–	–	–	–	–	–	–
	6. Drowning	2	–	–	–	–	–	–	–	–	–	2	–	–	–
	7. Suffocation	14	8	1	2	1	–	–	–	–	–	–	–	1	–
	8. Otherwise	8	–	–	1	–	–	–	–	–	–	2	2	–	–
	ORDER 3. (*Homicide.*)														
	1. Murder and Manslaughter	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4. (*Suicide.*)														
	1. Gunshot Wounds	1	–	–	–	–	–	–	–	–	–	–	–	1	–
	2. Cut, Stab	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Poison	4	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Drowning	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Hanging	1	–	–	–	–	–	–	–	–	1	–	–	–	–
	6. Otherwise and undefined	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 5. (*Execution.*)														
	1. Hanging	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Sudden Deaths (cause unascertained)	3	1	–	–	–	–	1	–	–	–	–	–	–	–
	Causes not specified or ill-defined	5	2	–	1	–	–	–	–	–	–	–	1	–	–

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1879.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30	35
	ORDER 8.														
	1. Phlegmon	12	2	1	–	–	–	–	–	–	–	–	1	–	1
	2. Ulcer	4	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. *Skin Disease, etc.*	2	–	1	–	–	–	–	–	–	–	–	–	–	–
IV.	ORDER 1.														
	1. Premature Birth	57	57	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cyanosis	3	2	–	–	1	–	–	–	–	–	–	–	–	–
	3. Spina Bifida	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	4. Other Malformations	2	2	–	–	–	–	–	–	–	–	–	–	–	–
	5. Teething	17	–	1	7	7	1	–	1	–	–	–	–	–	–
	ORDER 2.														
	1. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Childbirth (*see* Puerperal Fever)	23	–	–	–	–	–	–	–	–	–	–	3	10	4
	ORDER 3.														
	1. Old Age	99	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4.														
	1. Atrophy and Debility	52	35	5	5	2	–	–	–	–	–	–	1	–	–
V.	ORDER 1. (*Accident or Negligence.*)														
	1. Fractures and Contusions	18	–	–	–	–	–	–	–	2	–	–	1	–	–
	2. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Cut, Stab	1	–	–	–	–	–	–	–	–	–	–	1	–	–
	4. Burns and Scalds	9	–	–	1	1	–	–	–	1	–	1	–	–	–
	5. Poison	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Drowning	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. Suffocation	10	6	2	1	–	–	–	–	–	–	–	–	–	–
	8. Otherwise	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3. (*Homicide.*)														
	1. Murder and Manslaughter	2	2	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4. (*Suicide.*)														
	1. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cut, Stab	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Drowning	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Hanging	3	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Otherwise and undefined	1	–	–	–	–	–	–	–	–	–	–	–	1	–
	ORDER 5. (*Execution.*)														
	1. Hanging	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Sudden Deaths (cause unascertained)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Causes not specified or ill-defined	7	3	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1879.—MALES. (*Continued.*)

Class	CAUSES OF DEATH.	MALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
	ORDER 8.															
	1. Phlegmon	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–
	2. Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. *Skin Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
IV.	ORDER 1.															
	1. Premature Birth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 2.															
	1. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Childbirth (*see* Puerperal Fever)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.															
	1. Old Age	–	–	–	–	–	3	5	9	17	10	8	3	–	–	–
	ORDER 4.															
	1. Atrophy and Debility	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
V.	ORDER 1. (*Accident or Negligence.*)															
	1. Fractures and Contusions	2	3	3	7	3	3	1	–	–	1	–	–	–	–	–
	2. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Cut, Stab	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Burns and Scalds	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	5. Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Drowning	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. Suffocation	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	8. Otherwise	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3. (*Homicide.*)															
	1. Murder and Manslaughter	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4. (*Suicide.*)															
	1. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cut, Stab	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	3. Poison	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–
	4. Drowning	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Hanging	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Otherwise and undefined	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 5. (*Execution.*)															
	1. Hanging	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Sudden Deaths (cause unascertained)	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Causes not specified or ill-defined	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1879.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES. AGE UNDER														
		40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
	ORDER 8.															
	1. Phlegmon	3	–	2	–	1	–	–	1	–	–	–	–	–	–	–
	2. Ulcer	–	1	–	–	1	–	–	1	–	1	–	–	–	–	–
	3. *Skin Disease, etc.*	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
IV.	ORDER 1.															
	1. Premature Birth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 2.															
	1. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Childbirth (*see* Puerperal Fever)	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.															
	1. Old Age	–	–	–	–	–	3	5	17	23	24	19	6	2	–	–
	ORDER 4.															
	1. Atrophy and Debility	–	–	–	3	1	–	–	–	–	–	–	–	–	–	–
V.	ORDER 1. (*Accident or Negligence.*)															
	1. Fractures and Contusions	–	1	2	–	2	1	3	2	2	1	–	1	–	–	–
	2. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Cut, Stab	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Burns and Scalds	–	1	1	2	–	–	–	1	–	–	–	–	–	–	–
	5. Poison	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	6. Drowning	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	7. Suffocation	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	8. Otherwise	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	ORDER 3. (*Homicide.*)															
	1. Murder and Manslaughter	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4. (*Suicide.*)															
	1. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cut, Stab	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	3. Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Drowning	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Hanging	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–
	6. Otherwise and undefined	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 5. (*Execution.*)															
	1. Hanging	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Sudden Deaths (cause unascertained)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Causes not specified or ill-defined.	–	2	–	–	1	1	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1879.—MALES.

Class.	CAUSES OF DEATH.	MALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.												
			3	6	12	2	3	4	5	10	15	20	25	30	35
	All Causes . . .	1495	209	75	121	152	77	40	24	67	42	48	44	47	39
	Specified Causes . .	1491	207	75	121	152	77	40	24	67	42	47	44	47	39
	(CLASSES.)														
I.	ZYMOTIC DISEASES	230	22	12	33	55	24	14	11	16	8	3	4	1	2
II.	CONSTITUTIONAL ,,	249	1	7	13	8	10	4	2	15	16	24	26	27	13
III.	LOCAL ,,	747	59	46	61	75	40	20	10	27	16	18	10	14	20
IV.	DEVELOPMENTAL ,,	200	114	6	10	14	3	1	–	1	–	–	–	–	–
V.	VIOLENT DEATHS .	65	11	4	4	–	–	1	1	8	2	2	4	5	4
	(ORDERS.)														
I.	1. MIASMATIC DISEASES .	208	15	12	30	54	24	14	11	16	8	3	3	–	1
	2. ENTHETIC ,, .	10	5	–	1	1	–	–	–	–	–	–	–	–	–
	3. DIETIC ,, .	10	1	–	1	–	–	–	–	–	–	–	1	1	1
	4. PARASITIC ,, .	2	1	–	1	–	–	–	–	–	–	–	–	–	–
II.	1. DIATHETIC ,, .	31	–	–	–	–	–	–	–	1	1	–	–	–	–
	2. TUBERCULAR ,, .	218	1	7	13	8	10	4	2	14	15	24	26	27	13
III.	1. DISEASES OF NERVOUS SYSTEM . .	188	14	11	8	17	14	9	3	10	8	3	1	2	5
	2. ,, OF ORGANS OF CIRCULATION .	74	–	–	–	–	–	–	–	–	–	5	1	1	4
	3. ,, OF RESPIRATORY ORGANS . .	373	31	31	48	55	23	10	4	11	2	3	6	7	5
	4. ,, OF DIGESTIVE ORGANS . .	68	13	1	5	3	1	–	1	3	2	4	1	2	5
	5. ,, OF URINARY ORGANS . .	30	–	–	–	–	1	1	1	2	2	1	1	1	1
	6. ,, OF ORGANS OF GENERATION .	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. ,, OF ORGANS OF LOCOMOTION . .	7	–	–	–	–	–	–	–	1	2	2	–	–	–
	8. ,, OF INTEGUMENTARY SYSTEM . .	7	1	3	–	–	1	–	1	–	–	–	–	1	–
IV.	1. DEV. DIS. OF CHILDREN	77	54	1	9	12	1	–	–	–	–	–	–	–	–
	2. ,, OF ADULTS .	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. ,, OF OLD PEOPLE	45	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. DISEASES OF NUTRITION	78	60	5	1	2	2	1	–	1	–	–	–		–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1879.—FEMALES.

Class.	CAUSES OF DEATH.	FEMALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.												
			3	6	12	2	3	4	5	10	15	20	25	30	35
	All Causes . . .	1683	182	66	97	127	49	47	25	64	36	39	74	79	49
	Specified Causes . .	1673	178	66	97	127	49	47	25	64	36	39	74	77	49
	(CLASSES.)														
I.	ZYMOTIC DISEASES	244	24	18	34	48	23	21	9	17	1	2	7	4	4
II.	CONSTITUTIONAL ,,	366	5	2	10	11	8	9	6	19	19	30	43	42	30
III.	LOCAL ,,	776	47	31	46	57	15	17	8	26	13	5	14	21	14
IV.	DEVELOPMENTAL ,,	246	93	6	4	10	2	–	–	2	–	–	9	9	–
V.	VIOLENT DEATHS .	41	9	9	3	1	1	–	2	–	3	2	1	1	1
	(ORDERS.)														
I.	1. MIASMATIC DISEASES .	228	18	15	33	48	23	21	9	17	1	2	7	4	4
	2. ENTHETIC ,, .	9	5	3	1	–	–	–	–	–	–	–	–	–	–
	3. DIETIC ,, .	7	1	–	–	–	–	–	–	–	–	–	–	–	–
	4. PARASITIC ,, .	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	1. DIATHETIC ,, .	51	–	–	–	–	–	–	–	–	–	1	–	1	1
	2. TUBERCULAR ,, .	315	5	2	10	11	8	9	6	19	19	29	43	41	29
III.	1. DISEASES OF NERVOUS SYSTEM . .	146	15	5	9	11	1	1	2	5	2	1	2	4	1
	2. ,, OF ORGANS OF CIRCULATION .	118	–	–	1	–	–	–	–	2	4	1	5	4	4
	3. ,, OF RESPIRATORY ORGANS . .	401	27	21	35	44	14	12	5	13	5	1	4	7	4
	4. ,, OF DIGESTIVE ORGANS . .	73	5	5	1	1	–	3	–	5	–	1	1	3	2
	5. ,, OF URINARY ORGANS . .	17	–	–	–	–	–	1	1	1	1	1	–	2	2
	6. ,, OF ORGANS OF GENERATION .	13	–	–	–	–	–	–	–	–	–	–	1	–	–
	7. ,, OF ORGANS OF LOCOMOTION . .	3	–	–	–	–	–	–	–	–	1	–	–	–	1
	8. ,, OF INTEGUMENTARY SYSTEM . .	5	–	–	–	1	–	–	–	–	–	–	1	1	–
IV.	1. DEV. DIS. OF CHILDREN	55	41	1	4	8	1	–	–		–	–	–	–	–
	2. ,, OF ADULTS .	23	–	–	–	–	–	–	–	–	–	–	9	9	–
	3. ,, OF OLD PEOPLE	95	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. DISEASES OF NUTRITION	73	52	5	–	2	1	–	–	2	–	–	–		–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1879.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
	All Causes . . .	32	41	47	58	60	74	70	51	43	25	8	1	–	–	–
	Specified Causes . .	32	41	47	58	60	74	70	50	43	25	8	1	–	–	–
	(CLASSES.)															
I.	ZYMOTIC DISEASES	3	3	3	2	4	4	3	–	1	2	–	–	–	–	–
II.	CONSTITUTIONAL ,,	11	12	17	15	9	10	5	–	2	2	–	–	–	–	–
III.	LOCAL ,,	16	24	25	38	41	47	50	44	27	16	3	–	–	–	–
IV.	DEVELOPMENTAL ,,	–	–	1	1	4	9	8	5	13	5	4	1	–	–	–
V.	VIOLENT DEATHS .	2	2	1	2	2	4	4	1	–	–	1	–	–	–	–
	(ORDERS.)															
I.	1. MIASMATIC DISEASES .	1	1	2	–	4	4	2	–	1	2	–	–	–	–	–
	2. ENTHETIC ,, .	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–
	3. DIETIC ,, .	2	1	–	1	–	–	1	–	–	–	–	–	–	–	–
	4. PARASITIC ,, .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	1. DIATHETIC ,, .	–	3	4	5	3	7	3	–	2	2	–	–	–	–	–
	2. TUBERCULAR ,, .	11	9	13	10	6	3	2	–	–	–	–	–	–	–	–
III.	1. DISEASES OF NERVOUS SYSTEM . .	3	6	2	9	11	8	15	14	8	7	–	–	–	–	–
	2. ,, OF ORGANS OF CIRCULATION .	2	7	9	7	7	11	9	6	2	1	2	–	–	–	–
	3. ,, OF RESPIRATORY ORGANS . .	8	8	10	16	16	21	22	17	11	7	1	–	–	–	–
	4. ,, OF DIGESTIVE ORGANS . .	–	2	4	1	5	5	4	3	2	1	–	–	–	–	–
	5. ,, OF URINARY ORGANS . .	2	1	–	5	2	2	–	4	3	–	–	–	–	–	–
	6. ,, OF ORGANS OF GENERATION .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. ,, OF ORGANS OF LOCOMOTION . .	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	8. ,, OF INTEGUMENTARY SYSTEM . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
IV.	1. DEV. DIS. OF CHILDREN	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. ,, OF ADULTS .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. ,, OF OLD PEOPLE	–	–	–	–	–	9	8	5	13	5	4	1	–	–	–
	4. DISEASES OF NUTRITION	–	–	1	1	4	–	–	–	–	–	–		–		–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1879.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES. AGE UNDER														
		40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
	All Causes . . .	65	74	59	103	76	106	73	80	56	31	17	9	–	–	–
	Specified Causes . .	65	74	58	103	75	104	73	80	56	31	17	9	–	–	–
	(CLASSES.)															
I	ZYMOTIC DISEASES	3	2	4	4	4	6	3	3	2	–	1	–	–	–	–
II.	CONSTITUTIONAL ,,	31	30	13	24	10	11	4	6	3	–	–	–	–	–	–
III.	LOCAL ,,	27	37	40	67	56	73	58	50	31	13	8	2	–	–	–
IV.	DEVELOPMENTAL ,,	4	3	1	4	4	13	8	21	20	18	8	7	–	–	–
V.	VIOLENT DEATHS .	–	2	–	4	1	1	–	–	–	–	–	–	–	–	–
	(ORDERS.)															
.	1. MIASMATIC DISEASES .	3	2	1	3	3	5	3	3	2	–	1	–	–	–	–
	2. ENTHETIC ,, .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. DIETIC ,, .	–	–	3	1	1	1	–	–	–	–	–	–	–	–	–
	4. PARASITIC ,, .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	1. DIATHETIC ,, .	4	5	3	13	2	10	4	6	1	–	–	–	–	–	–
	2. TUBERCULAR ,, .	27	25	10	11	8	1	–	–	2	–	–	–	–	–	–
III.	1. DISEASES OF NERVOUS SYSTEM . .	5	6	6	16	13	14	11	9	4	1	1	1	–	–	–
	2. ,, OF ORGANS OF CIRCULATION .	6	9	16	12	7	14	12	11	6	3	1	–	–	–	–
	3. ,, OF RESPIRATORY ORGANS . .	7	15	13	27	28	36	31	26	15	7	3	1	–	–	–
	5. ,, OF DIGESTIVE ORGANS . .	5	5	3	7	3	7	4	4	4	2	2	–	–	–	–
	6. ,, OF URINARY ORGANS . .	2	1	–	1	2	1	–	–	1	–	–	–	–	–	–
	6. , OF ORGANS OF GENERATION .	2	1	1	3	3	1	–	–	1	–	–	–	–	–	–
	7. ,, OF ORGANS OF LOCOMOTION . .	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	8. ,, OF INTEGUMENTARY SYSTEM . .	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
IV.	1. DEV. DIS. OF CHILDREN	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. ,, OF ADULTS .	4	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. ,, OF OLD PEOPLE	–	–	–	–	–	13	8	21	20	18	8	7	–	–	–
	4. DISEASES OF NUTRITION	–	2	1	4	4	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1879.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30	35
V.	1. ACCIDENT OR NEGLIGENCE	58	11	4	4	–	–	1	1	8	1	2	3	3	4
	*														
	3. HOMICIDE	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. SUICIDE	7	–	–	–	–	–	–	–	–	1	–	1	2	–
	5. EXECUTION	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	SUDDEN DEATHS, CAUSE UNASCERTAINED	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	CAUSES NOT SPECIFIED	4	2	–	–	–	–	–	–	–	–	1	–	–	–
I.	ORDER 1.														
	1. Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Scarlatina	15	–	–	1	5	4	2	2	1	–	–	–	–	–
	4. Diphtheria	9	1	–	–	3	1	–	3	1	–	–	–	–	–
	5. Quinsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Croup	10	–	–	–	5	1	1	1	1	1	–	–	–	–
	7. Hooping-cough	89	5	2	21	32	15	5	3	6	–	–	–	–	–
	8. Typhus Fever	12	–	–	–	–	–	1	–	2	1	2	3	–	1
	8. Enteric or Typhoid Fever	8	–	–	–	–	–	3	1	1	1	–	–	–	–
	8. Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Simple Continued Fever	1	–	–	–	–	–	–	–	1	–	–	–	–	–
	9. Erysipelas	4	1	–	1	–	–	–	–	–	–	–	–	–	–
	10. Puerperal Fever (Metria)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. Carbuncle	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	12. Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Dysentery	2	–	–	–	–	–	–	1	–	–	–	–	–	–
	14. Diarrhœa	49	8	9	7	8	3	2	–	3	3	–	–	–	–
	15. Cholera	1	–	1	–	–	–	–	–	–	–	–	–	–	–
	16. Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	17. Remittent Fever	1	–	–	–	1	–	–	–	–	–	–	–	–	–
	18. Rheumatism	6	–	–	–	–	–	–	–	–	2	1	–	–	–
	19. Other *Miasmatic* Diseases	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 2.														
	1. Syphilis	8	5	–	1	1	–	–	–	–	–	–	–	–	–
	2. Stricture of Urethra	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Glanders	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.														
	1. Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Want of Breast Milk	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	3. Purpura and Scurvy	3	–	–	1	–	–	–	–	–	–	–	1	–	–
	4. Alcoholism *a* Del. Tremens	3	–	–	–	–	–	–	–	–	–	–	–	1	1
	4. Alcoholism *b* Intemperance	3	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4.														
	1. Thrush	2	1	–	1	–	–	–	–	–	–	–	–	–	–
	2. Worms, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	ORDER 1.														
	1. Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Dropsy	5	–	–	–	–	–	–	–	1	1	–	–	–	–
	3. Cancer	23	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Cancrum Oris (Noma)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Mortification	3	–	–	–	–	–	–	–	–	–	–	–	–	–

* See page 52, note *.

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1879.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30	35
V.	1. ACCIDENT OR NEGLIGENCE	36	9	9	3	1	1	–	2	–	3	2	–	–	1
	*														
	3. HOMICIDE	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. SUICIDE	5	–	–	–	–	–	–	–	–	–	–	1	1	–
	5. EXECUTION	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	SUDDEN DEATHS, CAUSE UNASCERTAINED	3	1	–	–	–	–	–	–	–	–	–	–	–	–
	CAUSES NOT SPECIFIED	7	3	–	–	–	–	–	–	–	–	–	–	2	–
I.	ORDER 1.														
	1. Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Measles	1	–	–	1	–	–	–	–	–	–	–	–	–	–
	3. Scarlatina	15	–	–	3	1	2	2	2	5	–	–	–	–	–
	4. Diphtheria	10	–	–	1	2	3	2	–	1	–	1	–	–	–
	5. Quinsy	1	–	–	–	1	–	–	–	–	–	–	–	–	–
	6. Croup	8	–	–	–	4	2	2	–	–	–	–	–	–	–
	7. Hooping-cough	99	5	7	20	32	9	13	7	5	–	–	–	1	–
	8. Typhus Fever	7	–	–	–	–	–	–	–	–	–	–	2	1	1
	8. Enteric or Typhoid Fever	10	–	–	–	–	–	–	–	4	1	1	2	–	–
	8. Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Simple Continued Fever	1	–	–	–	1	–	–	–	–	–	–	–	–	–
	9 Erysipelas	3	2	–	–	–	–	–	–	–	–	–	–	1	–
	10. Puerperal Fever (Metria)	5	–	–	–	–	–	–	–	–	–	–	2	1	2
	11. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	12. Influenza	3	–	–	–	–	–	–	–	–	–	–	–	–	–
	13 Dysentery	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	14. Diarrhœa	59	10	8	8	7	7	1	–	2	–	–	–	–	1
	15. Cholera	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	16. Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	17. Remittent Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	18. Rheumatism	4	–	–	–	–	–	1	–	–	–	–	1	–	–
	19. Other *Miasmatic* Diseases	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 2.														
	1. Syphilis	9	5	3	1	–	–	–	–	–	–	–	–	–	–
	2. Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4 Glanders	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.														
	1. Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Want of Breast Milk	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	3. Purpura and Scurvy	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Alcoholism *a* Del. Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Alcoholism *b* Intemperance	6	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4.														
	1. Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Worms, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	ORDER 1.														
	1. Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Dropsy	9	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Cancer	41	–	–	–	–	–	–	–	–	–	1	–	1	1
	4. Cancrum Oris (Noma)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Mortification	1	–	–	–	–	–	–	–	–	–	–	–	–	–

* See page 52, note *

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1879.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
V.	1. ACCIDENT OR NEGLIGENCE	2	–	1	2	2	4	4	–	–	–	1	–	–	–	–
	*															
	3. HOMICIDE	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. SUICIDE	–	2	–	–	–	–	1	–	–	–	–	–	–	–	–
	5. EXECUTION	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	SUDDEN DEATHS, CAUSE UNASCERTAINED	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	CAUSES NOT SPECIFIED	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
I.	ORDER 1.															
	1. Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Quinsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. Hooping-cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Typhus Fever	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
	8. Enteric or Typhoid Fever	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
	8. Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	9. Erysipelas	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	10. Puerperal Fever (Metria)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. Carbuncle	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	12. Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Dysentery	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	14. Diarrhœa	–	–	1	–	–	–	2	–	1	2	–	–	–	–	–
	15. Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	16. Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	17. Remittent Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	18. Rheumatism	–	1	–	–	–	2	–	–	–	–	–	–	–	–	–
	19. Other *Miasmatic* Diseases	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 2.															
	1. Syphilis		–	–	1	–	–	–	–	–	–	–	–	–	–	–
	2. Stricture of Urethra	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	3. Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Glanders	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	ORDER 3.															
	1. Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Purpura and Scurvy	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	4. Alcoholism *a* Del. Tremens	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Alcoholism *b* Intemperance	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–
	ORDER 4.															
	1. Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Worms, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II	ORDER 1.															
	1. Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Dropsy	–	–	–	1	1	–	–	–	1	–	–	–	–	–	–
	3. Cancer	–	3	4	4	2	7	1	–	1	1	–	–	–	–	–
	4. Cancrum Oris (Noma)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Mortification	–	–	–	–	–	–	2	–	–	1	–	–	–	–	–

* See page 52, Note *

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1879.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
V.	1. ACCIDENT OR NEGLIGENCE	–	1	–	3	1	–	–	–	–	–	–	–	–	–	–
	*															
	3. HOMICIDE	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. SUICIDE	–	1	–	1	–	1	–	–	–	–	–	–	–	–	–
	5. EXECUTION	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
SUDDEN DEATHS, CAUSE UNASCERTAINED		–	–	–	–	–	2	–		–	–	–	–	–	–	–
CAUSES NOT SPECIFIED		–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
I.	ORDER 1.															
	1. Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Quinsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. Hooping-cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Typhus Fever	1	–	1	–	–	1	–	–	–	–	–	–	–	–	–
	8. Enteric or Typhoid Fever	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
	8. Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	9. Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	10. Puerperal Fever (Metria)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	12. Influenza	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–
	13. Dysentery	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	14. Diarrhœa	1	2	–	2	2	2	1	2	2	–	1	–	–	–	–
	15. Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	16. Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	17. Remittent Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	18. Rheumatism	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	19 Other *Miasmatic* Diseases	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 2.															
	1. Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Glanders	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.															
	1. Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Purpura and Scurvy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Alcoholism *a* Del. Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Alcoholism *b* Intemperance	–	–	3	1	1	1	–	–	–	–	–	–	–	–	–
	ORDER 4.															
	1. Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Worms, etc.		–	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	ORDER 1.															
	1. Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Dropsy	1	–	–	2	–	2	1	2	1	–	–	–	–	–	–
	3. Cancer	3	5	3	11	2	7	3	4	–	–	–	–	–	–	–
	4. Cancrum Oris (Noma)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Mortification	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–

* See page 52, note *.

CAUSES of DEATH in DUNDEE,* at different Periods of Life, in 1879.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30	35
	ORDER 2.														
	1. Scrofula	16	–	–	3	2	1	2	–	3	3	1	–	–	–
	2. Tabes Mesenterica	17	1	3	2	1	2	1	1	3	3	–	–	–	–
	3. Phthisis	160	–	–	–	1	2	–	1	6	8	23	26	27	13
	4. Hydrocephalus	25	–	4	8	4	5	1	–	2	1	–	–	–	–
III.	ORDER 1.														
	1. Cephalitis	36	–	1	2	5	4	6	2	4	4	–	–	1	2
	2. Apoplexy	40	1	1	1	3	7	3	–	3	–	1	–	–	1
	3. Paralysis	44	–	–	–	–	–	–	–	–	1	–	–	–	–
	4. Insanity	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Epilepsy	7	–	1	–	–	–	–	–	2	1	–	–	–	1
	7. Convulsions	42	13	8	5	8	3	–	1	–	–	–	–	1	–
	8. *Brain Disease, etc.*	18	–	–	–	1	–	–	–	1	2	2	1	–	1
	ORDER 2.														
	1. Pericarditis	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Aneurism	1	–	–	–	–	–	–	–	–	–	–	–	–	1
	3. *Heart Disease, etc.*	72	–	–	–	–	–	–	–	–	–	5	1	1	3
	ORDER 3.														
	1. Laryngitis	5	1	–	1	1	–	–	1	–	–	–	–	–	1
	2. Bronchitis	247	27	25	37	41	15	3	1	7	1	1	1	3	1
	3. Pleurisy	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Pneumonia	94	3	5	9	12	7	5	2	2	–	2	5	3	2
	5. Asthma	7	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. *Lung Disease, etc.*	18	–	1	1	1	1	2	–	2	1	–	–	1	1
	ORDER 4.														
	1. Gastritis	5	3	–	–	–	–	–	1	–	–	–	–	–	–
	2. Enteritis	21	4	1	4	2	–	–	–	3	–	2	1	–	–
	3. Peritonitis	5	–	–	–	–	1	–	–	–	1	–	–	–	1
	4. Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Ulceration of Intestines	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Hernia	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. Ileus	6	–	–	1	–	–	–	–	–	–	1	–	–	–
	8. Intussusception	2	1	–	–	–	–	–	–	–	–	–	–	–	1
	9. Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	10. Fistula	1	–	–	–	–	–	–	–	–	–	–	–	1	–
	11. *Stomach Disease, etc.*	10	3	–	–	1	–	–	–	–	–	–	–	–	1
	12. *Pancreas Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Hepatitis	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	14. Jaundice	2	1	–	–	–	–	–	–	–	1	–	–	–	–
	15. *Liver Disease, etc.*	11	1	–	–	–	–	–	–	–	–	1	–	1	2
	16. *Spleen Disease, etc.*	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 5.														
	1. Nephritis	4	–	–	–	–	1	–	1	2	–	–	–	–	–
	2. Ischuria	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Bright's Disease (Nephria)	12	–	–	–	–	–	1	–	–	2	–	–	1	1
	4. Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Calculus (Stone)	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Cystitis	4	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. *Kidney Disease, etc.*	8	–	–	–	–	–	–	–	–	–	1	1	–	–
	ORDER 6.														
	1. Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. *Uterus Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 7.														
	1. Synovitis (Arthritis)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. *Joint Disease, etc.*	7	–	–	–	–	–	–	–	1	2	2	–	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1879.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30	35
	ORDER 2.														
	1. Scrofula	6	1	–	2	–	1	–	–	–	–	–	–	–	2
	2. Tabes Mesenterica	18	4	–	2	7	–	1	1	1	2	–	–	–	–
	3. Phthisis	258	–	–	1	1	1	1	3	12	15	29	43	41	27
	4. Hydrocephalus	33	–	2	5	3	6	7	2	6	2	–	–	–	–
III.	ORDER 1.														
	1. Cephalitis	14	–	2	4	2	–	–	–	1	–	–	2	1	1
	2. Apoplexy	38	2	–	2	1	–	–	2	2	–	–	–	1	–
	3. Paralysis	46	–	–	–	–	–	–	–	–	–	–	–	1	–
	4. Insanity	1	–	–	–	–	–	–	–	–	–	–	–	1	–
	5. Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Epilepsy	3	–	–	–	–	–	–	–	–	–	1	–	–	–
	7. Convulsions	29	13	3	2	8	1	1	–	–	–	–	–	–	–
	8. *Brain Disease, etc.*	15	–	–	1	–	–	–	–	2	2	–	–	–	–
	ORDER 2.														
	1. Pericarditis	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. *Heart Disease, etc.*	117	–	–	1	–	–	–	–	2	4	1	5	4	4
	ORDER 3.														
	1. Laryngitis	2	–	–	1	–	–	–	–	1	–	–	–	–	–
	2. Bronchitis	291	24	15	27	35	10	9	3	5	4	–	2	4	2
	3. Pleurisy	3	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Pneumonia	87	2	5	6	7	3	2	2	6	1	1	2	3	2
	5. Asthma	4	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. *Lung Disease, etc.*	14	1	1	1	2	1	1	–	1	–	–	–	–	–
	ORDER 4.														
	1. Gastritis	7	–	1	–	–	–	–	–	–	–	–	–	–	1
	2. Enteritis	10	1	3	1	–	–	2	–	–	–	–	–	–	–
	3. Peritonitis	12	–	–	–	1	–	–	–	3	–	–	–	1	1
	4. Ascites	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Ulceration of Intestines	4	–	–	–		–	–	–	–	–	–	1	–	–
	6. Hernia	4	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. Ileus	4	–	–	–	–	–	1	–	–	–	–	–	–	–
	8. Intussusception	1	–	–	–	–	–	–	–	1	–	–	–	–	–
	9. Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	10. Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. *Stomach Disease, etc.*	15	3	1	–	–	–	–	–	1	–	1	–	–	–
	12. *Pancreas Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Hepatitis	3	–	–	–	–	–	–	–	–	–	–	–	–	–
	14. Jaundice	2	1	–	–	–	–	–	–	–	–	–	–	1	–
	15. *Liver Disease, etc.*	10	–	–	–	–	–	–	–	–	–	–	–	1	–
	16. *Spleen Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 5.														
	1. Nephritis	5	–	–	–	–	–	1	–	–	1	–	–	1	2
	2. Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Bright's Disease (Nephria)	6	–	–	–	–	–	–	–	1	–	–	–	1	–
	4. Diabetes	2	–	–	–	–	–	–	–	–	–	1	–	–	–
	5. Calculus (Stone)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. *Kidney Disease, etc.*	4	–	–	–	–	–	–	1	–	–	–	–	–	–
	ORDER 6.														
	1. Ovarian Dropsy	5	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. *Uterus Disease, etc.*	8	–	–	–	–	–	–	–	–	–	–	1	–	–
	ORDER 7.														
	1. Synovitis (Arthritis)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. *Joint Disease, etc.*	3	–	–	–	–	–	–	–	–	1	–	–	–	1

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1879.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
	ORDER 2.															
	1. Scrofula	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	2. Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Phthisis	11	9	12	10	6	3	2	–	–	–	–	–	–	–	–
	4. Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
III.	ORDER 1.															
	1. Cephalitis	2	–	1	1	–	–	1	–	–	–	–	–	–	–	–
	2. Apoplexy	1	1	–	3	3	4	3	3	1	–	–	–	–	–	–
	3. Paralysis	–	4	1	5	4	4	8	7	6	4	–	–	–	–	–
	4. Insanity	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	5. Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Epilepsy	–	–	–	–	1	–	–	1	–	–	–	–	–	–	
	7. Convulsions	–	1	–	–	1	–	–	–	1	–	–	–	–	–	–
	8. *Brain Disease, etc.*	–	–	–	–	2	–	2	3	–	3	–	–	–	–	
	ORDER 2.															
	1. Pericarditis	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	2. Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. *Heart Disease, etc.*	2	7	9	6	7	11	9	6	2	1	2	–	–	–	–
	ORDER 3.															
	1. Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Bronchitis	2	4	5	10	10	16	12	12	7	6	–	–	–	–	–
	3. Pleurisy	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
	4. Pneumonia	4	3	2	6	4	4	6	3	4	1	–	–	–	–	–
	5. Asthma	–	–	1	–	2	–	3	1	–	–	–	–	–	–	–
	6. *Lung Disease, etc.*	2	–	2	–	–	–	1	1	–	–	1	–	–	–	–
	ORDER 4.															
	1. Gastritis	–	–	–	–	–	1	–	–	–	–	–	–	–	–	
	2. Enteritis	–	1	–	–	–	1	–	1	1	–	–	–	–	–	–
	3. Peritonitis	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
	4. Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Ulceration of Intestines	–	–	1	–	1	–	–	–	–	–	–	–	–		–
	6. Hernia	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	7. Ileus	–	–	1	–	1	–	–	2	–	–	–	–	–	–	–
	8. Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	9. Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	10. Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. *Stomach Disease, etc.*	–	1	–	–	2	2	–	–	–	–	–	–	–	–	–
	12. *Pancreas Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Hepatitis	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	14. Jaundice	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	15. *Liver Disease, etc.*	–	–	2	–	1	1	2	–	–	–	–	–	–	–	–
	16. *Spleen Disease, etc.*	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	ORDER 5.															
	1. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Ischuria	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	3. Bright's Disease (Nephria)	1	1	–	2	2	–	–	1	–	–	–	–	–	–	–
	4. Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Calculus (Stone)	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	6. Cystitis	–	–	–	1	–	–	–	1	2	–	–	–	–	–	–
	7. *Kidney Disease, etc.*	1	–	–	1	–	2	–	2	–	–	–	–	–	–	–
	ORDER 6.															
	1. Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. *Uterus Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 7.															
	1. Synovitis (Arthritis)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. *Joint Disease, etc.*	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1879.—FEMALES. (*Continued*).

Class.	CAUSES OF DEATH.	FEMALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
	ORDER 2.															
	1. Scrofula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Phthisis	27	25	10	11	8	1	–	–	2	–	–	–	–	–	–
	4. Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
III.	ORDER 1.															
	1. Cephalitis	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	2. Apoplexy	2	1	1	9	7	2	3	2	–	–	–	1	–	–	–
	3. Paralysis	2	3	4	6	5	10	5	5	3	1	1	–	–	–	–
	4. Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Epilepsy	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	7. Convulsions	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. *Brain Disease, etc.*	–	1	1	–	–	2	3	2	1	–	–	–	–	–	–
	ORDER 2.															
	1. Pericarditis	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	2. Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. *Heart Disease, etc.*	6	9	15	12	7	14	12	11	6	3	1	–	–	–	–
	ORDER 3.															
	1. Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Bronchitis	3	8	8	22	20	25	23	18	15	6	2	1	–	–	–
	3. Pleurisy	–	1	–	–	–	–	2	–	–	–	–	–	–	–	–
	4. Pneumonia	4	6	5	5	7	9	4	5	–	–	–	–	–	–	–
	5. Asthma	–	–	–	–	1	–	1	2	–	–	–	–	–	–	–
	6. *Lung Disease, etc.*	–	–	–	–	–	2	1	1	–	1	1	–	–	–	–
	ORDER 4.															
	1. Gastritis	1	–	1	–	–	2	–	–	1	–	–	–	–	–	–
	2. Enteritis	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–
	3. Peritonitis	3	–	–	1	–	1	–	–	–	1	–	–	–	–	–
	4. Ascites	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Ulceration of Intestines	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–
	6. Hernia	1	–	–	–	–	2	–	–	–	–	1	–	–	–	–
	7. Ileus	–	–	–	–	–	–	2	–	–	–	1	–	–	–	–
	8. Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	9. Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	10. Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. *Stomach Disease, etc.*	–	–	1	2	2	–	1	2	1	–	–	–	–	–	–
	12. *Pancreas Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Hepatitis	–	1	1	–	–	–	–	–	1	–	–	–	–	–	–
	14. Jaundice	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	15. *Liver Disease, etc.*	–	3	–	3	1	–	–	–	1	1	–	–	–	–	–
	16. *Spleen Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 5.															
	1. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Bright's Disease (Nephria)	1	1	–	1	1	–	–	–	–	–	–	–	–	–	–
	4. Diabetes	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	5. Calculus (Stone)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. *Kidney Disease, etc.*	1	–	–	–	–	1	–	–	1	–	–	–	–	–	–
	ORDER 6.															
	1. Ovarian Dropsy	–	1	–	2	1	–	–	–	1	–	–	–	–	–	–
	2. *Uterus Disease, etc.*	2	–	1	1	2	1	–	–	–	–	–	–	–	–	–
	ORDER 7.															
	1. Synovitis (Arthritis)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. *Joint Disease, etc.*	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1879.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30	35
	ORDER 8.														
	1. Phlegmon	3	1	–	–	–	–	–	1	–	–	–	–	1	–
	2. Ulcer	1	–	–	–	–	1	–	–	–	–	–	–	–	–
	3. *Skin Disease, etc.*	3	–	3	–	–	–	–	–	–	–	–	–	–	–
IV.	ORDER 1.														
	1. Premature Birth	47	46	–	1	–	–	–	–	–	–	–	–	–	–
	2. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Spina Bifida	2	1	–	1	–	–	–	–	–	–	–	–	–	–
	4. Other Malformations	7	7	–	–	–	–	–	–	–	–	–	–	–	–
	5. Teething	21	–	1	7	12	1	–	–	–	–	–	–	–	–
	ORDER 2.														
	1. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Childbirth (*see* Puerperal Fever)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.														
	1. Old Age	45	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4.														
	1. Atrophy and Debility	78	60	5	1	2	2	1	–	1	–	–	–	–	–
V.	ORDER 1. (*Accident or Negligence.*)														
	1 Fractures and Contusions	19	–	–	–	–	–	–	1	1	–	1	2	2	4
	2. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Cut, Stab	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Burns and Scalds	4	–	–	–	–	–	1	–	3	–	–	–	–	–
	5. Poison	1	–	–	–	–	–	–	–	–	–	1	–	–	–
	6. Drowning	11	–	–	–	–	–	–	–	4	1	–	1	1	–
	7. Suffocation	18	10	4	4	–	–	–	–	–	–	–	–	–	–
	8. Otherwise	5	1	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3. (*Homicide.*)														
	1. Murder and Manslaughter	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4. (*Suicide.*)														
	1. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cut, Stab	3	–	–	–	–	–	–	–	–	–	–	1	1	–
	3. Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Drowning	3	–	–	–	–	–	–	–	–	–	–	–	1	–
	5. Hanging	1	–	–	–	–	–	–	–	–	1	–	–	–	–
	6. Otherwise and undefined	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 5. (*Execution.*)														
	1. Hanging	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Sudden Deaths (cause unascertained)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Causes not specified or ill-defined	4	2	–	–	–	–	–	–	–	–	1	–	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1879.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30	35
	ORDER 8.														
	1. Phlegmon	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Ulcer	4	–	–	–	1	–	–	–	–	–	–	1	1	–
	3. *Skin Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
IV.	ORDER 1.														
	1. Premature Birth	34	34	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Spina Bifida	2	2	–	–	–	–	–	–	–	–	–	–	–	–
	4. Other Malformations	5	5	–	–	–	–	–	–	–	–	–	–	–	–
	5. Teething	14	–	1	4	8	1	–	–	–	–	–	–	–	–
	ORDER 2.														
	1. Paramenia	2	–	–	–	–	–	–	–	–	–	–	1	1	–
	2. Childbirth (*see* Puerperal Fever)	21	–	–	–	–	–	–	–	–	–	–	8	8	–
	ORDER 3.														
	1. Old Age	95	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4.														
	1. Atrophy and Debility	73	52	5	–	2	1	–	–	2	–	–	–	–	–
V.	ORDER 1. (*Accident or Negligence.*)														
	1. Fractures and Contusions	9	–	–	1	1	–	–	–	–	3	2	–	–	1
	2. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Cut, Stab	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Burns and Scalds	6	–	–	1	–	1	–	2	–	–	–	–	–	–
	5. Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Drowning	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. Suffocation	17	8	8	1	–	–	–	–	–	–	–	–	–	–
	8. Otherwise	3	1	1	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3. (*Homicide.*)														
	1. Murder and Manslaughter	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4. (*Suicide.*)														
	1. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cut, Stab	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Poison	2	–	–	–	–	–	–	–	–	–	–	1	1	–
	4. Drowning	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Hanging	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Otherwise and undefined	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 5. (*Execution.*)														
	1. Hanging	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Sudden Deaths (cause unascertained)	3	1	–	–	–	–	–	–	–	–	–	–	–	–
	Causes not specified or ill-defined	7	3	–	–	–	–	–	–	–	–	–	–	2	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1879.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
	ORDER 8.															
	1. Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. *Skin Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
IV.	ORDER 1.															
	1. Premature Birth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 2.															
	1. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Childbirth (*see* Puerperal Fever)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.															
	1. Old Age	–	–	–	–	–	9	8	5	13	5	4	1	–	–	–
	ORDER 4.															
	1. Atrophy and Debility	–	–	1	1	4	–	–	–	–	–	–	–	–	–	–
V.	ORDER 1. (*Accident or Negligence.*)															
	1. Fractures and Contusions	1	–	–	1	2	3	1	–	–	–	–	–	–	–	–
	2. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Cut, Stab	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Drowning	1	–	–	1	–	1	1	–	–	–	–	–	–	–	–
	7. Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Otherwise	–	–	1	–	–	–	2	–	–	–	1	–	–	–	–
	ORDER 3. (*Homicide.*)															
	1. Murder and Manslaughter	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4. (*Suicide.*)															
	1. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cut, Stab	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	3. Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Drowning	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Hanging	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Otherwise and undefined	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 5. (*Execution.*)															
	1. Hanging	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Sudden Deaths (cause unascertained)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Causes not specified or ill-defined	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1879.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
	ORDER 8.															
	1. Phlegmon	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	2. Ulcer	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	3. *Skin Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
IV.	ORDER 1.															
	1. Premature Birth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 2.															
	1. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Childbirth (*see* Puerperal Fever)	4	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.															
	1. Old Age	–	–	–	–	–	13	8	21	20	18	8	7	–	–	–
	ORDER 4.															
	1. Atrophy and Debility	–	2	1	4	4	–	–	–	–	–	–	–	–	–	–
V.	ORDER 1. (*Accident or Negligence*).															
	1. Fractures and Contusions	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	2. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Cut, Stab	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Burns and Scalds	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–
	5. Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Drowning	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	7. Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Otherwise	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3. (*Homicide.*)															
	1. Murder and Manslaughter	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4. (*Suicide.*)															
	1. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cut, Stab	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	3. Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Drowning	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Hanging	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
	6. Otherwise and undefined	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 5. (*Execution.*)															
	1. Hanging	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Sudden Deaths (cause unascertained)	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–
	Causes not specified or ill-defined	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1879.—MALES.

Class.	CAUSES OF DEATH.	MALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30	35
	All Causes . . .	1038	121	40	76	86	40	17	11	45	30	32	36	32	21
	Specified Causes . .	1030	118	40	76	85	40	17	11	45	30	32	36	32	21
	(CLASSES.)														
I.	ZYMOTIC DISEASES	157	16	11	24	34	8	8	6	10	2	6	4	–	2
II.	CONSTITUTIONAL ,,	176	1	3	8	9	5	2	1	16	11	15	19	19	7
III.	LOCAL ,,	537	38	25	34	34	25	6	4	18	12	9	10	7	10
IV.	DEVELOPMENTAL ,,	110	57	–	8	6	1	–	–	–	1	–	–	–	–
V.	VIOLENT DEATHS .	50	6	1	2	2	1	1	–	1	4	2	3	6	2
	(ORDERS.)														
I.	1. MIASMATIC DISEASES .	139	11	9	23	33	7	7	6	10	2	6	4	–	2
	2. ENTHETIC ,, .	6	2	2	–	1	–	–	–	–	–	–	–	–	–
	3. DIETIC ,, .	8	1	–	1	–	–	–	–	–	–	–	–	–	–
	4. PARASITIC ,, .	4	2	–	–	–	1	1	–	–	–	–	–	–	–
II.	1. DIATHETIC ,, .	25	–	–	–	–	–	–	–	1	–	–	–	1	–
	2. TUBERCULAR ,, .	151	1	3	8	9	5	2	1	15	11	15	19	18	7
	1. DISEASES OF NERVOUS SYSTEM . .	151	15	10	7	7	6	2	2	8	5	2	1	1	3
	2. ,, OF ORGANS OF CIRCULATION .	77	–	2	–	–	1	–	–	–	2	1	2	2	3
	3 ,, OF RESPIRATORY ORGANS . .	205	15	13	23	26	13	4	1	4	2	1	4	2	1
	4 ,, OF DIGESTIVE ORGANS . .	53	7	–	4	1	3	–	–	2	2	2	2	1	2
	5. ,, OF URINARY ORGANS . .	47	1	–	–	–	1	–	1	1	1	3	1	1	1
	6. ,, OF ORGANS OF GENERATION .	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. ,, OF ORGANS OF LOCOMOTION . .	2	–	–	–	–	–	–	–	2	–	–	–	–	–
	8. ,, OF INTEGUMENTARY SYSTEM . .	2	–	–	–	–	1	–	–	1	–	–	–	–	–
IV.	1. DEV. DIS. OF CHILDREN	53	41	–	6	5	1	–	–	–	–	–	–	–	–
	2. ,, OF ADULTS .	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. ,, OF OLD PEOPLE	36	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. DISEASES OF NUTRITION .	21	16	–	2	1	–	–	–	–	1	–	–	–	

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1879.—FEMALES.

Class.	CAUSES OF DEATH.	FEMALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.												
			3	6	12	2	3	4	5	10	15	20	25	30	35
	All Causes . . .	1089	85	45	61	76	24	21	17	35	24	30	37	33	39
	Specified Causes . .	1086	83	45	61	76	24	21	17	35	24	30	36	33	39
	(CLASSES.)														
I.	ZYMOTIC DISEASES	173	15	12	13	34	12	8	5	19	5	3	9	4	4
II.	CONSTITUTIONAL ,,	224	1	7	9	6	3	5	7	8	10	17	14	15	21
III.	LOCAL ,,	522	25	17	35	28	8	6	3	8	9	9	11	11	9
IV.	DEVELOPMENTAL ,,	150	39	7	4	8	1	2	2	-	-	-	2	3	5
V.	VIOLENT DEATHS .	17	3	2	-	-	-	-	-	-	-	1	-	-	-
	(ORDERS.)														
I.	1. MIASMATIC DISEASES .	155	10	9	12	34	12	8	5	18	5	3	9	3	2
	2. ENTHETIC ,, .	8	3	2	1	-	-	-	-	-	-	-	-	1	-
	3. DIETIC ,, .	10	2	1	-	-	-	-	-	1	-	-	-	-	2
	4. PARASITIC ,, .	-	-	-	-	-	-	-	-	-	-	-	-	-	-
II.	1. DIATHETIC ,, .	57	-	-	-	-	-	-	1	-	-	1	-	1	1
	2. TUBERCULAR ,, .	167	1	7	9	6	3	5	6	8	10	16	14	14	20
III.	1. DISEASES OF NERVOUS SYSTEM . .	108	8	4	4	7	5	3	-	6	1	2	1	3	1
	2. ,, OF ORGANS OF CIRCULATION .	85	-	-	-	-	-	-	-	-	3	2	3	2	3
	3. ,, OF RESPIRATORY ORGANS . .	232	13	12	26	19	2	3	3	1	-	-	2	3	3
	4. ,, OF DIGESTIVE ORGANS . .	49	3	1	5	2	-	-	-	-	2	2	2	1	-
	5. ,, OF URINARY ORGANS . .	32	-	-	-	-	1	-	-	-	2	2	3	-	1
	6. ,, OF ORGANS OF GENERATION .	6	-	-	-	-	-	-	-	-	-	1	-	-	-
	7. ,, OF ORGANS OF LOCOMOTION . .	7	1	-	-	-	-	-	-	1	1	-	-	1	1
	8. ,, OF INTEGUMENTARY SYSTEM . .	3	-	-	-	-	-	-	-	-	-	-	-	1	-
IV.	1. DEV. DIS. OF CHILDREN	42	30	3	3	6	-	-	-	-	-	-	-	-	-
	2. ,, OF ADULTS .	15	-	-	-	-	-	-	-	-	-	-	2	3	5
	3. ,, OF OLD PEOPLE	69	-	-	-	-	-	-	-	-	-	-	-	-	-
	DISEASES OF NUTRITION	24	9	4	1	2	1	2	2	-	-	-	-	-	-

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1879.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
	All Causes . . .	30	34	35	36	41	61	53	77	41	29	12	2	–	–	–
	Specified Causes . .	30	33	32	36	41	61	53	77	41	29	12	2	–	–	–
	(CLASSES.)															
I.	ZYMOTIC DISEASES	2	5	–	6	2	1	–	5	2	3	–	–	–	–	–
II.	CONSTITUTIONAL ,,	5	7	8	10	7	7	3	7	3	2	1	–	–	–	–
III.	LOCAL	20	19	18	18	29	48	45	57	29	17	4	1	–	–	–
IV.	DEVELOPMENTAL ,,	–	–	–	1	–	3	3	8	7	7	7	1	–	–	–
V.	VIOLENT DEATHS . .	3	2	6	1	3	2	2	–	–	–	–	–	–	–	–
	(ORDERS.)															
I.	1. MIASMATIC DISEASES .	1	2	–	5	–	1	–	5	2	3	–	–	–	–	–
	2. ENTHETIC ,, .	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. DIETIC ,,	1	2	–	1	2	–	–	–	–	–	–	–	–	–	–
	4. PARASITC ,, .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	1. DIATHETIC ,, .	1	–	2	4	3	2	1	5	2	2	1	–	–	–	–
	2. TUBERCULAR ,, .	4	7	6	6	4	5	2	2	1	–	–	–	–	–	–
III.	1. DISEASES OF NERVOUS SYSTEM . .	5	4	6	4	7	12	10	21	7	4	2	–	–	–	–
	2. ,, OF ORGANS OF CIRCULATION .	6	3	7	3	2	9	13	11	6	3	1	–	–	–	–
	3. ,, OF RESPIRATORY ORGANS . .	5	11	3	5	14	16	14	11	10	6	1	–	–	–	–
	4. ,, OF DIGESTIVE ORGANS . .	2	1	1	3	4	5	4	4	3	–	–	–	–	–	–
	5. ,, OF URINARY ORGANS . .	2	–	1	3	2	6	4	10	3	4	–	1	–	–	–
	6. ,, OF ORGANS OF GENERATION .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. ,, OF ORGANS OF LOCOMOTION . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. ,, OF INTEGUMENTARY SYSTEM . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
IV.	1. DEV. DIS. OF CHILDREN	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. ,, OF ADULTS .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. ,, OF OLD PEOPLE	–	–	–	–	–	3	3	8	7	7	7	1	–	–	–
	4. DISEASES OF NUTRITION	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1879.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES. AGE UNDER														
		40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
	All Causes . . .	57	39	36	39	39	59	48	78	87	40	26	10	4	–	–
	Specified Causes . .	57	39	36	39	39	59	48	78	87	40	26	10	4	–	–
	(CLASSES.)															
I.	ZYMOTIC DISEASES	7	2	2	3	–	3	4	5	3	–	–	1	–	–	–
II.	CONSTITUTIONAL ,,	30	14	13	10	9	5	7	6	5	1	1	–	–	–	–
III.	LOCAL ,,	17	21	17	25	29	47	36	52	60	28	8	1	2	–	–
IV.	DEVELOPMENTAL ,,	3	2	2	1	–	1	1	13	17	11	16	8	2	–	–
V.	VIOLENT DEATHS . .	–	–	2	–	1	3	–	2	2	–	1	–	–	–	–
	(ORDERS.)															
.	1. MIASMATIC DISEASES .	4	2	2	2	–	2	4	5	3	–	–	1	–	–	–
	2. ENTHETIC ,, .	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. DIETIC ,, .	2	–	–	1	–	1	–	–	–	–	–	–	–	–	–
	4. PARASITIC ,, .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	1. DIATHETIC ,, .	5	5	6	8	7	4	5	6	5	1	1	–	–	–	–
	2. TUBERCULAR ,, .	25	9	7	2	2	1	2	–	–	–	–	–	–	–	–
III	1. DISEASES OF NERVOUS SYSTEM . .	2	2	4	5	6	9	5	9	14	4	2	1	–	–	–
	2. ,, OF ORGANS OF CIRCULATION .	3	3	1	7	6	16	8	11	7	7	3	–	–	–	–
	3. ,, OF RESPIRATORY ORGANS . .	1	7	8	7	14	11	20	26	31	15	3	–	2	–	–
	4. ,, OF DIGESTIVE ORGANS . .	4	4	1	4	3	3	2	3	6	1	–	–	–	–	–
	5. ,, OF URINARY ORGANS . .	5	4	2	2	–	4	1	2	2	1	–	–	–	–	–
	6. ,, OF ORGANS OF GENERATION .	1	–	1	–	–	3	–	–	–	–	–	–	–	–	–
	7. ,, OF ORGANS OF LOCOMOTION . .	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. ,, OF INTEGUMENTARY SYSTEM . .	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
IV.	1. DEV. DIS. OF CHILDREN	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. ,, OF ADULTS	2	2	1	–	–	–	–	–	–	–	–	–	–	–	–
	3. ,, OF OLD PEOPLE	–	–	–	–	–	1	1	13	17	11	16	8	2	–	–
	4. DISEASES OF NUTRITION	1	–	1		–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1879.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30	35
V.	1. ACCIDENT OR NEGLIGENCE	48	6	1	2	2	1	1	–	1	4	2	2	6	2
	*														
	3. HOMICIDE	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. SUICIDE	2	–	–	–	–	–	–	–	–	–	–	1	–	–
	5. EXECUTION	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	SUDDEN DEATHS, CAUSE UNASCERTAINED	3	2	–	–	–	–	–	–	–	–	–	–	–	–
	CAUSES NOT SPECIFIED	5	1	–	–	1	–	–	–	–	–	–	–	–	–
I.	ORDER 1.														
	1. Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Measles	28	–	–	8	11	4	2	–	1	1	–	1	–	–
	3. Scarlatina	15	–	1	2	3	–	1	2	4	–	1	1	–	–
	4. Diphtheria	14	–	–	2	3	1	1	2	2	1	–	–	–	–
	5. Quinsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Croup	8	–	2	1	3	–	2	–	–	–	–	–	–	–
	7. Hooping-cough	26	4	2	4	12	2	–	1	1	–	–	–	–	–
	8. Typhus Fever	1	–	–	–	–	–	–	–	–	–	–	–	–	1
	8. Enteric or Typhoid Fever	11	–	–	–	–	–	1	1	1	–	4	1	–	–
	8. Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	9. Erysipelas	5	2	–	–	–	–	–	–	–	–	–	–	–	–
	10. Puerperal Fever (Metria)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. Carbuncle	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	12. Influenza	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Dysentery	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	14. Diarrhœa	18	5	4	5	1	–	–	–	–	–	–	–	–	–
	15. Cholera	2	–	–	1	–	–	–	–	–	–	–	–	–	–
	16. Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	17. Remittent Fever	1	–	–	–	–	–	–	–	1	–	–	–	–	–
	18. Rheumatism	6	–	–	–	–	–	–	–	–	–	1	1	–	1
	19. Other *Miasmatic* Diseases	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 2.														
	1. Syphilis	6	2	2	–	1	–	–	–	–	–	–	–	–	–
	2. Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Glanders	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.														
	1. Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Want of Breast Milk	2	1	–	1	–	–	–	–	–	–	–	–	–	–
	3. Purpura and Scurvy	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Alcoholism *a* Del. Tremens	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Alcoholism *b* Intemperance	5	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4.														
	1. Thrush	4	2	–	–	–	1	1	–	–	–	–	–	–	–
	2. Worms, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	ORDER 1.														
	1. Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Dropsy	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Cancer	19	–	–	–	–	–	–	–	–	–	–	–	1	–
	4. Cancrum Oris (Noma)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Mortification	5	–	–	–	–	–	–	–	1	–	–	–	–	–

* See page 52, note *.

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1879.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30	35
V.	1. ACCIDENT OR NEGLIGENCE	16	3	2	–	–	–	–	–	–	–	1	–	–	–
	*														
	3. HOMICIDE	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. SUICIDE	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. EXECUTION	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	SUDDEN DEATHS, CAUSE UNASCERTAINED	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	CAUSES NOT SPECIFIED	2	1	–	–	–	–	–	–	–	–	–	1	–	–
I.	ORDER 1.														
	1. Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Measles	20	2	2	3	8	2	2	1	–	–	–	–	–	–
	3. Scarlatina	8	1	–	–	–	1	–	1	4	–	–	–	1	–
	4. Diphtheria	23	1	1	–	5	1	1	2	6	2	1	1	–	–
	5. Quinsy	1	–	–	–	1	–	–	–	–	–	–	–	–	–
	6. Croup	8	–	–	2	2	2	–	–	2	–	–	–	–	–
	7. Hooping-cough	32	2	–	5	14	3	5	1	2	–	–	–	–	–
	8. Typhus Fever	4	–	–	–	–	–	–	–	1	1	1	–	–	1
	8. Enteric or Typhoid Fever	13	–	–	–	–	1	–	–	2	1	–	3	–	1
	8. Relapsing Fever	1	–	–	–	–		–	–	–	–	–	–	–	–
	8. Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	9. Erysipelas	4	–	–	–	–	–	–	–	–	–	1	–	1	–
	10. Puerperal Fever (Metria)	6	–	–	–	–	–	–	–	–	–	–	4	1	–
	11. Carbuncle	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	12. Influenza	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Dysentery	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	14. Diarrhœa	25	4	6	2	4	1	–		–	1	–	–	–	–
	15. Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	16. Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	17. Remittent Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	18. Rheumatism	6	–	–	–	–	–	–	–	1	–	–	1	–	–
	19. Other *Miasmatic* Diseases	1	–	–	–	–	1	–	–	–	–	–	–	–	–
	ORDER 2.														
	1. Syphilis	8	3	2	1	–	–	–	–	–	–	–	–	1	–
	2. Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Glanders	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.														
	1. Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Want of Breast Milk	3	2	1	–	–	–	–	–	–	–	–	–	–	–
	3. Purpura and Scurvy	2	–	–	–	–	–	–	–	1	–	–	–	–	–
	4. Alcoholism *a* Del. Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Alcoholism *b* Intemperance	5	–	–	–	–	–	–	–	–	–	–	–	–	2
	ORDER 4.														
	1. Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Worms, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	ORDER 1.														
	1. Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Dropsy	7	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Cancer	48	–	–	–	–	–	–	–	–	–	1	–	1	1
	4. Cancrum Oris (Noma)	1	–	–	–	–	–	–	1	–	–	–	–	–	–
	5. Mortification	1	–	–	–	–	–	–	–	–	–	–	–	–	–

* See page 25, note *.

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1879.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
V.	1. ACCIDENT OF NEGLIGENCE	3	2	6	1	3	1	2	–	–	–	–	–	–	–	–
	*															
	3. HOMICIDE	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. SUICIDE	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	5. EXECUTION	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	SUDDEN DEATHS, CAUSE UNASCERTAINED	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	CAUSES NOT SPECIFIED	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–
I.	ORDER 1.															
	1. Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Diphtheria	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–
	5. Quinsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. Hooping-cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Typhus Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Enteric or Typhoid Fever	1	–	–	1	–	1	–	–	–	–	–	–	–	–	–
	8. Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	9. Erysipelas	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–
	10. Puerperal Fever (Metria)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. Carbuncle	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	12. Influenza	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	13. Dysentery	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
	14. Diarrhœa	–	–	–	1	–	–	–	2	–	–	–	–	–	–	–
	15. Cholera	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	16. Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	17. Remittent Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	18. Rheumatism	–	1	–	–	–	–	–	2	–	–	–	–	–	–	–
	19 Other *Miasmatic* Diseases	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 2.															
	1. Syphilis	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Glanders	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.															
	1. Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Purpura and Scurvy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Alcoholism *a* Del. Tremens	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	4. Alcoholism *b* Intemperance	1	2	–	1	1	–	–	–	–	–	–	–	–	–	–
	ORDER 4.															
	1. Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Worms, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	ORDER 1.															
	1. Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Dropsy	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	3. Cancer	1	–	2	4	3	2	1	3	1	1	–	–	–	–	–
	4. Cancrum Oris (Noma)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Mortification	–	–	–	–	–	–	–	2	–	1	1	–	–	–	–

* See page 52, note *.

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1879.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
V.	1. ACCIDENT OR NEGLIGENCE	–	–	2	–	1	2	–	2	2	–	1	–	–	–	–
	*															
	3. HOMICIDE	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. SUICIDE	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	5. EXECUTION	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	SUDDEN DEATHS, CAUSE UNASCERTAINED	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	CAUSES NOT SPECIFIED	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
I.	ORDER 1.															
	1. Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Diphtheria	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
	5. Quinsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. Hooping-cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Typhus Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Enteric or Typhoid Fever	2	–	–	–	–	1	1	1	–	–	–	–	–	–	–
	8. Relapsing Fever	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	9. Erysipelas	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–
	10. Puerperal Fever (Metria)	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. Carbuncle	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	12. Influenza	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	13. Dysentery	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	14. Diarrhœa	1	–	–	–	–	–	2	–	3	–	–	1	–	–	–
	15. Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	16. Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	17. Remittent Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	18. Rheumatism	–	–	1	–	–	1	–	2	–	–	–	–	–	–	–
	19. Other *Miasmatic* Diseases	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 2.															
	1. Syphilis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Glanders	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.															
	1. Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Purpura and Scurvy	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	4. Alcoholism *a* Del. Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Alcoholism *b* Intemperance	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4.															
	1. Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Worms, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	ORDER 1.															
	1. Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Dropsy	–	–	1	1	–	–	2	3	–	–	–	–	–	–	–
	3. Cancer	5	5	5	7	7	3	3	3	5	1	1	–	–	–	–
	4. Cancrum Oris (Noma)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Mortification	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–

* See page 52, note *.

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1879.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30	35
	ORDER 2.														
	1. Scrofula	9	–	1	–	–	–	–	1	3	2	1	–	–	–
	2. Tabes Mesenterica	8	–	–	–	2	1	1	–	1	1	–	1	–	–
	3. Phthisis	104	–	–	1	2	1	–	–	3	7	14	17	17	7
	4. Hydrocephalus	30	1	2	7	5	3	1	–	8	1	–	1	1	–
III.	ORDER 1.														
	1. Cephalitis	19	–	–	2	4	3	1	1	4	3	–	–	–	–
	2. Apoplexy	27	–	–	–	–	–	–	–	–	–	–	–	–	1
	3. Paralysis	36	–	–	–	–	–	–	–	1	–	–	1	–	–
	4. Insanity	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Epilepsy	6	–	–	–	–	–	–	–	1	–	1	–	1	1
	7. Convulsions	34	15	10	5	2	2	–	–	–	–	–	–	–	–
	8. *Brain Disease, etc.*	28	–	–	–	1	1	1	1	2	2	1	–	–	1
	ORDER 2.														
	1. Pericarditis	4	–	–	–	–	1	–	–	–	1	–	–	–	–
	2. Aneurism	4	–	–	–	–	–	–	–	–	–	–	–	–	1
	3. *Heart Disease, etc.*	69	–	2	–	–	–	–	–	–	1	1	2	2	2
	ORDER 3.														
	1. Laryngitis	3	–	–	1	2	–	–	–	–	–	–	–	–	–
	2. Bronchitis	147	14	12	15	17	11	4	1	2	2	–	1	–	–
	3. Pleurisy	5	–	–	–	–	–	–	–	–	–	–	1	1	–
	4. Pneumonia	37	–	1	7	5	2	–	–	2	–	1	1	1	–
	5. Asthma	3	–	–	–	–	–	–	–	–	–	–	–	–	1
	6. *Lung Disease, etc.*	10	1	–	–	2	–	–	–	–	–	–	1	–	–
	ORDER 4.														
	1. Gastritis	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Enteritis	9	1	–	–	1	1	–	–	–	–	1	–	–	–
	3. Peritonitis	8	1	–	1	–	1	–	–	–	1	1	–	–	–
	4. Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Ulceration of Intestines	3	–	–	–	–	–	–	–	1	–	–	–	–	–
	6. Hernia	2	–	–	–	–	–	–	–	–	–	–	–	–	1
	7. Ileus	4	1	–	–	–	–	–	–	–	–	–	1	1	–
	8. Intussusception	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	9. Stricture of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	10. Fistula	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. *Stomach Disease, etc.*	13	3	–	2	–	–	–	–	1	1	–	–	–	–
	12. *Pancreas Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	14. Jaundice	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	15. *Liver Disease, etc.*	8	–	–	1	–	–	–	–	–	–	–	1	–	1
	16. *Spleen Disease, etc.*	1	–	–	–	–	1	–	–	–	–	–	–	–	–
	ORDER 5.														
	1. Nephritis	4	1	–	–	–	–	–	1	–	–	–	–	–	–
	2. Ischuria	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Bright's Disease (Nephria)	9	–	–	–	–	–	–	–	–	–	2	–	–	–
	4. Diabetes	4	–	–	–	–	–	–	–	–	–	1	–	1	–
	5. Calculus (Stone)	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Cystitis	10	–	–	–	–	–	–	–	–	–	–	1	–	–
	7. *Kidney Disease, etc.*	17	–	–	–	–	1	–	–	1	1	–	–	–	1
	ORDER 6.														
	1. Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. *Uterus Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 7.														
	1. Synovitis (Arthritis)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. *Joint Disease, etc.*	2	–	–	–	–	–	–	–	2	–	–	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1879.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30	35
	ORDER 2.														
	1. Scrofula	7	–	–	–	1	1	–	1	–	2	2	–	–	–
	2. Tabes Mesenterica	8	–	1	–	–	–	3	1	–	1	1	–	–	1
	3. Phthisis	117	–	–	–	–	–	–	–	3	6	13	14	14	19
	4. Hydrocephalus	35	1	6	9	5	2	2	4	5	1	–	–	–	–
III.	ORDER 1.														
	1. Cephalitis	19	1	3	2	2	2	1	–	3	–	1	–	–	–
	2. Apoplexy	26	–	–	1	–	–	1	–	–	–	–	–	1	–
	3. Paralysis	22	–	–	–	–	–	–	–	–	–	–	1	–	–
	4. Insanity	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Epilepsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. Convulsions	17	7	1	–	4	3	1	–	–	–	–	–	–	–
	8. *Brain Disease, etc.*	22	–	–	1	1	–	–	–	3	1	1	–	2	1
	ORDER 2.														
	1. Pericarditis	3	–	–	–	–	–	–	–	–	1	–	–	–	–
	2. Aneurism	4	–	–	–	–	–	–	–	–	–	–	1	–	–
	3. *Heart Disease, etc.*	78	–	–	–	–	–	–	–	–	2	2	2	2	3
	ORDER 3.														
	1. Laryngitis	2	–	–	–	1	1	–	–	–	–	–	–	–	–
	2. Bronchitis	176	8	9	22	11	–	3	2	1	–	–	–	–	2
	3. Pleurisy	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Pneumonia	38	3	2	4	7	1	–	1	–	–	–	2	3	1
	5. Asthma	6	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. *Lung Disease, etc.*	10	2	1	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4.														
	1. Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Enteritis	6	–	1	2	–	–	–	–	–	–	–	–	–	–
	3. Peritonitis	12	2	–	1	1	–	–	–	–	1	1	–	1	–
	4. Ascites	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Ulceration of Intestines	4	–	–	–	–	–	–	–	–	1	–	1	–	–
	6. Hernia	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. Ileus	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Intussusception	1	–	–	1	–	–	–	–	–	–	–	–	–	–
	9. Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	10. Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. *Stomach Disease, etc.*	9	–	–	1	–	–	–	–	–	–	–	1	–	–
	12. *Pancreas Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Hepatitis	2	–	–	–	–	–	–	–	–	–	1	–	–	–
	14. Jaundice	2	1	–	–	–	–	–	–	–	–	–	–	–	–
	15. *Liver Disease, etc.*	7	–	–	–	–	–	–	–	–	–	–	–	–	–
	16. *Spleen Disease, etc.*	2	–	–	–	1	–	–	–	–	–	–	–	–	–
	ORDER 5.														
	1. Nephritis	4	–	–	–	–	1	–	–	–	–	1	–	–	–
	2. Ischuria	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Bright's Disease (Nephria)	8	–	–	–	–	–	–	–	–	1	–	3	–	–
	4. Diabetes	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Calculus (Stone)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Cystitis	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. *Kidney Disease, etc.*	16	–	–	–	–	–	–	–	–	1	1	–	–	1
	ORDER 6.														
	1. Ovarian Dropsy	4	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. *Uterus Disease, etc.*	2	–	–	–	–	–	–	–	–	–	1	–	–	–
	ORDER 7.														
	1. Synovitis (Arthritis)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. *Joint Disease, etc.*	7	1	–	–	–	–	–	–	1	1	–	–	1	1

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1879.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
	ORDER 2.															
	1. Scrofula	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	2. Tabes Mesenterica	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	3. Phthisis	4	7	6	6	4	4	2	1	1	–	–	–	–	–	–
	4. Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
III.	ORDER 1.															
	1. Cephalitis	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	2. Apoplexy	2	3	1	1	2	3	2	8	2	1	1	–	–	–	–
	3. Paralysis	1	–	3	3	3	6	5	8	2	2	1	–	–	–	–
	4. Insanity	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	5. Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Epilepsy	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–
	7. Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. *Brain Disease, etc.*	2	1	1	–	2	3	2	4	3	–	–	–	–	–	–
	ORDER 2.															
	1. Pericarditis	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
	2. Aneurism	–	2	–	–	–	–	–	1	–	–	–	–	–	–	–
	3. *Heart Disease, etc.*	6	1	6	3	2	9	12	10	6	3	1	–	–	–	–
	ORDER 3.															
	1. Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Bronchitis	1	6	2	2	10	15	10	9	7	5	1	–	–	–	–
	3. Pleurisy	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	4. Pneumonia	2	4	1	2	3	1	2	1	–	1	–	–	–	–	–
	5. Asthma	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
	6. *Lung Disease, etc.*	–	–	–	–	1	–	1	1	3	–	–	–	–	–	–
	ORDER 4.															
	1. Gastritis	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	2. Enteritis	–	–	–	2	2	–	1	–	–	–	–	–	–	–	–
	3. Peritonitis	–	–	–	–	1	–	–	1	1	–	–	–	–	–	–
	4. Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Ulceration of Intestines	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
	6. Hernia	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	7. Ileus	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	8. Intussusception	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	9. Stricture of Intestines	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	10. Fistula	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	11. *Stomach Disease, etc.*	1	1	–	1	–	1	2	–	–	–	–	–	–	–	–
	12. *Pancreas Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	14 Jaundice	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	15. *Liver Disease, etc.*	1	–	1	–	–	1	1	1	–	–	–	–	–	–	–
	16. *Spleen Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 5.															
	1. Nephritis	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	2. Ischuria	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	3. Bright's Disease (Nephria)	–	–	–	1	1	–	2	2	–	–	–	–	–	–	–
	4. Diabetes	1	–	–	–	–	1	1	–	–	–	–	–	–	–	–
	5. Calculus (Stone)	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–
	6. Cystitis	–	–	–	1	–	1	–	3	–	3	–	1	–	–	–
	7. *Kidney Disease, etc.*	–	–	1	1	1	4	1	1	3	1	–	–	–	–	–
	ORDER 6.															
	1. Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. *Uterus Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 7.															
	1. Synovitis (Arthritis)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. *Joint Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1879.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
	ORDER 2.															
	1. Scrofula	–	–	–	–	–	–	–	–	–	–	–		–	–	–
	2. Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Phthisis	25	9	7	2	2	1	2	–	–	–	–	–	–	–	–
	4. Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
III.	ORDER 1.															
	1. Cephalitis	1	–	2	1	–	–	–	–	–	–	–	–	–	–	–
	2. Apoplexy	–	–	1	1	–	6	1	3	7	1	2	1	–	–	–
	3. Paralysis	1	–	–	2	4	2	2	4	3	3	–	–	–	–	–
	4. Insanity	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
	5. Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Epilepsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. Convulsions	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	8. *Brain Disease, etc.*	–	1	1	1	2	1	2	1	3	–	–	–	–	–	–
	ORDER 2.															
	1. Pericarditis	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	2. Aneurism	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–
	3. *Heart Disease, etc.*	2	2	1	6	5	16	8	11	6	7	3	–	–	–	–
	ORDER 3.															
	1. Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Bronchitis	–	6	6	5	10	6	17	23	28	13	2	–	2	–	–
	3. Pleurisy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Pneumonia	1	1	–	2	1	4	1	2	1	–	1	–	–	–	–
	5. Asthma	–	–	1	–	3	1	1	–		–	–	–	–	–	–
	6. *Lung Disease, etc.*	–	–	1	–	–	–	1	1	2	2		–		–	–
	ORDER 4.															
	1. Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Enteritis	2	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	3. Peritonitis	1	2	–	–	1	1	–	–	–	–	–	–	–	–	–
	4. Ascites	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	5. Ulceration of Intestines	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
	6. Hernia	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	7. Ileus	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–
	8. Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	9. Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	10. Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. *Stomach Disease, etc.*	–	–	1	1	–	1	1	–	3	–	–	–	–	–	–
	12. *Pancreas Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Hepatitis	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	14. Jaundice	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	15. *Liver Disease, etc.*	–	2	–	1	2	–	1	1	–	–	–	–	–	–	–
	16. *Spleen Disease, etc.*	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	ORDER 5.															
	1. Nephritis	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–
	2. Ischuria	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–
	3. Bright's Disease (Nephria)	1	1	–	–	–	2	–	–	–	–	–	–	–	–	–
	4. Diabetes	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Calculus (Stone)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Cystitis	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	7. *Kidney Disease, etc.*	4	2	–	2	–	1	1	1	1	1	–	–	–	–	–
	ORDER 6.															
	1. Ovarian Dropsy	–	–	1	–	–	3	–	–	–	–	–	–	–	–	–
	2. *Uterus Disease, etc.*	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 7.															
	1. Synovitis (Arthritis)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. *Joint Disease, etc.*	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1879.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES. ALL AGES	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30	35
	ORDER 8.														
	1. Phlegmon	2	–	–	–	–	1	–	–	1	–	–	–	–	–
	2. Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. *Skin Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
IV.	ORDER 1.														
	1. Premature Birth	34	34	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cyanosis	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	3. Spina Bifida	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	4. Other Malformations	5	5	–	–	–	–	–	–	–	–	–	–	–	–
	5. Teething	12	–	–	6	5	1	–	–	–	–	–	–	–	–
	ORDER 2.														
	1. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Childbirth (*see* Puerperal Fever)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.														
	1. Old Age	36	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4.														
	1. Atrophy and Debility	21	16	–	2	1	–	–	–	–	1	–	–	–	–
V.	ORDER 1. (*Accident or Negligence.*)														
	1. Fractures and Contusions	12	1	–	–	1	–	–	–	–	1	1	1	1	–
	2. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Cut, Stab	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Burns and Scalds	2	–	–	1	–	1	–	–	–	–	–	–	–	–
	5. Poison	3	1	–	1	–	–	–	–	–	–	–	–	–	1
	6. Drowning	15	–	–	–	–	–	1	–	1	–	1	–	4	–
	7. Suffocation	9	3	1	–	1	–	–	–	–	2	–	–	–	1
	8. Otherwise	7	1	–	–	–	–	–	–	–	1	–	1	1	–
	ORDER 3. (*Homicide.*)														
	1. Murder and Manslaughter	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4. (*Suicide.*)														
	1. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cut, stab	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Poison	1	–	–	–	–	–	–	–	–	–	–	1	–	–
	4. Drowning	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Hanging	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Otherwise and undefined	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 5. (*Execution.*)														
	1. Hanging	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Sudden Deaths (cause unascertained)	3	2	–	–	–	–	–	–	–	–	–	–	–	–
	Causes not specified or ill-defined	5	1	–	–	1	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1879.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30	35
	ORDER 8.														
	1. Phlegmon	3	–	–	–	–	–	–	–	–	–	–	–	1	–
	2. Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. *Skin Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
IV.	ORDER 1.														
	1. Premature Birth	23	23	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cyanosis	3	3	–	–	–	–	–	–	–	–	–	–	–	–
	3. Spina Bifida	3	2	1	–	–	–	–	–	–	–	–	–	–	–
	4. Other Malformations	4	2	1	–	1	–	–	–	–	–	–	–	–	–
	5. Teething	9	–	1	3	5	–	–	–	–	–	–	–	–	–
	ORDER 2.														
	1. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Childbirth (*see* Puerperal Fever)	15	–	–	–	–	–	–	–	–	–	–	2	3	5
	ORDER 3.														
	1. Old Age	69	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4.														
	1. Atrophy and Debility	24	9	4	1	2	1	2	2	–	–	–	–	–	–
V.	ORDER 1. (*Accident or Negligence.*)														
	1. Fractures and Contusions	7	–	–	–	–	–	–	–	–	–	1	–	–	–
	2. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Cut, Stab	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Drowning	2	1	–	–	–	–	–	–	–	–	–	–	–	–
	7. Suffocation	6	2	2	–	–	–	–	–	–	–	–	–	–	–
	8. Otherwise	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3. (*Homicide.*)														
	1. Murder and Manslaughter	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4. (*Suicide.*)														
	1. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cut, stab	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Drowning	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Hanging	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Otherwise and undefined	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 5. (*Execution.*)														
	1. Hanging	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Sudden Deaths (cause unascertained)	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	Causes not specified or ill-defined	2	1	–	–	–	–	–	–	–	–	–	1	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1879.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
	ORDER 8.															
	1. Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. *Skin Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
IV.	ORDER 1.															
	1. Premature Birth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 2.															
	1. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Childbirth (*see* Puerperal Fever)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.															
	1. Old Age	–	–	–	–	–	3	3	8	7	7	7	1	–	–	–
	ORDER 4.															
	1. Atrophy and Debility	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
V.	ORDER 1. (*Accident or Negligence.*)															
	1. Fractures and Contusions	1	–	1	–	2	–	2	–	–	–	–	–	–	–	–
	2. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Cut, Stab	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Drowning	2	1	3	–	1	1	–	–	–	–	–	–	–	–	–
	7. Suffocation	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	8. Otherwise	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3. (*Homicide.*)															
	1. Murder and Manslaughter	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4. (*Suicide.*)															
	1. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cut, Stab	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Drowning	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	5. Hanging	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Otherwise and undefined	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 5. (*Execution.*)															
	1. Hanging	–	–	–	–	–	–	–		–	–	–	–	–	–	–
	Sudden Deaths (cause unascertained)	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	Causes not specified or ill-defined	–	1	2	–	–	–	–	–	–	–	–	–	–		–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1879.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
	ORDER 8.															
	1. Phlegmon	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
	2. Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. *Skin Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
IV.	ORDER 1.															
	1. Premature Birth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 2.															
	1. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Childbirth (*see* Puerperal Fever)	2	2	1	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.															
	1. Old Age	–	–	–	–	–	1	1	13	17	11	16	8	2	–	–
	ORDER 4.															
	1. Atrophy and Debility	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–
V.	ORDER 1. (*Accident or Negligence.*)															
	1. Fractures and Contusions	–	–	–	–	1	1	–	2	1	–	1	–	–	–	–
	2. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Cut, Stab	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Drowning	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	7. Suffocation	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–
	8. Otherwise	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	ORDER 3. (*Homicide.*)															
	1. Murder and Manslaughter	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4. (*Suicide.*)															
	1. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cut, Stab	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	3. Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Drowning	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Hanging	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Otherwise and undefined	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 5. (*Execution.*)															
	1. Hanging	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Sudden Deaths (cause unascertained)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Causes not specified or ill-defined	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1879.—MALES.

Class.	CAUSES OF DEATH.	MALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30	35
	All Causes . . .	848	67	39	65	101	38	31	18	37	24	25	36	25	33
	Specified Causes . .	835	61	38	65	100	36	31	18	37	24	25	35	25	33
	(CLASSES.)														
I.	ZYMOTIC DISEASES	115	5	6	20	24	8	11	5	5	–	2	2	2	2
II.	CONSTITUTIONAL ,,	180	4	3	6	15	8	8	6	9	11	14	21	10	18
III.	LOCAL ,,	405	16	23	33	42	18	11	6	19	10	5	6	9	8
IV.	DEVELOPMENTAL ,,	95	36	6	6	17	2	1	1	1	–	–	–	–	–
V.	VIOLENT DEATHS . .	40	–	–	–	2	–	–	–	3	3	4	6	4	5
	(ORDERS.)														
I.	1. MIASMATIC DISEASES .	99	1	5	19	23	8	11	5	5	–	2	1	2	1
	2. ENTHETIC ,, .	8	4	1	1	1	–	–	–	–	–	–	–	–	–
	3. DIETIC ,, .	7	–	–	–	–	–	–	–	–	–	–	–	–	1
	4. PARASITIC ,, .	1	–	–	–	–	–	–	–	–	–	–	1	–	–
II.	1. DIATHETIC ,, .	18	–	–	–	–	–	1	–	–	–	–	–	–	2
	2. TUBERCULAR ,, .	162	4	3	6	15	8	7	6	9	11	14	21	10	16
III.	1. DISEASES OF NERVOUS SYSTEM . .	103	5	4	5	12	5	3	2	6	5	2	1	–	–
	2. ,, OF ORGANS OF CIRCULATION .	46	–	–	–	–	–	–	–	–	2	–	–	–	2
	3. ,, OF RESPIRATORY ORGANS . .	186	4	13	28	28	12	7	3	10	1	2	1	3	2
	4. ,, OF DIGESTIVE ORGANS . .	47	6	6	–	1	1	–	1	1	1	1	3	2	3
	5. ,, OF URINARY ORGANS . .	15	–	–	–	1	–	–	–	–	–	–	1	1	1
	6. ,, OF ORGANS OF GENERATION .	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. ,, OF ORGANS OF LOCOMOTION . .	6	–	–	–	–	–	1	–	2	1	–	–	2	–
	8. ,, OF INTEGUMENTARY SYSTEM . .	2	1	–	–	–	–	–	–	–	–	–	–	1	–
IV.	1. DEV DIS. OF CHILDREN	36	21	–	5	10	–	–	–	–	–	–	–	–	–
	2. ,, OF ADULTS .	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. ,, OF OLD PEOPLE	24	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. DISEASE OF NUTRITION	35	15	6	1	7	2	1	1	–	–	–	–	–	–

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1879.—FEMALES.

Class.	CAUSES OF DEATH.	FEMALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.												
			3	6	12	2	3	4	5	10	15	20	25	30	35
	All Causes . . .	749	57	25	55	79	46	25	21	29	29	24	27	23	28
	Specified Causes . .	748	57	25	54	79	46	25	21	29	29	24	27	23	28
	(CLASSES.)														
I.	ZYMOTIC DISEASES	118	7	6	7	21	22	10	5	6	1	3	1	6	4
II.	CONSTITUTIONAL ,,	174	1	4	14	12	5	3	5	7	18	15	18	7	14
III.	LOCAL ,,	342	13	10	25	37	16	8	8	13	10	6	6	10	8
IV.	DEVELOPMENTAL ,,	101	34	5	8	9	3	3	3	–	–	–	2	–	1
V.	VIOLENT DEATHS . .	13	2	–	–	–	–	1	–	3	–	–	–	–	1
	(ORDERS.)														
I.	1. MIASMATIC DISEASES .	110	4	6	7	21	22	9	5	6	1	3	1	5	4
	2. ENTHETIC ,, .	4	3	–	–	–	–	1	–	–	–	–	–	–	–
	3. DIETIC ,, .	4	–	–	–	–	–	–	–	–	–	–	–	1	–
	4. PARASITIC ,, .	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	1. DIATHETIC ,, .	19	–	–	–	–	–	1	–	–	–	–	–	–	2
	2. TUBERCULAR ,, .	155	1	4	14	12	5	2	5	7	18	15	18	7	12
III.	1. DISEASES OF NERVOUS SYSTEM . .	83	2	1	6	10	6	–	2	6	3	1	–	1	2
	2. ,, OF ORGANS OF CIRCULATION .	50	1	–	–	–	–	1	–	1	2	2	2	3	3
	3. ,, OF RESPIRATORY ORGANS . .	148	8	8	17	27	9	6	5	3	2	1	2	4	–
	4. ,, OF DIGESTIVE ORGANS . .	40	2	–	1	–	1	1	1	2	–	1	1	1	1
	5. ,, OF URINARY ORGANS . .	10	–	–	–	–	–	–	–	–	2	1	–	–	1
	6. ,, OF ORGANS OF GENERATION .	3	–	–	–	–	–	–	–	–	–	–	–	–	1
	7. ,, OF ORGANS OF LOCOMOTION . .	3	–	–	–	–	–	–	–	1	1	–	1	–	–
	8. ,, OF INTEGUMENTARY SYSTEM . .	5	–	1	1	–	–	–	–	–	–	–	–	1	–
IV.	1. DEV. DIS. OF CHILDREN	32	19	–	5	6	2	–	–	–	–	–	–	.	–
	2. ,, OF ADULTS	5	–	–	–	–	–	–	–	–	–	–	2	–	1
	3. ,, OF OLD PEOPLE	29	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. DISEASES OF NUTRITION	35	15	5	3	3	1	3	3	–	–	.	–	–	–

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1879.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
	All Causes . . .	27	35	34	38	31	38	39	35	16	8	6	2	–	–	–
	Specified Causes . .	27	35	34	38	31	36	39	35	16	8	6	2	–	–	–
	(CLASSES.)															
I.	ZYMOTIC DISEASES	2	4	3	2	2	3	4	3	–	–	–	–	–	–	–
II.	CONSTITUTIONAL ,,	7	6	11	9	3	3	3	3	1	1	–	–	–	–	–
III.	LOCAL ,,	16	22	17	25	23	28	27	24	10	2	4	1	–	–	–
IV.	DEVELOPMENTAL ,,	–	–	–	–	1	2	5	5	4	5	2	1	–	–	–
V.	VIOLENT DEATHS . .	2	3	3	2	2	–	–	–	1	–	–	–	–	–	–
	(ORDERS.)															
.	1. MIASMATIC DISEASES .	2	3	2	1	–	2	3	3	–	–	–	–	–	–	–
	2. ENTHETIC ,, .	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	3. DIETIC ,, .	–	1	1	1	1	1	1	–	–	–	–	–	–	–	–
	4. PARASITIC ,, .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	1. DIATHETIC ,, .	1	2	1	3	–	1	2	3	1	1	–	–	–	–	–
	2. TUBERCULAR ,, .	6	4	10	6	3	2	1	–	–	–	–	–	–	–	–
III.	1. DISEASES OF NERVOUS SYSTEM . .	1	5	3	9	3	9	10	9	3	–	1	–	–	–	–
	2. ,, OF ORGANS OF CIRCULATION .	4	1	2	9	5	6	7	4	2	–	1	1	–	–	–
	3. ,, OF RESPIRATORY ORGANS . .	7	14	6	4	12	7	7	7	5	1	2	–	–	–	–
	4. ,, OF DIGESTIVE ORGANS . .	3	–	4	2	3	3	2	3	–	1	–	–	–	–	–
	5. ,, OF URINARY ORGANS . .	1	2	2	1	–	3	1	1	–	–	–	–	–	–	–
	6. ,, OF ORGANS OF GENERATION .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. ,, OF ORGANS OF LOCOMOTION . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. ,, OF INTEGUMENTARY SYSTEM .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
IV.	1 DEV. DIS. OF CHILDREN	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. ,, OF ADULTS .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. ,, OF OLD PEOPLE	–	–	–	–	–	2	5	5	4	5	2	1	–	–	–
	4. DISEASES OF NUTRITION	–		–	–	1	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1879.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
	All Causes . . .	28	34	17	32	32	38	33	28	17	10	10	2	–	–	–
	Specified Causes . .	28	34	17	32	32	38	33	28	17	10	10	2	–	–	–
	(CLASSES.)															
I.	ZYMOTIC DISEASES	2	4	3	1	1	2	2	–	1	–	2	1	–	–	–
II.	CONSTITUTIONAL ,,	11	11	5	10	7	3	2	–	2	–	–	–	–	–	–
III.	LOCAL ,,	14	18	9	18	21	30	23	20	13	5	1	–	–	–	–
IV.	DEVELOPMENTAL ,,	1	1	–	–	2	3	5	7	1	5	7	1	–	–	–
V.	VIOLENT DEATHS . .	–	–	–	3	1	–	1	1	–	–	–	–	–	–	–
	(ORDERS.)															
I.	1. MIASMATIC DISEASES .	1	3	2	1	1	2	2	–	1	–	2	1	–	–	–
	2. ENTHETIC ,, .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. DIETIC ,, .	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	4. PARASITIC ,, .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	1. DIATHETIC ,, .	2	2	2	4	2	1	1	–	2	–	–	–	–	–	–
	2. TUBERCULAR ,, .	9	9	3	6	5	2	1	–	–	–	–	–	–	–	–
III.	1. DISEASES OF NERVOUS SYSTEM . .	5	4	2	2	4	8	3	8	5	2	–	–	–	–	–
	2. ,, OF ORGANS OF CIRCULATION .	4	3	1	6	2	7	5	4	2	–	1	–	–	–	–
	3. ,, OF RESPIRATORY ORGANS . .	3	6	4	6	6	10	11	6	3	1	–	–	–	–	–
	4. ,, OF DIGESTIVE ORGANS . .	2	2	1	3	8	5	2	1	3	1	–	–	–	–	–
	5. ,, OF URINARY ORGANS . .	–	1	1	1	–	–	2	–	–	1	–	–	–	–	–
	6. ,, OF ORGANS OF GENERATION .	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. ,, OF ORGANS OF LOCOMOTION . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. ,, OF INTEGUMENTARY SYSTEM . .	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
IV.	1. DEV. DIS. OF CHILDREN .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. ,, OF ADULTS .	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. ,, OF OLD PEOPLE	–	–	–	–	–	3	5	7	1	5	7	1	–	–	–
	4. DISEASES OF NUTRITION .		–	–	–	2	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1879.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30	35
V.	1. ACCIDENT OR NEGLIGENCE	38	–	–	–	2	–	–	–	3	3	4	6	4	5
	*														
	3. HOMICIDE	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. SUICIDE	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. EXECUTION	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	SUDDEN DEATHS, CAUSE UNASCERTAINED	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	CAUSES NOT SPECIFIED	13	6	1	–	1	2	–	–	–	–	–	1	–	–
I.	ORDER 1.														
	1. Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Measles	7	–	–	1	3	2	1	–	–	–	–	–	–	–
	3. Scarlatina	2	–	–	–	–	–	1	1	–	–	–	–	–	–
	4. Diphtheria	13	–	–	1	2	2	4	1	3	–	–	–	–	–
	5. Quinsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Croup	11	–	1	2	4	–	2	2	–	–	–	–	–	–
	7. Hooping-cough	25	1	1	8	9	4	1	–	1	–	–	–	–	–
	8. Typhus Fever	12	–	–	–	–	–	1	–	–	–	–	–	1	1
	8. Enteric or Typhoid Fever	5	–	–	–	–	–	1	1	–	–	2	1	–	–
	8. Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Simple Continued Fever	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	9. Erysipelas	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	10. Puerperal Fever (Metria)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	12. Influenza	3	–	–	–	–	–	–	–	–	–	–	–	1	–
	13. Dysentery	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	14. Diarrhœa	15	–	3	6	5	–	–	–	–	–	–	–	–	–
	15. Cholera	1	–	–	1	–	–	–	–	–	–	–	–	–	–
	16. Ague	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	17. Remittent Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	18. Rheumatism	1	–	–	–	–	–	–	–	1	–	–	–	–	–
	19. Other *Miasmatic* Diseases	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 2.														
	1. Syphilis	7	4	1	1	1	–	–	–	–	–	–	–	–	–
	2. Stricture of Urethra	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Glanders	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.														
	1. Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Purpura and Scurvy	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Alcoholism *a* Del. Tremens	4	–	–	–	–	–	–	–	–	–	–	–	–	1
	4. Alcoholism *b* Intemperance	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4.														
	1. Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Worms, etc.	1	–	–	–	–	–	–	–	–	–	–	1	–	–
II.	ORDER 1.														
	1. Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Dropsy	5	–	–	–	–	–	1	–	–	–	–	–	–	2
	3. Cancer	11	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Cancrum Oris (Noma)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Mortification	2	–	–	–	–	–	–	–	–	–	–	–	–	–

* See age 52, note *

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1879.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30	35
V.	1. ACCIDENT OR NEGLIGENCE	11	2	–	–	–	–	1	–	3	–	–	–	–	1
	*														
	3. HOMICIDE	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. SUICIDE	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. EXECUTION	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	SUDDEN DEATHS, CAUSE UNASCERTAINED	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	CAUSES NOT SPECIFIED	1	–	–	1	–	–	–	–	–	–	–	–	–	–
I.	ORDER 1.														
	1. Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Measles	10	–	–	–	6	1	2	–	1	–	–	–	–	–
	3. Scarlatina	2	–	–	–	1	–	–	–	–	–	1	–	–	–
	4. Diphtheria	12	–	–	1	–	6	2	–	1	1	–	–	1	–
	5. Quinsy	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Croup	9	–	–	–	2	4	2	–	1	–	–	–	–	–
	7. Hooping-cough	42	3	2	6	12	11	2	5	1	–	–	–	–	–
	8. Typhus Fever	4	–	–	–	–	–	–	–	–	–	–	–	2	1
	8. Enteric or Typhoid Fever	6	–	–	–	–	–	–	–	1	–	1	–	1	1
	8. Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Simple Continued Fever	1	–	–	–	–	–	–	–	1	–	–	–	–	–
	9. Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	10. Puerperal Fever (Metria)	5	–	–	–	–	–	–	–	–	–	1	–	1	1
	11. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	12. Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Dysentery	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	14. Diarrhœa	12	1	4	–	–	–	1	–	–	–	–	1	–	–
	15. Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	16. Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	17. Remittent Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	18. Rheumatism	6	–	–	–	–	–	–	–	–	–	–	–	–	1
	19. Other *Miasmatic* Diseases	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 2.														
	1. Syphilis	4	3	–	–	–	–	1	–	–	–	–	–	–	–
	2. Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Glanders	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.														
	1. Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Purpura and Scurvy	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Alcoholism *a* Del. Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Alcoholism *b* Intemperance	3	–	–	–	–	–	–	–	–	–	–	–	1	–
	ORDER 4.														
	1. Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Worms, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	ORDER 1.														
	1. Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Dropsy	5	–	–	–	–	–	1	–	–	–	–	–	–	–
	3. Cancer	14	–	–	–	–	–	–	–	–	–	–	–	–	2
	4. Cancrum Oris (Noma)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Mortification	–	–	–	–	–	–	–	–	–	–	–	–	–	–

* See page 52, note *.

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1879.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
V.	1. ACCIDENT OR NEGLIGENCE . . .	2	3	2	2	1	–	–	–	1	–	–	–	–	–	–
	*															
	3. HOMICIDE . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. SUICIDE . .	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
	5. EXECUTION . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	SUDDEN DEATHS, CAUSE UNASCERTAINED	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	CAUSES NOT SPECIFIED . . .	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–
I.	ORDER 1.															
	1. Small-pox . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Scarlatina . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Diphtheria . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Quinsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. Hooping-cough . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Typhus Fever . .	2	2	1	1	–	2	–	1	–	–	–	–	–	–	–
	8. Enteric or Typhoid Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Relapsing Fever . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Simple Continued Fever	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	9. Erysipelas . . .	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
	10. Puerperal Fever (Metria)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. Carbuncle . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	12. Influenza . . .	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
	13. Dysentery . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	14. Diarrhœa . . .	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	15. Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	16. Ague	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	17. Remittent Fever . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	18. Rheumatism . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	19. Other *Miasmatic* Diseases	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 2.															
	1. Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Stricture of Urethra .	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	3. Hydrophobia . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Glanders . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.															
	1. Privation . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Want of Breast Milk .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Purpura and Scurvy .	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
	4. Alcoholism *a* Del. Tremens	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–
	4. Alcoholism *b* Intemperance	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	ORDER 4.															
	1. Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Worms, etc. . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	ORDER 1.															
	1. Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Dropsy	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	3. Cancer	–	2	1	3	–	1	2	2	–	–	–	–	–	–	–
	4. Cancrum Oris (Noma) .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Mortification . . .	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–

* See page 52, note.*

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1879.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
V.	1. ACCIDENT OR NEGLIGENCE	–	–	–	2	1	–	1	–	–	–	–	–	–	–	–
	*															
	3. HOMICIDE	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. SUICIDE	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
	5. EXECUTION	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
SUDDEN DEATHS, CAUSE UNASCERTAINED		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
CAUSES NOT SPECIFIED		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
I.	ORDER 1.															
	1. Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Quinsy	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. Hooping-cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Typhus Fever	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Enteric or Typhoid Fever	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	8. Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	9. Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	10. Puerperal Fever (Metria)	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	11. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	12. Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Dysentery	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	14. Diarrhœa	–	–	–	–	1	1	–	–	–	–	2	1	–	–	–
	15. Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	16. Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	17. Remittent Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	18. Rheumatism	–	–	–	1	–	1	2	–	1	–	–	–	–	–	–
	19. Other *Miasmatic* Diseases	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 2.															
	1. Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Glanders	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.															
	1. Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Purpura and Scurvy	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Alcoholism *a* Del. Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Alcoholism *b* Intemperance	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4.															
	1. Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Worms, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	ORDER 1.															
	1. Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Dropsy	1	1	–	–	–	1	–	–	1	–	–	–	–	–	–
	3. Cancer	1	1	2	4	2	–	1	–	1	–	–	–	–	–	–
	4. Cancrum Oris (Noma)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Mortification	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

* See page 52, note *

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1879.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30	35
	ORDER 2.														
	1. Scrofula	17	–	1	1	4	–	–	3	3	–	5	–	–	–
	2. Tabes Mesenterica	10	2	–	1	2	–	–	1	2	2	–	–	–	–
	3. Phthisis	107	1	–	–	2	3	2	1	3	8	8	21	10	16
	4. Hydrocephalus	28	1	2	4	7	5	5	1	1	1	1	–	–	–
III.	ORDER 1.														
	1. Cephalitis	23	2	–	3	4	3	1	–	5	2	2	–	–	–
	2. Apoplexy	16	–	–	–	1	–	–	1	–	–	–	–	–	–
	3. Paralysis	29	–	–	–	–	1	–	–	–	1	–	–	–	–
	4. Insanity	3	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Epilepsy	3	–	–	–	–	–	1	–	–	–	–	–	–	–
	7. Convulsions	13	3	2	2	4	1	1	–	–	–	–	–	–	–
	8. *Brain Disease, etc.*	16	–	2	–	3	–	–	1	1	2	–	1	–	–
	ORDER 2.														
	1. Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Aneurism	3	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. *Heart Disease, etc.*	43	–	–	–	–	–	–	–	–	2	–	–	–	2
	ORDER 3.														
	1. Laryngitis	2	–	1	–	–	–	–	–	–	–	–	–	–	–
	2. Bronchitis	109	1	9	25	18	7	3	1	5	–	1	–	1	–
	3. Pleurisy	1	–	–	–	–	–	–	–	–	1	–	–	–	–
	4. Pneumonia	62	3	2	3	7	4	3	1	5	–	1	1	2	2
	5. Asthma	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. *Lung Disease, etc.*	11	–	1	–	3	1	1	1	–	–	–	–	–	–
	ORDER 4.														
	1. Gastritis	1	–	–	–	1	–	–	–	–	–	–	–	–	–
	2. Enteritis	9	2	4	–	–	1	–	–	–	1	–	1	–	–
	3. Peritonitis	6	–	–	–	–	–	–	–	1	–	1	–	1	1
	4. Ascites	2	1	–	–	–	–	–	1	–	–	–	–	–	–
	5. Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Hernia	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. Ileus	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	9. Stricture of Intestines	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	10. Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. *Stomach Disease, etc.*	8	1	1	–	–	–	–	–	–	–	–	1	1	1
	12. *Pancreas Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Hepatitis	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	14. Jaundice	4	2	1	–	–	–	–	–	–	–	–	1	–	–
	15. *Liver Disease, etc.*	11	–	–	–	–	–	–	–	–	–	–	–	–	1
	16. *Spleen Disease, etc.*	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 5.														
	1. Nephritis	4	–	–	–	1	–	–	–	–	–	–	–	–	–
	2. Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Bright's Disease (Nephria)	3	–	–	–	–	–	–	–	–	–	–	–	1	–
	4. Diabetes	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Calculus (Stone)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Cystitis	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. *Kidney Disease, etc.*	6	–	–	–	–	–	–	–	–	–	–	1	–	1
	ORDER 6.														
	1. Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. *Uterus Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 7.														
	1. Synovitis (Arthritis)	1	–	–	–	–	–	–	–	–	–	–	–	1	–
	2. *Joint Disease, etc.*	5	–	–	–	–	–	1	–	2	1	–	–	1	–

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1879.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30	35
	ORDER 2.														
	1. Scrofula	9	–	2	1	–	1	–	–	–	2	1	1	–	–
	2. Tabes Mesenterica	11	–	1	3	–	1	–	3	1	–	1	1	–	–
	3. Phthisis	114	–	1	4	3	1	1	2	4	16	13	16	7	12
	4. Hydrocephalus	21	1	–	6	9	2	1	–	2	–	–	–	–	–
III.	ORDER 1.														
	1. Cephalitis	17	–	1	3	3	4	–	1	2	1	–	–	–	–
	2. Apoplexy	21	–	–	–	–	–	–	–	–	1	–	–	–	2
	3. Paralysis	20	–	–		–	–	–	–	–	–	1	–	1	–
	4. Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Chorea	2	–	–	–	–	–	–	–	2	–	–	–	–	–
	6. Epilepsy	2	–	–	–	1	–	–	–	–	1	–	–	–	–
	7. Convulsions	7	2	–	1	3	1	–	–	–	–	–	–	–	–
	8. *Brain Disease, etc.*	14	–	–	2	3	1	–	1	2	–	–	–	–	–
	ORDER 2.														
	1. Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Aneurism	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. *Heart Disease, etc.*	49	1	–	–	–	–	1	–	1	2	2	2	3	3
	ORDER 3.														
	1. Laryngitis	1	–	–	1	–	–	–	–	–	–	–	–	–	–
	2. Bronchitis	95	8	4	8	18	5	3	2	2	–	–	1	2	–
	3. Pleurisy	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Pneumonia	39	–	2	8	9	3	2	3	–	2	–	1	1	–
	5. Asthma	4	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. *Lung Disease, etc.*	7	–	2	–	–	1	1	–	1	–	1	–	1	–
	ORDER 4.														
	1. Gastritis	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Enteritis	6	2	–	1	–	–	1	–	–	–	–	–	–	–
	3. Peritonitis	7	–	–	–	–	1	–	–	1	–	–	1	1	1
	4. Ascites	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Ulceration of Intestines	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Hernia	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. Ileus	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	9. Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	10. Fistula	1	–	–	–	–	–	–	–	–	–	1	–	–	–
	11. *Stomach Disease, etc.*	6	–	–	–	–	–	–	1	1	–	–	–	–	–
	12. *Pancreas Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	14. Jaundice	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	15. *Liver Disease, etc.*	13	–	–	–	–	–	–	–	–	–	–	–	–	–
	16. *Spleen Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 5.														
	1. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Bright's Disease (Nephria)	5	–	–	–	–	–	–	–	–	1	–	–	–	–
	4. Diabetes	1	–	–	–	–	–	–	–	–	1	–	–	–	–
	5. Calculus (Stone)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. *Kidney Disease, etc.*	4	–	–	–	–	–	–	–	–	–	1	–	–	1
	ORDER 6.														
	1. Ovarian Dropsy	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. *Uterus Disease, etc.*	2	–	–	–	–	–	–	–	–	–	–	–	–	1
	ORDER 7.														
	1. Synovitis (Arthritis)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. *Joint Disease, etc.*	3	–	–	–	–	–	–	–	1	1	–	1	–	–

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1879.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
	ORDER 2.															
	1. Scrofula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Phthisis	6	4	10	6	3	2	1	–	–	–	–	–	–	–	–
	4. Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
III.	ORDER 1.															
	1. Cephalitis	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Apoplexy	–	2	2	1	2	2	3	2	–	–	–	–	–	–	–
	3. Paralysis	1	–	–	6	1	5	4	6	3	–	1	–	–	–	–
	4. Insanity	–	1	–	–	–	2	–	–	–	–	–	–	–	–	–
	5. Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Epilepsy	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
	7. Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. *Brain Disease, etc.*	–	1	–	2	–	–	2	1	–	–	–	–	–	–	–
	ORDER 2.															
	1. Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Aneurism	1	–	–	–	–	–	1	–	–	–	–	1	–	–	–
	3. *Heart Disease, etc.*	3	1	2	9	5	6	6	4	2	–	1	–	–	–	–
	ORDER 3.															
	1. Laryngitis	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Bronchitis	2	2	1	3	7	6	5	5	4	1	2	–	–	–	–
	3. Pleurisy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Pneumonia	4	11	5	–	4	1	2	1	–	–	–	–	–	–	–
	5. Asthma	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	6. *Lung Disease, etc.*	1	–	–	1	1	–	–	–	1	–	–	–	–	–	–
	ORDER 4.															
	1. Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Enteritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Peritonitis	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	4. Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Hernia	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
	7. Ileus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	9. Stricture of Intestines	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
	10. Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. *Stomach Disease, etc.*	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–
	12. *Pancreas Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Hepatitis	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	14. Jaundice	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	15. *Liver Disease, etc.*	2	–	2	2	1	–	–	2	–	1	–	–	–	–	–
	16. *Spleen Disease, etc.*	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	ORDER 5.															
	1. Nephritis	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	2. Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Bright's Disease (Nephria)	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
	4. Diabetes	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	5. Calculus (Stone)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Cystitis	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	7. *Kidney Disease, etc.*	–	–	1	1	–	–	1	1	–	–	–	–	–	–	–
	ORDER 6.															
	1. Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. *Uterus Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 7.															
	1. Synovitis (Arthritis)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. *Joint Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1879.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
	ORDER 2.															
	1. Scrofula	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	2. Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Phthisis	9	9	3	6	5	1	1	–	–	–	–	–	–	–	–
	4. Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
III.	ORDER 1.															
	1. Cephalitis	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Apoplexy	–	2	1	2	1	–	1	5	2	2	2	2	–	–	–
	3. Paralysis	1	–	1	2	1	2	3	1	1	5	2	–	–	–	–
	4. Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Epilepsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. *Brain Disease, etc.*	1	–	–	–	–	2	–	1	1	–	–	–	–	–	–
	ORDER 2.															
	1. Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Aneurism	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	3. *Heart Disease, tc.*	4	3	–	6	2	7	5	4	2	–	1	–	–	–	–
	ORDER 3.															
	1. Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Bronchitis	1	4	3	4	5	9	7	5	3	1	–	–	–	–	–
	3. Pleurisy	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	4. Pneumonia	1	2	–	2	–	–	3	–	–	–	–	–	–	–	–
	5. Asthma	–	–	1	–	1	–	1	1	–	–	–	–	–	–	–
	6. *Lung Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4.															
	1. Gastritis	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
	2. Enteritis	–	–	–	1	1	–		–	–	–	–	–	–	–	–
	3. Peritonitis	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Ascites	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	5. Ulceration of Intestines	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	6. Hernia	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
	7. Ileus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	9. Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	10. Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. *Stomach Disease, etc.*	–	–	–	1	–	1	–	–	1	1	–	–	–	–	–
	12. *Pancreas Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	14. Jaundice	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	15. *Liver Disease, etc.*	–	–	1	–	5	4	1	–	2	–	–	–	–	–	–
	16. *Spleen Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 5.															
	1. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Bright's Disease (Nephria)	–	1	–	1	–	–	2	–	–	–	–	–	–	–	–
	4. Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Calculus (Stone)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. *Kidney Disease, etc.*	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–
	ORDER 6.															
	1. Ovarian Dropsy	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. *Uterus Disease, etc.*	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 7.															
	1. Synovitis (Arthritis)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. *Joint Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1879.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30	35
	ORDER 8.														
	1. Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Ulcer	1	–	–	–	–	–	–	–	–	–	–	–	1	–
	3. *Skin Disease, etc.*	1	1	–	–	–	–	–	–	–	–	–	–	–	–
IV.	ORDER 1.														
	1. Premature Birth	18	18	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cyanosis	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	3. Spina Bifida	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	4. Other Malformations	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	5. Teething	15	–	–	5	10	–	–	–	–	–	–	–	–	–
	ORDER 2.														
	1. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Childbirth (*see* Puerperal Fever)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.														
	1. Old Age	24	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4.														
	1. Atrophy and Debility	35	15	6	1	7	2	1	1	1	–	–	–	–	–
V.	ORDER 1. (*Accident or Negligence.*)														
	1. Fractures and Contusions	20	–	–	–	–	–	–	–	1	2	3	2	1	2
	2. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Cut, Stab	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Burns and Scalds	4	–	–	–	1	–	–	–	1	1	–	–	1	–
	5. Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Drowning	12	–	–	–	1	–	–	–	–	–	1	4	2	2
	7. Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Otherwise	2	–	–	–	–	–	–	–	1	–	–	–	–	1
	ORDER 3. (*Homicide.*)														
	1. Murder and Manslaughter	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4. (*Suicide.*)														
	1. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cut, Stab	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Poison	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Drowning	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Hanging	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Otherwise and undefined	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 5. (*Execution.*)														
	1. Hanging	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Sudden Deaths (cause unascertained)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Causes not specified or ill-defined	13	6	1	–	1	2	–	–	–	–	–	1	–	–

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1879.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30	35
	ORDER 8.														
	1. Phlegmon	2	–	–	1	–	–	–	–	–	–	–	–	1	–
	2. Ulcer	3	–	1	–	–	–	–	–	–	–	–	–	–	–
	3. *Skin Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
IV.	ORDER 1.														
	1. Premature Birth	16	16	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cyanosis	2	2	–	–	–	–	–	–	–	–	–	–	–	–
	3. Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Other Malformations	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	5. Teething	13	–	–	5	6	2	–	–	–	–	–	–	–	–
	ORDER 2.														
	1. Paramenia	1	–	–	–	–	–	–	–	–	–	–	1	–	–
	2. Childbirth (*see* Puerperal Fever)	4	–	–	–	–	–	–	–	–	–	–	1	–	1
	ORDER 3.														
	1. Old Age	29	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4.														
	1. Atrophy and Debility	35	15	5	3	3	1	3	3	–	–	–	–	–	–
V.	ORDER 1. (*Accident or Negligence.*)														
	1. Fractures and Contusions	5	–	–	–	–	–	–	–	2	–	–	–	–	–
	2. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Cut, Stab	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Burns and Scalds	2	–	–	–	–	–	–	–	1	–	–	–	–	–
	5. Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Drowning	1	–	–	–	–	–	1	–	–	–	–	–	–	–
	7. Suffocation	2	1	–	–	–	–	–	–	–	–	–	–	–	1
	8. Otherwise	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3. (*Homicide.*)														
	1. Murder and Manslaughter	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4. (*Suicide.*)														
	1. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cut, Stab	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Drowning	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Hanging	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Otherwise and undefined	–	–	–	–	–	–		–	–	–	–	–	–	–
	ORDER 5. (*Execution.*)														
	1. Hanging	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Sudden Deaths (cause unascertained)		–	–	–	–	–	–	–	–	–	–	–	–	–	–
Causes not specified or ill-defined		1	–	–	–	–	–	–	1	–	–	–	–	–	–

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1879.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
	ORDER 8.															
	1. Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. *Skin Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
IV.	ORDER 1.															
	1. Premature Birth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 2.															
	1. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Childbirth (*see* Puerperal Fever)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.															
	1. Old Age	–	–	–	–	–	2	5	5	4	5	2	1	–	–	–
	ORDER 4.															
	1. Atrophy and Debility	–		–	–	1	–	–	–	–	–	–	–	–	–	–
V.	ORDER 1. (*Accident or Negligence.*)															
	1. Fractures and Contusions	2	3	2	1	–	–	–	–	1	–	–	–	–	–	–
	2. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Cut, Stab	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Drowning	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
	7. Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Otherwise	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3. (*Homicide.*)															
	1. Murder and Manslaughter	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4. (*Suicide.*)															
	1. Gunshot Wounds	–	–	–	–	–		–	–	–	–	–		–	–	–
	2. Cut, Stab	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	3. Poison	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	4. Drowning	–	–	–	–		–	–	–	–	–	–	–	–	–	–
	5. Hanging		–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Otherwise and undefined	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 5. (*Execution.*)															
	1. Hanging	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Sudden Deaths (cause unascertained)		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Causes not specified or ill-defined		–	–		–	–	2	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1879.—FEMALES. (*Continu*

Class.	CAUSES OF DEATH.	FEMALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
	ORDER 8.															
	1. Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Ulcer	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
	3. *Skin Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
IV.	ORDER 1.															
	1. Premature Birth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 2.															
	1. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Childbirth (*see* Puerperal Fever)	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.															
	1. Old Age	–	–	–	–	–	3	5	7	1	5	7	1	–	–	–
	ORDER 4.															
	1. Atrophy and Debility	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–
V.	ORDER 1. (*Accident or Negligence.*)															
	1. Fractures and Contusions	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–
	2. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Cut, Stab	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Burns and Scalds	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	5. Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Drowning	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Otherwise	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3. (*Homicide.*)															
	1. Murder and Manslaughter	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4. (*Suicide.*)															
	1. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cut, Stab	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	3. Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Drowning	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Hanging	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	6. Otherwise and undefined	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 5. (*Execution.*)															
	1. Hanging	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Sudden Deaths (cause unascertained)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Causes not specified or ill-defined	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1879.—MALES.

Class	CAUSES OF DEATH.	MALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.			2	3	4	5	10	15	20	25	30	35
			3	6	12										
	All Causes . . .	733	58	21	56	73	44	30	14	37	17	29	16	19	21
	Specified Causes . .	727	57	21	56	73	44	30	14	37	17	29	16	19	21
	(CLASSES.)														
I.	ZYMOTIC DISEASES	143	8	3	17	23	18	17	8	17	1	1	1	2	4
II.	CONSTITUTIONAL ,,	142	–	–	7	17	13	7	5	11	10	16	11	9	7
III.	LOCAL ,,	306	17	13	22	27	11	5	1	8	4	10	3	6	9
IV.	DEVELOPMENTAL ,,	105	31	4	9	5	2	–	–	1	–	–	–	–	–
V.	VIOLENT DEATHS . .	31	1	1	1	1	–	1	–	–	2	2	1	2	1
	(ORDERS.)														
I.	1. MIASMATIC DISEASES .	128	5	3	17	23	17	17	7	17	1	1	1	2	3
	2. ENTHETIC ,,	4	2	–	–	–	–	–	1	–	–	–	–	–	–
	3. DIETIC ,,	10	1	–	–	–	–	–	–	–	–	–	–	–	1
	4. PARASITIC ,, .	1	–	–	–	–	1	–	–	–	–	–	–	–	–
II.	1. DIATHETIC ,, .	13	–	–	–	1	–	1	–	–	–	–	–	1	–
	2. TUBERCULAR ,, .	129	–	–	7	16	13	6	5	11	10	16	11	8	7
III.	1. DISEASES OF NERVOUS SYSTEM . .	80	9	4	7	5	3	1	1	4	1	2	1	1	2
	2. ,, OF ORGANS OF CIRCULATION .	34	–	–	–	–	–	–	–	1	–	–	–	2	1
	3. ,, OF RESPIRATORY ORGANS . .	129	4	9	13	19	8	3	–	–	–	2	1	2	2
	4. ,, OF DIGESTIVE ORGANS . .	41	4	–	1	2	–	1	–	1	2	4	–	1	2
	5. ,, OF URINARY ORGANS . .	18	–	–	–	1	–	–	–	1	–	1	1	–	2
	6. ,, OF ORGANS OF GENERATION .	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. ,, OF ORGANS OF LOCOMOTION .	2	–	–	–	–	–	–	–	–	1	1	–	–	–
	8. ,, OF INTEGUMENTARY SYSTEM . .	2	–	–	1	–	–	–	–	1	–	–	–	–	–
IV.	1. DEV. DIS. OF CHILDREN	26	14	1	7	3	1	–	–	–	–	–	–	–	–
	2. ,, OF ADULTS .	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. ,, OF OLD PEOPLE	52	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. DISEASES OF NUTRITION	27	17	3	2	2	1	–	–	1	–	–	–	–	–

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1879.—FEMALES.

Class.	CAUSES OF DEATH.	FEMALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.												
			3	6	12	2	3	4	5	10	15	20	25	30	35
	All Causes	764	48	30	51	72	25	18	18	49	28	38	23	26	21
	Specified Causes . .	763	48	30	51	72	25	18	18	49	28	38	23	26	21
	(CLASSES.)														
I.	ZYMOTIC DISEASES	139	6	6	18	30	10	11	8	17	4	3	4	2	2
II.	CONSTITUTIONAL ,,	189	–	4	13	14	8	4	4	19	17	23	12	17	6
III.	LOCAL ,,	305	16	12	13	19	7	3	5	12	7	11	4	6	11
IV.	DEVELOPMENTAL ,,	122	25	7	7	8	–	–	1	–	–	1	3	1	2
V.	VIOLENT DEATHS .	8	1	1	–	1	–	–	–	1	–	–	–	–	–
	(ORDERS.)														
I.	1. MIASMATIC DISEASES .	136	5	5	18	30	10	11	8	17	4	3	4	2	2
	2. ENTHETIC ,, .	1	–	1	–	–	–	–	–	–	–	–	–	–	–
	3. DIETIC ,, .	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. PARASITIC ,, .	1	1	–	–	–	–	–	–	–	–	–	–	–	
II.	1. DIATHETIC ,, .	18	–	–	–	–	–	–	–	–	–	–	1	–	1
	2. TUBERCULAR ,, .	171	–	4	13	14	8	4	4	19	17	23	11	17	5
III.	1. DISEASES OF NERVOUS SYSTEM . .	70	5	3	2	5	1	–	2	2	4	4	1	–	3
	2. ,, OF ORGANS OF CIRCULATION .	41	–	–	–	–	–	–	–	–	–	–	1	2	2
	3. ,, OF RESPIRATORY ORGANS . .	146	9	5	11	13	6	3	3	9	2	5	2	2	4
	4. ,, OF DIGESTIVE ORGANS . .	39	1	4	–	1	–	–	–	1	1	1	–	1	2
	5. ,, OF URINARY ORGANS . .	5	–	–	–	–	–	–	–	–	–	1	–	1	–
	6 ,, OF ORGANS OF GENERATION .	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. ,, OF ORGANS OF LOCOMOTION . .	1	–	–	–	–	–	–	–	–	–	–	–	–	
	8. ,, OF INTEGUMENTARY SYSTEM . .	2	1	–	–	–	–	–	–	–	–	–	–	–	–
IV.	1. DEV. DIS. OF CHILDREN	22	11	3	3	5	–	–	–	–	–	–	–	–	–
	2. ,, OF ADULTS .	10	–	–	–	–	–	–	–	–	–	1	3	–	2
	3. ,, OF OLD PEOPLE	60	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. DISEASES OF NUTRITION	30	14	4	4	3	–	–	1	–	–	–	–	1	–

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1879.—MALES. (*Continued.*)

	CAUSES OF DEATH.	MALES. AGE UNDER														
		40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
	All Causes . . .	23	34	23	35	24	30	49	30	35	10	4	1	–	–	–
	Specified Causes . .	23	33	23	35	23	29	48	30	34	10	4	1	–	–	–
	(CLASSES.)															
I.	ZYMOTIC DISEASES	4	5	2	1	2	2	5	–	2	–	–	–	–	–	–
II.	CONSTITUTIONAL ,,	6	4	4	3	3	2	3	2	2	–	–	–	–	–	–
III.	LOCAL ,,	10	22	12	29	18	22	29	14	9	3	2	–	–	–	–
IV.	DEVELOPMENTAL ,,	–	–	1	–	–	1	8	14	20	7	1	1	–	–	–
V.	VIOLENT DEATHS .	3	2	4	2	–	2	3	–	1	–	1	–	–	–	–
	(ORDERS.)															
I.	1. MIASMATIC DISEASES .	2	3	2	–	–	2	4	–	1	–	–	–	–	–	–
	2. ENTHETIC ,, .	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	3. DIETIC ,, .	2	2	–	1	2	–	1	–	–	–	–	–	–	–	–
	4. PARASITIC ,, .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	1. DIATHETIC ,, .	–	2	1	2	–	1	2	–	2	–	–	–	–	–	–
	2. TUBERCULAR ,, .	6	2	3	1	3	1	1	2	–	–	–	–	–	–	–
III.	1. DISEASES OF NERVOUS SYSTEM . .	1	5	2	8	4	5	8	2	1	2	1	–	–	–	–
	2. ,, OF ORGANS OF CIRCULATION .	3	5	3	4	4	3	4	3	1	–	–	–	–	–	–
	3. ,, OF RESPIRATORY ORGANS . .	3	7	3	13	8	10	14	6	2	–	–	–	–	–	–
	4. ,, OF DIGESTIVE ORGANS . .	1	4	3	2	1	3	3	2	3	1	–	–	–	–	–
	5. ,, OF URINARY ORGANS . .	2	1	1	2	1	1	–	1	2	–	1	–	–	–	–
	6. ,, OF ORGANS OF GENERATION .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. ,, OF ORGANS OF LOCOMOTION . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	8. ,, OF INTEGUMENTARY SYSTEM	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
IV.	1. DEV. DIS. OF CHILDREN	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. ,, OF ADULTS .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. ,, OF OLD PEOPLE	–	–	–	–	–	1	8	14	20	7	1	1	–	–	–
	4. DISEASES OF NUTRITION	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1879.—FEMALES (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES. AGE UNDER														
		40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
	All Causes	32	24	31	34	30	36	40	31	31	21	6	1	–	–	–
	Specified Causes . .	32	24	31	34	30	36	39	31	31	21	6	1	–	–	–
	(CLASSES.)															
I.	ZYMOTIC DISEASES	2	3	1	2	2	3	1	3	–	–	1	–	–	–	–
II.	CONSTITUTIONAL ,,	10	8	7	8	2	4	6	1	1	1	–	–	–	–	–
III.	LOCAL ,,	16	12	22	21	25	23	23	17	15	4	–	1	–	–	–
IV.	DEVELOPMENTAL ,,	3	1	–	2	1	6	8	10	15	16	5	–	–	–	–
V.	VIOLENT DEATHS .	1	–	1	1	–	–	1	–	–	–	–	–	–	–	–
	(ORDERS.)															
I.	1. MIASMATIC DISEASES .	2	2	1	2	2	3	1	3	–	–	1	–	–	–	–
	2. ENTHETIC ,, .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. DIETIC ,, .	–	1	–	–	–	–	–	–	–	–	–	–	–	–	
	4. PARASITIC ,, .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	1. DIATHETIC ,, .	1	1	1	3	2	2	3	1	1	1	–	–	–	–	–
	2. TUBERCULAR ,, .	9	7	6	5	–	2	3	–	–	–	–		–		–
III.	1. DISEASES OF NERVOUS SYSTEM . .	2	2	3	2	8	6	5	4	3	3	–	–	–	–	–
	2. ,, OF ORGANS OF CIRCULATION .	2	5	4	4	5	7	3	2	4	–	–	–	–	–	–
	3. ,, OF RESPIRATORY ORGANS . .	8	3	6	12	8	7	11	9	7	–	–	1	–	–	–
	4. ,, OF DIGESTIVE ORGANS . .	2	1	7	3	4	3	4	1	1	1	–	–	–	–	–
	5. ,, OF URINARY ORGANS . .	–	1	1	–	–	–	–	1	–	–	–	–	–	–	–
	6. ,, OF ORGANS OF GENERATION .	1	–	–	–	–	–	–	–	–		–	–	–	–	–
	7. ,, OF ORGANS OF LOCOMOTION . .	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	8. ,, OF INTEGUMENTARY SYSTEM . .	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
IV.	1. DEV. DIS. OF CHILDREN	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. ,, OF ADULTS	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. ,, OF OLD PEOPLE	–	–	–	–	–	6	8	10	15	16	5	–	–	–	–
	4. DISEASES OF NUTRITION	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1879.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30	35
V.	1. ACCIDENT OR NEGLIGENCE . . .	27	1	1	1	1	–	1	–	–	2	2	1	2	1
	*														
	3. HOMICIDE . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. SUICIDE	4	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. EXECUTION . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–
SUDDEN DEATHS, CAUSE UNASCERTAINED		1	–	–	–	–	–	–	–	–	–	–	–	–	–
CAUSES NOT SPECIFIED . . .		5	1	–	–	–	–	–	–	–	–	–	–	–	–
I.	ORDER 1.														
	1. Small-pox . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Measles	27	–	–	5	5	9	3	1	4	–	–	–	–	–
	3. Scarlatina . . .	29	–	–	1	6	3	5	2	11	1	–	–	–	–
	4. Diphtheria . . .	5	–	–	1	2	1	1	–	–	–	–	–	–	–
	5. Quinsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Croup	11	–	1	–	2	2	3	2	1	–	–	–	–	–
	7. Hooping-cough . .	16	–	–	7	6	1	2	–	–	–	–	–	–	–
	8. Typhus Fever . .	6	–	–	–	–	–	–	1	–	–	1	–	1	–
	8. Enteric or Typhoid Fever	6	–	–	–	–	–	2	–	–	–	–	–	–	2
	8. Relapsing Fever . .	2	–	–	–	–	–	–	–	–	–	–	1	–	–
	8. Simple Continued Fever	3	–	–	–	–	–	–	–	1	–	–	–	1	–
	9. Erysipelas . . .	2	–	–	–	–	–	–	–	–	–	–	–	–	1
	10. Puerperal Fever (Metria)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. Carbuncle . . .	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	12. Influenza . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Dysentery . . .	4	–	–	1	–	–	–	–	–	–	–	–	–	–
	14. Diarrhœa . . .	13	5	2	2	2	1	–	–	–	–	–	–	–	–
	15. Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	16. Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	17. Remittent Fever . .	1	–	–	–	–	–	1	–	–	–	–	–	–	–
	18. Rheumatism . . .	2	–	–	–	–	–	–	1	–	–	–	–	–	–
	19. Other *Miasmatic* Diseases	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 2.														
	1. Syphilis	3	2	–	–	–	–	–	1	–	–	–	–	–	–
	2. Stricture of Urethra .	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Hydrophobia . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Glanders . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.														
	1. Privation . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Want of Breast Milk .	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	3. Purpura and Scurvy .	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Alcoholism *a* Del. Tremens	3	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Alcoholism *b* Intemperance	6	–	–	–	–	–	–	–	–	–	–	–	–	1
	ORDER 4.														
	1. Thrush	1	–	–	–	–	1	–	–	–	–	–	–	–	–
	2. Worms, etc. . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	ORDER 1.														
	1. Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Dropsy	4	–	–	–	1	–	–	–	–	–	–	–	–	–
	3. Cancer	7	–	–	–	–	–	–	–	–	–	–	–	1	–
	4. Cancrum Oris (Noma) .	1	–	–	–	–	–	1	–	–	–	–	–	–	–
	5. Mortification . . .	1	–	–	–	–	–	–	–	–	–	–	–	–	–

* See page 52, note *.

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1879.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30	35
V.	1. ACCIDENT OR NEGLIGENCE	8	1	1	–	1	–	–	–	1	–	–	–	–	–
	*														
	3. HOMICIDE	–	–	–	–	–	–	–	–	–	–	–	–		–
	4. SUICIDE	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. EXECUTION	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	SUDDEN DEATHS, CAUSE UNASCERTAINED	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	CAUSES NOT SPECIFIED	1	–	–	–	–	–	–	–	–	–	–	–	–	–
I.	ORDER 1.														
	1. Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Measles	22	–	–	4	13	3	–	1	1	–	–	–	–	–
	3. Scarlatina	29	–	–	1	4	2	5	4	11	2	–	–	–	–
	4. Diphtheria	9	1	–	2	1	1	2	–	2	–	–	–	–	–
	5. Quinsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Croup	5	1	–	1	1	1	1	–	–	–	–	–	–	–
	7. Hooping-cough	24	–	1	7	9	3	2	2	–	–	–	–	–	–
	8. Typhus Fever	4	–	–	–	–	–	–	–	–	–	–	2	–	1
	8. Enteric or Typhoid Fever	12	–	–	–	–	–	–	1	2	2	2	1	–	1
	8. Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Simple Continued Fever	2	–	–	–	–	–	–	–	–	–	–	1	–	–
	9. Erysipelas	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	10. Puerperal Fever (Metria)	3	–	–	–	–	–	–	–	–	–	1	–	1	–
	11. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	12. Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Dysentery	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	14. Diarrhœa	19	2	4	3	1	–	–	–	–	–	–	–	1	–
	15. Cholera	1	–	–	–	–	–	–	–	1	–	–	–		–
	16. Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	
	17. Remittent Fever	2	–	–	–	1	–	1	–	–	–	–	–	–	–
	18. Rheumatism	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	19. Other *Miasmatic* Diseases	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 2.														
	1. Syphilis	1	–	1	–	–	–	–	–	–	–	–	–	–	–
	2. Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Glanders	–	–	–	–	–	–	–	–	–	–	–	–	–	
	ORDER 3.														
	1. Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Purpura and Scurvy	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Alcoholism *a* Del. Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Alcoholism *b* Intemperance	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4.														
	1. Thrush	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	2. Worms, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	ORDER 1.														
	1. Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Dropsy	4	–	–	–	–	–	–	–	–	–	–	1	–	–
	3. Cancer	13	–	–	–	–	–	–	–	–	–	–	–	–	1
	4. Cancrum Oris (Noma)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Mortification	1	–	–	–	–	–	–	–	–	–	–	–	–	–

* See page 52, note *.

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1879.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
V.	1. ACCIDENT OR NEGLIGENCE . . .	3	2	3	1	–	1	2	–	1	–	1	–	–	–	–
	*															
	3. HOMICIDE . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. SUICIDE	–	–	1	1	–	1	1	–	–	–	–	–	–	–	–
	5. EXECUTION . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	SUDDEN DEATHS, CAUSE UNASCERTAINED	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	CAUSES NOT SPECIFIED . . .	–	1	–	–	1	1	1	–	–	–	–	–	–	–	–
	ORDER 1.															
	1. Small-pox . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Scarlatina . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Diphtheria . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Quinsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. Hooping-cough . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Typhus Fever . .	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	8. Enteric or Typhoid Fever	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	8. Relapsing Fever . .	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Simple Continued Fever	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	9. Erysipelas . . .	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	10. Puerper Fever (Metria)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. Carbuncle . . .	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	12. Influenza . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Dysentery . . .	1	–	–	–	–	1	1	–	–	–	–	–	–	–	–
	14. Diarrhœa . . .	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	15. Cholera . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	16. Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	17 Remittent Fever . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	18. Rheumatism . .	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	19. Other *Miasmatic* Diseases	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 2.															
	1. Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	2. Stricture of Urethra .	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	3. Hydrophobia . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Glanders . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.															
	1. Privation . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Want of Breast Milk .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Purpura and Scurvy .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Alcoholism *a* Del. Tremens	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–
	4. Alcoholism *b* Intemperance	1	1	–	1	1	–	1	–	–	–	–	–	–	–	–
	ORDER 4.															
	1. Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Worms, etc. . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 1.															
II.	1. Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Dropsy	–	1	–	1	–	–	1	–	–	–	–	–	–	–	–
	3. Cancer	–	1	1	1	–	1	1	–	1	–	–	–	–	–	–
	4. Cancrum Oris (Noma) .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Mortification . . .	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–

* See page 52, note *

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1879.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
V.	1. ACCIDENT OR NEGLIGENCE . . .	1	–	1	1	–	–	1	–	–	–	–	–	–	–	–
	*															
	3. HOMICIDE . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. SUICIDE	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. EXECUTION . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	SUDDEN DEATHS, CAUSE UNASCERTAINED	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	CAUSES NOT SPECIFIED . . .	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
I.	ORDER 1.															
	1. Small-pox . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Scarlatina . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Diphtheria . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Quinsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. Hooping-cough . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Typhus Fever . .	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Enteric or Typhoid Fever	2	–	–	1	–	–	–	–	–	–	–	–	–	–	
	8. Relapsing Fever . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Simple Continued Fever	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	9. Erysipelas . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	10. Puerperal Fever (Metria)	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. Carbuncle . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	12. Influenza . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Dysentery . . .	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–
	14. Diarrhœa . . .	–	–	1	1	1	1	1	3	–	–	–	–	–	–	–
	15. Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	16. Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	17. Remittent Fever . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	18. Rheumatism . . .	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	19. Other *Miasmatic* Diseases	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 2.															
	1. Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Stricture of Urethra .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Hydrophobia . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Glanders . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.															
	1. Privation . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Want of Breast Milk .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Purpura and Scurvy .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Alcoholism *a* Del. Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Alcoholism *b* Intemperance	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4.															
	1. Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Worms, etc. . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	ORDER 1.															
	1. Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Dropsy	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–
	3. Cancer	1	1	–	2	2	2	2	1	–	1	–	–	–	–	–
	4. Cancrum Oris (Noma)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Mortification . . .	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–

* See page 52, note *.

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1879.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30	35
	ORDER 2.														
	1. Scrofula	12	–	–	1	1	–	2	1	–	2	3	1	–	–
	2. Tabes Mesenterica	9	–	–	–	1	1	–	–	3	–	2	1	1	–
	3. Phthisis	78	–	–	1	3	5	2	1	6	8	11	9	7	7
	4. Hydrocephalus	30	–	–	5	11	7	2	3	2	–	–	–	–	–
III.	ORDER 1.														
	1. Cephalitis	4	1	1	1	–	–	–	–	–	–	–	–	–	–
	2. Apoplexy	23	1	3	2	1	2	1	1	3	–	–	–	–	–
	3. Paralysis	24	–	–	–	1	–	–	–	–	–	–	–	1	–
	4. Insanity	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Chorea	1	–	–	–	–	–	–	–	1	–	–	–	–	–
	6. Epilepsy	3	–	–	–	–	–	–	–	–	–	1	–	–	1
	7. Convulsions	15	7	–	4	3	1	–	–	–	–	–	–	–	–
	8. *Brain Disease, etc.*	8	–	–	–	–	–	–	–	–	1	1	1	–	1
	ORDER 2.														
	1. Pericarditis	2	–	–	–	–	–	–	–	1	–	–	–	–	–
	2. Aneurism	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. *Heart Disease, etc.*	31	–	–	–	–	–	–	–	–	–	–	–	2	1
	ORDER 3.														
	1. Laryngitis	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Bronchitis	101	3	8	12	17	6	3	–	–	–	–	1	1	1
	3. Pleurisy	3	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Pneumonia	21	–	1	1	2	2	–	–	–	–	2	–	1	1
	5. Asthma	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. *Lung Disease, etc.*	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4.														
	1. Gastritis	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Enteritis	12	1	–	1	2	–	–	–	1	2	2	–	1	–
	3. Peritonitis	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Ulceration of Intestines	4	–	–	–	–	–	–	–	–	–	2	–	–	1
	6. Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. Ileus	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	9. Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	10. Fistula	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. *Stomach Disease, etc.*	5	–	–	–	–	–	–	–	–	–	–	–	–	1
	12. *Pancreas Disease, etc.*	–	–	–	–		–	–	–	–	–	–	–	–	–
	13. Hepatitis	3	–	–	–	–	–	–	–	–	–	–	–	–	–
	14. Jaundice	4	3	–	–	–	–	–	–	–	–	–	–	–	–
	15. *Liver Disease, etc.*	8	–	–	–	–	–	1	–	–	–	–	–	–	–
	16. *Spleen Disease, etc.*	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 5.														
	1. Nephritis	6	–	–	–	1	–	–	–	1	–	1	–	–	–
	2. Ischuria	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Bright's Disease (Nephria)	5	–	–	–	–	–	–	–	–	–	–	1	–	1
	4. Diabetes	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Calculus (Stone)	1	–	–	–	–	–	–	–	–	–	–	–	–	1
	6. Cystitis	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. *Kidney Disease, etc.*	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 6.														
	1. Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. *Uterus Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 7.														
	1. Synovitis (Arthritis)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. *Joint Disease, etc.*	2	–	–	–	–	–	–	–	–	1	1	–	–	–

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1879.—FEMALES. (*Continued.*)

Class	CAUSES OF DEATH.	FEMALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.												
			3	6	12	2	3	4	5	10	15	20	25	30	35
	ORDER 2.														
	1. Scrofula	7	–	–	–	–	1	1	2	1	1	–	–	–	–
	2. Tabes Mesenterica	9	–	–	–	2	1	1	–	4	1	–	–	–	–
	3. Phthisis	120	–	–	1	5	4	–	1	9	13	23	11	17	5
	4. Hydrocephalus	35	–	4	12	7	2	2	1	5	2	–	–	–	–
III.	ORDER 1.														
	1. Cephalitis	6	1	–	–	–	–	–	–	–	3	–	1	–	1
	2. Apoplexy	23	–	–	2	3	1	–	1	1	–	1	–	–	–
	3. Paralysis	19	–	–	–	–	–	–	–	–	–	1	–	–	–
	4. Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Epilepsy	1	–	–	–	–	–	–	–	–	1	–	–	–	–
	7. Convulsions	10	4	3	–	2	–	–	1	–	–	–	–	–	–
	8. *Brain Disease, etc.*	11	–	–	–	–	–	–	–	1	–	2	–	–	2
	ORDER 2.														
	1. Pericarditis	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. *Heart Disease, etc.*	40	–	–	–	–	–	–	–	–	–	–	1	2	2
	ORDER 3.														
	1. Laryngitis	3	–	–	–	–	–	1	–	–	–	1	–	–	–
	2. Bronchitis	107	8	4	9	11	4	1	1	2	1	2	–	1	2
	3. Pleurisy	1	–	–	–	–	–	–	–	–	–	–	–	1	–
	4. Pneumonia	27	–	1	1	1	2	1	1	7	1	2	1	–	2
	5. Asthma	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. *Lung Disease, etc.*	6	1	–	1	1	–	–	1	–	–	–	1	–	–
	ORDER 4.														
	1. Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Enteritis	10	1	3	–	1	–	–	–	–	1	–	–	–	1
	3. Peritonitis	3	–	–	–	–	–	–	–	–	–	–	–	–	1
	4. Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Ulceration of Intestines	4	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Hernia	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. Ileus	2	–	–	–	–	–	–	–	–		–	–	–	–
	8. Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	9. Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	10. Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. *Stomach Disease, etc.*	4	–	–	–	–	–	–	–	1	–	–	–	–	–
	12. *Pancreas Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Hepatitis	6	–	–	–	–	–	–	–	–	–	1	–	1	–
	14. Jaundice	2	–	1	–	–	–	–	–	–	–	–	–	–	–
	15. *Liver Disease, etc.*	6	–	–	–	–	–	–	–	–	–	–	–	–	–
	16. *Spleen Disease, etc.*	–	–	–		–	–	–	–	–	–	–	–	–	–
	ORDER 5.														
	1. Nephritis	2	–	–	–	–	–	–	–	–	–	1	–	–	–
	2. Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Bright's Disease (Nephria)	3	–	–	–	–	–	–	–	–	–	–	–	1	–
	4. Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Calculus (Stone)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. *Kidney Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 6.														
	1. Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. *Uterus Disease, etc.*	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 7.														
	1. Synovitis (Arthritis)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. *Joint Disease, etc.*	1	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1879.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
	ORDER 2.															
	1. Scrofula	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	2. Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Phthisis	6	2	3	1	2	1	1	2	–	–	–	–	–	–	–
	4. Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 1.															
I.	1. Cephalitis	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	2. Apoplexy	–	–	–	3	3	1	1		1	–	–	–	–	–	–
	3. Paralysis	1	4	2	2	1	4	4	2	–	2	–	–	–	–	–
	4. Insanity	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
	5. Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Epilepsy	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	7. Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. *Brain Disease, etc.*	–	–	–	1	–	–	3	–	–	–	–	–	–	–	–
	ORDER 2.															
	1. Pericarditis	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	2. Aneurism	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	3. *Heart Disease, etc.*	3	5	3	4	3	2	4	3	1	–	–	–	–	–	
	OEDER 3.															
	1. Laryngitis	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	2. Bronchitis	2	6	1	6	5	8	14	5	2	–	–	–	–	–	–
	3. Pleurisy	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–
	4. Pneumonia	1	1	1	5	1	1	–	1	–	–	–	–	–	–	–
	5. Asthma	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
	6. *Lung Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4.															
	1. Gastritis	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	2. Enteritis	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
	3. Peritonitis	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	4. Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Ulceration of Intestines	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	6. Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. Ileus	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	8. Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	9. Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	10. Fistula	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. *Stomach Disease, etc.*	1	–	–	–	–	1	–	–	1	1	–	–	–	–	–
	12. *Pancreas Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Hepatitis	–	–	1	1	–	–	–	–	1	–	–	–	–	–	–
	14. Jaundice	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	15. *Liver Disease, etc.*	–	2	–	1	1	–	2	1	–	–	–	–	–	–	–
	16. *Spleen Disease, etc.*	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 5.															
	1. Nephritis	2	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	2. Ischuria	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	3. Bright's Disease (Nephria)	–	–	–	1	1	–	–	–	1	–	–	–	–	–	–
	4. Diabetes	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	5. Calculus (Stone)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Cystitis	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
	7. *Kidney Disease, etc.*	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 6.															
	1. Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. *Uterus Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 7.															
	1. Synovitis (Arthritis)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. *Joint Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1879.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	
	ORDER 2.															
	1. Scrofula	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	2. Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Phthisis	9	7	6	5	–	1	3	–	–	–	–	–	–	–	–
	4. Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
III.	ORDER 1.															
	1. Cephalitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Apoplexy	1	1	1	1	3	1	4	1	1	–	–	–	–	–	–
	3. Paralysis	–	–	1	1	3	4	1	3	2	3	–	–	–	–	–
	4. Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Epilepsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. *Brain Disease, etc.*	1	1	1	–	2	1	–	–	–	–	–	–	–	–	–
	ORDER 2.															
	1. Pericarditis	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. *Heart Disease, etc.*	2	4	4	4	5	7	3	2	4	–	–	–	–	–	–
	ORDER 3.															
	1. Laryngitis	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	2. Bronchitis	7	1	6	9	7	6	11	6	7	–	–	1	–	–	–
	3. Pleurisy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Pneumaonia	1	2	–	2	1	–	–	1	–	–	–	–	–	–	–
	5. Asthm	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
	6. *Lung Disease, etc.*	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	ORDER 4.															
	1. Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Enteritis	–	1	1	–	–	–	1	–	–	–	–	–	–	–	–
	3. Peritonitis	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
	4. Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Ulceration of Intestines	–	–	–	2	–	1	–	–	1	–	–	–	–	–	–
	6. Hernia	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
	7. Ileus	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
	8. Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	9. Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	10. Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. *Stomach Disease, etc.*	1	–	1	–	–	–	–	–	–	1	–	–	–	–	–
	12. *Pancreas Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13 Hepatitis.	1	–	1	1	–	–	1	–	–	–	–	–	–	–	–
	14. Jaundice	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	15. *Liver Disease, etc.*	–	–	1	–	2	2	–	1	–	–	–	–	–	–	–
	16. *Spleen Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 5.															
	1. Nephritis	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	2. Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Bright's Disease (Nephria)	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	4. Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Calculus (Stone)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. *Kidney Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 6.															
	1. Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. *Uterus Disease, etc.*	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 7.															
	1. Synovitis (Arthritis)		–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. *Joint Disease, etc.*	–	–	1	–	–		–	–	–	–	–	–	–	–	–

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1879.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30	35
	ORDER 8.														
	1. Phlegmon	1	–	–	–	–	–	–	–	1	–	–	–	–	–
	2. Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. *Skin Disease, etc.*	1	–	–	1	–	–	–	–	–	–	–	–	–	–
IV.	ORDER 1.														
	1. Premature Birth	14	14	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cyanosis	–	–	–	–	–	–	–		–	–	–	–	–	–
	3. Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Teething	12	–	1	7	3	1	–	–	–	–	–	–	–	–
	ORDER 2.														
	1. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Childbirth (*see* Puerperal Fever)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.														
	1. Old Age	52	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4.														
	1. Atrophy and Debility	27	17	3	2	2	1	–	–	1	–	–	–	–	–
V.	ORDER 1. (*Accident or Negligence.*)														
	1. Fractures and Contusions	11	–	–	–	–	–	–	–	–	1	–	1	1	1
	2. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Cut, Stab	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Burns and Scalds	4	–	–	–	1	–	–	–	–	–	–	–	–	–
	5. Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Drowning	5	–	–	–	–	–	1	–	–	1	–	–	1	–
	7. Suffocation	2	1	1	–	–	–	–	–	–	–	–	–	–	–
	8. Otherwise	4	–	–	1	–	–	–	–	–	–	2	–	–	–
	ORDER 3. (*Homicide.*)														
	1. Murder and Manslaughter	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4. (*Suicide.*)														
	1. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cut, Stab	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Poison	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Drowning	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Hanging	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Otherwise and undefined	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 5. (*Execution.*)														
	1. Hanging	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Sudden Deaths (cause unascertained)	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	Causes not specified or ill-defined	5	1	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1879.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30	35
	ORDER 8.														
	1. Phlegmon	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Ulcer	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	3. *Skin Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
IV.	ORDER 1.														
	1. Premature Birth	9	9	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cyanosis	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	3. Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Other Malformations	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	5. Teething	11	–	3	3	5	–	–	–	–	–	–	–	–	–
	ORDER 2.														
	1. Paramenia	1	–	–	–	–	–	–	–	–	–	1	–	–	–
	2. Childbirth (*see* Puerperal Fever)	9	–	–	–	–	–	–	–	–	–	–	3	–	2
	ORDER 3.														
	1. Old Age	60	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4.														
	1. Atrophy and Debility	30	14	4	4	3	–	–	1	–	–	–	–	1	–
V.	ORDER 1. (*Accident or Negligence.*)														
	1. Fractures and Contusions	3	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Cut, Stab	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Burns and Scalds	2	–	–	–	1	–	–	–	1	–	–	–	–	–
	5. Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Drowning	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. Suffocation	1	–	1	–	–	–	–	–	–	–	–	–	–	–
	8. Otherwise	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3. (*Homicide.*)														
	1. Murder and Manslaughter	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4. (*Suicide.*)														
	1. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cut, Stab	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Drowning	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Hanging	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Otherwise and undefined	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 5. (*Execution.*)														
	1. Hanging	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Sudden Deaths (cause unascertained)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Causes not specified or ill-defined	1	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1879.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
	ORDER 8.															
	1. Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. *Skin Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
IV.	ORDER 1.															
	1. Premature Birth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 2.															
	1. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Childbirth (*see* Puerperal Fever)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.															
	1. Old Age	–	–	–	–	–	1	8	14	20	7	1	1	–	–	–
	ORDER 4.															
	1. Atrophy and Debility	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
V	ORDER 1. (*Accident or Negligence.*)															
	1. Fractures and Contusions	1	1	1	–	–	–	2	–	1	–	1	–	–	–	–
	2. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Cut, Stab	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	4. Burns and Scalds	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–
	5. Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Drowning	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–
	7. Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Otherwise	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3. (*Homicide.*)															
	1. Murder and Manslaughter	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 2. (*Suicide.*)															
	1. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cut, Stab	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	3. Poison		–	1	–	–	–	–	–	–	–	–	–	–	–	–
	4. Drowning	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Hanging	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
	6. Otherwise and undefined	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 5. (*Execution.*)															
	1. Hanging	–	–	–	–	–		–	–	–	–	–	–	–	–	–
	Sudden Deaths (cause unascertained)	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Causes not specified or ill-defined	–	1	–	–	1	1	1	–	–	–	–	–	–	–	–

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1879.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
	ORDER 8.															
	1. Phlegmon	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. *Skin Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
IV.	ORDER 1.															
	1. Premature Birth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 2.															
	1. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Childbirth (*see* Puerperal Fever)	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.															
	1. Old Age	–	–	–	–	–	6	8	10	15	16	5	–	–	–	–
	ORDER 4.															
	1. Atrophy and Debility	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–
V.	ORDER 1. (*Accident or Negligence.*)															
	1. Fractures and Contusions	1	–	1	–	–	–	1	–	–	–	–	–	–	–	–
	2. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Cut, Stab	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Drowning	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	7. Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Otherwise	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3. (*Homicide.*)															
	1. Murder and Manslaughter	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4. (*Suicide.*)															
	1. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–		–
	2. Cut, Stab	–	–	–	–	–	–	–	–	–	–	–	–	–		–
	3. Poison	–	–	–	–	–	–	–	–	–	–	–	–	–		–
	4. Drowning	–	–	–	–	–	–	–	–	–	–	–	–	–		–
	5. Hanging	–	–	–	–	–	–	–	–	–	–	–	–	–		–
	6. Otherwise and undefined	–	–	–	–	–	–	–	–	–	–	–	–	–		–
	ORDER 5. (*Execution.*)															
	1. Hanging	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Sudden Deaths (cause unascertained)		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Causes not specified or ill-defined		–	–	–			–	1	–	–	–	–	–	–	–	–

CAUSES of DEATH in LEITH, at different Periods of Life, in 1879.—MALES.

Class.	CAUSES OF DEATH.	MALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30	35
	All Causes . . .	586	87	31	49	60	26	12	12	21	15	13	18	16	14
	Specified Causes . .	585	86	31	49	60	26	12	12	21	15	13	18	16	14
	(CLASSES.)														
I.	ZYMOTIC DISEASES	100	9	4	11	23	13	4	8	6	5	–	3	–	1
II.	CONSTITUTIONAL ,,	98	4	3	6	4	4	3	1	7	7	5	9	6	5
III.	LOCAL ,,	291	32	20	29	28	8	3	2	7	3	3	4	6	6
IV.	DEVELOPMENTAL ,,	67	40	3	3	5	1	–	1	–	–	1	–	–	–
V.	VIOLENT DEATHS .	29	1	1	–	–	–	2	–	1	–	4	2	4	2
	(ORDERS.)														
I.	1. MIASMATIC DISEASES .	92	7	4	10	22	13	4	8	6	5	–	2	–	1
	2. ENTHETIC ,, .	3	–	–	1	1	–	–	–	–	–	–	1	–	–
	3. DIETIC ,, .	5	2	–	–	–	–	–	–	–	–	–	–	–	–
	4. PARASITIC ,, .	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	1. DIATHETIC ,, .	9	1	–	–	1	–	–	–	–	–	–	1	–	–
	2. TUBERCULAR ,, .	89	3	3	6	3	4	3	1	7	7	5	8	6	5
III.	1. DISEASES OF NERVOUS SYSTEM . .	65	8	4	5	5	1	1	1	1	–		–	–	–
	2. ,, OF ORGANS OF CIRCULATION .	39	–	–	–	–	–	–	–	–	–	2	1	1	2
	3. ,, OF RESPIRATORY ORGANS . .	140	17	12	23	18	5	2	1	4	2	1	2	2	2
	4. ,, OF DIGESTIVE ORGANS . .	25	6	4	1	4	–	–	–	2	–	–	–	–	–
	5. ,, OF URINARY ORGANS . .	14	–	–	–	1	2	–	–	–	–	–	1	2	2
	6. ,, OF ORGANS OF GENERATION .	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	7. ,, OF ORGANS OF LOCOMOTION . .	3	–	–	–	–	–	–	–	–	1	–	–	1	–
	8. ,, OF INTEGUMENTARY SYSTEM . .	4	–	–	–	–	–	–	–	–	–	–	–	–	–
IV.	1. DEV. DIS. OF CHILDREN	33	25	1	2	4	1	–	–	–	–	–	–	–	–
	2. ,, OF ADULTS .	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. ,, OF OLD PEOPLE	13	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. DISEASES OF NUTRITION	21	15	2	1	1	–	–	1	–	–	1	–	–	–

CAUSES of DEATH in LEITH, at different Periods of Life, in 1879.—FEMALES.

Class.	CAUSES OF DEATH.	FEMALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.												
			3	6	12	2	3	4	5	10	15	20	25	30	35
	All Causes . . .	572	72	30	42	57	18	14	12	27	11	16	17	14	17
	Specified Causes . .	571	71	30	42	57	18	14	12	27	11	16	17	14	17
	(CLASSES.)														
I.	ZYMOTIC DISEASES	107	11	6	8	22	7	8	7	11	1	5	3	2	2
II.	CONSTITUTIONAL ,,	120	5	4	6	11	6	3	2	6	6	10	6	6	7
III.	LOCAL ,,	255	20	14	23	21	4	1	3	9	4	1	5	3	6
IV.	DEVELOPMENTAL ,,	82	34	4	5	3	1	–	–	1	–	–	3	3	2
V.	VIOLENT DEATHS .	7	1	2	–	–	–	2	–	–	–	–	–	–	–
	(ORDERS.)														
I.	1. MIASMATIC DISEASES .	102	10	5	7	22	7	8	7	11	1	5	3	2	1
	2. ENTHETIC ,, .	2	–	1	1	–	–	–	–	–	–	–	–	–	–
	3. DIETIC ,, .	3	1	–	–	–	–	–	–	–	–	–	–	–	1
	4. PARASITIC ,, .	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	1. DIATHETIC ,, .	29	1	–	–	–	–	1	–	–	–	1	–	–	–
	2. TUBERCULAR ,, .	91	4	4	6	11	6	2	2	6	6	9	6	6	7
III.	1. DISEASES OF NERVOUS SYSTEM . .	66	6	3	6	2	–	–	2	3	1	–	–	1	1
	2. ,, OF ORGANS OF CIRCULATION .	26	–	–	–	–	–	–	–	1	–	–	3	–	1
	3. ,, OF RESPIRATORY ORGANS . .	118	9	10	17	19	2	–	–	5	–	–	–	–	2
	4. ,, OF DIGESTIVE ORGANS . .	26	5	1	–	–	1	–	–	–	1	1	1	1	1
	5. ,, OF URINARY ORGANS . .	9	–	–	–	–	1	1	–	–	–	–	1	1	1
	6. ,, OF ORGANS OF GENERATION .	3	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. ,, OF ORGANS OF LOCOMOTION . .	2	–	–	–	–	–	–	1	–	1	–	–	–	–
	8. ,, OF INTEGUMENTARY SYSTEM . .	5	–	–	–	–	–	–	–	–	1	–	–	–	–
IV.	1. DEV. DIS. OF CHILDREN	23	19	1	3	–	–	–	–	–	–	–	–	–	–
	2. ,, OF ADULTS .	10	–	–	–	–	–	–	–	–	–	–	3	3	2
	3. ,, OF OLD PEOPLE	24	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. DISEASES OF NUTRITION	25	15	3	2	3	1	–	–	1	–	–	–	–	–

CAUSES of DEATH in LEITH, at different Periods of Life, in 1879.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES. AGE UNDER														
		40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
	All Causes . . .	22	24	20	22	21	32	25	16	17	10	3	–	–	–	–
	Specified Causes . .	22	24	20	22	21	32	25	16	17	10	3	–	–	–	–
	(CLASSES.)															
I.	ZYMOTIC DISEASES	2	3	1	1	1	2	2	–	1	–	–	–	–	–	–
II.	CONSTITUTIONAL ,,	9	6	6	6	3	1	2	1	–	–	–	–	–	–	–
III.	LOCAL ,,	8	13	10	14	16	25	20	12	14	7	1	–	–	–	–
IV.	DEVELOPMENTAL ,,	–	–	–	–	–	4	–	2	2	3	2	–	–	–	–
V.	VIOLENT DEATHS .	3	2	3	1	1	–	1	1	–	–	–	–	–	–	–
	(ORDERS.)															
I.	1. MIASMATIC DISEASES .	2	2	1	–	1	2	1	–	1	–	–	–	–	–	–
	2. ENTHETIC ,, .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. DIETIC ,, .	–	1	–	1	–	–	1	–	–	–	–	–	–	–	–
	4. PARASITIC ,, .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	1. DIATHETIC ,	2	–	–	1	–	1	1	1	–	–	–	–	–	–	–
	2. TUBERCULAR ,,	7	6	6	5	3	–	1	–	–	–	–	–	–	–	–
III.	1. DISEASES OF NERVOUS SYSTEM .	3	2	3	3	3	8	3	4	6	4	–	–	–	–	–
	2. ,, OF ORGANS OF CIRCULATION .	1	4	2	4	2	5	4	6	5	–	–	–	–	–	–
	3. ,, OF RESPIRATORY ORGANS . .	3	6	4	5	4	10	10	1	3	2	1	–	–	–	–
	4. ,, OF DIGESTIVE ORGANS . .	1	1	1	1	3	1	–	–	–	–	–	–	–	–	–
	5. ,, OF URINARY ORGANS . .	–	–	–	–	2	1	2	1	–	–	–	–	–	–	–
	6. ,, OF ORGANS OF GENERATION .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. ,, OF ORGANS OF LOCOMOTION . .	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	8. ,, OF INTEGUMENTARY SYSTEM . .	–	–	–	1	2	–	1	–	–	–	–	–	–	–	–
IV.	1. DEV. DIS. OF CHILDREN	–	–	–	–	–	–	–	–	–		–	–	–	–	–
	2. ,, OF ADULTS .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. ,, OF OLD PEOPLE	–	–	–	–	–	4	–	2	2	3	2	–	–	–	–
	4. DISEASES OF NUTRITION	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in LEITH, at different Periods of Life, in 1879.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
	All Causes . . .	13	20	12	25	21	30	25	25	24	18	9	3	–	–	–
	Specified Causes . .	13	20	12	25	21	30	25	25	24	18	9	3	–	–	–
	(CLASSES.)															
I.	ZYMOTIC DISEASES	2	3	–	2	–	–	2	5	–	–	–	–	–	–	–
II.	CONSTITUTIONAL ,,	4	9	6	6	3	7	4	3	–	–	–	–	–	–	–
III.	LOCAL ,,	5	8	5	16	18	23	17	13	16	13	5	2	–	–	–
IV.	DEVELOPMENTAL ,,	2	–	–	–	–	–	2	4	8	5	4	1	–	–	–
V.	VIOLENT DEATHS .	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
	(ORDERS.)															
I.	1. MIASMATIC DISEASES .	2	2	–	2	–	–	2	5	–	–	–	–	–	–	–
	2. ENTHETIC ,, .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. DIETIC ,, .	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. PARASITIC ,, .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	1. DIATHETIC ,, .	2	3	3	5	3	6	1	3	–	–	–	–	–	–	–
	2. TUBERCULAR ,, .	2	6	3	1	–	1	3	–	–	–	–	–	–	–	–
III.	1. DISEASES OF NERVOUS SYSTEM . .	1	–	2	7	4	8	5	3	5	3	3	–	–	–	–
	2. ,, OF ORGANS OF CIRCULATION .	1	3	–	1	6	3	4	1	–	2	–	–	–	–	–
	3. ,, OF RESPIRATORY ORGANS . .	2	3	2	6	5	6	6	7	6	8	2	1	–	–	–
	4. ,, OF DIGESTIVE ORGANS . . .	–	1	1	1	1	3	2	2	2	–	–	1	–	–	–
	5. ,, OF URINARY ORGANS . .	1	1	–	1	–	1	–	–	–	–	–	–	–	–	–
	6. ,, OF ORGANS OF GENERATION .	–	–	–	–	2	–	–	–	1	–	–	–	–	–	–
	7. ,, OF ORGANS OF LOCOMOTION . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. ,, OF INTEGUMENTARY SYSTEM . .	–	–	–	–	–	2	–	–	2	–	–	–	–	–	–
IV.	1. DEV. DIS. OF CHILDREN	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. ,, OF ADULTS .	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. ,, OF OLD PEOPLE	–	–	–	–	–	–	2	4	8	5	4	1	–	–	–
	4. DISEASES OF NUTRITION	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in LEITH, at different Periods of Life, in 1879.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30	35
V.	1. ACCIDENT OR NEGLIGENCE . . .	27	1	1	–	–	–	2	–	1	–	4	2	3	2
	*														
	3. HOMICIDE . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. SUICIDE . .	2	–	–	–	–	–	–	–	–	–	–	–	1	–
	5. EXECUTION . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–
SUDDEN DEATHS, CAUSE UNASCERTAINED		–	–	–	–	–	–	–	–	–	–	–	–	–	–
CAUSES NOT SPECIFIED . . .		1	1	–	–	–	–	–	–	–	–	–	–	–	–
I.	ORDER 1.														
	1. Small-pox . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Scarlatina . . .	10	–	–	–	2	2	1	1	3	1	–	–	–	–
	4. Diphtheria . . .	8	–	–	1	2	2	1	2	–	–	–	–	–	–
	5. Quinsy	1	–	–	–	1	–	–	–	–	–	–	–	–	–
	6. Croup	13	–	–	1	5	2	2	2	1	–	–	–	–	–
	7. Hooping-cough . .	26	2	–	5	9	7	–	2	1	–	–	–	–	–
	8. Typhus Fever . .	3	–	–	–	–	–	–	–	–	–	–	1	–	–
	8. Enteric or Typhoid Fever	6	–	–	–	–	–	–	–	–	2	–	1	–	–
	8. Relapsing Fever . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Simple Continued Fever	2	–	–	–	–	–	–	1	1	–	–	–	–	–
	9. Erysipelas . . .	6	3	–	1	–	–	–	–	–	–	–	–	–	1
	10. Puerperal Fever (Metria)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. Carbuncle . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	12. Influenza . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Dysentery . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	14. Diarrhœa . . .	13	2	4	2	2	–	–	–	–	–	–	–	–	–
	15. Cholera	1	–	–	–	1	–	–	–	–	–	–	–	–	–
	16. Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	17. Remittent Fever . .	1	–	–	–	–	–	–	–	–	1	–	–	–	–
	18. Rheumatism . . .	2	–	–	–	–	–	–	–	–	1	–	–	–	–
	19. Other *Miasmatic* Diseases	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 2.														
	1. Syphilis	3	–	–	1	1	–	–	–	–	–	–	1	–	–
	2. Stricture of Urethra .	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Hydrophobia . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Glanders . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.														
	1. Privation . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Want of Breast Milk .	2	2	–	–	–	–	–	–	–	–	–	–	–	–
	3. Purpura and Scurvy .	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Alcoholism { *a* Del. Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Alcoholism { *b* Intemperance	3	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4.														
	1. Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Worms, etc. . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	ORDER 1.														
	1. Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Dropsy	3	1	–	–	1	–	–	–	–	–	–	–	–	–
	3. Cancer	6	–	–	–	–	–	–	–	–	–	–	1	–	–
	4. Cancrum Oris (Noma) .	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Mortification . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–

* See page 52, note *.

CAUSES of DEATH in LEITH, at different Periods of Life, in 1879.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30	35
V.	1. ACCIDENT OR NEGLIGENCE	7	1	2	–	–	–	2	–	–	–	–	–	–	–
	*														
	3. HOMICIDE	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. SUICIDE	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. EXECUTION	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	SUDDEN DEATHS, CAUSE UNASCERTAINED	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	CAUSES NOT SPECIFIED	1	1	–	–	–	–	–	–	–	–	–	–	–	–
I.	ORDER 1.														
	1. Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Scarlatina	7	–	–	1	–	1	1	–	2	1	1	–	–	–
	4. Diphtheria	8	–	–	–	3	–	–	2	3	–	–	–	–	–
	5. Quinsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Croup	13	1	–	–	6	2	1	2	1	–	–	–	–	–
	7. Hooping-cough	28	2	2	4	10	2	5	2	1	–	–	–	–	–
	8. Typhus Fever	2	–	–	–	–	–	1	–	1	–	–	–	–	–
	8. Enteric or Typhoid Fever	11	–	–	–	–	1	–	–	3	–	4	–	1	–
	8. Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Simple Continued Fever	1	–	–	–	–	–	–	1	–	–	–	–	–	–
	9. Erysipelas	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	10. Puerperal Fever (Metria)	3	–	–	–	–	–	–	–	–	–	–	2	–	–
	11. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	12. Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Dysentery	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	14. Diarrhœa	20	7	3	2	1	–	–	–	–	–	–	1	1	1
	15. Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	16. Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	17. Remittent Fever	2	–	–	–	2	–	–	–	–	–	–	–	–	–
	18. Rheumatism	3	–	–	–	–	–	–	–	–	–	–	–	–	–
	19. Other *Miasmatic* Diseases	1	–	–	–	–	1	–	–	–	–	–	–	–	–
	ORDER 2.														
	1. Syphilis	2	–	1	1	–	–	–	–	–	–	–	–	–	–
	2. Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Glanders	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.														
	1. Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Want of Breast Milk	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	3. Purpura and Scurvy	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Alcoholism *a* Del. Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Alcoholism *b* Intemperance	2	–	–	–	–	–	–	–	–	–	–	–	–	1
	ORDER 4.														
	1. Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Worms, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	ORDER 1.														
	1. Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Dropsy	7	1	–	–	–	–	1	–	–	–	1	–	–	–
	3. Cancer	21	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Cancrum Oris (Noma)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Mortification	1	–	–	–	–	–	–	–	–	–	–	–	–	–

* See page 52, note *.

CAUSES of DEATH in LEITH, at different Periods of Life, in 1879.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
V.	1. ACCIDENT OR NEGLIGENCE	3	2	2	1	1	–	1	1	–	–	–	–	–	–	–
	*															
	3. HOMICIDE	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. SUICIDE	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	5. EXECUTION	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	SUDDEN DEATHS, CAUSE UNASCERTAINED	–	–	–	–	–	–		–	–	–	–	–	–	–	–
	CAUSES NOT SPECIFIED	–	–	–	–	–	–	–	–	–		–	–	–	–	–
I.	ORDER 1.															
	1. Small-pox	–	–	–	–	–		–	–	–	–	–	–	–	–	–
	2. Measles	–	–	–	–	–	–	–	–	–	–	–	–	–		–
	3. Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Quinsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. Hooping-cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Typhus Fever	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Enteric or Typhoid Fever	2	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	8. Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	9. Erysipelas	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	10. Puerperal Fever (Metria)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	12. Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13 Dysentery	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	14 Diarrhœa	–	–	–	–	1	1	–	–	1	–	–	–	–	–	–
	15. Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	16. Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	17. Remittent Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	18. Rheumatism	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	19. Other *Miasmatic* Diseases	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 2.															
	1. Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Glanders	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.															
	1. Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Purpura and Scurvy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Alcoholism *a* Del. Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Alcoholism *b* Intemperance	–	1	–	1	–	–	1	–	–	–	–	–	–	–	–
	ORDER 4.															
	1. Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Worms, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	ORDER 1.															
	1. Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Dropsy	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Cancer	1	–	–	1	–	1	1	1	–	–	–	–	–	–	–
	4. Cancrum Oris (Noma)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Mortification	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

* See page 52, note *.

CAUSES of DEATH in LEITH, at different Periods of Life, in 1879.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
V.	1. ACCIDENT OR NEGLIGENCE . . .	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
	*															
	3. HOMICIDE . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. SUICIDE	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. EXECUTION . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	SUDDEN DEATHS, CAUSE UNASCERTAINED	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	CAUSES NOT SPECIFIED . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
I.	ORDER 1.															
	1. Small-pox . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Scarlatina . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Diphtheria . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Quinsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. Hooping-cough . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Typhus Fever . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Enteric or Typhoid Fever	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
	8. Relapsing Fever . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	9. Erysipelas . . .	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	10. Puerperal Fever (Metria)	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. Carbuncle . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	12. Influenza . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Dysentery . . .	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	14. Diarrhœa . . .	–	–	–	2	–	–	–	2	–	–	–	–	–	–	–
	15. Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	16. Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	17. Remittent Fever . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	18. Rheumatism . . .	–	1	–	–	–	–	1	1	–	–	–	–	–	–	–
	19. Other *Miasmatic* Diseases	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 2.															
	1. Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Stricture of Urethra .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Hydrophobia . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Glanders . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.															
	1. Privation . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Want of Breast Milk .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Purpura and Scurvy .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Alcoholism *a* Del. Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Alcoholism *b* Intemperance	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4.															
	1. Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Worms, etc. . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	ORDER 1.															
	1. Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Dropsy	–	–	1	1	1	1	–	–	–	–	–	–	–	–	–
	3. Cancer	2	3	2	3	2	5	1	3	–	–	–	–	–	–	–
	4. Cancrum Oris (Noma) .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Mortification . . .	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–

* See page 52, note *

CAUSES of DEATH in LEITH, at different Periods of Life in 1879.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES. ALL AGES	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30	35
	ORDER 2.														
	1. Scrofula	4	–	–	1	–	–	–	1	–	1	–	–	–	–
	2. Tabes Mesenterica	4	1	2	–	–	1	–	–	–	–	–	–	–	–
	3. Phthisis	65	–	–	1	1	2	1	–	5	4	5	8	6	5
	4. Hydrocephalus	16	2	1	4	2	1	2	–	2	2	–	–	–	–
III.	ORDER 1.														
	1. Cephalitis	7	2	–	–	3	1	–	–	1	–	–	–	–	–
	2. Apoplexy	11	–	–	–	1	–	1	–	–	–	–	–	–	–
	3. Paralysis	24	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Epilepsy	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. Convulsions	18	6	4	5	1	–	–	1	–	–	–	–	–	–
	8. *Brain Disease, etc.*	4	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 2.														
	1. Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Aneurism	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. *Heart Disease, etc.*	37	–	–	–	–	–	–	–	–	–	2	1	1	2
	ORDER 3.														
	1. Laryngitis	2	1	–	–	1	–	–	–	–	–	–	–	–	–
	2. Bronchitis	91	14	8	18	14	2	–	–	3	–	–	–	–	–
	3. Pleurisy	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Pneumonia	39	2	2	5	3	3	2	1	1	1	1	2	2	2
	5. Asthma	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. *Lung Disease, etc.*	7	–	2	–	–	–	–	–	–	1	–	–	–	–
	ORDER 4.														
	1. Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Enteritis	6	2	2	1	1	–	–	–	–	–	–	–	–	–
	3. Peritonitis	3	–	–	–	–	–	–	–	1	–	–	–	–	–
	4. Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Ulceration of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. Ileus	1	–	–	–	1	–	–	–	–	–	–	–	–	–
	8. Intussusception	1	–	1	–	–	–	–	–	–	–	–	–	–	–
	9. Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	10. Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. *Stomach Disease, etc.*	7	2	1	–	2	–	–	–	1	–	–	–	–	–
	12. *Pancreas Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Hepatitis	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	14. Jaundice	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	15. *Liver Disease, etc.*	4	–	–	–	–	–	–	–	–	–	–	–	–	–
	16. *Spleen Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 5.														
	1. Nephritis	4	–	–	–	1	1	–	–	–	–	–	–	2	–
	2. Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Bright's Disease (Nephria)	2	–	–	–	–	–	–	–	–	–	–	–	–	1
	4. Diabetes	1	–	–	–	–	–	–	–	–	–	–	–	–	1
	5. Calculus (Stone)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Cystitis	4	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. *Kidney Disease, etc.*	3	–	–	–	–	1	–	–	–	–	–	1	–	–
	ORDER 6.														
	1. Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. *Uterus Disease, etc.*	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 7.														
	1. Synovitis (Arthritis)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. *Joint Disease, etc.*	3	–	–	–		–	–	–	–	1	–	–	1	–

CAUSES of DEATH in LEITH, at different Periods of Life, in 1879.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30	35
	ORDER 2.														
	1. Scrofula	2	–	–	–	2	–	–	–	–	–	–	–	–	–
	2. Tabes Mesenterica	10	3	1	1	3	1	–	–	1	–	–	–	–	–
	3. Phthisis	56	–	–	–	2	1	2	–	3	4	9	6	6	7
	4. Hydrocephalus	23	1	3	5	4	4	–	2	2	2	–	–	–	–
III.	ORDER 1.														
	1. Cephalitis	7	–	–	1	1	–	–	1	2	1	–	–	1	–
	2. Apoplexy	20	–	–	2	1	–	–	–	1	–	–	–	–	–
	3. Paralysis	22	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Epilepsy	2	–	–	–	–	–	–	–	–	–	–	–	–	1
	7. Convulsions	12	6	3	3	–	–	–	–	–	–	–	–	–	–
	8. *Brain Disease, etc.*	3	–	–	–	–	–	–	1	–	–	–	–	–	–
	ORDER 2.														
	1. Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Aneurism	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. *Heart Disease, etc.*	25	–	–	–	–	–	–	–	1	–	–	3	–	1
	ORDER 3.														
	1. Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Bronchitis	91	9	9	14	14	1	–	–	2	–	–	–	–	1
	3. Pleurisy	2	–	–	–	–	–	–	–	1	–	–	–	–	–
	4. Pneumonia	16	–	–	1	5	1	–	–	2	–	–	–	–	1
	5. Asthma	3	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. *Lung Disease, etc.*	6	–	1	2	–	–	–	–	–	–	–	–	–	–
	ORDER 4.														
	1. Gastritis	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Enteritis	2	1	1	–	–	–	–	–	–	–	–	–	–	–
	3. Peritonitis	1	–	–	–	–	–	–	–	–	–	–	–	–	1
	4. Ascites	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Hernia	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. Ileus	2	1	–	–	–	–	–	–	–	–	1		–	–
	8. Intussusception	1	–	–	–	–	–	–	–	–	1	–	–	–	–
	9. Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	10. Fistula	–	–	–	–	–	–	–	–	–	–	–	–		–
	11. *Stomach Disease, etc.*	7	2	–	–	–	–	–	–	–	–	–	–	–	–
	12. *Pancreas Disease, etc.*	–	–		–	–	–	–	–	–	–	–	–	–	–
	13. Hepatitis	2	1	–	–	–	–	–	–	–	–	–	–	–	–
	14. Jaundice	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	15. *Liver Disease, etc.*	5	–	–	–	–	1	–	–	–	–	–	1	1	–
	16. *Spleen Disease, etc.*	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 5.														
	1. Nephritis	2	–	–	–	–	1	–	–	–		–	–	–	1
	2. Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Bright's Disease (Nephria)	3	–	–	–	–	–	1	–	–	–	–	–	1	–
	4. Diabetes	–	–	–	–	–	–	–		–	–	–	–	–	–
	5. Calculus (Stone)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. *Kidney Disease, etc.*	4	–	–		–	–	–	–	–	–	–	1	–	–
	ORDER 6.														
	1. Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. *Uterus Disease, etc.*	3	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 7.														
	1. Synovitis (Arthritis)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. *Joint Disease, etc.*	2	–	–	–	–	–	–	1	–	1	–	–	–	–

CAUSES of DEATH in LEITH, at different Periods of Life, in 1879.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
	ORDER 2.															
	1. Scrofula	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	2. Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Phthisis	7	6	6	5	2	–	1	–		–	–	–	–	–	–
	4. Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
III.	ORDER 1.															
	1. Cephalitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Apoplexy	1	1	1	–	–	1	2	–	2	1	–	–	–	–	–
	3. Paralysis	1	1	1	3	2	6	1	3	3	3	–	–	–		–
	4. Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Epilepsy	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	7. Convulsions	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. *Brain Disease, etc.*	–	–	1	–	1	1	–	1	–	–	–	–	–	–	–
	ORD R 2.															
	1. Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Aneurism	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
	3. *Heart Disease, etc.*	1	4	2	3	1	5	4	6	5	–	–	–	–	–	–
	ORDER 3.															
	1. Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Bronchitis	–	1	1	3	3	8	10	1	3	1	1	–	–	–	–
	3. Pleurisy	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	4. Pneumonia	2	3	3	2	–	1	–	–	–	1	–	–	–	–	–
	5. Asthma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. *Lung Disease, etc.*	1	2	–	–	1	–	–	–	–	–	–	–	–	–	–
	ORDER 4.															
	1. Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Enteritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Peritonitis	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
	4. Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Ulceration of Intestines	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	6. Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. Ileus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	9. Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	10. Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. *Stomach Disease, etc.*	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	12. *Pancreas Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Hepatitis		–	–	–	–	–	–	–	–	–	–	–	–	–	–
	14. Jaundice	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	15. *Liver Disease, etc.*	1	–	–	1	2	–	–	–	–	–	–	–	–	–	–
	16. *Spleen Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 5.															
	1. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Bright's Disease (Nephria)	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	4. Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Calculus (Stone)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Cystitis	–	–	–	–	–	1	2	1	–	–	–	–	–	–	–
	7. *Kidney Disease, etc.*	–	–		–	1	–	–	–	–	–	–	–	–	–	–
	ORDER 6.															
	1. Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. *Uterus Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 7.															
	1. Synovitis (Arthritis)	–	–	–		–	–	–	–	–	–	–	–	–	–	–
	2. *Joint Disease, etc.*	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–

CAUSES of DEATH in LEITH, at different Periods of Life, in 1879.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
	ORDER 2.															
	1. Scrofula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Phthisis	2	6	3	1	–	1	3	–	–	–	–	–	–	–	–
	4. Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
III.	ORDER 1.															
	1. Cephalitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Apoplexy	1	–	1	3	4	3	2	–	1	–	1	–	–	–	–
	3. Paralysis	–	–	–	2	–	5	3	3	4	3	2	–	–	–	–
	4. Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Epilepsy	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	7. Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. *Brain Disease, etc.*	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
	ORDER 2.															
	1. Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Aneurism	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	3. *Heart Disease, etc.*	1	3	–	–	6	3	4	1	–	2	–	–	–	–	–
	ORDER 3.															
	1. Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Bronchitis	1	2	1	4	2	5	6	6	5	6	2	1	–	–	–
	3. Pleurisy	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	4. Pneumonia	1	–	–	1	1	1	–	–	1	1	–	–	–	–	–
	5. Asthma	–	–	–	–	1	–	–	1	–	1	–	–	–	–	–
	6. *Lung Disease, etc.*	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–
	ORDER 4.															
	1. Gastritis	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	2. Enteritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Peritonitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Ascites	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	5. Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Hernia	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–
	7. Ileus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	9. Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	10. Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. *Stomach Disease, etc.*	–	1	–	–	–	1	1	1	–	–	–	1	–	–	–
	12. *Pancreas Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Hepatitis	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	14. Jaundice	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	15. *Liver Disease, etc.*	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
	16. *Spleen Disease, etc.*	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	ORDER 5.															
	1. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Bright's Disease (Nephria)	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	4. Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Calculus (Stone)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. *Kidney Disease, etc.*	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–
	ORDER 6.															
	1. Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. *Uterus Disease, etc.*	–	–	–	–	2	–	–	–	1	–	–	–	–	–	–
	ORDER 7.															
	1. Synovitis (Arthritis)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. *Joint Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in LEITH, at different Periods of Life, in 1879.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30	35
	ORDER 8.														
	1. Phlegmon	4	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. *Skin Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
IV.	ORDER 1.														
	1. Premature Birth	20	19	–	1	–	–	–	–	–	–	–	–	–	–
	2. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Spina Bifida	2	2	–	–	–	–	–	–	–	–	–	–	–	–
	4. Other Malformations	4	4	–	–	–	–	–	–	–	–	–	–	–	–
	5. Teething	7	–	1	1	4	1	–	–	–	–	–	–	–	–
	ORDER 2.														
	1. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Childbirth (*see* Puerperal Fever)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.														
	1. Old Age	13	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4.														
	1. Atrophy and Debility	21	15	2	1	1	–	–	1	–	–	1	–	–	–
V.	ORDER 1. (*Accident or Negligence.*)														
	1. Fractures and Contusions	10	–	–	–	–	–	1	–	1	–	1	–	1	1
	2. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Cut, Stab	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Burns and Scalds	1	–	–	–	–	–	1	–	–	–	–	–	–	–
	5. Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Drowning	9	–	–	–	–	–	–	–	–	–	2	1	2	1
	7. Suffocation	4	1	1	–	–	–	–	–	–	–	–	–	–	–
	8. Otherwise	3	–	–	–	–	–	–	–	–	–	1	1	–	–
	ORDER 3. (*Homicide.*)														
	1. Murder and Manslaughter	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4. (*Suicide.*)														
	1. Gunshot Wounds	1	–	–	–	–	–	–	–	–	–	–	–	1	–
	2. Cut, Stab	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Drowning	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Hanging	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Otherwise and undefined	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 5. (*Execution.*)														
	1. Hanging	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Sudden Deaths (cause unascertained)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Causes not specified or ill-defined	1	1	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in LEITH, at different Periods of Life, in 1879.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.												
			3	6	12	2	3	4	5	10	15	20	25	30	35
	ORDER 8.														
	1. Phlegmon	4	–	–	–	–	–	–	–	–	1	–	–	–	–
	2. Ulcer	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. *Skin Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
IV.	ORDER 1.														
	1. Premature Birth	16	15	1	–	–	–	–	–	–	–	–	–	–	–
	2. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Other Malformations	3	3	–	–	–	–	–	–	–	–	–	–	–	–
	5. Teething	4	1	–	3	–	–	–	–	–	–	–	–	–	–
	ORDER 2.														
	1. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Childbirth (*see* Puerperal Fever)	10	–	–	–	–	–	–	–	–	–	–	3	3	2
	ORDER 3.														
	1. Old Age	24	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4.														
	1. Atrophy and Debility	25	15	3	2	3	1	–	–	1	–	–	–	–	–
V.	ORDER 1. (*Accident or Negligence.*)														
	1. Fractures and Contusions	1	–	–	–	–	–	1	–	–	–	–	–	–	–
	2. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Cut, Stab	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Burns and Scalds	3	1	–	–	–	–	1	–	–	–	–	–	–	–
	5. Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Drowning	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. Suffocation	3	–	2	–	–	–	–	–	–	–	–	–	–	–
	8. Otherwise	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3. (*Homicide.*)														
	1. Murder and Manslaughter	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4. (*Suicide.*)														
	1. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cut, Stab	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Drowning	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Hanging	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Otherwise and undefined	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 5. (*Execution.*)														
	1. Hanging	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Sudden Deaths (cause unascertained)		–	–	–	–	–	–	–	–	–	–	–	–	–
	Causes not specified or ill-defined	1	1	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in LEITH, at different Periods of Life, in 1879.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
	ORDER 8.															
	1. Phlegmon	–	–	–	1	2	–	1	–	–	–	–	–	–	–	–
	2. Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. *Skin Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
IV.	ORDER 1.															
	1. Premature Birth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 2.															
	1. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Childbirth (*see* Puerperal Fever)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.															
	1. Old Age	–	–	–	–	–	4	–	2	2	3	2	–	–	–	–
	ORDER 4.															
	1. Atrophy and Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
V.	ORDER 1. (*Accident or Negligence.*)															
	1. Fractures and Contusions	1	2	–	1	–	–	1	–	–	–	–	–	–	–	–
	2. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Cut, Stab	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Drowning	1	–	1	–	1	–	–	–	–	–	–	–	–	–	–
	7. Suffocation	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	8. Otherwise	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3. (*Homicide.*)															
	1. Murder and Manslaughter	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4. (*Suicide.*)															
	1. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cut, Stab	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	3. Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Drowning	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Hanging	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Otherwise and undefined	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 5. (*Execution.*)															
	1. Hanging	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Sudden Deaths (cause unascertained)		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Causes not specified or ill-defined		–	–	–	–	–	–	–	–	–	–	–	–	–	–	

CAUSES of DEATH in LEITH, at different Periods of Life, in 1879.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
	ORDER 8.															
	1. Phlegmon	–	–	–	–	–	2	–	–	1	–	–	–	–	–	–
	2. Ulcer	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	3. *Skin Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
IV.	ORDER 1.															
	1. Premature Birth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 2.															
	1. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Childbirth (*see* Puerperal Fever)	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.															
	1. Old Age	–	–	–	–	–	–	2	4	8	5	4	1	–	–	–
	ORDER 4.															
	1. Atrophy and Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
V.	ORDER 1. (*Accident or Negligence.*)															
	1. Fractures and Contusions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Cut, Stab	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Burns and Scalds	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	5. Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Drowning	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. Suffocation	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	8. Otherwise	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3. (*Homicide.*)															
	1. Murder and Manslaughter	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4. (*Suicide.*)															
	1. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cut, Stab	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Drowning	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Hanging	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Otherwise and undefined	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 5. (*Execution.*)															
	1. Hanging	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Sudden Deaths (cause unascertained)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Causes not specified or ill-defined	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in PERTH, at different Periods of Life, in 1879.—MALES.

Class.	CAUSES OF DEATH.	MALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30	35
	All Causes . . .	307	21	12	28	33	10	6	5	8	5	10	8	4	8
	Specified Causes . .	306	21	12	28	32	10	6	5	8	5	10	8	4	8
	(CLASSES.)														
I.	ZYMOTIC DISEASES	52	4	3	11	9	5	2	2	2	1	–	1	–	2
II.	CONSTITUTIONAL ,,	41	–	1	3	5	–	–	1	2	1	3	4	2	2
III.	LOCAL ,,	165	4	7	10	15	5	4	1	4	2	5	2	2	4
IV.	DEVELOPMENTAL ,,	35	13	1	4	3	–	–	–	–	–	–	–	–	–
V.	VIOLENT DEATHS . .	13	–	–	–	–	–	–	1	–	1	2	1	–	–
	(ORDERS.)														
I.	1. MIASMATIC DISEASES .	49	4	3	11	9	5	2	2	2	1	–	1	–	2
	2. ENTHETIC ,, .	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. DIETIC ,, .	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. PARASITIC ,, .	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	1. DIATHETIC ,, .	6	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. TUBERCULAR ,, .	35	–	1	3	5	–	–	1	2	1	3	4	2	2
III.	1. DISEASES OF NERVOUS SYSTEM . .	49	–	3	1	3	–	–	–	3	2	2	1	–	–
	2. ,, OF ORGANS OF CIRCULATION .	25	–	–	–	–	–	–	–	–	–	1	–	–	–
	3. ,, OF RESPIRATORY ORGANS . .	69	4	4	9	10	5	4	1	1	–	–	–	1	–
	4. ,, OF DIGESTIVE ORGANS . .	9	–	–	–	2	–	–	–	–	–	1	–	1	–
	5. ,, OF URINARY ORGANS . .	11	–	–	–	–	–	–	–	–	–	–	1	–	4
	6. ,, OF ORGANS OF GENERATION . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. ,, OF ORGANS OF LOCOMOTION . .	2	–	–	–	–	–	–	–	–	–	1	–	–	–
	8. ,, OF INTEGUMENTARY SYSTEM . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–
IV.	1. DEV. DIS. OF CHILDREN	5	2	–	1	2	–	–	–	–	–	–	–	–	–
	2. ,, OF ADULTS .	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. ,, OF OLD PEOPLE	14	–	–	–		–	–	–	–	–	–	–	–	–
	4. DISEASES OF NUTRITION	16	11	1	3	1	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in PERTH, at different Periods of Life, in 1879.—FEMALES.

Class.	CAUSES OF DEATH.	FEMALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.												
			3	6	12	2	3	4	5	10	15	20	25	30	35
	All Causes . . .	350	29	10	17	29	10	6	5	12	5	13	10	6	15
	Specified Causes . .	347	29	8	17	29	10	6	5	12	5	13	10	5	15
	(CLASSES.)														
I.	ZYMOTIC DISEASES	66	6	4	10	17	8	5	2	7	–	–	–	1	1
II.	CONSTITUTIONAL ,,	68	1	–	2	2	1	1	2	3	3	9	4	3	7
III.	LOCAL ,,	148	9	1	4	8	1	–	1	1	2	4	3	1	7
IV.	DEVELOPMENTAL ,,	60	13	2	1	2	–	–	–	1	–	–	3	–	–
V.	VIOLENT DEATHS . .	5	–	1	–	–	–	–	–	–	–	–	–	–	–
	(ORDERS.)														
I.	1. MIASMATIC DISEASES .	62	6	2	10	17	8	5	2	7	–	–	–	1	1
	2. ENTHETIC ,, .	2	–	2	–	–	–	–	–	–	–	–	–	–	–
	3. DIETIC ,, .	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. PARASITIC ,, .	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	1. DIATHETIC ,, .	19	–	–	–	–	–	–	–	1	1	–	–	–	1
	2. TUBERCULAR ,, .	49	1	–	2	2	1	1	2	2	2	9	4	3	6
III.	1. DISEASES OF NERVOUS SYSTEM . .	35	2	–	–	–	–	–	1	–	–	2	1	–	–
	2. ,, OF ORGANS OF CIRCULATION .	28	–	–	–	–	–	–	–	–	–	–	1	–	3
	3. ,, OF RESPIRATORY ORGANS . .	61	5	1	4	8	1	–	–	1	1	1	1	–	2
	4. ,, OF DIGESTIVE ORGANS . . .	20	2	–	–	–	–	–	–	–	–	1	–	1	2
	5. ,, OF URINARY ORGANS . .	3	–	–	–	–	–	–	–	–	1	–	–	–	–
	6. ,, OF ORGANS OF GENERATION .	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. ,, OF ORGANS OF LOCOMOTION .	–	–	–	–	–	–		–	–	–	–	–	–	–
	8. ,, OF INTEGUMENTARY SYSTEM . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–
IV.	1. DEV. DIS. OF CHILDREN	8	5	1	–	2	–	–	–	–	–	–	–	–	–
	2. ,, OF ADULTS .	3	–	–	–	–	–	–	–	–	–	–	2	–	–
	3. ,, OF OLD PEOPLE	35	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. DISEASES OF NUTRITION	14	8	1	1	–	–	–	–			–	1	–	–

CAUSES of DEATH in PERTH, at different Periods of Life, in 1879.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
	All Causes . . .	9	6	13	14	26	12	20	16	23	6	4	–	–	–	–
	Specified Causes . .	9	6	13	14	26	12	20	16	23	6	4	–	–	–	–
	(CLASSES.)															
I.	ZYMOTIC DISEASES	–	2	1	–	2	1	1	1	2	–	–	–	–	–	–
II.	CONSTITUTIONAL ,,	2	–	4	4	3	–	1	1	2	–	–	–	–	–	–
III.	LOCAL ,,	5	4	7	10	19	10	16	9	14	4	2	–	–	–	–
IV.	DEVELOPMENTAL ,,	–	–	–	–	–	1	1	4	4	2	2	–	–	–	–
V.	VIOLENT DEATHS .	2	–	1	–	2	–	1	1	1	–	–	–	–	–	–
	(ORDERS.)															
I.	1. MIASMATIC DISEASES .	–	1	1	–	2	–	1	–	2	–	–	–	–	–	–
	2. ENTHETIC ,, .	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. DIETIC ,, .	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
	4. PARASITIC ,, .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	1. DIATHETIC .	–	–	–	2	1	–	1	–	2	–	–	–	–	–	–
	2. TUBERCULAR ,, .	2	–	4	2	2	–	–	1	–	–	–	–	–	–	–
III.	1. DISEASES OF NERVOUS SYSTEM . .	2	1	2	3	7	3	6	3	7	–	–	–	–	–	–
	2. ,, OF ORGANS OF CIRCULATION .	1	–	2	3	7	1	3	1	3	2	1	–	–	–	–
	3. ,, OF RESPIRATORY ORGANS . .	1	3	3	3	5	4	4	2	3	1	1	–	–	–	–
	4. ,, OF DIGESTIVE ORGANS . .	–	–	–	–	–	1	2	2	–	–	–	–	–	–	–
	5. ,, OF URINARY ORGANS . .	–	–	–	1	–	1	1	1	1	1	–	–	–	–	–
	6. ,, OF ORGANS OF GENERATION .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. ,, OF ORGANS OF LOCOMOTION . .	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. ,, OF INTEGUMENTARY SYSTEM . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
IV.	1. DEV. DIS. OF CHILDREN	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. ,, OF ADULTS .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. ,, OF OLD PEOPLE	–	–	–	–	–	1	1	4	4	2	2	–	–	–	–
	4. DISEASES OF NUTRITION	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in PERTH, at different Periods of Life, in 1879.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES. AGE UNDER														
		40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
	All Causes . . .	9	13	11	12	20	17	16	29	24	17	12	3	–	–	–
	Specified Causes . .	9	13	11	12	20	17	16	29	24	17	12	3	–	–	–
	(CLASSES.)															
I.	ZYMOTIC DISEASES	–	1	–	1	1	–	–	–	1	1	–	–	–	–	–
II.	CONSTITUTIONAL ,,	6	3	4	4	6	3	2	–	1	–	1	–	–	–	–
III.	LOCAL ,,	2	9	6	7	11	10	11	20	14	7	7	2	–	–	–
IV.	DEVELOPMENTAL ,,	1	–	–	–	2	4	3	7	7	9	4	1	–	–	–
V.	VIOLENT DEATHS . .	–	–	1	–	–	–	–	2	1	–	–	–	–	–	–
	(ORDERS.)															
I.	1. MIASMATIC DISEASES .	–	1	–	–	–	–	–	–	1	1	–	–	–	–	–
	2. ENTHETIC ,, .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. DIETIC ,, .	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
	4. PARASITIC ,, .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	1. DIATHETIC ,, .	–	1	1	4	3	3	2	–	1	–	1	–	–	–	–
	2. TUBERCULAR ,, .	6	2	3	–	3	–	–	–	–	–	–	–	–	–	–
III.	1. DISEASES OF NERVOUS SYSTEM . .	1	–	1	2	6	3	4	4	3	2	3	–	–	–	–
	2. ,, OF ORGANS OF CIRCULATION .	–	2	3	2	2	3	2	4	4	–	1	1	–	–	–
	3. ,, OF RESPIRATORY ORGANS . .	–	4	–	2	1	3	3	8	6	5	3	1	–	–	–
	4. ,, OF DIGESTIVE ORGANS . .	1	1	2	1	2	1	1	4	1	–	–	–	–	–	–
	5. ,, OF URINARY ORGANS . .	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
	6. ,, OF ORGANS OF GENERATION .	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. ,, OF ORGANS OF LOCOMOTION . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. ,, OF INTEGUMENTARY SYSTEM . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
IV.	1. DEV. DIS. OF CHILDREN	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. ,, OF ADULTS .	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. ,, OF OLD PEOPLE	–	–	–	–	–	4	3	7	7	9	4	1	–	–	–
	4. DISEASES OF NUTRITION	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in PERTH, at different Periods of Life, in 1879.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30	35
V.	1. ACCIDENT OR NEGLIGENCE	11	–	–	–	–	–	–	1	–	1	2	1	–	–
	*														
	3. HOMICIDE	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. SUICIDE	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. EXECUTION	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	SUDDEN DEATHS, CAUSE UNASCERTAINED	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	CAUSES NOT SPECIFIED	1	–	–	–	1	–	–	–	–	–	–	–	–	–
I.	ORDER 1.														
	1. Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Measles	6	–	–	2	1	1	2	–	–	–	–	–	–	–
	3. Scarlatina	1	–	–	–	1	–	–	–	–	–	–	–	–	–
	4. Diphtheria	1	–	–	–	1	–	–	–	–	–	–	–	–	–
	5. Quinsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Croup	3	–	–	–	1	–	–	1	1	–	–	–	–	–
	7. Hooping-cough	17	2	1	6	4	3	–	1	–	–	–	–	–	–
	8. Typhus Fever	1	–	–	–	–	–	–	–	–	–	–	–	–	1
	8. Enteric or Typhoid Fever	4	–	–	–	–	–	–	–	1	1	–	1	–	–
	8. Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Simple Continued Fever	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	9. Erysipelas	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	10. Puerperal Fever (Metria)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. Carbuncle	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	12. Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Dysentery	2	–	–	1	–	1	–	–	–	–	–	–	–	–
	14. Diarrhœa	7	2	1	–	1	–	–	–	–	–	–	–	–	1
	15. Cholera	1	–	–	1	–	–	–	–	–	–	–	–	–	–
	16. Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	17. Remittent Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	18. Rheumatism	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	19. Other *Miasmatic* Diseases	2	–	1	1	–	–	–	–	–	–	–	–	–	–
	ORDER 2.														
	1. Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Stricture of Urethra	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Glanders	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.														
	1. Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Purpura and Scurvy	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Alcoholism *a* Del. Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Alcoholism *b* Intemperance	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4.														
	1. Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Worms, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	ORDER 1.														
	1. Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Dropsy	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Cancer	4	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Cancrum Oris (Noma)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Mortification	1	–	–	–	–	–	–	–	–	–	–	–	–	–

* See page 52, note *.

CAUSES of DEATH in PERTH, at different Periods of Life, in 1879.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30	35
V.	1. ACCIDENT OR NEGLIGENCE . . .	4	–	1	–	–	–	–	–	–	–	–	–	–	–
	*														
	3. HOMICIDE . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. SUICIDE	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. EXECUTION . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	SUDDEN DEATHS, CAUSE UNASCERTAINED	1	–	1	–	–	–	–	–	–	–	–	–	–	–
	CAUSES NOT SPECIFIED . . .	2	–	1	–	–	–	–	–	–	–	–	–	1	–
	ORDER 1.														
	1. Small-pox . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Measles	8	–	–	1	4	1	1	–	1	–	–	–	–	–
	3. Scarlatina . . .	2	–	–	–	–	1	–	–	1	–	–	–	–	–
	4. Diphtheria . . .	3	–	–	–	2	–	–	–	–	–	–	–	–	1
	5. Quinsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Croup	4	–	–	–	–	1	2	–	1	–	–	–	–	–
	7. Hooping-cough . .	35	4	2	8	9	5	2	2	3	–	–	–	–	–
	8. Typhus Fever . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Enteric or Typhoid Fever	1	–	–	–	–	–	–	–	1	–	–	–	–	–
	8. Relapsing Fever . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	9. Erysipelas . . .	2	–	–	–	–	–	–	–	–	–	–	–	1	–
	10. Puerperal Fever (Metria)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. Carbuncle . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	12. Influenza . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Dysentery . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	14. Diarrhœa . . .	7	2	–	1	2	–	–	–	–	–	–	–	–	–
	15. Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	16. Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	17. Remittent Fever . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	18. Rheumatism . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	19. Other *Miasmatic* Diseases	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 2.														
	1. Syphilis	2	–	2	–	–	–	–	–	–	–	–	–	–	–
	2. Stricture of Urethra .	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Hydrophobia . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Glanders . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.														
	1. Privation . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Want of Breast Milk .	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Purpura and Scurvy .	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Alcoholism *a* Del. Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Alcoholism *b* Intemperance	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4.														
	1. Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Worms, etc. . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	ORDER 1.														
	1. Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Dropsy	3	–	–	–	–	–	–	–	1	1	–	–	–	–
	3. Cancer	16	–	–	–	–	–	–	–	–	–	–	–	–	1
	4. Cancrum Oris (Noma) .	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Mortification . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–

* See page 52, note *.

CAUSES of DEATH in PERTH, at different Periods of Life, in 1879.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
V.	1. ACCIDENT OR NEGLIGENCE	2	–	1	–	1	–	–	1	1	–	–	–	–	–	–
	*															
	3. HOMICIDE	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	4. SUICIDE	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	5. EXECUTION	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	SUDDEN DEATHS, CAUSE UNASCERTAINED	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	CAUSES NOT SPECIFIED	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
I.	ORDER 1.															
	1. Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Quinsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. Hooping-cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Typhus Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Enteric or Typhoid Fever	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Simple Continued Fever	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	9. Erysipelas	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–
	10. Puerperal Fever (Metria)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. Carbuncle	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	12. Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Dysentery	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	14. Diarrhœa	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
	15. Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	16. Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	17. Remittent Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	18. Rheumatism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	19. Other *Miasmatic* Diseases	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 2.															
	1. Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Stricture of Urethra	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Glanders	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.															
	1. Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Purpura and Scurvy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Alcoholism *a* Del. Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Alcoholism *b* Intemperance	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
	ORDER 4.															
	1. Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Worms, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	ORDER 1.															
	1. Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Dropsy	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	3. Cancer	–	–	–	1	1	–	1	–	1	–	–	–	–	–	–
	4. Cancrum Oris (Noma)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Mortification	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–

* See page 52, note *.

CAUSES of DEATH in PERTH, at different Periods of Life, in 1879.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
V.	1. ACCIDENT OR NEGLIGENCE	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–
	*															
	3. HOMICIDE	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. SUICIDE	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	5. EXECUTION	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	SUDDEN DEATHS, CAUSE UNASCERTAINED	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	CAUSES NOT SPECIFIED	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
I.	ORDER 1.															
	1. Small-pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Quinsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. Hooping-cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Typhus Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Enteric or Typhoid Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	9. Erysipelas	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	10. Puerperal Fever (Metria)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	12. Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Dysentery	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	14. Diarrhœa	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
	15. Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	16. Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	17. Remittent Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	18. Rheumatism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	19. Other *Miasmatic* Diseases	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 2.															
	1. Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Glanders	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.															
	1. Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Purpura and Scurvy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Alcoholism *a* Del. Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Alcoholism *b* Intemperance	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
	ORDER 4.															
	1. Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Worms, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II.	ORDER 1.															
	1. Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Dropsy	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	3. Cancer	–	1	–	4	3	3	2	–	1	–	1	–	–	–	–
	4. Cancrum Oris (Noma)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Mortification	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

* See page 52, note *.

CAUSES of DEATH in PERTH, at different Periods of Life, in 1879.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30	35
	ORDER 2.														
	1. Scrofula	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Tabes Mesenterica	6	–	1	1	2	–	–	–	1	–	1	–	–	–
	3. Phthisis	24	–	–	–	1	–	–	1	1	1	2	4	2	2
	4. Hydrocephalus	4	–	–	2	2	–	–	–	–	–	–	–	–	–
III.	ORDER 1.														
	1. Cephalitis	9	–	1	–	1	–	–	–	1	2	2	–	–	–
	2. Apoplexy	13	–	1	–	–	–	–	–	1	–	–	–	–	–
	3. Paralysis	13	–	–	–	–	–	–	–	–	–	–	1	–	–
	4. Insanity	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Epilepsy	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. Convulsions	4	–	1	1	2	–	–	–	–	–	–	–	–	–
	8. *Brain Disease, etc.*	8	–	–	–	–	–	–	–	1	–	–	–	–	–
	ORDER 2.														
	1. Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. *Heart Disease, etc.*	25	–	–	–	–	–	–	–	–	–	1	–	–	–
	ORDER 3.														
	1. Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Bronchitis	46	3	3	7	8	4	3	1	1	–	–	–	–	–
	3. Pleurisy	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Pneumonia	15	–	1	2	1	1	1	–	–	–	–	–	1	–
	5. Asthma	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. *Lung Disease, etc.*	6	1	–	–	1	–	–	–	–	–	–	–	–	–
	ORDER 4.														
	1. Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Enteritis	3	–	–	–	2	–	–	–	–	–	1	–	–	–
	3. Peritonitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Hernia	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. Ileus	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	9. Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	10. Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. *Stomach Disease, etc.*	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	12. *Pancreas Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	14. Jaundice	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	15. *Liver Disease, etc.*	2	–	–	–	–	–	–	–	–	–	–	–	1	–
	16. *Spleen Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 5.														
	1. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Bright's Disease (Nephria)	4	–	–	–	–	–	–	–	–	–	–	–	–	2
	4. Diabetes	1	–	–	–	–	–	–	–	–	–	–	–	–	1
	5. Calculus (Stone)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Cystitis	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. *Kidney Disease, etc.*	5	–	–	–	–	–	–	–	–	–	–	1	–	1
	ORDER 6.														
	1. Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. *Uterus Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 7.														
	1. Synovitis (Arthritis)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. *Joint Disease, etc.*	2	–	–	–	–	–	–	–	–	–	1	–	–	–

CAUSES of DEATH in PERTH, at different Periods of Life, in 1879.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30	35
	ORDER 2.														
	1. Scrofula	1	–	–	–	–	–	–	–	–	–	1	–	–	–
	2. Tabes Mesenterica	4	1	–	1	1	–	1	–	–	–	–	–	–	–
	3. Phthisis	39	–	–	–	–	–	–	–	2	2	8	4	3	6
	4. Hydrocephalus	5	–	–	1	1	1	–	2	–	–	–	–	–	–
III.	ORDER 1.														
	1. Cephalitis	3	–	–	–	–	–	–	1	–	–	1	1	–	–
	2. Apoplexy	4	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Paralysis	18	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Insanity	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Epilepsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. *Brain Disease, etc.*	8	2	–	–	–	–	–	–	–	–	1	–	–	–
	ORDER 2.														
	1. Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Aneurism	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. *Heart Disease, etc.*	27	–	–	–	–	–	–	–	–	–	–	1	–	3
	ORDER 3.														
	1. Laryngitis	1	–	–	1	–	–	–	–	–	–	–	–	–	–
	2. Bronchitis	43	4	1	1	7	–	–	–	–	1	1	1	–	–
	3. Pleurisy	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Pneumonia	10	–	–	2	1	1	–	–	1	–	–	–	–	2
	5. Asthma	2	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. *Lung Disease, etc.*	4	1	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4.														
	1. Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Enteritis	3	–	–	–	–	–	–	–	–	–	–	–	1	2
	3. Peritonitis	2	1	–	–	–	–	–	–	–	–	–	–	–	–
	4. Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Ulceration of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Hernia	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. Ileus	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	9. Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	10. Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. *Stomach Disease, etc.*	7	–	–	–	–	–	–	–	–	–	–	–	–	–
	12. *Pancreas Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Hepatitis	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	14. Jaundice	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	15. *Liver Disease, etc.*	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	16. *Spleen Disease, etc.*	2	–	–	–	–	–	–	–	–	–	1	–	–	–
	ORDER 5.														
	1. Nephritis	2	–	–	–	–	–	–	–	–	1	–	–	–	–
	2. Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Bright's Disease (Nephria)	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Calculus (Stone)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. *Kidney Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 6.														
	1. Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. *Uterus Disease, etc.*	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 7.														
	1. Synovitis (Arthritis)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. *Joint Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in PERTH, at different Periods of Life, in 1879.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
	ORDER 2.															
	1. Scrofula	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	2. Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Phthisis	2	–	4	2	1	–	–	1	–	–	–	–	–	–	–
	4. Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
III.	ORDER 1.															
	1. Cephalitis	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
	2. Apoplexy	1	–	1	1	4	–	1	–	3	–	–	–	–	–	–
	3. Paralysis	1	–	–	–	2	2	1	2	4	–	–	–	–	–	–
	4. Insanity	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	5. Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Epilepsy	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	7. Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. *Brain Disease, etc.*	–	1	–	1	1	–	3	1	–	–	–	–	–	–	–
	ORDER 2.															
	1. Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. *Heart Disease, etc.*	1	–	2	3	7	1	3	1	3	2	1	–	–	–	–
	ORDER 3.															
	1. Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Bronchitis	–	–	1	2	3	3	2	2	2	–	1	–	–	–	–
	3. Pleurisy	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Pneumonia	–	3	1	1	2	1	–	–	–	–	–	–	–	–	–
	5. Asthma	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	6. *Lung Disease, etc.*	–	–	1	–	–	–	1	–	1	1	–	–	–	–	–
	ORDER 4.															
	1. Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Enteritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Peritonitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Hernia	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	7. Ileus	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	8. Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	9. Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	10. Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. *Stomach Disease, etc.*	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
	12. *Pancreas Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	14. Jaundice	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	15. *Liver Disease, etc.*	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	16. *Spleen Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 5.															
	1. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Bright's Disease (Nephria)	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
	4. Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Calculus (Stone)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Cystitis	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	7. *Kidney Disease, etc.*	–	–	–	–	–	1	–	1	–	1	–	–	–	–	–
	ORDER 6.															
	1. Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. *Uterus Disease, etc.*		–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 7.															
	1. Synovitis (Arthritis)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. *Joint Disease, etc.*	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in PERTH, at different Periods of Life, in 1879.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
	ORDER 2.															
	1. Scrofula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Phthisis	6	2	3	–	3	–	–	–	–	–	–	–	–	–	–
	4. Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
III.	ORDER 1.															
	1. Cephalitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Apoplexy	–	–	–	2	1	–	–	–	–	–	1	–	–	–	–
	3. Paralysis	1	–	–	–	3	2	3	3	3	2	1	–	–	–	–
	4. Insanity	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
	5. Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Epilepsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. *Brain Disease, etc.*	–	–	1	–	1	–	1	1	–	–	1	–	–	–	–
	ORDER 2.															
	1. Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Aneurism	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	3. *Heart Disease, etc.*	–	2	3	2	2	3	2	3	4	–	1	1	–	–	–
	ORDER 3.															
	1. Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Bronchitis	–	2	–	1	1	3	2	7	4	4	2	1	–	–	–
	3. Pleurisy	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	4. Pneumonia	–	1	–	–	–	–	1	–	1	–	–	–	–	–	–
	5. Asthma	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
	6. *Lung Disease, etc.*	–	–	–	1	–	–	–	1	1	–	–	–	–	–	–
	ORDER 4.															
	1. Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Enteritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Peritonitis	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	4. Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Ulceration of Intestines	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	6. Hernia	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	7. Ileus	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	8. Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	9. Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	10. Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	11. *Stomach Disease, etc.*	–	1	1	–	–	1	1	3	–	–	–	–	–	–	–
	12. *Pancreas Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	13. Hepatitis	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	14. Jaundice	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	15. *Liver Disease, etc.*	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	16. *Spleen Disease, etc.*	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 5.															
	1. Nephritis	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Bright's Disease (Nephria)	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	4. Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Calculus (Stone)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. *Kidney Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 6.															
	1. Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. *Uterus Disease, etc.*	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 7.															
	1. Synovitis (Arthritis)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. *Joint Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in PERTH, at different Periods of Life, in 1879.—MALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES.													
		ALL AGES.	AGE UNDER												
			MONTHS.												
			3	6	12	2	3	4	5	10	15	20	25	30	35
	ORDER 8.														
	1. Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. *Skin Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–
IV.	ORDER 1.														
	1. Premature Birth	2	2	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Teething	3	–	–	1	2	–	–	–	–	–	–	–	–	–
	ORDER 2.														
	1. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Childbirth (*see* Puerperal Fever)	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.														
	1. Old Age	14	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4.														
	1. Atrophy and Debility	16	11	1	3	1	–	–	–	–	–	–	–	–	–
V.	ORDER 1. (*Accident or Negligence.*)														
	1. Fractures and Contusions	5	–	–	–	–	–	–	–	–	–	1	–	–	–
	2. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Cut, Stab	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Burns and Scalds	2	–	–	–	–	–	–	–	–	1	–	1	–	–
	5. Poison	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Drowning	3	–	–	–	–	–	–	1	–	–	1	–	–	–
	7. Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Otherwise	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3. (*Homicide.*)														
	1. Murder and Manslaughter	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4. (*Suicide.*)														
	1. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cut, Stab	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Drowning	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Hanging	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Otherwise and undefined	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 5. (*Execution*)														
	1. Hanging	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Sudden Deaths (cause unascertained)		–	–	–	–	–	–	–	–	–	–	–	–	–	–
Causes not specified or ill-defined		1	–	–	–	1	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in PERTH, at different Periods of Life, in 1879.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30	35
	ORDER 8.														
	1. Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. *Skin Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	
IV.	ORDER 1.														
	1. Premature Birth	5	4	1	–	–	–	–	–	–	–	–	–	–	–
	2. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Other Malformations	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	5. Teething	2	–	–	–	2	–	–	–	–	–	–	–	–	–
	ORDER 2.														
	1. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Childbirth (*see* Puerperal Fever)	3	–	–	–	–	–	–	–	–	–	–	2	–	–
	ORDER 3.														
	1. Old Age	35	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4.														
	1. Atrophy and Debility	14	8	1	1	–	–	–	–	1	–	–	1	–	–
V.	ORDER 1. (*Accident or Negligence.*)														
	1. Fractures and Contusions	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Cut, Stab	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Burns and Scalds	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Drowning	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. Suffocation	1	–	1	–	–	–	–	–	–	–	–	–	–	–
	8. Otherwise	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3. (*Homicide.*)														
	1. Murder and Manslaughter	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4. (*Suicide.*)														
	1. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cut, Stab	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Drowning	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Hanging	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Otherwise and undefined	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 5. (*Execution.*)														
	1. Hanging	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Sudden Deaths (cause unascertained)	1	–	1	–	–	–	–	–	–	–	–	–	–	–
	Causes not specified or ill-defined	2	–	1	–	–	–	–	–	–	–		–	1	–

CAUSES of DEATH in PERTH, at different Periods of Life, in 1879.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	MALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
	ORDER 8.															
	1. Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. *Skin Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
IV.	ORDER 1.															
	1. Premature Birth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 2.															
	1. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Childbirth (*see* Puerperal Fever)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.															
	1. Old Age	–	–	–	–	–	1	1	4	4	2	2	–	–	–	–
	ORDER 4.															
	1. Atrophy and Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
V.	ORDER 1. (*Accident or Negligence.*)															
	1. Fractures and Contusions	2	–	1	–	–	–	–	–	1	–	–	–	–	–	–
	2. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Cut, Stab	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Poison	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	6. Drowning	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	7. Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Otherwise	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3. (*Homicide.*)															
	1. Murder and Manslaughter	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
	ORDER 4. (*Suicide.*)															
	1. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cut, Stab	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Drowning	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	5. Hanging	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Otherwise and undefined	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 5. (*Execution.*)															
	1. Hanging	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Sudden Deaths (cause unascertained)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Causes not specified or ill-defined	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in PERTH, at different Periods of Life, in 1879.—FEMALES. (*Continued.*)

Class.	CAUSES OF DEATH.	FEMALES. AGE UNDER 40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
	ORDER 8.															
	1. Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. *Skin Disease, etc.*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
IV.	ORDER 1.															
	1. Premature Birth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 2.															
	1. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Childbirth (*see* Puerperal Fever)	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 3.															
	1. Old Age	–	–	–	–	–	4	3	7	7	9	4	1	–	–	–
	ORDER 4.															
	1. Atrophy and Debility	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–
V.	ORDER 1. (*Accident or Negligence.*)															
	1. Fractures and Contusions	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	2. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Cut, Stab	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Burns and Scalds	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	5. Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	6. Drowning	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7. Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8. Otherwise	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	ORDER 3. (*Homicide.*)															
	1. Murder and Manslaughter	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 4. (*Suicide.*)															
	1. Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2. Cut, Stab	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3. Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4. Drowning	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5. Hanging	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	6. Otherwise and undefined	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	ORDER 5. (*Execution.*															
	1. Hanging	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Sudden Deaths (cause unascertained)	–	–	–	–	–	–	–	–	–	–	–	–		–	–
	Causes not specified or ill-defined)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

TABLE showing the Distribution of DEATHS according to MONTHS, or the influence of SEASON on the MORTALITY

		DEATHS in 1879.												
		Jan	Feb	Mar	Apr	May	Jun	July	Aug	Sep	Oct	Nov	Dec	YEAR
	MEAN TEMPERATURE in 1879	31°·0	34°·0	37°·5	41°·0	46°·2	53°·2	54°·8	56°·0	51°·5	46°·0	40°·5	34°·7	43°·9
	SCOTLAND	7752	7274	6924	6613	6539	5632	5436	4845	4834	5042	4962	7476	73329
1	PRINCIPAL TOWN DISTRICTS .	3031	2606	2488	2477	2451	2079	1972	1702	1788	1808	1833	2897	27132
2	LARGE TOWN DISTRICTS . .	943	996	1020	825	822	680	683	582	627	646	647	966	9437
3	SMALL TOWN DISTRICTS . .	1714	1627	1460	1420	1463	1347	1207	1163	1108	1179	1178	1703	16569
4	MAINLAND-RURAL DISTRICTS .	1809	1818	1717	1677	1617	1363	1421	1240	1170	1270	1184	1744	18030
5	INSULAR-RURAL DISTRICTS .	255	227	239	214	186	163	153	158	141	139	120	166	2161
	DIVISIONS.													
1	NORTHERN . .	214	215	224	201	179	162	126	152	123	147	116	187	2046
2	NORTH-WESTERN .	314	300	302	271	234	190	196	179	209	192	197	235	2819
3	NORTH-EASTERN .	759	661	652	699	596	523	496	487	490	459	504	717	7043
4	EAST-MIDLAND . .	1276	1267	1063	1019	981	892	846	779	739	795	772	1130	11559
5	WEST-MIDLAND .	552	540	480	469	473	411	465	416	361	339	396	529	5431
6	SOUTH-WESTERN .	3268	2925	2888	2714	2805	2347	2251	1861	1939	2054	1995	3283	30330
7	SOUTH-EASTERN . .	998	954	873	897	916	815	786	694	717	799	733	1031	10213
8	SOUTHERN . . .	371	412	442	343	355	292	270	277	256	257	249	364	3888
	COUNTIES.													
	I. NORTHERN.													
1	Shetland	53	42	46	37	34	35	20	40	33	40	29	42	451
2	Orkney	63	51	59	64	60	51	45	45	34	18	30	47	567
3	Caithness	59	75	61	71	52	44	34	48	37	62	39	60	642
4	Sutherland	39	47	58	29	33	32	27	19	19	27	18	38	386
	II. NORTH-WESTERN.													
5	Ross and Cromarty . . .	178	149	118	113	108	92	84	83	98	90	89	106	1308
6	Inverness	136	151	184	158	126	98	112	96	111	102	108	129	1511
	III. NORTH-EASTERN.													
7	Nairn	14	12	16	8	13	8	5	11	11	11	7	14	130
8	Elgin (or Moray)	75	70	60	69	68	59	56	44	57	48	49	74	729
9	Banff	81	100	102	140	92	81	64	80	71	67	70	103	1051
10	Aberdeen	552	423	424	416	380	331	334	313	314	298	342	469	4566
11	Kincardine	67	56	50	66	43	44	37	39	37	35	36	57	567
	IV. EAST-MIDLAND.													
12	Forfar	623	623	495	503	452	412	406	357	356	390	369	527	5513
13	Perth	284	277	224	220	209	174	185	154	163	158	165	208	2421
14	Fife	308	303	306	241	246	239	208	226	171	215	194	334	2991
15	Kinross	18	20	5	11	12	11	8	10	8	10	13	13	139
16	Clackmannan	43	44	33	44	62	56	39	32	41	22	31	48	495
	V. WEST-MIDLAND.													
17	Stirling	220	200	189	188	189	163	200	171	146	130	168	211	2175
18	Dumbarton	133	131	129	121	123	113	97	90	96	87	102	129	1351
19	Argyll	160	180	128	130	120	106	121	116	99	102	99	157	1518
20	Bute	39	29	34	30	41	29	47	39	20	20	27	32	387
	VI. SOUTH-WESTERN.													
21	Renfrew	518	467	474	469	504	425	377	299	316	330	299	567	5045
22	Ayr	456	383	392	363	397	329	349	271	268	311	289	428	4236
23	Lanark	2294	2075	2022	1882	1904	1593	1525	1291	1355	1413	1407	2288	21049
	VII. SOUTH-EASTERN.													
24	Linlithgow	81	78	92	79	48	48	46	42	60	64	68	84	790
25	Edinburgh	735	698	614	657	698	632	592	532	532	579	541	773	7583
26	Haddington	79	60	58	42	46	41	48	36	45	42	40	57	594
27	Berwick	39	58	56	61	72	45	52	36	34	44	36	48	581
28	Peebles	22	21	24	22	17	11	14	22	15	20	10	22	220
29	Selkirk	42	39	29	36	35	38	34	26	31	50	38	47	445
	VIII. SOUTHERN.													
30	Roxburgh	81	84	97	77	86	65	61	78	76	62	73	85	925
31	Dumfries	140	162	151	134	135	124	117	97	94	92	81	160	1487
32	Kirkcudbright	70	73	105	60	56	57	42	54	46	65	50	64	742
33	Wigtown	80	93	89	72	78	46	50	48	40	38	45	55	734

The numbers given above are taken from the Registrar-General's Quarterly Reports, which, being made up from the Returns furnished by the Registrars, do not correspond with those given in the foregoing tables.

CONSTITUTION OF THE DISTRICTS DISTINGUISHED IN THE PRECEDING TABLES BY AN ASTERISK (*).

No.	Districts.	Component Parts (Parishes).
14	Deerness	Part of St Andrews.
15	Eday and Pharay	Part of Stronsay and Eday.
22	North Ronaldshay	Part of Cross and Burness.
26	Sanday	Lady, and part of Cross and Burness.
58	Applecross	(1) Part of Applecross; (2) Rest of Applecross and part of Gairloch.
59*b*	Carnoch	Parts of Contin, Fodderty, and Urray.
71*b*	Kinlochluichart	Parts of Contin, Fodderty, and Urray.
86*b*	Carloway	Parts of Lochs and Uig.
87	Lochs	Parts of Lochs and Uig.
112	Kilmuir	(1) Part of Kilmuir; (2) Rest of Kilmuir and part of Snizort.
135	Elgin	Elgin, and parts of New Spynie and St Andrews-Lhanbryde.
147	Banff	Banff, and part of Gamrie.
152	Enzie	Parts of Bellie and Rathven.
155*b*	Glenrinnes	Parts of Aberlour and Mortlach.
167	Seafield	Parts of Cullen and Rathven.
210*b*	Kinninmonth	Parts of Crimond, Longside, Lonmay, Old Deer, and Strichen.
217	Logie Coldstone and Cromar	Logie Coldstone, and part of Glenmuick, Tullich, and Glengairn.
222*b*	Millbrex	Parts of Fyvie and Monquhitter.
227*b*	New Pitsligo	Parts of Aberdour, New Deer, Strichen, and Tyrie.
237*b*	Savoch	Parts of Ellon, New Deer, Old Deer, and Tarves.
240	Strathdon	Strathdon, and part of Tarland.
249*b*	Ythan Wells	Parts of Auchterless and Forgue.
272	Arbroath	Arbroath, and part of St Vigeans.
282	Dundee	Dundee, and part of Liff, Benvie, and Invergowrie.
294	Kettins	Kettins and part of Scone.
297	Kinnettles	Kinnettles and part of Caputh.
324	Aberfeldy	Parts of Dull, Fortingall, Kenmore, Logierait, and Weem.
331	Balquhidder	Balquhidder, and part of Comrie.
344	Dowally	Part of Dunkeld and Dowally.
349	Dunkeld	Parts of Caputh and of Dunkeld and Dowally.
355*a*	Fortingall	(1) Parts of Fortingall and Weem; (2) Part of Fortingall.
355*b*	Foss	Part of Dull.
360	Kenmore	Parts of Kenmore and Weem.
361	Killin	Parts of Kenmore, Killin, and Weem.
367	Kinloch-Rannoch	Parts of Fortingall and Logierait.
375	Logiealmond	Parts of Fowlis-Wester, Little Dunkeld, Methven, Monzie, and Redgorton.
379	Meigle	Meigle, and part of Coupar-Angus.
386*b*	Persie	Parts of Alyth, Bendochy, Blairgowrie, Caputh, Kirkmichael, Lethendy and [Kinloch, and Rattray.
387	Perth	Perth, and parts of Kinnoull, Scone, and Tibbermore.
393*b*	Stanley	Parts of Auchtergaven, Kinclaven, and Redgorton.
394*b*	Strathfillan	Part of Killin.
394*c*	Tenandry	Parts of Blair-Athol, Dull, and Moulin.
402	Anstruther-Easter	Anstruther-Easter and part of Kilrenny.
417	Crail	Part of Crail and May Island.
423	Dunbog	Dunbog, and parts of Abdie and Flisk.
424	Dunfermline	Parts of Dunfermline and Inverkeithing.
425	Dunino	Dunino and part of Crail.
432	Inverkeithing	Parts of Inverkeithing and Dunfermline.
442	Kirkcaldy and Abbotshall	Kirkcaldy, Abbotshall, and part of Kinghorn.
481 *b*	Grangemouth	Parts of Bothkennar, Falkirk, and Polmont.
490	Stirling	Stirling, and part of St Ninians.
493	Bonhill	Bonhill, and part of Dumbarton.
496	Dumbarton	Parts of Cardross and Dumbarton.
506	Ballachulish, etc.	Part of Kilmalie.
509	Cumlodden and Minard	Parts of Glassary and Glenaray.
513	Inveraray	Inveraray and part of Glenaray.
515	Kilbrandon and Kilchattan	Kilbrandon and Kilchattan, and part of Jura.
517	Kilchrenan	(1) Parts of Kilchrenan and Dalavich, and of Glenorchy and Inishail; (2) Rest [of Kilchrenan and Dalavich.
526	Lochgilphead	Parts of Glassary and South Knapdale.
529	Muckairn	Parts of Ardchattan and Muckairn, and of Glenorchy and Inishail.
535	Tarbert	Parts of Kilcalmonell and Kilberry, of Saddell and Skipness, and of South [Knapdale.
536	Bowmore (or Kilarrow)	Part of Kilarrow and Kilmeny.
542	Kilfinichen and Kilvickeon	Parts of Kilfinichen and Kilvickeon, and of Torosay.
543	Kilmeny	Part of Kilarrow and Kilmeny.
545	Kinlochspelvie	Part of Torosay.
547	Portnahaven	Part of Kilchoman.
548	Salen	Parts of Kilninian and Kilmore, and of Torosay.
549	Tobermory	Part of Kilninian and Kilmore.
556	Lochranza	Parts of Kilbride and of Kilmory.
557	North Bute	North Bute, and part of Rothesay.
572	Neilston	(1) Part of Neilston; (2) Rest of Neilston and part of Abbey.
573	Paisley	High, Middle, and Low Church Parishes, and parts of Abbey and of Renfrew.
576	Ardrossan	(1) Parts of Ardrossan and of West Kilbride; (2) Rest of Ardrossan.
578	Ayr	Ayr, and parts of Newton-upon-Ayr, and of St Quivox.
584*b*	Crosshill	Parts of Kirkmichael, Kirkoswald, and Maybole.
595	Irvine	Irvine, and part of Dundonald.
612	St Quivox, etc.	Parts of Newton-upon-Ayr, and St Quivox.
626*b*	Calderhead	Parts of Cambusnethan and Shotts.
644	Glasgow	City of Glasgow, including Gorbals and parts of Barony and Govan.
670	Queensferry	Queensferry, and part of Dalmeny.
684	Portobello	Parts of Duddingston and South Leith.
685	Edinburgh	City of Edinburgh, Canongate, and parts of St Cuthberts, Duddingston, Liber- [ton, and North Leith and South Leith.
690	Kirknewton & East Calder	Kirknewton and East Calder, and part of Kirkliston.
692	Leith	(1) Parts of Cramond, North Leith, and St Cuthberts; (2) Parts of North Leith, St Cuthberts, and South Leith.
698*b*	Stobhill	Parts of Borthwick, Cockpen, Newbattle, and Temple.
774*a*	Caddonfoot	Parts of Galashiels, Selkirk, Yarrow, Innerleithen, and Stow.
776*b*	Ladhope	Part of Melrose.
787*b*	Edgerston	Parts of Jedburgh, Oxnam, and Southdean.
794	Kirktown	Kirktown and part of Cavers.
813*b*	Brydekirk	Parts of Annan, Cummertrees, and Hoddom.
853*b*	Wanlockhead	Part of Sanquhar.
857*b*	Bargrennan	Parts of Minnigaff (Kirkcudbright) and of Penninghame (Wigtown).
862	Corsockbridge	Parts of Balmaclellan, Kirkpatrick-Durham, and Parton.
864	Dalbeattie	Part of Urr.
899	Stranraer	Stranraer, and parts of Inch and Leswalt.

LIST of REGISTRATION DISTRICTS which include BURGHS, or TOWNS of 2000 Inhabitants, and upwards, *or parts thereof*, bearing a different name from the Districts in which they are situated.

No.	Registration Districts.	Burghs.	Towns.
80	Rosemarkie	* Fortrose.	
130	Drainie		*Lossiemouth.
164	Rathven		*Buckie.
167	Seafield	Cullen.	
211	Kinnellar	Kintore.	
213	Kintore	Inverurie.	
251[1]	Banchory-Devenick	Aberdeen.	
253	Benholm	Inverbervie.	
255	Dunnottar		Stonehaven.
258[1]	Fetteresso		Do.
262	Kinneff, etc.	Inverbervie.	
274	Barry		Carnoustie.
280	Craig	Montrose.	
282[4]	St Andrews (Dundee)		Broughty-Ferry.
310	Monifieth		Do.
316	Panbride		Carnoustie.
371	Lecropt		Bridge of Allan.
374	Logie	Stirling.	Do.
385	Muckart		Dollar.
386 *a*	Muthill		Crieff.
389	Rattray		Blairgowrie.
400	Abdie		Suburban of Newburgh.
405	Auchterderran		Lochgelly.
408	Ballingry		Do.
410	Beath		Cowdenbeath.
431	Forgan		Newport.
436	Kilconquhar	* Earlsferry.	
438	Kilrenny	Anstruther-Easter.	
456	Scoonie		*Leven.
459	Wemyss		Buckhaven.
466	Clackmannan		Alloa.
475	Campsie		*Lennoxtown.
478	Dunipace		Denny.
485	Larbert		Stenhousemuir.
488	St Ninians		Bannockburn.
493	Bonhill		*Alexandria.
494	Cardross		*Renton.
500	New or East Kilpatrick		*Milngavie.
503	Row		*Helensburgh.
523	Kilmore and Kilbride	* Oban.	
559[3]	Abbey		Johnstone.
560	Cathcart		Busby. Suburban of Glasgow (Crosshill).
562	Eastwood		*Pollokshaws and Thornliebank.
564	Greenock, East	Port-Glasgow.	
571	Mearns		Busby.
576[1]	Old Ardrossan		Saltcoats
577	Auchinleck		Cumnock.
593	Galston		Newmilns.
597	Kilmarnock		Hurlford.
603	Loudoun		Galston and Newmilns.
611	Riccarton	Kilmarnock.	Hurlford.
613	Sorn		*Catrine.
615	Stevenston		Saltcoats.
621	Avondale		*Strathaven.
622[1]	Maryhill		Suburban of Glasgow (Maryhill and Possilpark).
622[2]	Shettleston		Suburban of Glasgow (Shettleston and part of Tollcross).
622[2]	Shettleston		Tollcross.
624	Blantyre		Stonefield.
625[1]	Bothwell		*Bellshill, Uddingston and Mossend.
628	Cambusnethan		*Newmains and Wishaw.
639	Dalziel		Motherwell.
643	East Kilbride		Busby.
644[11]	Glasgow (Hutchesontown)		Suburban of Glasgow (Govanhill and Polmadie).
644[13]	Glasgow (Gorbals)		Suburban of Glasgow (Govanhill, Pollockshields, and Strathbungo).
644[14]	Glasgow (Kinning Park)		Suburban of Glasgow (Pollockshields, Strathbungo, and Kinning Park)
646[1]	Govan		Suburban of Glasgow (Govan).
646[2]	Partick		Suburban of Glasgow (Partick and Hillhead).
647	Hamilton		Larkhall and Motherwell.
651[2]	New Monkland (Landward)		Suburban of Airdrie.
652	Old Monkland		
	(1) Western District		Bailliestone, and Tollcross.
	(2) Middle District		Coatbridge and Rosehall.
	(3) Eastern District		Do. do.
654	Rutherglen		Cambuslang.
664	Carriden		Borrowstounness.
672	Uphall		Broxburn.
673[2]	Fauldhouse		*Crofthead.
676	Cockpen		Bonnyrigg.
689	Inveresk	*Musselburgh.	
691	Lasswade		Penicuik, Loanhead.
727	Ayton		Eyemouth.
776 *b*	Ladhope	Galashiels.	
810	Wilton	Hawick.	
813 *b*	Brydekirk	Annan.	
820	Dryfesdale		Lockerbie.
863	Crossmichael		Castle-Douglas.
868	Kells	*New Galloway.	
869	Kelton		Castle-Douglas.
876	Minnigaff		Newton-Stewart.
880	Terregles	Dumfries.	
882	Troqueer	Do.	
895	Penninghame		Newton-Stewart.

* The asterisk indicates that the *entire* Burgh or Town is embraced in the Registration District.

INDEX TO THE DISTRICTS.

The Figures refer to the Numbers of the Districts in the preceding Tables of Births, Deaths, and Marriages, these being numbered consecutively from 1 *to* 901.*

Abbey, . 559
Abbey St Bathans, . 726
Abbotshall, 399
Abdie, . 400
Abercorn, . 661
Aberdalgie, 323
Aberdeen, . 168
Aberdour (Aberdeen), . . 169
Aberdour (Fife), 401
Aberfeldy, . 324
Aberfoyle, . 325
Aberlady, . 702
Aberlemno, 269
Aberlour, . 145
Abernethy 326
Abernethy and Kincardine, 90
Abernyte, . 327
Aboyne, . 170
Aharacle, . 505
Airdrie, . 651
Airlie, . 270
Airth, . 469
Alford, . 171
Alloa, . 465
Alness, . 57
Alva (Stirling), 470
Alvah (Banff), 146
Alves, . 125
Alvie, . . 90
Alyth, . 328
Ancrum, . 780
Anderston, . 644
Annan, . 812
Anstruther-E., 402
Anstruther-W., 403
Anwoth, . 855
Appin, . 525
Applecross, 58
Applegarth, 813
Arbirlot, . 271
Arbroath, . 272
Arbuthnott, 250
Ardchattan, 504
Ardclach, . 120
Ardersier, . 91
Ardnamurchan, 505
Ardoch, . 328
Ardrossan, . 576
Arisaig, . 505
Armadale, . 662
Arngask, . 404
Asrochar, . 492
Ashkirk, . 781
Atsynt, . 44
Arhelstaneford, 703
Auchindoir, 172
Auchinleck, 577
Auchterarder, 329
Auchterderran, 405
Auchtergaven, 330
Auchterhouse, 273
Auchterless, 173
Auchtermuchty, 406
Auchtertool, 407
Auldearn, . 121
Avoch, . 59
Avondale, . 621
Ayr, . . 578
Ayton, . 727
Baldernock, 471
Balfron, . 472
Ballachulish and Corran of Ardgour, . 506
Ballantrae, 579
Ballingry, . 408
Balmaclellan, 856
Balmaghie, 857
Balmerino, . 409
Balquhidder, 331
Banchory-Devenick, . 251
Banchory-Ternan, . 252
Banff, . 147
Bannockburn, 488
Bargrennan, 857
Barony, . 622
Barr, . . 580
Barra (Inverness), . 108
Barrhead and Levern, . 572
Barrhill, . 582
Barry (Forfar), 274
Barvas, . 86
Bathgate, . 662
Beath (Fife), 410
Bedrule, . 782
Beith (Ayr), 581
Belhelvie, . 174
Bellie, . 126
Benbecula, . 118
Bendochy, . 332
Benholm, . 253
Bernera, . 111
Bervie, . 254
Biggar, . 623
Birnie, . 127
Birsay, . 13
Birse, . . 175
Blackford, . 333
Blackfriars, 644
Blair-Athol, 334
Blairgowrie, 335
Blantyre, . 624
Blythswood, 644
Boddam, . 232
Boharm, . 128
Boisdale, . 118
Boleskine, . 92
Bolton, . 704
Bonar, . 46
Bonhill, . 493
Borgue, . 858
Bo'ness, . 663
Borthwick, . 674
Bothkennar, 473
Bothwell, . 625
Botriphnie, 148
Bourtie, . 176
Bowden, . 783
Bower, . 34
Bowmore, . 536
Boyndie, . 149
Bracadale, . 109
Brechin, . 275
Bressay, . 1
Bridgeton, . 644
Brodick, . 553
Broughton, 758
Brydekirk, . 813
Buchanan, . 474
Buckhaven, 459
Buittle, . 859
Bunkle and Preston, . 728
Burntisland, 411
Burra & Quarff, 1
Cabrach, . 177
Cadder, . 626
Caddonfoot, 774
Cairney, . 178
Calderhead, 626
Callander, . 336
Calton, . 644
Cambuslang, 627
Cambusnethan, 628
Cameron, . 412
Camlachie, 644
Campbeltown, 507
Campsie, . 475
Canisbay, . 35
Canonbie, . 814
Canongate, . 685
Caputh, . 337
Cardross, . 494
Careston, . 277
Cargill, . 338
Carlaverock, 815
Carloway, . 86
Carluke, . 629
Carmichael, 630
Carmunnock, 631
Carmylie, . 276
Carnbee, . 413
Carnoch (Ross), 595
Carnock (Fife), 414
Carnwath, . 632
Carriden, . 664
Carrington, 675
Carsphairn, 860
Carstairs, . 633
Castleton, . 784
Cathcart, . 560
Cavers, . 785
Cawdor, . 122
Ceres, . 415
Channelkirk, 729
Chapel-of-Garioch, . 179
Chirnside, . 730
Clackmannan, 466
Clatt, . . 180
Cleish, . 460
Closeburn, . 816
Clunie (Perth), 339
Cluny (Aberd'n), 181
Clyne, . 45
Cockburnspath, 731
Cockpen, . 676
Coigach, . 75
Coldingham, 732
Coldstream, 733
Colinton, . 677
Coll, . . 551
Collace, . 340
Collessie, . 416
Colmonell, . 582
Colonsay, . 539
Colvend, . 861
Comrie, . 341
Contin, . 60
Cookney, . 258
Corsock-Bridge, 862
Corstorphine, 678
Cortachy & Clova 278
Coull, . 182
Coupar-Angus, 279
Covington and Thankerton, 634
Coylton, . 583
Craig, . 280
Craigie, . 584
Craignish, . 508
Crail, . . 417
Crailing, . 786
Cramond, . 679
Cranshaws, 734
Cranston, . 680
Crathie and Braemar, 183
Crawford, . 635
Crawfordjohn, 636
Creich (Fife), 418
Crichton, . 681
Criech (Sutherland), . 46
Crieff, . 342
Crimond, . 184
Cromarty, . 61
Cromdale and Advie, . 128
Crosshill, . 584
Crossmichael, 863
Croy & Dalcross, 94
Cruden, . 185
Cullen, . 150
Culross, . 343
Culsamond, 186
Culter, . 637
Cults, . 419
Cumbernauld, 495
Cumbrae, . 552
Cumlodden and Minard, . 509
Cummertrees, 817
Cupar, . 420
Currie, . 682
Dailly, . 585
Dairsie, . 421
Dalavich, . 517
Dalbeattie, . 864
Dalgetty, . 422
Dalkeith, . 683
Dallas, . 129
Dalmellington, 586
Dalmeny, . 665
Dalry (Ayr), 587
Dalry (Kirkcudbright), . 865
Dalrymple, 588
Dalserf, . 638
Dalton, . 818
Dalziel, . 639
Daviot, . 187
Daviot & Dunlichity, . 95
Deerness, . 14
Delting, . 6
Dennistoun, 644
Denny, . 471
Deskford, . 152
Dingwall, . 62
Dirleton, . 705
Dollar, . 467
Dolphington, 640
Dores, . 90
Dornoch (Sutherland), . 47
Dornock (Dumfries), . 819
Douglas, . 641
Dowally, . 344
Drainie, . 130
Dreghorn, . 589
Dron, . . 345
Drumblade, 188
Drumelzier, 759
Drumoak, . 189
Dryfesdale, 820
Drymen, . 477
Duddingston, 684
Duffus, . 131
Duirinish, . 110
Dull, . . 346
Dumbarton, 496
Dumfries, . 821
Dun, . . 281
Dunbar, . 706
Dunbarney, 347
Dunblane, . 348
Dunbog, . 423
Dundee, . 282
Dundonald, 590
Dunfermline, 424
Dunino, . 425
Dunipace, . 478
Dunkeld, . 349
Dunlop, . 591
Dunnet, . 36
Dunnichen, 283
Dunning, . 350
Dunnottar, . 255
Dunoon & Kilmun, . 510
Dunrossness, 3
Dunscore, . 822
Dunse, . 735
Dunsyre, . 642
Durness, . 48
Duror, . 525
Durris, . 256
Durrisdeer, 823
Duthil, . 96
Dyce, . . 190
Dyke, . 133
Dysart, . 426
Eaglesham, 561
Earlsferry, . 436
Earlston, . 736
Eassie & Nevay, 284
East Kilbride, 643
Eastwood, . 562
Eccles, . 737
Ecclesmachen, 666
Echt, . . 191
Eckford, . 787
Eday & Pharay, 15
Edderton, . 63
Eddlestone, 760
Eddrachillis, 49
Edgerston, . 787
Edinburgh, 685

* The actual number of Districts is 1033—many Parishes and Burghs having been divided into two or more Districts for the purposes of Registration. Thus Edinburgh and Glasgow, to each of which only a single number is assigned in the Tables, consist of 5 and 14 Districts respectively. In forming the alphabetical arrangement, the principle adopted has been to place *compound* names in the order in which they are pronounced.

Edinkillie, . 134
Ednam, . 788
Edrom, . 738
Edzell, . 285
Elgin,. . 135
Elie, . . 427
Ellon,. . 192
Enzie,. . 152
Errol,. . 351
Erskine, . 563
Eskdalemuir, 824
Ettrick, . 774
Evie & Rendall, 16
Ewes, . 825
Eyemouth, 739

Fair Isle, . 3
Fala & Soutra, 686
Falkirk, . 479
Falkland, . 428
Farnell, . 286
Farr, . 50
Fauldhouse, 673
Fearn (Forfar), 287
Fearn (Ross), 64
Fenwick, . 592
Ferry-Port-on-Craig, . 429
Fetlar, . 4
Fettercairn, 257
Fetteresso, . 258
Findo-Gask, 352
Fintray(Aberd.),193
Fintry(Stirling),480
Firth & Stennes, 17
Flisk, . 430
Flotta, . 32
Fodderty, . 65
Fogo, . 740
Fordoun, . 259
Fordyce, . 153
Forfar, . 288
Forgan, . 431
Forgandenny, 353
Forglen, . 154
Forgue, . 194
Forres, . 137
Fort-Augustus (or Abertarff), 92
Forteviot, . 354
Fortingall, . 355
Fortrose, . 80
Foss, . . 355
Fossaway and Tulliebole, 461
Foula, . 12
Foulden, . 741
Foveran, . 195
Fowlis-Easter, 356
Fowlis-Wester, 357
Fraserburgh, 196
Fyvie, 197

Gairloch, . 66
Galashiels, . 775
Galston, . 593
Gamrie, . 155
Gargunnock, 481
Gartly, . 198
Garvald, . 707
Garvock, . 260
Gigha, . 537
Girthon, . 866
Girvan, . 594
Gladsmuir, 708
Glamis, . 289
Glasgow, . 644
Glass, . 199
Glassary, . 511
Glasserton, 885
Glassford, 645
Glenbervie, 261
Glenbucket, 200
Glencairn, . 826
Glencoe and Ballachulish, 525
Glencorse, . 687
Glendevon, 358
Glenelg, . 97
Glengarry, . 99
Glenholm, . 761
Glenisla, . 290
Glenlivat, . 157
Glenmoriston, 107
Glenmuick, Tullich, &c., 201
Glenorchy, . 512
Glenrinnes,. 155
Glenshee, . 370
Glenshiel, . 67
Golspie, . 51
Gorbals, . 644
Gordon, . 742
Gourock, . 567
Govan Church, 646
Graitney (or Gretna). . 827
Grange, . 156
Grangemouth, 481
Greenlaw, . 743
Greenock, . 564
Guthrie . 291

Haddington, 709
Haggs, . 476
Halfmorton, 828
Halkirk, . 37
Hamilton, . 647
Harray, . 18
Harris, . 111
Hawick, . 789
Heriot, . 688
Hobkirk, . 790
Hoddom, . 829
Holm & Paplay, 19
Holytown, . 625
Holywood, . 830
Houston and Killellan, 565
Howmore, . 118
Hownam, . 791
Hoy & Græmsay, 20
Humbie, . 710
Hume, . 744
Huntly, . 202
Hutchesontown, 644
Hutton (Berwick), . 745
Hutton (Dumf.) 831

Inch (Wigtown), 886
Inchinnan, . 566
Inchture, . 359
Innerleithen, 762
Innerwick(Had.)711
Innerwick, in Glenlyon, 355*a*
Insch (Aberd'n), 203
Inverallan, . 128
Inverallochy, 235
Inveraray, . 513
Inverarity, . 292
Inveravon, . 157
Inverchaolain, 514
Inveresk, . 689
Inverkeillor, 293
Inverkeithing, 432
Inverkeithny, 158
Inverkip, . 567
Inverness, . 98
Inverurie, . 204
Iona, . 538
Irongray, . 867
Irvine, . 595

Jedburgh, . 792
Johnstone (Dumfries), 832
Johnstone&Elderslie (Renfrew),559
Jura, . 539

Keig, . . 205
Keir, . . 833
Keith, . 159
Keith-hall, . 206
Kells, . 868
Kelso, . 793
Kelton, . 869
Kelvin, . 644
Kemback, . 433
Kemnay, . 207
Kenmore, . 360
Kennoway, 434
Kettins, . 294
Kettle, . 435
Kilbarchan, 568
Kilberry, . 516
Kilbirnie, . 596
Kilbrandon and Kilchattan, 515
Kilbride, . 553
Kilbucho, &c., 763
Kilcalmonell, 516
Kilchoman, 540
Kilchrenan, 517
Kilconquhar, 436
Kilcreggan, 502
Kildalton & Oa, 541
Kildonan, . 52
Kildrummy, 208
Kilfinan, . 518
Kilfinichen and Kilvickeon, 542
Killean and Kilchenzie, 519
Killearn, . 482
Kilearnan, . 68
Killin, . 361
Kilmadock, 362
Kilmalcolm, 569
Kilmallie, . 520
Kilmany (Fife), 437
Kilmarnock, 597
Kilmaronock, 497
Kilmartin, . 521
Kilmaurs, . 598
Kilmelford, 524
Kilmeny(Argyll)543
Kilmodan, . 522
Kilmonivaig, 99
Kilmorack, 100
Kilmore & Kilbride, . 523
Kilmorich, . 527
Kilmory, . 554
Kilmuir, . 112
Kilmuir-Easter, 69
Kilmun, . 510
Kilninian and Kilmore, 544
Kilninver, . 524
Kilrenny, . 338
Kilspindie, 363
Kilsyth, . 483
Kiltarlity, . 101
Kiltearn, . 70
Kilwinning, 599
Kincardine (Perth), . 364
Kincardine(Ross),71
Kincardine O'Neil, . 209
Kinclaven, . 365
Kinfauns, . 366
Kingarth, . 554
King-Edward, 210
Kinghorn, . 439
Kinglassie, . 440
Kingoldrum, 295
Kingsbarns, 441
Kingussie, &c., 102
Kinloch, . 372
Kinlochbervie, 49
Kinlochluichart, 71
Kinloch-Rannoch, . 367
Kinlochspelvie, 545
Kinloss, . 138
Kinnaird, . 368
Kinneff and Catterline, 262
Kinnell, . 296
Kinnellar, . 211
Kinnethmont, 212
Kinnettles, 297
Kinning Park, 644
Kinnoull, . 369
Kinross, . 462
Kintail, . 72
Kintore, . 213
Kippen, . 484
Kirkbean, . 870
Kirkcaldy and Abbotshall, 442
Kirkcolm, . 887
Kirkconnel, 834
Kirkcowan, 888
Kirkcudbright, 871
Kirkden, . 298
Kirkgunzeon, 872
Kirkhill, . 103
Kirkhope, . 776
Kirkinner, . 889
Kirkintilloch, 498
Kirkliston, . 667
Kirkmabreck, 873
Kirkmahoe, 835
Kirkmaiden, 890
Kirkmichael (Ayr), . 600
Kirkmichael (Banff), . 160
Kirkmichael (Dumfries), 836
Kirkmichael (Perth), . 370
Kirknewton and East-Calder, 690
Kirkoswald, 601
Kirkpatrick-Durham, 874
Kirkpatrick-Fleming, 837
Kirkpatrick-Juxta, . 838
Kirkton (Assynt), . 44
Kirkton (Farr), 50
Kirktown (Roxburgh), . 794
Kirkurd, . 764
Kirkwall & St Ola 21
Kirriemuir, 299
Knockando, 139
Knockbain, 73
Knoydart, . 97

Ladhope, . 776
Ladykirk, . 746
Laggan, . 104
Lairg, . 53
Lanark, . 648
Langholm, . 839
Langton, . 747
Larbert, . 485
Largo, . 443
Largs, . 602
Larkhall, . 638
Lasswade, . 691
Latheron, . 38
Lauder, . 748
Laurencekirk, 263
Leadhills, . 635
Lecropt, . 371
Legerwood, 749
Leith, . . 692
Leochel-Cushnie, . 214
Lerwick, . 5
Leslie (Aberd'n), 215
Leslie (Fife), 444
Lesmahagow, 649
Leswalt, . 891
Lethendy, 372
Lethnot and Navar, . 300
Leuchars, . 445
Libberton (Lanark), . 650
Liberton (Edin.) 693
Liff, Benvie, & Invergowrie, 301
Lilliesleaf, . 795
Linlithgow, 668
Linton, . 796
Lintrathen, 302
Lismore, . 525
Little Dunkeld, 373
Livingstone, 669
Lochaber, . 99
Lochalsh, . 74
Lochbroom, 75
Lochcarron, 76
Lochee, . 282
Lochgilphead, 526
Lochgoilhead, 527
Lochlee, . 303
Lochmaben, 840
Lochranza, 567
Lochrutton, 855
Lochs, . 87
Lochwinnoch, 570
Logie (Fife), 446
Logie (Perth), 374
Logiealmond, 375
Logie-Buchan, 216
Logie-Coldstone and Cromar, 217
Logie-Easter, 77
Logie-Pert, 304
Logierait, . 376
Longforgan, 377
Longformacus, 750
Longside, . 218
Lonmay, . 219
Loth, . 5
Loudoun, . 605
Lumphanan, 220
Lunan, . 30
Lundie, . 30
Lunnasting,
Luss, . 49
Lyne, . 76

Madderty, . 37
Mains, . 30
Makerstoun, 79
Manor, . 76
Markinch, . 447
Marnoch, . 161
Maryculter, 264
Maryhill, . 52

Marykirk, . 265
Marytown, . 308
Mauchline, . 604
Maxton, . 798
Maybole, . 605
Mearns, . 571
Megget, . 765
Meigle, . 379
Melrose, . 799
Menmuir, . 309
Merton, . 751
Methlic, . 221
Methven, . 330
Mid-Calder, 694
Middlebie, . 841
Midmar, . 222
Mid & S. Yell, 6
Millbrex, . 222
Milton, . 644
Minnigaff, . 876
Minto, . 800
Mochrum, . 892
Moffat, . 842
Moneydie, . 381
Monifieth, . 310
Monikie, . 311
Monimail, . 448
Monkton and Prestwick, 606
Monquhitter, 223
Montrose, . 312
Monymusk, 224
Monzie (Perth), 382
Monzievaird and Strowan, . 383
Moonzie (Fife), 449
Mordington, 752
Morebattle, . 801
Morham, . 712
Mortlach, . 162
Morton, . 843
Morvern, . 528
Moulin, . 384
Mouswald, . 844
Moy and Dalarossie, . 105
Muckairn, . 529
Muckart, . 385
Muiravonside, 486
Muirkirk, . 607
Murroes, . 313
Musselburgh, 689
Muthill, . 386

Nairn, . 123
Neilston, . 572
Nenthorn, . 753
Nesting, . 7
New Abbey, 877
New Ardrossan, 576
Newbattle, . 695
Newburgh, . 450
Newburn, . 451
New Byth, . 210
New Cumnock, 608
New Deer, . 225
New Galloway, 868
Newhills, . 226
Newington, . 685
New Kilpatrick, 500
Newlands, . 767
New Luce, . 893
New Machar, 227
New Monkland, 651
New Pitsligo, 227
New Spynie, 136
Newton, . 696
Newtyle, . 314
Nigg (Kincard.), 266
Nigg (Ross), 78
North Berwick, 713
North Bute, 557
North Harris, 111
North Knapdale, 530
North Leith, 692
Northmavine, 8
North Morar, 97
North Ronaldshay, . 22
North Uist, 113
North Yell, . 4

Oa, . . 546
Oathlaw, . 315
Oban, . 523
Ochiltree, . 609
Old Ardrossan, 576
Old Cumnock, 610
Old Deer, . 228
Oldhamstocks, 714
Old, or West, Kilpatrick 501
Old Luce, . 894
Old Machar, 168
Old Meldrum, 229
Old Monkland, 652
Olrig, . 39
Ordiquhill, . 163
Ormiston, . 715
Orphir, . 23
Orwell, . 463
Oxnam, . 802
Oyne, . 230

Paisley, . 573
Panbride, . 316
Papa-Stour, 12
Papa-Westray, 33
Partick, . 646
Parton, . 878
Peebles, . 768
Pencaitland, 716
Penicuik, . 697
Penninghame, 895
Penpont, . 845
Persie, . 386
Perth, . 387
Peterculter, 231
Peterhead, . 232
Pettinain, . 653
Petty, . 106
Pitsligo, . 233
Pittenweem, 452
Polmont, . 487
Polwarth, . 754
Port-Glasgow, 574
Port of Monteith, 388
Portlethen, . 251
Portmoak, . 464
Portnahaven, 547
Portobello, . 684
Portpatrick, 896
Portree, . 114
Portsoy, . 153
Premnay, . 234
Prestonkirk, 717
Prestonpans, 718

Queensferry, 670

Raasay, . 114
Rafford, . 140
Rathen, . 235
Ratho, . 698
Rathven, . 164
Rattray, . 389
Rayne, . 236
Reay, . 40
Redgorton, . 390
Renfrew, . 575
Rerrick, . 879
Rescobie, . 317
Resolis, . 79
Rhynd, . 391
Rhynie, . 237
Riccarton, . 611
Roberton, . 777
Rogart, . 55
Rosehall, . 46
Rosemarkie, 80
Roseneath, . 502
Rosskeen, . 81
Rothes, . 141
Rothesay, . 558
Rothiemay, . 165
Rothiemurchus, 96
Rousay and Egilsay, . 24
Row, . . 503
Roxburgh, . 803
Rutherglen, 654
Ruthven, . 318
Ruthwell, . 846

Saddell, . 531
St Andrew (Dundee), 282
St Andrew (Edinburgh), 685
St Andrews (Orkney), 25
St Andrews-Lhanbryde, 142
St Andrews and St Leonards (Fife), . 453
St Boswells, 804
St Clement, 282
St Cyrus, . 267
St Fergus, . 166
St George, . 685
St Giles, . 685
St Kilda, . 111
St Madoes, . 392
St Mary, . 282
St Martins, . 393
St Monance (or Abercrombie), 454
St Mungo, . 847
St Nicholas, 168
St Ninians, . 488
St Peter, . 282
St Quivox, &c., 612
St Rollox, . 644
St Vigeans, 319
Salen (Argyll), 548
Saline (Fife), 455
Salton, . 719
Sanday, . 26
Sandness, . 12
Sandsting and Aithsting, 9
Sandwick, . 27
Sandwick & Cuningsburgh, 3
Sanquhar, . 848
Savoch, . 237
Scone, . 394
Scoonie, . 456
Scourie, . 49
Seafield, . 167
Selkirk, . 778
Shapinshay, 28
Shettleston, . 622
Shieldaig, . 58
Shotts, . 655
Skene, . 238
Skipness, . 531
Skirling, . 769
Slains, . 239
Slamannan, . 489
Sleat, . 115
Smailholm, . 805
Small Isles, . 116
Snizort, . 117
Sorbie, . 897
Sorn, . 613
Southdean, 806
Southend, . 532
South Harris, 111
South Knapdale, 533
South Leith, 692
South Ronaldshay & Burray, 29
South Uist, 118
Speymouth, 143
Spott, . 720
Sprouston, . 807
Stair, . . 614
Stanley, . 393
Stenscholl, . 112
Stenton, . 721
Stevenston, . 615
Stewarton, . 616
Stirling, . 490
Stitchell, . 808
Stobhill, . 698
Stobo, . 770
Stoer, . . 44
Stonehouse, 656
Stoneykirk, 898
Stornoway, . 88
Stow, . 699
Stracathro, . 320
Strachan, . 268
Strachur, . 534
Straiton, . 617
Stralachlan, 534
Stranraer, . 899
Strath, . 119
Strathblane, 491
Strathdon, . 240
Strathfillan, 394
Strathmartin, 307
Strathmiglo, 457
Strathoykel, 71
Strathy, . 50
Strichen, . 241
Stromness, . 30
Stronsay, . 31
Sunart, . 505
Swinton, . 755
Symington (Ayr), 618
Symington (Lanark), 657

Tain, . 82
Tannadice, . 321
Tarbat, . 83
Tarbert, . 535
Tarbolton, . 619
Tarland, . 242
Tarves, . 243
Tealing, . 322
Temple, . 700
Tenandry, . 394
Terregles, . 880
Teviothead, . 809
Thurso, . 41
Tibbermore, 395
Tillicoultry, 468
Tingwall, . 10
Tinwald, . 894
Tobermory, . 549
Tomintoul, . 160
Tongland, . 881
Tongue, . 56
Torosay, . 550
Torphichen, 671
Torryburn, . 458
Torthorwald, 850
Tough, . 244
Towie, . 245
Tradeston, . 644
Tranent, . 722
Traquair, . 771
Trinity-Gask, 39
Troon, . 590
Troqueer, . 882
Tulliallan, . 397
Tullynessle and Forbes, . 246
Tundergarth, 851
Turriff, . 247
Tweedsmuir, 772
Twynholm, . 883
Tynron, . 852
Tyree, . 551
Tyrie, . . 248

Udny, . 249
Uig, . . 89
Unst, . . 11
Uphall, . 672
Urquhart (Elgin), . 144
Urquhart (Inverness), . 107
Urquhart and Logie-Wester, 84
Urr, . . 884
Urray, . 85

Walls (Shetland), 12
Walls (Orkney), 32
Walston, . 658
Wamphray, 853
Wandell and Lamington, 659
Wanlockhead, 853
Watten, . 42
Weem, . 398
Wemyss, . 459
West Calder, 701
Westerkirk, 854
West Kilbride, 620
West Linton, 773
Westray, . 33
Westruther, 756
Whalsay and Skerries, . 7
Whitburn, . 673
Whitekirk and Tynninghame, 723
Whiteness and Weisdale, 10
Whithorn, . 900
Whitsome, . 757
Whittinghame, 724
Wick, . . 43
Wigtown, . 901
Wilton, . 810
Wiston and Roberton, . 660

Yarrow, . 779
Yester (or Gifford), . 725
Yetholm, . 811
Ythan Wells, 249

EDINBURGH: PRINTED BY NEILL AND COMPANY,
FOR HER MAJESTY'S STATIONERY OFFICE.